

# Barry P Rand

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/9292898/barry-p-rand-publications-by-year.pdf>

**Version:** 2024-04-29

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

168  
papers

14,124  
citations

56  
h-index

117  
g-index

188  
ext. papers

15,642  
ext. citations

11.9  
avg, IF

6.8  
L-index

#	Paper	IF	Citations
168	Consensus statement: Standardized reporting of power-producing luminescent solar concentrator performance. <i>Joule</i> , <b>2022</b> , 6, 8-15	27.8	14
167	Halide Perovskites for Photonics and Optoelectronics: introduction to special issue. <i>Optical Materials Express</i> , <b>2022</b> , 12, 1764	2.6	
166	Electrochemically n-Doped CsPbBr <sub>3</sub> Nanocrystal Thin Films. <i>ACS Energy Letters</i> , <b>2022</b> , 7, 211-216	20.1	1
165	Influence of Disorder and State Filling on Charge-Transfer-State Absorption and Emission Spectra. <i>Physical Review Applied</i> , <b>2021</b> , 16,	4.3	4
164	Morphological Requirements for Nanoscale Electric Field Buildup in a Bulk Heterojunction Solar Cell. <i>Journal of Physical Chemistry Letters</i> , <b>2021</b> , 12, 537-545	6.4	0
163	Roadmap on organic/inorganic hybrid perovskite semiconductors and devices. <i>APL Materials</i> , <b>2021</b> , 9, 109202	5.7	28
162	Green Lithography for Delicate Materials. <i>Advanced Functional Materials</i> , <b>2021</b> , 31, 2101533	15.6	2
161	Organoammonium-Ion-based Perovskites Can Degrade to Pb <sub>0</sub> via Amine/Pb(II) Coordination. <i>ACS Energy Letters</i> , <b>2021</b> , 6, 2262-2267	20.1	7
160	Alleviating halide perovskite surface defects. <i>Matter</i> , <b>2021</b> , 4, 2104-2105	12.7	0
159	Device Performance of Emerging Photovoltaic Materials (Version 1). <i>Advanced Energy Materials</i> , <b>2021</b> , 11, 2002774	21.8	56
158	Organic Hole Transport Material Ionization Potential Dictates Diffusion Kinetics of Iodine Species in Halide Perovskite Devices. <i>ACS Energy Letters</i> , <b>2021</b> , 6, 501-508	20.1	8
157	Solar fuels and feedstocks: the quest for renewable black gold. <i>Energy and Environmental Science</i> , <b>2021</b> , 14, 1402-1419	35.4	10
156	Role of Photon Recycling and Band Filling in Halide Perovskite Photoluminescence under Focused Excitation Conditions. <i>Journal of Physical Chemistry C</i> , <b>2021</b> , 125, 2240-2249	3.8	4
155	Benchmarking organic thin film transistor inverter design styles. <i>Synthetic Metals</i> , <b>2021</b> , 278, 116825	3.6	2
154	Tuning Laser Threshold within the Large Optical Gain Bandwidth of Halide Perovskite Thin Films. <i>ACS Photonics</i> , <b>2021</b> , 8, 2548-2554	6.3	1
153	Nanosecond-Pulsed Perovskite Light-Emitting Diodes at High Current Density. <i>Advanced Materials</i> , <b>2021</b> , 33, e2104867	24	6
152	The role of halide oxidation in perovskite halide phase separation. <i>Joule</i> , <b>2021</b> , 5, 2273-2295	27.8	20

151	Polariton Decay in Donor-Acceptor Cavity Systems. <i>Journal of Physical Chemistry Letters</i> , <b>2021</b> , 12, 9774-9782	5
150	Thermal Management Enables Bright and Stable Perovskite Light-Emitting Diodes. <i>Advanced Materials</i> , <b>2020</b> , 32, e2000752	24 71
149	Organic-Flow: An Open-Source Organic Standard Cell Library and Process Development Kit <b>2020</b> ,	1
148	Polariton Transitions in Femtosecond Transient Absorption Studies of Ultrastrong Light-Molecule Coupling. <i>Journal of Physical Chemistry Letters</i> , <b>2020</b> , 11, 2667-2674	6.4 31
147	n-Doping of a Low-Electron-Affinity Polymer Used as an Electron-Transport Layer in Organic Light-Emitting Diodes. <i>Advanced Functional Materials</i> , <b>2020</b> , 30, 2000328	15.6 7
146	Electrically driven lasing in metal halide perovskites: Challenges and outlook. <i>APL Materials</i> , <b>2020</b> , 8, 030902	5.7 33
145	Ultraviolet Photoemission Spectroscopy and Kelvin Probe Measurements on Metal Halide Perovskites: Advantages and Pitfalls. <i>Advanced Energy Materials</i> , <b>2020</b> , 10, 1903252	21.8 23
144	Optically Pumped Lasing from Hybrid Perovskite Light-Emitting Diodes. <i>Advanced Optical Materials</i> , <b>2020</b> , 8, 1901297	8.1 27
143	Reduced Recombination and Capacitor-like Charge Buildup in an Organic Heterojunction. <i>Journal of the American Chemical Society</i> , <b>2020</b> , 142, 2562-2571	16.4 18
142	Factors that Limit Continuous-Wave Lasing in Hybrid Perovskite Semiconductors. <i>Advanced Optical Materials</i> , <b>2020</b> , 8, 1901514	8.1 17
141	Low Threshold Voltages Electrochemically Drive Gold Migration in Halide Perovskite Devices. <i>ACS Energy Letters</i> , <b>2020</b> , 5, 3352-3356	20.1 15
140	Fate of Low-Lying Charge-Transfer Excited States in a Donor:Acceptor Blend with a Large Energy Offset. <i>Journal of Physical Chemistry Letters</i> , <b>2020</b> , 11, 10219-10226	6.4 4
139	Thermal Properties, Molecular Structure, and Thin-Film Organic Semiconductor Crystallization. <i>Journal of Physical Chemistry C</i> , <b>2020</b> , 124, 27213-27221	3.8 3
138	Hall Effect in Polycrystalline Organic Semiconductors: The Effect of Grain Boundaries. <i>Advanced Functional Materials</i> , <b>2020</b> , 30, 1903617	15.6 21
137	Engineering Charge-Transfer States for Efficient, Low-Energy-Loss Organic Photovoltaics. <i>Trends in Chemistry</i> , <b>2019</b> , 1, 815-829	14.8 23
136	Amine additive reactions induced by the soft Lewis acidity of Pb <sup>2+</sup> in halide perovskites. Part I: evidence for Pb-alkylamide formation. <i>Journal of Materials Chemistry C</i> , <b>2019</b> , 7, 5251-5259	7.1 41
135	Amine additive reactions induced by the soft Lewis acidity of Pb <sup>2+</sup> in halide perovskites. Part II: impacts of amido Pb impurities in methylammonium lead triiodide thin films. <i>Journal of Materials Chemistry C</i> , <b>2019</b> , 7, 5244-5250	7.1 18
134	Engineering Perovskite Nanocrystal Surface Termination for Light-Emitting Diodes with External Quantum Efficiency Exceeding 15%. <i>Advanced Functional Materials</i> , <b>2019</b> , 29, 1807284	15.6 55

133	Perovskite Light-Emitting Diodes with Improved Outcoupling Using a High-Index Contrast Nanoarray. <i>Small</i> , <b>2019</b> , 15, e1900135	11	37
132	Multiple Charge Transfer States in Donor/Acceptor Heterojunctions with Large Frontier Orbital Energy Offsets. <i>Chemistry of Materials</i> , <b>2019</b> , 31, 6808-6817	9.6	13
131	Reactions at noble metal contacts with methylammonium lead triiodide perovskites: Role of underpotential deposition and electrochemistry. <i>APL Materials</i> , <b>2019</b> , 7, 041103	5.7	47
130	Perovskites for Next-Generation Optical Sources. <i>Chemical Reviews</i> , <b>2019</b> , 119, 7444-7477	68.1	391
129	Organic photovoltaics (OPVs): Device physics <b>2019</b> , 665-693		6
128	Complexities of Contact Potential Difference Measurements on Metal Halide Perovskite Surfaces. <i>Journal of Physical Chemistry Letters</i> , <b>2019</b> , 10, 890-896	6.4	16
127	Interfacial charge-transfer doping of metal halide perovskites for high performance photovoltaics. <i>Energy and Environmental Science</i> , <b>2019</b> , 12, 3063-3073	35.4	77
126	Study of local structure at crystalline rubrene grain boundaries via scanning transmission X-ray microscopy. <i>Organic Electronics</i> , <b>2019</b> , 74, 315-320	3.5	2
125	Electrochemical and Thermal Etching of Indium Tin Oxide by Solid-State Hybrid Organic/Inorganic Perovskites. <i>ACS Applied Energy Materials</i> , <b>2019</b> , 2, 6097-6101	6.1	27
124	Widely Tunable, Room Temperature, Single-Mode Lasing Operation from Mixed-Halide Perovskite Thin Films. <i>ACS Photonics</i> , <b>2019</b> , 6, 3331-3337	6.3	20
123	Time-resolved imaging of carrier transport in halide perovskite thin films and evidence for nondiffusive transport. <i>Physical Review Materials</i> , <b>2019</b> , 3,	3.2	6
122	Two temperature regimes of triplet transfer in the dissociation of the correlated triplet pair after singlet fission. <i>Canadian Journal of Chemistry</i> , <b>2019</b> , 97, 465-473	0.9	10
121	High-Voltage Photogeneration Exclusively via Aggregation-Induced Triplet States in a Heavy-Atom-Free Nonplanar Organic Semiconductor. <i>Advanced Energy Materials</i> , <b>2019</b> , 9, 1901649	21.8	3
120	Mixed Lead-Tin Halide Perovskites for Efficient and Wavelength-Tunable Near-Infrared Light-Emitting Diodes. <i>Advanced Materials</i> , <b>2019</b> , 31, e1806105	24	37
119	Improved Outcoupling Efficiency and Stability of Perovskite Light-Emitting Diodes using Thin Emitting Layers. <i>Advanced Materials</i> , <b>2019</b> , 31, e1805836	24	137
118	The Impact of Local Morphology on Organic Donor/Acceptor Charge Transfer States. <i>Advanced Energy Materials</i> , <b>2018</b> , 8, 1702816	21.8	60
117	Ionic-Electronic Ambipolar Transport in Metal Halide Perovskites: Can Electronic Conductivity Limit Ionic Diffusion?. <i>Journal of Physical Chemistry Letters</i> , <b>2018</b> , 9, 132-137	6.4	30
116	Phototriggered Depolymerization of Flexible Poly(phthalaldehyde) Substrates by Integrated Organic Light-Emitting Diodes. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2018</b> , 10, 28062-28068	9.5	24

115	Triplet Energy Transfer Governs the Dissociation of the Correlated Triplet Pair in Exothermic Singlet Fission. <i>Journal of Physical Chemistry Letters</i> , <b>2018</b> , 9, 4087-4095	6.4	47
114	Methods for Conducting Electron Backscattered Diffraction (EBSD) on Polycrystalline Organic Molecular Thin Films. <i>Microscopy and Microanalysis</i> , <b>2018</b> , 24, 420-423	0.5	5
113	33-1: Invited Paper: Exploring the Formation and Growth of Organic Semiconductors with mm-Scale Grains. <i>Digest of Technical Papers SID International Symposium</i> , <b>2018</b> , 49, 413-414	0.5	
112	Influence of Bulky Organo-Ammonium Halide Additive Choice on the Flexibility and Efficiency of Perovskite Light-Emitting Devices. <i>Advanced Functional Materials</i> , <b>2018</b> , 28, 1802060	15.6	53
111	Band-like Charge Photogeneration at a Crystalline Organic Donor/Acceptor Interface. <i>Advanced Energy Materials</i> , <b>2018</b> , 8, 1701494	21.8	19
110	Metal-Halide Perovskites: Emerging Light-Emitting Materials. <i>Information Display</i> , <b>2018</b> , 34, 18-22	0.8	
109	Ultrasensitive Heterojunctions of Graphene and 2D Perovskites Reveal Spontaneous Iodide Loss. <i>Joule</i> , <b>2018</b> , 2, 2133-2144	27.8	27
108	Hybrid perovskite light emitting diodes under intense electrical excitation. <i>Nature Communications</i> , <b>2018</b> , 9, 4893	17.4	97
107	Donor/Acceptor Charge-Transfer States at Two-Dimensional Metal Halide Perovskite and Organic Semiconductor Interfaces. <i>ACS Energy Letters</i> , <b>2018</b> , 3, 2708-2712	20.1	24
106	Variable charge transfer state energies at nanostructured pentacene/C60 interfaces. <i>Applied Physics Letters</i> , <b>2018</b> , 112, 213302	3.4	10
105	18-1: Invited Paper: Color Tunable, Flexible, and Efficient Light Emitting Diodes Composed of Metal Halide Perovskites. <i>Digest of Technical Papers SID International Symposium</i> , <b>2018</b> , 49, 212-213	0.5	1
104	Electronic structure of the CsPbBr <sub>3</sub> /polytriarylamine (PTAA) system. <i>Journal of Applied Physics</i> , <b>2017</b> , 121, 035304	2.5	74
103	Efficient perovskite light-emitting diodes featuring nanometre-sized crystallites. <i>Nature Photonics</i> , <b>2017</b> , 11, 108-115	33.9	949
102	Homoepitaxy of Crystalline Rubrene Thin Films. <i>Nano Letters</i> , <b>2017</b> , 17, 3040-3046	11.5	19
101	Electrical Stress Influences the Efficiency of CH <sub>3</sub> NH <sub>3</sub> PbI <sub>3</sub> Perovskite Light Emitting Devices. <i>Advanced Materials</i> , <b>2017</b> , 29, 1605317	24	81
100	Linking Chemistry at the TiO <sub>2</sub> /CH <sub>3</sub> NH <sub>3</sub> PbI <sub>3</sub> Interface to Current-Voltage Hysteresis. <i>Journal of Physical Chemistry Letters</i> , <b>2017</b> , 8, 2298-2303	6.4	37
99	Enhanced sub-bandgap efficiency of a solid-state organic intermediate band solar cell using triplet-triplet annihilation. <i>Energy and Environmental Science</i> , <b>2017</b> , 10, 1465-1475	35.4	46
98	In Situ Preparation of Metal Halide Perovskite Nanocrystal Thin Films for Improved Light-Emitting Devices. <i>ACS Nano</i> , <b>2017</b> , 11, 3957-3964	16.7	128

97	Enhanced outcoupling in flexible organic light-emitting diodes on scattering polyimide substrates. <i>Organic Electronics</i> , <b>2017</b> , 51, 471-476	3.5	27
96	Mixed-Halide Perovskites with Stabilized Bandgaps. <i>Nano Letters</i> , <b>2017</b> , 17, 6863-6869	11.5	121
95	Light-trapping in polymer solar cells by processing with nanostructured diatomaceous earth. <i>Organic Electronics</i> , <b>2017</b> , 51, 422-427	3.5	7
94	Use of an Underlayer for Large Area Crystallization of Rubrene Thin Films. <i>Chemistry of Materials</i> , <b>2017</b> , 29, 6666-6673	9.6	27
93	Editorial for Special issue on advanced solar cell technology. <i>Journal of Optics (United Kingdom)</i> , <b>2017</b> , 19, 120401	1.7	2
92	Extremely Low Operating Current Resistive Memory Based on Exfoliated 2D Perovskite Single Crystals for Neuromorphic Computing. <i>ACS Nano</i> , <b>2017</b> , 11, 12247-12256	16.7	201
91	Continuous-wave lasing in an organic-inorganic lead halide perovskite semiconductor. <i>Nature Photonics</i> , <b>2017</b> , 11, 784-788	33.9	248
90	Beating the thermodynamic limit with photo-activation of n-doping in organic semiconductors. <i>Nature Materials</i> , <b>2017</b> , 16, 1209-1215	27	120
89	Redox Chemistry Dominates the Degradation and Decomposition of Metal Halide Perovskite Optoelectronic Devices. <i>ACS Energy Letters</i> , <b>2016</b> , 1, 595-602	20.1	151
88	Morphological Tuning of the Energetics in Singlet Fission Organic Solar Cells. <i>Advanced Functional Materials</i> , <b>2016</b> , 26, 6489-6494	15.6	19
87	Real-Time Tracking of Singlet Exciton Diffusion in Organic Semiconductors. <i>Physical Review Letters</i> , <b>2016</b> , 116, 057402	7.4	20
86	Diode-Pumped Organo-Lead Halide Perovskite Lasing in a Metal-Clad Distributed Feedback Resonator. <i>Nano Letters</i> , <b>2016</b> , 16, 4624-9	11.5	148
85	Determination of Energy Level Alignment within an Energy Cascade Organic Solar Cell. <i>Chemistry of Materials</i> , <b>2016</b> , 28, 794-801	9.6	47
84	Interfacial Depletion Regions: Beyond the Space Charge Limit in Thick Bulk Heterojunctions. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2016</b> , 8, 2211-9	9.5	22
83	Contorted Hexabenzocoronenes with Extended Heterocyclic Moieties Improve Visible-Light Absorption and Performance in Organic Solar Cells. <i>Chemistry of Materials</i> , <b>2016</b> , 28, 673-681	9.6	28
82	Valence and Conduction Band Densities of States of Metal Halide Perovskites: A Combined Experimental-Theoretical Study. <i>Journal of Physical Chemistry Letters</i> , <b>2016</b> , 7, 2722-9	6.4	264
81	Ultrasoother metal halide perovskite thin films via solution processing. <i>Journal of Materials Chemistry A</i> , <b>2016</b> , 4, 8308-8315	13	48
80	Revealing the Full Charge Transfer State Absorption Spectrum of Organic Solar Cells. <i>Advanced Energy Materials</i> , <b>2016</b> , 6, 1601001	21.8	28

79	Comprehensive method for analyzing the power conversion efficiency of organic solar cells under different spectral irradiances considering both photonic and electrical characteristics. <i>Applied Energy</i> , <b>2016</b> , 180, 516-523	10.7	13
78	Metal nanocluster light-emitting devices with suppressed parasitic emission and improved efficiency: exploring the impact of photophysical properties. <i>Nanoscale</i> , <b>2015</b> , 7, 9140-6	7.7	32
77	Enhanced Outcoupling in Organic Light-Emitting Diodes via a High-Index Contrast Scattering Layer. <i>ACS Photonics</i> , <b>2015</b> , 2, 1366-1372	6.3	87
76	A Transparent, Smooth, Thermally Robust, Conductive Polyimide for Flexible Electronics. <i>Advanced Functional Materials</i> , <b>2015</b> , 25, 7428-7434	15.6	100
75	Flexible Electronics: A Transparent, Smooth, Thermally Robust, Conductive Polyimide for Flexible Electronics (Adv. Funct. Mater. 48/2015). <i>Advanced Functional Materials</i> , <b>2015</b> , 25, 7547-7547	15.6	3
74	Absorptive carbon nanotube electrodes: consequences of optical interference loss in thin film solar cells. <i>Nanoscale</i> , <b>2015</b> , 7, 7259-66	7.7	8
73	8.4% efficient fullerene-free organic solar cells exploiting long-range exciton energy transfer. <i>Nature Communications</i> , <b>2014</b> , 5, 3406	17.4	455
72	Decreased Recombination Through the Use of a Non-Fullerene Acceptor in a 6.4% Efficient Organic Planar Heterojunction Solar Cell. <i>Advanced Energy Materials</i> , <b>2014</b> , 4, 1301413	21.8	67
71	Accurate spectral response measurements of a complementary absorbing organic tandem cell with fill factor exceeding the subcells. <i>Applied Physics Letters</i> , <b>2014</b> , 104, 093302	3.4	16
70	Exciton dynamics in an energy up-converting solid state system based on diphenylanthracene doped with platinum octaethylporphyrin. <i>Chemical Physics</i> , <b>2014</b> , 429, 57-62	2.3	24
69	Delocalization and dielectric screening of charge transfer states in organic photovoltaic cells. <i>Nature Communications</i> , <b>2014</b> , 5, 3245	17.4	196
68	Role of Electron- and Hole-Collecting Buffer Layers on the Stability of Inverted Polymer: Fullerene Photovoltaic Devices. <i>IEEE Journal of Photovoltaics</i> , <b>2014</b> , 4, 265-270	3.7	11
67	Ultrasonic Spray Coating of 6.5% Efficient Diketopyrrolopyrrole-Based Organic Photovoltaics. <i>IEEE Journal of Photovoltaics</i> , <b>2014</b> , 4, 1538-1544	3.7	25
66	3D printed quantum dot light-emitting diodes. <i>Nano Letters</i> , <b>2014</b> , 14, 7017-23	11.5	308
65	Light-Induced Degradation of Polymer:Fullerene Photovoltaic Devices: An Intrinsic or Material-Dependent Failure Mechanism?. <i>Advanced Energy Materials</i> , <b>2014</b> , 4, 1400848	21.8	35
64	Thin film metal nanocluster light-emitting devices. <i>Advanced Materials</i> , <b>2014</b> , 26, 1446-9	24	52
63	Reducing exciton-polaron annihilation in organic planar heterojunction solar cells. <i>Physical Review B</i> , <b>2014</b> , 90,	3.3	14
62	Microcrystalline organic thin-film solar cells. <i>Advanced Materials</i> , <b>2013</b> , 25, 5504-7	24	41



61	Controlling the texture and crystallinity of evaporated lead phthalocyanine thin films for near-infrared sensitive solar cells. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2013</b> , 5, 8505-15	9.5	49
60	Concurrently pumped ultrasonic spray coating for donor:acceptor and thickness optimization of organic solar cells. <i>Organic Electronics</i> , <b>2013</b> , 14, 1002-1008	3.5	43
59	Isostructural, Deeper Highest Occupied Molecular Orbital Analogues of Poly(3-hexylthiophene) for High-Open Circuit Voltage Organic Solar Cells. <i>Chemistry of Materials</i> , <b>2013</b> , 25, 4239-4249	9.6	50
58	X-ray imager using solution processed organic transistor arrays and bulk heterojunction photodiodes on thin, flexible plastic substrate. <i>Organic Electronics</i> , <b>2013</b> , 14, 2602-2609	3.5	69
57	Efficient truxenone-based acceptors for organic photovoltaics. <i>Journal of Materials Chemistry A</i> , <b>2013</b> , 1, 73-76	13	43
56	Effect of Fluorination on the Properties of a Donor-Acceptor Copolymer for Use in Photovoltaic Cells and Transistors. <i>Chemistry of Materials</i> , <b>2013</b> , 25, 277-285	9.6	201
55	Improved cathode buffer layer to decrease exciton recombination in organic planar heterojunction solar cells. <i>Applied Physics Letters</i> , <b>2013</b> , 102, 043301	3.4	20
54	Plasmonic Efficiency Enhancement of High Performance Organic Solar Cells with a Nanostructured Rear Electrode. <i>Advanced Energy Materials</i> , <b>2013</b> , 3, 145-150	21.8	70
53	Resonant cavity enhanced light harvesting in flexible thin-film organic solar cells. <i>Optics Letters</i> , <b>2013</b> , 38, 1431-3	3	7
52	Structure induced conductivity enhancement in metal-doped molybdenum oxide thin films. <i>Journal of Applied Physics</i> , <b>2013</b> , 113, 043109	2.5	18
51	Thieno[3,2-b]thiophene-diketopyrrolopyrrole Containing Polymers for Inverted Solar Cells Devices with High Short Circuit Currents. <i>Advanced Functional Materials</i> , <b>2013</b> , 23, 5647-5654	15.6	71
50	Design of transparent anodes for resonant cavity enhanced light harvesting in organic solar cells. <i>Advanced Materials</i> , <b>2012</b> , 24, 728-32	24	194
49	Near-Field Interactions between Metal Nanoparticle Surface Plasmons and Molecular Excitons in Thin-Films. Part I: Absorption. <i>Journal of Physical Chemistry C</i> , <b>2012</b> , 116, 24206-24214	3.8	17
48	Correlating the Polymorphism of Titanyl Phthalocyanine Thin Films with Solar Cell Performance. <i>Journal of Physical Chemistry Letters</i> , <b>2012</b> , 3, 2395-400	6.4	39
47	Understanding metal doping for organic electron transport layers. <i>Applied Physics Letters</i> , <b>2012</b> , 100, 053305	3.4	14
46	Near-Field Interactions between Metal Nanoparticle Surface Plasmons and Molecular Excitons in Thin-Films. Part II: Emission. <i>Journal of Physical Chemistry C</i> , <b>2012</b> , 116, 24215-24223	3.8	9
45	Excitation of Charge Transfer States and Low-Driving Force Triplet Exciton Dissociation at Planar Donor/Acceptor Interfaces. <i>Journal of Physical Chemistry Letters</i> , <b>2012</b> , 3, 2064-2068	6.4	26
44	The Impact of Molecular Orientation on the Photovoltaic Properties of a Phthalocyanine/Fullerene Heterojunction. <i>Advanced Functional Materials</i> , <b>2012</b> , 22, 2987-2995	15.6	268



43	Enhanced photocurrent and open-circuit voltage in a 3-layer cascade organic solar cell. <i>Applied Physics Letters</i> , <b>2012</b> , 101, 143301	3.4	54
42	A benzotrithiophene-based low band gap polymer for polymer solar cells with high open-circuit voltage. <i>Journal of Materials Chemistry</i> , <b>2011</b> , 21, 17642		39
41	Structural Evolution of Evaporated Lead Phthalocyanine Thin Films for Near-Infrared Sensitive Solar Cells <i>Chemistry of Materials</i> , <b>2011</b> , 23, 886-895	9.6	58
40	Solution-processed MoO <sub>3</sub> thin films as a hole-injection layer for organic solar cells. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2011</b> , 3, 3244-7	9.5	253
39	Structural templating of chloro-aluminum phthalocyanine layers for planar and bulk heterojunction organic solar cells. <i>Organic Electronics</i> , <b>2011</b> , 12, 2131-2139	3.5	35
38	Novel bis-C60 derivative compared to other fullerene bis-adducts in high efficiency polymer photovoltaic cells. <i>Journal of Materials Chemistry</i> , <b>2011</b> , 21, 17345		73
37	High-Performance Organic Solar Cells with Spray-Coated Hole-Transport and Active Layers. <i>Advanced Functional Materials</i> , <b>2011</b> , 21, 64-72	15.6	177
36	A 4% Efficient Organic Solar Cell Using a Fluorinated Fused Subphthalocyanine Dimer as an Electron Acceptor. <i>Advanced Energy Materials</i> , <b>2011</b> , 1, 565-568	21.8	100
35	Electrode Considerations for the Optical Enhancement of Organic Bulk Heterojunction Solar Cells. <i>Advanced Energy Materials</i> , <b>2011</b> , 1, 930-935	21.8	65
34	Organic tandem solar cells with complementary absorbing layers and a high open-circuit voltage. <i>Applied Physics Letters</i> , <b>2010</b> , 97, 033301	3.4	96
33	Excitation of multiple dipole surface plasmon resonances in spherical silver nanoparticles. <i>Optics Express</i> , <b>2010</b> , 18, 19032-8	3.3	14
32	Efficient polymer solar cells via an all-spray-coated deposition <b>2010</b> ,		1
31	Introduction to the Issue on Next-Generation Organic and Hybrid Solar Cells. <i>IEEE Journal of Selected Topics in Quantum Electronics</i> , <b>2010</b> , 16, 1512-1513	3.8	3
30	Exploring spray coating as a deposition technique for the fabrication of solution-processed solar cells. <i>Solar Energy Materials and Solar Cells</i> , <b>2009</b> , 93, 454-458	6.4	162
29	Nanoparticle-based, spray-coated silver top contacts for efficient polymer solar cells. <i>Organic Electronics</i> , <b>2009</b> , 10, 735-740	3.5	95
28	Organic solar cells with sensitized phosphorescent absorbing layers. <i>Organic Electronics</i> , <b>2009</b> , 10, 1015-1019	3.5	52
27	Photocurrent enhancement in polymer:fullerene bulk heterojunction solar cells doped with a phosphorescent molecule. <i>Applied Physics Letters</i> , <b>2009</b> , 95, 173304	3.4	27
26	The characterization of chloroboron (III) subnaphthalocyanine thin films and their application as a donor material for organic solar cells. <i>Journal of Materials Chemistry</i> , <b>2009</b> , 19, 5295		53

25	Strategies for increasing the efficiency of heterojunction organic solar cells: material selection and device architecture. <i>Accounts of Chemical Research</i> , <b>2009</b> , 42, 1740-7	24.3	343
24	The angular response of ultrathin film organic solar cells. <i>Applied Physics Letters</i> , <b>2008</b> , 92, 243310	3.4	36
23	On the Role of Bathocuproine in Organic Photovoltaic Cells. <i>Advanced Functional Materials</i> , <b>2008</b> , 18, 3686-3691	15.6	143
22	Analytical model for the open-circuit voltage and its associated resistance in organic planar heterojunction solar cells. <i>Physical Review B</i> , <b>2008</b> , 77,	3.3	181
21	Offset energies at organic semiconductor heterojunctions and their influence on the open-circuit voltage of thin-film solar cells. <i>Physical Review B</i> , <b>2007</b> , 75,	3.3	644
20	Solar cells utilizing small molecular weight organic semiconductors. <i>Progress in Photovoltaics: Research and Applications</i> , <b>2007</b> , 15, 659-676	6.8	400
19	Near-infrared sensitive small molecule organic photovoltaic cells based on chloroaluminum phthalocyanine. <i>Applied Physics Letters</i> , <b>2007</b> , 91, 013508	3.4	122
18	Semitransparent organic photovoltaic cells. <i>Applied Physics Letters</i> , <b>2006</b> , 88, 233502	3.4	107
17	Enhanced open-circuit voltage in subphthalocyanine/C60 organic photovoltaic cells. <i>Journal of the American Chemical Society</i> , <b>2006</b> , 128, 8108-9	16.4	428
16	Origin of the open-circuit voltage in organic solar cells <b>2006</b> ,		4
15	Mixed donor-acceptor molecular heterojunctions for photovoltaic applications. II. Device performance. <i>Journal of Applied Physics</i> , <b>2005</b> , 98, 124903	2.5	163
14	Organic solar cells with sensitivity extending into the near infrared. <i>Applied Physics Letters</i> , <b>2005</b> , 87, 233508	3.4	126
13	The effects of copper phthalocyanine purity on organic solar cell performance. <i>Organic Electronics</i> , <b>2005</b> , 6, 242-246	3.5	110
12	A Hybrid Planar Mixed Molecular Heterojunction Photovoltaic Cell. <i>Advanced Materials</i> , <b>2005</b> , 17, 66-71	24	463
11	Organic Double-Heterostructure Photovoltaic Cells Employing Thick Tris(acetylacetonato)ruthenium(III) Exciton-Blocking Layers. <i>Advanced Materials</i> , <b>2005</b> , 17, 2714-2718	24	118
10	Mixed donor-acceptor molecular heterojunctions for photovoltaic applications. I. Material properties. <i>Journal of Applied Physics</i> , <b>2005</b> , 98, 124902	2.5	166
9	Organic small molecule solar cells with a homogeneously mixed copper phthalocyanine: C60 active layer. <i>Applied Physics Letters</i> , <b>2004</b> , 84, 4218-4220	3.4	235
8	4.2% efficient organic photovoltaic cells with low series resistances. <i>Applied Physics Letters</i> , <b>2004</b> , 84, 3013-3015	3.4	498

7	Long-range absorption enhancement in organic tandem thin-film solar cells containing silver nanoclusters. <i>Journal of Applied Physics</i> , <b>2004</b> , 96, 7519-7526	2.5	513
6	Asymmetric tandem organic photovoltaic cells with hybrid planar-mixed molecular heterojunctions. <i>Applied Physics Letters</i> , <b>2004</b> , 85, 5757-5759	3.4	520
5	Thin-film organic position sensitive detectors. <i>IEEE Photonics Technology Letters</i> , <b>2003</b> , 15, 1279-1281	2.2	18
4	Device Performance of Emerging Photovoltaic Materials (Version 2). <i>Advanced Energy Materials</i> , 2102526	2.1.8	17
3	The efficacy of Lewis affinity scale metrics to represent solvent interactions with reagent salts in all-inorganic metal halide perovskite solutions. <i>Journal of Materials Chemistry A</i> ,	13	9
2	Controlling Microring Resonator Extinction Ratio via Metal-Halide Perovskite Nonlinearity. <i>Advanced Optical Materials</i> , 2100783	8.1	2
1	Nonradiative Recombination via Charge-Transfer-Exciton to Polaron Energy Transfer Limits Photocurrent in Organic Solar Cells. <i>Advanced Energy Materials</i> , 2200551	21.8	1