

Stefan K James

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9294855/publications.pdf>

Version: 2024-02-01

272
papers

39,201
citations

20815

60
h-index

2747

192
g-index

278
all docs

278
docs citations

278
times ranked

26559
citing authors

#	ARTICLE	IF	CITATIONS
1	2017 ESC Guidelines for the management of acute myocardial infarction in patients presenting with ST-segment elevation. <i>European Heart Journal</i> , 2018, 39, 119-177.	2.2	7,100
2	Ticagrelor versus Clopidogrel in Patients with Acute Coronary Syndromes. <i>New England Journal of Medicine</i> , 2009, 361, 1045-1057.	27.0	6,019
3	2019 ESC Guidelines for the diagnosis and management of chronic coronary syndromes. <i>European Heart Journal</i> , 2020, 41, 407-477.	2.2	4,210
4	Guidelines on myocardial revascularization: The Task Force on Myocardial Revascularization of the European Society of Cardiology (ESC) and the European Association for Cardio-Thoracic Surgery (EACTS). <i>European Heart Journal</i> , 2010, 31, 2501-2555.	2.2	2,649
5	2017 ESC focused update on dual antiplatelet therapy in coronary artery disease developed in collaboration with EACTS. <i>European Heart Journal</i> , 2018, 39, 213-260.	2.2	2,246
6	Long-Term Outcomes with Drug-Eluting Stents versus Bare-Metal Stents in Sweden. <i>New England Journal of Medicine</i> , 2007, 356, 1009-1019.	27.0	1,113
7	Thrombus Aspiration during ST-Segment Elevation Myocardial Infarction. <i>New England Journal of Medicine</i> , 2013, 369, 1587-1597.	27.0	943
8	Derivation and validation of the predicting bleeding complications in patients undergoing stent implantation and subsequent dual antiplatelet therapy (PRECISE-DAPT) score: a pooled analysis of individual-patient datasets from clinical trials. <i>Lancet, The</i> , 2017, 389, 1025-1034.	13.7	840
9	Instantaneous Wave-free Ratio versus Fractional Flow Reserve to Guide PCI. <i>New England Journal of Medicine</i> , 2017, 376, 1813-1823.	27.0	740
10	<i>N</i> -Terminal Pro-Brain Natriuretic Peptide and Other Risk Markers for the Separate Prediction of Mortality and Subsequent Myocardial Infarction in Patients With Unstable Coronary Artery Disease. <i>Circulation</i> , 2003, 108, 275-281.	1.6	540
11	The Swedish Web-system for Enhancement and Development of Evidence-based care in Heart disease Evaluated According to Recommended Therapies (SWEDEHEART). <i>Heart</i> , 2010, 96, 1617-1621.	2.9	537
12	Defining High Bleeding Risk in Patients Undergoing Percutaneous Coronary Intervention. <i>Circulation</i> , 2019, 140, 240-261.	1.6	428
13	Comparison of ticagrelor, the first reversible oral P2Y ₁₂ receptor antagonist, with clopidogrel in patients with acute coronary syndromes: Rationale, design, and baseline characteristics of the PLATelet inhibition and patient Outcomes (PLATO) trial. <i>American Heart Journal</i> , 2009, 157, 599-605.	2.7	363
14	Ticagrelor Versus Clopidogrel in Acute Coronary Syndromes in Relation to Renal Function. <i>Circulation</i> , 2010, 122, 1056-1067.	1.6	354
15	Defining high bleeding risk in patients undergoing percutaneous coronary intervention: a consensus document from the Academic Research Consortium for High Bleeding Risk. <i>European Heart Journal</i> , 2019, 40, 2632-2653.	2.2	335
16	Ticagrelor and Aspirin or Aspirin Alone in Acute Ischemic Stroke or TIA. <i>New England Journal of Medicine</i> , 2020, 383, 207-217.	27.0	333
17	Improved outcomes in patients with ST-elevation myocardial infarction during the last 20 years are related to implementation of evidence-based treatments: experiences from the SWEDEHEART registry 1995-2014. <i>European Heart Journal</i> , 2017, 38, 3056-3065.	2.2	302
18	International Expert Consensus on Switching Platelet P2Y ₁₂ Receptor-Inhibiting Therapies. <i>Circulation</i> , 2017, 136, 1955-1975.	1.6	293

#	ARTICLE	IF	CITATIONS
19	Oxygen Therapy in Suspected Acute Myocardial Infarction. <i>New England Journal of Medicine</i> , 2017, 377, 1240-1249.	27.0	276
20	Reperfusion therapy for ST elevation acute myocardial infarction 2010/2011: current status in 37 ESC countries. <i>European Heart Journal</i> , 2014, 35, 1957-1970.	2.2	275
21	Acute myocardial infarction: a comparison of short-term survival in national outcome registries in Sweden and the UK. <i>Lancet, The</i> , 2014, 383, 1305-1312.	13.7	258
22	Quantitative Assessment of Myocardial Perfusion in the Detection of Significant Coronary Artery Disease. <i>Journal of the American College of Cardiology</i> , 2014, 64, 1464-1475.	2.8	253
23	Registry-based randomized clinical trials—a new clinical trial paradigm. <i>Nature Reviews Cardiology</i> , 2015, 12, 312-316.	13.7	236
24	Thrombus Aspiration in ST-Segment Elevation Myocardial Infarction. <i>Circulation</i> , 2017, 135, 143-152.	1.6	233
25	Bivalirudin versus Heparin Monotherapy in Myocardial Infarction. <i>New England Journal of Medicine</i> , 2017, 377, 1132-1142.	27.0	228
26	Evidence for obesity paradox in patients with acute coronary syndromes: a report from the Swedish Coronary Angiography and Angioplasty Registry. <i>European Heart Journal</i> , 2013, 34, 345-353.	2.2	224
27	Long-Term Safety and Efficacy of Drug-Eluting versus Bare-Metal Stents in Sweden. <i>New England Journal of Medicine</i> , 2009, 360, 1933-1945.	27.0	223
28	Dual Antiplatelet Therapy Duration Based on Ischemic and Bleeding Risks After Coronary Stenting. <i>Journal of the American College of Cardiology</i> , 2019, 73, 741-754.	2.8	218
29	Rapid Endovascular Catheter Core Cooling Combined With Cold Saline as an Adjunct to Percutaneous Coronary Intervention for the Treatment of Acute Myocardial Infarction. <i>Journal of the American College of Cardiology</i> , 2014, 63, 1857-1865.	2.8	203
30	Clinically significant bleeding with low-dose rivaroxaban versus aspirin, in addition to P2Y12 inhibition, in acute coronary syndromes (GEMINI-ACS-1): a double-blind, multicentre, randomised trial. <i>Lancet, The</i> , 2017, 389, 1799-1808.	13.7	174
31	Ticagrelor vs. clopidogrel in patients with non-ST-elevation acute coronary syndrome with or without revascularization: results from the PLATO trial. <i>European Heart Journal</i> , 2014, 35, 2083-2093.	2.2	171
32	Characterization of dyspnoea in PLATO study patients treated with ticagrelor or clopidogrel and its association with clinical outcomes. <i>European Heart Journal</i> , 2011, 32, 2945-2953.	2.2	169
33	Ticagrelor in patients with diabetes and stable coronary artery disease with a history of previous percutaneous coronary intervention (THEMIS-PCI): a phase 3, placebo-controlled, randomised trial. <i>Lancet, The</i> , 2019, 394, 1169-1180.	13.7	155
34	Mortality with Paclitaxel-Coated Devices in Peripheral Artery Disease. <i>New England Journal of Medicine</i> , 2020, 383, 2538-2546.	27.0	144
35	Troponin t levels and risk of 30-day outcomes in patients with the acute coronary syndrome: prospective verification in the gusto-iv trial. <i>American Journal of Medicine</i> , 2003, 115, 178-184.	1.5	141
36	Outcomes in patients treated with ticagrelor or clopidogrel after acute myocardial infarction: experiences from SWEDEHEART registry. <i>European Heart Journal</i> , 2016, 37, 3335-3342.	2.2	138

#	ARTICLE	IF	CITATIONS
37	Growth differentiation factor-15 level predicts major bleeding and cardiovascular events in patients with acute coronary syndromes: results from the PLATO study. <i>European Heart Journal</i> , 2016, 37, 1325-1333.	2.2	137
38	Ticagrelor Versus Clopidogrel in Patients With Acute Coronary Syndromes and a History of Stroke or Transient Ischemic Attack. <i>Circulation</i> , 2012, 125, 2914-2921.	1.6	112
39	Relations between implementation of new treatments and improved outcomes in patients with non-ST-elevation myocardial infarction during the last 20 years: experiences from SWEDHEART registry 1995 to 2014. <i>European Heart Journal</i> , 2018, 39, 3766-3776.	2.2	112
40	Adaptation of the Charlson Comorbidity Index for Register-Based Research in Sweden. <i>Clinical Epidemiology</i> , 2021, Volume 13, 21-41.	3.0	111
41	Stent Thrombosis in New-Generation Drug-Eluting Stents in Patients With STEMI Undergoing Primary PCI. <i>Journal of the American College of Cardiology</i> , 2014, 64, 16-24.	2.8	110
42	Fibrin clot properties independently predict adverse clinical outcome following acute coronary syndrome: a PLATO substudy. <i>European Heart Journal</i> , 2018, 39, 1078-1085.	2.2	109
43	Chronic Total Occlusions in Sweden – A Report from the Swedish Coronary Angiography and Angioplasty Registry (SCAAR). <i>PLoS ONE</i> , 2014, 9, e103850.	2.5	108
44	Effect of genetic variations on ticagrelor plasma levels and clinical outcomes. <i>European Heart Journal</i> , 2015, 36, 1901-1912.	2.2	107
45	EAPCI Position Statement on Invasive Management of Acute Coronary Syndromes during the COVID-19 pandemic. <i>European Heart Journal</i> , 2020, 41, 1839-1851.	2.2	106
46	Ranolazine in patients with incomplete revascularisation after percutaneous coronary intervention (RIVER-PCI): a multicentre, randomised, double-blind, placebo-controlled trial. <i>Lancet</i> , The, 2016, 387, 136-145.	13.7	96
47	Comparison of hospital variation in acute myocardial infarction care and outcome between Sweden and United Kingdom: population based cohort study using nationwide clinical registries. <i>BMJ</i> , The, 2015, 351, h3913.	6.0	94
48	Comparative Efficacy and Safety of Oral P2Y ₁₂ Inhibitors in Acute Coronary Syndrome. <i>Circulation</i> , 2020, 142, 150-160.	1.6	93
49	Ticagrelor versus clopidogrel in Asian patients with acute coronary syndrome: A retrospective analysis from the Platelet Inhibition and Patient Outcomes (PLATO) Trial. <i>American Heart Journal</i> , 2015, 169, 899-905.e1.	2.7	91
50	Dual-pathway inhibition for secondary and tertiary antithrombotic prevention in cardiovascular disease. <i>Nature Reviews Cardiology</i> , 2020, 17, 242-257.	13.7	87
51	Low-density lipoprotein cholesterol reduction and statin intensity in myocardial infarction patients and major adverse outcomes: a Swedish nationwide cohort study. <i>European Heart Journal</i> , 2021, 42, 243-252.	2.2	84
52	Cardiovascular events in acute coronary syndrome patients with peripheral arterial disease treated with ticagrelor compared with clopidogrel: Data from the PLATO Trial. <i>European Journal of Preventive Cardiology</i> , 2015, 22, 734-742.	1.8	82
53	Complete vs Culprit-Lesion-Only Revascularization for ST-Segment Elevation Myocardial Infarction. <i>JAMA Cardiology</i> , 2020, 5, 881.	6.1	82
54	Gender Differences in Outcomes and Predictors of All-Cause Mortality After Percutaneous Coronary Intervention (Data from United Kingdom and Sweden). <i>American Journal of Cardiology</i> , 2017, 119, 210-216.	1.6	81

#	ARTICLE	IF	CITATIONS
55	Intravascular Ultrasound Guidance Is Associated With Better Outcome in Patients Undergoing Unprotected Left Main Coronary Artery Stenting Compared With Angiography Guidance Alone. <i>Circulation: Cardiovascular Interventions</i> , 2017, 10, .	3.9	78
56	Registry-Based Pragmatic Trials in Heart Failure: Current Experience and Future Directions. <i>Current Heart Failure Reports</i> , 2017, 14, 59-70.	3.3	72
57	Bleeding avoidance strategies in percutaneous coronary intervention. <i>Nature Reviews Cardiology</i> , 2022, 19, 117-132.	13.7	71
58	The efficacy of ticagrelor is maintained in women with acute coronary syndromes participating in the prospective, randomized, PLATelet inhibition and patient Outcomes (PLATO) trial. <i>European Heart Journal</i> , 2014, 35, 1541-1550.	2.2	70
59	Ticagrelor Added to Aspirin in Acute Nonsevere Ischemic Stroke or Transient Ischemic Attack of Atherosclerotic Origin. <i>Stroke</i> , 2020, 51, 3504-3513.	2.0	67
60	Development and external validation of a post-discharge bleeding risk score in patients with acute coronary syndrome: The BleeMACS score. <i>International Journal of Cardiology</i> , 2018, 254, 10-15.	1.7	66
61	Prognosis of elderly patients with ST-elevation myocardial infarction treated with primary percutaneous coronary intervention in 2001 to 2011: A report from the Swedish Coronary Angiography and Angioplasty Registry (SCAAR) registry. <i>American Heart Journal</i> , 2014, 167, 666-673.	2.7	65
62	External Validation of the DAPT Score in a Nationwide Population. <i>Journal of the American College of Cardiology</i> , 2018, 72, 1069-1078.	2.8	63
63	Genetically determined NLRP3 inflammasome activation associates with systemic inflammation and cardiovascular mortality. <i>European Heart Journal</i> , 2021, 42, 1742-1756.	2.2	63
64	The Antibody Configurations of Cardiac Troponin I Assays May Determine Their Clinical Performance. <i>Clinical Chemistry</i> , 2006, 52, 832-837.	3.2	62
65	Relationship Between Cancer and Cardiovascular Outcomes Following Percutaneous Coronary Intervention. <i>Journal of the American Heart Association</i> , 2015, 4, .	3.7	62
66	Short Duration of DAPT Versus De-Escalation After Percutaneous Coronary Intervention for Acute Coronary Syndromes. <i>JACC: Cardiovascular Interventions</i> , 2022, 15, 268-277.	2.9	62
67	Effects of Ranolazine on Angina and Quality of Life After Percutaneous Coronary Intervention With Incomplete Revascularization. <i>Circulation</i> , 2016, 133, 39-47.	1.6	58
68	Direct or subacute coronary angiography in out-of-hospital cardiac arrest (DISCO) – An initial pilot-study of a randomized clinical trial. <i>Resuscitation</i> , 2019, 139, 253-261.	3.0	58
69	Association of Multiple Biomarkers With Risk of All-Cause and Cause-Specific Mortality After Acute Coronary Syndromes. <i>JAMA Cardiology</i> , 2018, 3, 1160.	6.1	57
70	An acute inflammatory reaction induced by myocardial damage is superimposed on a chronic inflammation in unstable coronary artery disease. <i>American Heart Journal</i> , 2005, 149, 619-626.	2.7	56
71	Impact of chronic obstructive pulmonary disease on morbidity and mortality after myocardial infarction. <i>Open Heart</i> , 2014, 1, e000002.	2.3	56
72	DETermination of the role of OXYgen in suspected Acute Myocardial Infarction trial. <i>American Heart Journal</i> , 2014, 167, 322-328.	2.7	56

#	ARTICLE	IF	CITATIONS
73	Safety and efficacy of ticagrelor and clopidogrel in primary percutaneous coronary intervention. <i>Heart</i> , 2016, 102, 617-625.	2.9	56
74	Therapeutic Hypothermia for the Treatment of Acute Myocardial Infarction—Combined Analysis of the RAPID MI-ICE and the CHILL-MI Trials. <i>Therapeutic Hypothermia and Temperature Management</i> , 2015, 5, 77-84.	0.9	54
75	Design and rationale of the Management of High Bleeding Risk Patients Post Bioresorbable Polymer Coated Stent Implantation With an Abbreviated Versus Standard DAPT Regimen (MASTER DAPT) Study. <i>American Heart Journal</i> , 2019, 209, 97-105.	2.7	53
76	Pharmacodynamics, pharmacokinetics, and safety of single-dose subcutaneous administration of selatogrel, a novel P2Y12 receptor antagonist, in patients with chronic coronary syndromes. <i>European Heart Journal</i> , 2020, 41, 3132-3140.	2.2	52
77	European Society of Cardiology methodology for the development of quality indicators for the quantification of cardiovascular care and outcomes. <i>European Heart Journal Quality of Care & Clinical Outcomes</i> , 2022, 8, 4-13.	4.0	52
78	Potent P2Y 12 Inhibitors in Men Versus Women. <i>Journal of the American College of Cardiology</i> , 2017, 69, 1549-1559.	2.8	51
79	Post-Discharge Bleeding and Mortality Following Acute Coronary Syndromes With or Without PCI. <i>Journal of the American College of Cardiology</i> , 2020, 76, 162-171.	2.8	50
80	Heart Failure Complicating Non-ST-Segment Elevation Acute Coronary Syndrome. <i>JACC: Heart Failure</i> , 2013, 1, 223-229.	4.1	48
81	Ticagrelor Effects on Myocardial Infarction and the Impact of Event Adjudication in the PLATO (Platelet Inhibition and Patient Outcomes) Trial. <i>Journal of the American College of Cardiology</i> , 2014, 63, 1493-1499.	2.8	47
82	β-Blocker Use and Mortality in COPD Patients After Myocardial Infarction: A Swedish Nationwide Observational Study. <i>Journal of the American Heart Association</i> , 2015, 4, .	3.7	46
83	Treatment Patterns and Outcomes in Patients Undergoing Percutaneous Coronary Intervention Treated With Prasugrel or Clopidogrel (from the Swedish Coronary Angiography and Angioplasty) Tj ETQq1 1 0.7843d 4 rgBT46verlo	4.3	46
84	Cardiac troponin I levels in patients with non-ST-elevation acute coronary syndrome—The importance of gender. <i>American Heart Journal</i> , 2014, 168, 317-324.e1.	2.7	44
85	Long-Term Outcome of Incomplete Revascularization After Percutaneous Coronary Intervention in SCAAR (Swedish Coronary Angiography and Angioplasty Registry). <i>JACC: Cardiovascular Interventions</i> , 2016, 9, 207-215.	2.9	43
86	Biomarkers for risk stratification of patients with ST-elevation myocardial infarction treated with primary percutaneous coronary intervention: Insights from the Platelet Inhibition and Patient Outcomes trial. <i>American Heart Journal</i> , 2015, 169, 879-889.e7.	2.7	42
87	Contemporary use of ticagrelor in patients with acute coronary syndrome: insights from Swedish Web System for Enhancement and Development of Evidence-Based Care in Heart Disease Evaluated According to Recommended Therapies (SWEDEHEART). <i>European Heart Journal - Cardiovascular Pharmacotherapy</i> , 2016, 2, 5-12.	3.0	40
88	Incidence and outcome of myocardial infarction treated with percutaneous coronary intervention during COVID-19 pandemic. <i>Heart</i> , 2020, 106, 1812-1818.	2.9	40
89	Causes of mortality with ticagrelor compared with clopidogrel in acute coronary syndromes. <i>Heart</i> , 2014, 100, 1762-1769.	2.9	38
90	Novel Trial Designs: Lessons Learned from Thrombus Aspiration During ST-Segment Elevation Myocardial Infarction in Scandinavia (TASTE) Trial. <i>Current Cardiology Reports</i> , 2016, 18, 11.	2.9	38

#	ARTICLE	IF	CITATIONS
91	Ticagrelor Versus Clopidogrel in Patients With Acute Coronary Syndromes and Chronic Obstructive Pulmonary Disease: An Analysis From the Platelet Inhibition and Patient Outcomes (PLATO) Trial. <i>Journal of the American Heart Association</i> , 2015, 4, e002490.	3.7	37
92	Balancing the risk of spontaneous ischemic and major bleeding events in acute coronary syndromes. <i>American Heart Journal</i> , 2017, 186, 91-99.	2.7	36
93	Angiographic Outcomes in the PLATO Trial (Platelet Inhibition and Patient Outcomes). <i>JACC: Cardiovascular Interventions</i> , 2013, 6, 671-683.	2.9	35
94	The prevalence and prognostic importance of possible familial hypercholesterolemia in patients with myocardial infarction. <i>American Heart Journal</i> , 2016, 181, 35-42.	2.7	35
95	Real-life clinical outcomes with everolimus eluting platinum chromium stent with an abluminal biodegradable polymer in patients from the Swedish Coronary Angiography and Angioplasty Registry (SCAAR). <i>Catheterization and Cardiovascular Interventions</i> , 2017, 90, 881-887.	1.7	35
96	Trial Design Principles for Patients at High Bleeding Risk Undergoing PCI. <i>Journal of the American College of Cardiology</i> , 2020, 76, 1468-1483.	2.8	35
97	Effects of supplemental oxygen therapy in patients with suspected acute myocardial infarction: a meta-analysis of randomised clinical trials. <i>Heart</i> , 2018, 104, 1691-1698.	2.9	34
98	Coronary angiography in out-of-hospital cardiac arrest without ST elevation on ECG Short- and long-term survival. <i>American Heart Journal</i> , 2018, 200, 90-95.	2.7	34
99	Instantaneous Wave-Free Ratio versus Fractional Flow Reserve guided intervention (iFR-SWEDEHEART): Rationale and design of a multicenter, prospective, registry-based randomized clinical trial. <i>American Heart Journal</i> , 2015, 170, 945-950.	2.7	32
100	Oxygen therapy in ST-elevation myocardial infarction. <i>European Heart Journal</i> , 2018, 39, 2730-2739.	2.2	32
101	Long-Term Incidence of Atrial Fibrillation and Stroke Among Cross-Country Skiers: Cohort Study of Endurance-Trained Male and Female Athletes. <i>Circulation</i> , 2019, 140, 910-920.	1.6	32
102	Bivalirudin versus heparin in non-ST and ST-segment elevation myocardial infarction a registry-based randomized clinical trial in the SWEDEHEART registry (the VALIDATE-SWEDEHEART trial). <i>American Heart Journal</i> , 2016, 175, 36-46.	2.7	31
103	Amyotrophic lateral sclerosis among cross-country skiers in Sweden. <i>European Journal of Epidemiology</i> , 2016, 31, 247-253.	5.7	31
104	Midlife physical activity is associated with lower incidence of vascular dementia but not Alzheimer's disease. <i>Alzheimer's Research and Therapy</i> , 2019, 11, 87.	6.2	30
105	Percutaneous Treatment and Outcomes of Small Coronary Vessels. <i>JACC: Cardiovascular Interventions</i> , 2020, 13, 793-804.	2.9	30
106	5-Year Outcomes of PCI Guided by Measurement of Instantaneous Wave-Free Ratio Versus Fractional Flow Reserve. <i>Journal of the American College of Cardiology</i> , 2022, 79, 965-974.	2.8	30
107	A randomized trial to compare the safety of rivaroxaban vs aspirin in addition to either clopidogrel or ticagrelor in acute coronary syndrome: The design of the GEMINI-ACS-1 phase II study. <i>American Heart Journal</i> , 2016, 174, 120-128.	2.7	29
108	Outcomes in patients treated with ticagrelor versus clopidogrel after acute myocardial infarction stratified by renal function. <i>Heart</i> , 2018, 104, 1575-1582.	2.9	29

#	ARTICLE	IF	CITATIONS
109	Impact of Selection Bias on Estimation of Subsequent Event Risk. <i>Circulation: Cardiovascular Genetics</i> , 2017, 10, .	5.1	28
110	Low risk pragmatic trials do not always require participantsâ€™ informed consent. <i>BMJ: British Medical Journal</i> , 2019, 364, l1092.	2.3	28
111	The Acute Stroke or Transient Ischemic Attack Treated with Ticagrelor and Aspirin for Prevention of Stroke and Death (THALES) trial: Rationale and design. <i>International Journal of Stroke</i> , 2019, 14, 745-751.	5.9	28
112	Patient-tailored antithrombotic therapy following percutaneous coronary intervention. <i>European Heart Journal</i> , 2021, 42, 1038-1046.	2.2	28
113	Growth Differentiation Factor 15 at 1 Month After an Acute Coronary Syndrome Is Associated With Increased Risk of Major Bleeding. <i>Journal of the American Heart Association</i> , 2017, 6, .	3.7	27
114	Clinical impact of direct stenting and interaction with thrombus aspiration in patients with ST-segment elevation myocardial infarction undergoing percutaneous coronary intervention: Thrombectomy Trialists Collaboration. <i>European Heart Journal</i> , 2018, 39, 2472-2479.	2.2	27
115	Clinical use of cangrelor: nationwide experience from the Swedish Coronary Angiography and Angioplasty Registry (SCAAR). <i>European Heart Journal - Cardiovascular Pharmacotherapy</i> , 2019, 5, 151-157.	3.0	27
116	Survival of Patients With Angina Pectoris Undergoing Percutaneous Coronary Intervention With Intracoronary Pressure Wire Guidance. <i>Journal of the American College of Cardiology</i> , 2020, 75, 2785-2799.	2.8	27
117	Impaired Fibrinolysis Predicts Adverse Outcome in Acute Coronary Syndrome Patients with Diabetes: A PLATO Sub-Study. <i>Thrombosis and Haemostasis</i> , 2020, 120, 412-422.	3.4	27
118	Biomarkers and Coronary Lesions Predict Outcomes after Revascularization in Non-ST-Elevation Acute Coronary Syndrome. <i>Clinical Chemistry</i> , 2017, 63, 573-584.	3.2	26
119	Differential occurrence, profile, and impact of first recurrent cardiovascular events after an acute coronary syndrome. <i>American Heart Journal</i> , 2017, 187, 194-203.	2.7	26
120	Design of DISCOâ€”Direct or Subacute Coronary Angiography in Out-of-Hospital Cardiac Arrest study. <i>American Heart Journal</i> , 2018, 197, 53-61.	2.7	26
121	SWEDHEART Annual Report 2012. <i>Scandinavian Cardiovascular Journal</i> , 2014, 48, 1-1.	1.2	25
122	No Benefit of Ticagrelor Pretreatment Compared With Treatment During Percutaneous Coronary Intervention in Patients With ST-Segmentâ€”Elevation Myocardial Infarction Undergoing Primary Percutaneous Coronary Intervention. <i>Circulation: Cardiovascular Interventions</i> , 2018, 11, e005528.	3.9	25
123	Integrating the results of the CULPRIT-SHOCK trial in the 2017 ESC ST-elevation myocardial infarction guidelines: viewpoint of the task force. <i>European Heart Journal</i> , 2018, 39, 4239-4242.	2.2	25
124	Short and long-term survival after primary percutaneous coronary intervention in young patients with ST-elevation myocardial infarction. <i>International Journal of Cardiology</i> , 2016, 203, 697-701.	1.7	24
125	Antithrombotic agents for secondary prevention after acute coronary syndromes: A systematic review and network meta-analysis. <i>International Journal of Cardiology</i> , 2017, 241, 87-96.	1.7	24
126	Short- and Long-Term Clinical Outcomes for Patients With Takotsubo Syndrome and Patients With Myocardial Infarction: A Report From the Swedish Coronary Angiography and Angioplasty Registry. <i>Journal of the American Heart Association</i> , 2021, 10, e017290.	3.7	24

#	ARTICLE	IF	CITATIONS
127	Risk of Recurrent Stroke and Death After First Stroke in Long-Distance Ski Race Participants. <i>Journal of the American Heart Association</i> , 2015, 4, e002469.	3.7	23
128	Impact of glycoprotein IIb/IIIa inhibitors on the efficacy and safety of ticagrelor compared with clopidogrel in patients with acute coronary syndromes: Analysis from the Platelet Inhibition and Patient Outcomes (PLATO) Trial. <i>American Heart Journal</i> , 2016, 177, 1-8.	2.7	23
129	Bleeding after antiplatelet therapy for the treatment of acute coronary syndromes: a review of the evidence and evolving paradigms. <i>Expert Opinion on Drug Safety</i> , 2019, 18, 1171-1189.	2.4	23
130	Ten-year all-cause death after percutaneous or surgical revascularization in diabetic patients with complex coronary artery disease. <i>European Heart Journal</i> , 2021, 43, 56-67.	2.2	23
131	ST-Elevation Myocardial Infarction, Thrombus Aspiration, and Different Invasive Strategies. A TASTE Trial Substudy. <i>Journal of the American Heart Association</i> , 2015, 4, e001755.	3.7	22
132	Long-Term Effects of Oxygen Therapy on Death or Hospitalization for Heart Failure in Patients With Suspected Acute Myocardial Infarction. <i>Circulation</i> , 2018, 138, 2754-2762.	1.6	22
133	Coronary Artery Perforation and Tamponade—Incidence, Risk Factors, Predictors and Outcomes From 12 Years' Data of the SCAAR Registry. <i>Circulation Journal</i> , 2019, 84, 43-53.	1.6	22
134	The need for increased pragmatism in cardiovascular clinical trials. <i>Nature Reviews Cardiology</i> , 2022, 19, 737-750.	13.7	22
135	Cancer incidence in participants in a long-distance ski race (Vasaloppet, Sweden) compared to the background population. <i>European Journal of Cancer</i> , 2015, 51, 558-568.	2.8	21
136	Survival and incidence of cardiovascular diseases in participants in a long-distance ski race (Vasaloppet, Sweden) compared with the background population. <i>European Heart Journal Quality of Care & Clinical Outcomes</i> , 2018, 4, 91-97.	4.0	20
137	Admission Levels of DKK1 (Dickkopf-1) Are Associated With Future Cardiovascular Death in Patients With Acute Coronary Syndromes. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2019, 39, 294-302.	2.4	20
138	Improving public health by improving clinical trial guidelines and their application. <i>European Heart Journal</i> , 2017, 38, 1632-1637.	2.2	19
139	Cangrelor in combination with ticagrelor provides consistent and potent P2Y12-inhibition during and after primary percutaneous coronary intervention in real-world patients with ST-segment-elevation myocardial infarction. <i>Platelets</i> , 2017, 28, 414-416.	2.3	19
140	Editor's Choice- Heparin pre-treatment in patients with ST-segment elevation myocardial infarction and the risk of intracoronary thrombus and total vessel occlusion. Insights from the TASTE trial. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2019, 8, 15-23.	1.0	19
141	Extent of coronary artery disease and outcomes after ticagrelor administration in patients with an acute coronary syndrome: Insights from the PLATElet inhibition and patient Outcomes (PLATO) trial. <i>American Heart Journal</i> , 2014, 168, 68-75.e2.	2.7	18
142	Platelet-related biomarkers and their response to inhibition with aspirin and p2y12-receptor antagonists in patients with acute coronary syndrome. <i>Journal of Thrombosis and Thrombolysis</i> , 2017, 44, 145-153.	2.1	18
143	Risk Assessment Using Risk Scores in Patients with Acute Coronary Syndrome. <i>Journal of Clinical Medicine</i> , 2020, 9, 3039.	2.4	18
144	Polymorphism of the cystatin C gene in patients with acute coronary syndromes: Results from the PLATElet inhibition and patient Outcomes study. <i>American Heart Journal</i> , 2014, 168, 96-102.e2.	2.7	17

#	ARTICLE	IF	CITATIONS
145	Risk of recurrent ischaemic events after myocardial infarction in long-distance ski race participants. <i>European Journal of Preventive Cardiology</i> , 2016, 23, 282-290.	1.8	17
146	Outcomes after planned invasive or conservative treatment strategy in patients with non-ST-elevation acute coronary syndrome and a normal value of high sensitivity troponin at randomisation: A Platelet Inhibition and Patient Outcomes (PLATO) trial biomarker substudy. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2017, 6, 500-510.	1.0	17
147	Clinical and angiographic outcomes of bioabsorbable vs. permanent polymer drug-eluting stents in Sweden: a report from the Swedish Coronary and Angioplasty Registry (SCAAR). <i>European Heart Journal</i> , 2019, 40, 2607-2615.	2.2	17
148	Subsequent Event Risk in Individuals With Established Coronary Heart Disease. <i>Circulation Genomic and Precision Medicine</i> , 2019, 12, e002470.	3.6	17
149	Ticagrelor Added to Aspirin in Acute Ischemic Stroke or Transient Ischemic Attack in Prevention of Disabling Stroke. <i>JAMA Neurology</i> , 2021, 78, 177.	9.0	17
150	Relative efficacy and safety of ticagrelor vs clopidogrel as a function of time to invasive management in non-ST-segment elevation acute coronary syndrome in the PLATO trial. <i>Clinical Cardiology</i> , 2017, 40, 390-398.	1.8	16
151	Long-term versus short-term dual antiplatelet therapy was similarly associated with a lower risk of death, stroke, or infarction in patients with acute coronary syndrome regardless of underlying kidney disease. <i>Kidney International</i> , 2017, 91, 216-226.	5.2	16
152	Impact of Thrombus Aspiration on Mortality, Stent Thrombosis, and Stroke in Patients With ST-segment Elevation Myocardial Infarction: A Report From the Swedish Coronary Angiography and Angioplasty Registry. <i>Journal of the American Heart Association</i> , 2018, 7, .	3.7	16
153	Interleukin-18 in patients with acute coronary syndromes. <i>Clinical Cardiology</i> , 2019, 42, 1202-1209.	1.8	16
154	Assessing the Nationwide Impact of a Registry-Based Randomized Clinical Trial on Cardiovascular Practice. <i>Circulation: Cardiovascular Interventions</i> , 2019, 12, e007381.	3.9	16
155	Radial artery access is associated with lower mortality in patients undergoing primary PCI: a report from the SWEDEHEART registry. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2020, 9, 323-332.	1.0	16
156	No-touch saphenous vein grafts in coronary artery surgery (SWEDEGRAFT): Rationale and design of a multicenter, prospective, registry-based randomized clinical trial. <i>American Heart Journal</i> , 2020, 224, 17-24.	2.7	16
157	Development and validation of an artificial neural network algorithm to predict mortality and admission to hospital for heart failure after myocardial infarction: a nationwide population-based study. <i>The Lancet Digital Health</i> , 2022, 4, e37-e45.	12.3	16
158	Gender differences in utilization of coronary angiography and angiographic findings after out-of-hospital cardiac arrest: A registry study. <i>Resuscitation</i> , 2019, 143, 189-195.	3.0	15
159	Elevated admission glucose is common and associated with high short-term complication burden after acute myocardial infarction: Insights from the VALIDATE-SWEDEHEART study. <i>Diabetes and Vascular Disease Research</i> , 2019, 16, 582-584.	2.0	15
160	Effect of Oxygen Therapy on Cardiovascular Outcomes in Relation to Baseline Oxygen Saturation. <i>JACC: Cardiovascular Interventions</i> , 2020, 13, 502-513.	2.9	15
161	Comparison of warfarin versus antiplatelet therapy after surgical bioprosthetic aortic valve replacement. <i>Heart</i> , 2020, 106, 838-844.	2.9	15
162	Ranolazine After Incomplete Percutaneous Coronary Revascularization in Patients With Versus Without Diabetes Mellitus. <i>Journal of the American College of Cardiology</i> , 2017, 69, 2304-2313.	2.8	14

#	ARTICLE	IF	CITATIONS
163	Antithrombotic therapy after myocardial infarction in patients with atrial fibrillation undergoing percutaneous coronary intervention. <i>European Heart Journal - Cardiovascular Pharmacotherapy</i> , 2018, 4, 36-45.	3.0	14
164	Long distance ski racing is associated with lower long-term incidence of depression in a population based, large-scale study. <i>Psychiatry Research</i> , 2019, 281, 112546.	3.3	14
165	<i>Helicobacter pylori</i> screening in clinical routine during hospitalization for acute myocardial infarction. <i>American Heart Journal</i> , 2021, 231, 105-109.	2.7	14
166	Follow-up of ischaemic heart disease in patients with coeliac disease. <i>European Journal of Preventive Cardiology</i> , 2015, 22, 83-90.	1.8	13
167	The Analgesic Effect of Oxygen in Suspected Acute Myocardial Infarction. <i>JACC: Cardiovascular Interventions</i> , 2018, 11, 1590-1597.	2.9	13
168	Physical Activity Reduces Epilepsy Incidence: a Retrospective Cohort Study in Swedish Cross-Country Skiers and an Experimental Study in Seizure-Prone Synapsin II Knockout Mice. <i>Sports Medicine - Open</i> , 2019, 5, 52.	3.1	13
169	Individual Patient Data Pooled Analysis of Randomized Trials of Bivalirudin versus Heparin in Acute Myocardial Infarction: Rationale and Methodology. <i>Thrombosis and Haemostasis</i> , 2020, 120, 348-362.	3.4	13
170	The SCAAR-scare in perspective. <i>EuroIntervention</i> , 2009, 5, 501-504.	3.2	13
171	The 2017 ESC STEMI Guidelines. <i>European Heart Journal</i> , 2018, 39, 79-82.	2.2	12
172	Prognostic impact of baseline inflammatory markers in patients with acute coronary syndromes treated with ticagrelor and clopidogrel. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2021, 10, 153-163.	1.0	12
173	Design and rationale of TROCADERO: A TRIal Of Caffeine to Alleviate Dyspnea Related to ticagrelor. <i>American Heart Journal</i> , 2015, 170, 465-470.	2.7	11
174	Prevalence and relevance of abnormal glucose metabolism in acute coronary syndromes: insights from the PLATElet inhibition and patient Outcomes (PLATO) trial. <i>Journal of Thrombosis and Thrombolysis</i> , 2019, 48, 563-569.	2.1	11
175	Delayed Clinical Manifestation of Parkinson's Disease Among Physically Active: Do Participants in a Long-Distance Ski Race Have a Motor Reserve? <i>Journal of Parkinson's Disease</i> , 2020, 10, 267-274.	2.8	11
176	Association of Factor V Leiden With Subsequent Atherothrombotic Events. <i>Circulation</i> , 2020, 142, 546-555.	1.6	11
177	Physical Activity Is Associated With Lower Long-Term Incidence of Anxiety in a Population-Based, Large-Scale Study. <i>Frontiers in Psychiatry</i> , 2021, 12, 714014.	2.6	11
178	Efficacy and Safety of Ticagrelor and Aspirin in Patients With Moderate Ischemic Stroke. <i>JAMA Neurology</i> , 2021, 78, 1091.	9.0	11
179	The design can limit PRECIS-2 retrospective assessment of the clinical trial explanatory/pragmatic features. <i>Journal of Clinical Epidemiology</i> , 2020, 126, 193-201.	5.0	11
180	Review of the accumulated PLATO documentation supports reliable and consistent superiority of ticagrelor over clopidogrel in patients with acute coronary syndrome. <i>International Journal of Cardiology</i> , 2014, 170, e59-e62.	1.7	10

#	ARTICLE	IF	CITATIONS
181	Baseline Q Waves and Time From Symptom Onset to ST-segment Elevation Myocardial Infarction: Insights From PLATO on the Influence of Sex. <i>American Journal of Medicine</i> , 2015, 128, 914.e11-914.e19.	1.5	10
182	Impact of thrombus aspiration during ST-Elevation Myocardial Infarction: a six month composite endpoint and risk of stroke analyses of the TASTE trial. <i>BMC Cardiovascular Disorders</i> , 2016, 16, 62.	1.7	10
183	Coronary angiographic findings and outcomes in patients with sudden cardiac arrest without ST-elevation myocardial infarction: A SWEDEHEART study. <i>Resuscitation</i> , 2018, 126, 172-178.	3.0	10
184	Predictive Value of High-Sensitivity Troponin T for Systolic Dysfunction and Infarct Size (Six Months) After ST-Elevation Myocardial Infarction. <i>American Journal of Cardiology</i> , 2018, 122, 735-743.	1.6	10
185	Impact of chronic obstructive pulmonary disease on 10-year mortality after percutaneous coronary intervention and bypass surgery for complex coronary artery disease: insights from the SYNTAX Extended Survival study. <i>Clinical Research in Cardiology</i> , 2021, 110, 1083-1095.	3.3	10
186	Benchmarking Observational Analyses Before Using Them to Address Questions Trials Do Not Answer: An Application to Coronary Thrombus Aspiration. <i>American Journal of Epidemiology</i> , 2022, 191, 1652-1665.	3.4	10
187	Anticoagulant therapy and outcomes in patients with prior or acute heart failure and acute coronary syndromes: Insights from the APixaban for PRevention of Acute ISchemic Events 2 trial. <i>American Heart Journal</i> , 2015, 169, 531-538.	2.7	9
188	Low real-world early stent thrombosis rates in ST-elevation myocardial infarction patients and the use of bivalirudin, heparin alone or glycoprotein IIb/IIIa inhibitor treatment: A nationwide Swedish registry report. <i>American Heart Journal</i> , 2016, 176, 78-82.	2.7	9
189	Bioresorbable Stents in PCI. <i>Current Cardiology Reports</i> , 2016, 18, 74.	2.9	9
190	Incidence, timing, and type of first and recurrent ischemic events in patients with and without peripheral artery disease after an acute coronary syndrome. <i>American Heart Journal</i> , 2018, 201, 25-32.	2.7	9
191	P2Y12 Inhibitor Switching in Response to Routine Notification of CYP2C19 Clopidogrel Metabolizer Status Following Acute Coronary Syndromes. <i>JAMA Cardiology</i> , 2019, 4, 680.	6.1	9
192	Bivalirudin Versus Heparin Monotherapy in Elderly Patients With Myocardial Infarction. <i>Circulation: Cardiovascular Interventions</i> , 2020, 13, e008671.	3.9	9
193	Good general health and lack of family history influence the underestimation of cardiovascular risk: a cross-sectional study. <i>European Journal of Cardiovascular Nursing</i> , 2021, 20, 676-683.	0.9	9
194	Differential effect of clopidogrel and ticagrelor on leukocyte count in relation to patient characteristics, biomarkers and genotype: a PLATO substudy. <i>Platelets</i> , 2022, 33, 425-431.	2.3	9
195	Ischemic Benefit and Hemorrhage Risk of Ticagrelor-Aspirin Versus Aspirin in Patients With Acute Ischemic Stroke or Transient Ischemic Attack. <i>Stroke</i> , 2021, 52, 3482-3489.	2.0	9
196	Obesity, Diabetes, and Acute Coronary Syndrome: Differences Between Asians and Whites. <i>American Journal of Medicine</i> , 2017, 130, 1170-1176.	1.5	8
197	Osteoprotegerin Is Associated With Major Bleeding But Not With Cardiovascular Outcomes in Patients With Acute Coronary Syndromes: Insights From the PLATO (Platelet Inhibition and Patient) Tj ETQq1 1 0.78.4314 rgBT /Overl	1.0	8
198	Bivalirudin versus heparin monotherapy in non-ST-segment elevation myocardial infarction. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2019, 8, 492-501.	1.0	8

#	ARTICLE	IF	CITATIONS
199	Income is associated with the probability to receive early coronary angiography after out-of-hospital cardiac arrest. <i>Resuscitation</i> , 2020, 156, 35-41.	3.0	8
200	Timing of coronary angiography in patients with non-ST-elevation acute coronary syndrome: long-term clinical outcomes from the nationwide SWEDEHEART registry. <i>EuroIntervention</i> , 2022, 18, 582-589.	3.2	8
201	Treatment Trends, Effectiveness, and Safety of Statins on Lipid Goal Attainment in Chinese Percutaneous Coronary Intervention Patients: a Multicenter, Retrospective Cohort Study. <i>Clinical Therapeutics</i> , 2017, 39, 1827-1839.e1.	2.5	7
202	Decreased Hip, Lower Leg, and Humeral Fractures but Increased Forearm Fractures in Highly Active Individuals. <i>Journal of Bone and Mineral Research</i> , 2018, 33, 1842-1850.	2.8	7
203	Oxygen Therapy in Myocardial Infarction Patients With or Without Diabetes: A Predefined Subgroup Analysis From the DETO2X-AMI Trial. <i>Diabetes Care</i> , 2019, 42, 2032-2041.	8.6	7
204	Ticagrelor in patients with heart failure after acute coronary syndromesâ€”Insights from the PLATelet inhibition and patient Outcomes (PLATO) trial. <i>American Heart Journal</i> , 2019, 213, 57-65.	2.7	7
205	Prolonged antithrombotic therapy in patients after acute coronary syndrome: A critical appraisal of current European Society of Cardiology guidelines. <i>Cardiology Journal</i> , 2020, 27, 661-676.	1.2	7
206	Bivalirudin Versus Heparin Monotherapy in ST-Segmentâ€”Elevation Myocardial Infarction. <i>Circulation: Cardiovascular Interventions</i> , 2021, 14, e008969.	3.9	7
207	Time Course for Benefit and Risk of Ticagrelor and Aspirin in Acute Ischemic Stroke or Transient Ischemic Attack. <i>Neurology</i> , 2022, 99, .	1.1	7
208	Ticagrelor in Patients With Acute Coronary Syndromes and Stroke. <i>Stroke</i> , 2013, 44, 1477-1479.	2.0	6
209	Renal function is associated with long-term outcomes independent of degree of atherosclerosis: 6-year data from the Swedish Coronary Angiography and Angioplasty Registry. <i>European Heart Journal Quality of Care & Clinical Outcomes</i> , 2016, 2, 91-98.	4.0	6
210	Response by Jolly et al to Letters Regarding Article, â€œThrombus Aspiration in ST-Segment-Elevation Myocardial Infarction: An Individual Patient Meta-Analysis: Thrombectomy Trialists Collaborationâ€”, <i>Circulation</i> , 2017, 135, e1103-e1104.	1.6	6
211	Long-Distance Skiing and Incidence of Hypertension. <i>Circulation</i> , 2020, 141, 743-750.	1.6	6
212	Next-Generation Sequencing of CYP2C19 in Stent Thrombosis: Implications for Clopidogrel Pharmacogenomics. <i>Cardiovascular Drugs and Therapy</i> , 2021, 35, 549-559.	2.6	6
213	Routine Oxygen Therapy Does Not Improve Health-Related Quality of Life in Patients With Acute Myocardial Infarctionâ€”Insights From the Randomized DETO2X-AMI Trial. <i>Frontiers in Cardiovascular Medicine</i> , 2021, 8, 638829.	2.4	6
214	Differences in the 2020 ESC Versus 2015 ESC and 2014 ACC/AHA Guidelines on the Management of Acute Coronary Syndromes in Patients Presenting Without Persistent ST-Segment Elevation. <i>Current Atherosclerosis Reports</i> , 2021, 23, 77.	4.8	6
215	Evidence-based treatments for STEMI: are we doing enough?. <i>Lancet, The</i> , 2013, 382, 576-579.	13.7	5
216	Frequency, clinical and angiographic characteristics, and outcomes of high-risk non-ST-segment elevation acute coronary syndromes patients with left circumflex culprit lesions. <i>International Journal of Cardiology</i> , 2016, 203, 708-713.	1.7	5

#	ARTICLE	IF	CITATIONS
217	Thrombus aspiration in patients with large anterior myocardial infarction. <i>American Heart Journal</i> , 2016, 172, 129-134.	2.7	5
218	Bleeding associated with the management of acute coronary syndromes. <i>Heart</i> , 2017, 103, 546-562.	2.9	5
219	ALCAM predicts future cardiovascular death in acute coronary syndromes: Insights from the PLATO trial. <i>Atherosclerosis</i> , 2020, 293, 35-41.	0.8	5
220	Causes, pattern, predictors, and prognostic implications of new hospitalizations after transcatheter aortic valve implantation: a long-term nationwide observational study. <i>European Heart Journal Quality of Care & Clinical Outcomes</i> , 2022, 8, 150-160.	4.0	5
221	Safety of early hospital discharge following admission with ST-elevation myocardial infarction treated with percutaneous coronary intervention: a nationwide cohort study. <i>EuroIntervention</i> , 2022, 17, 1091-1099.	3.2	5
222	No misrepresentation of vital status follow-up in PLATO: Predefined analyses guarantee the integrity of the benefits of ticagrelor over clopidogrel in the PLATO trial. <i>International Journal of Cardiology</i> , 2014, 176, 300-302.	1.7	4
223	Percutaneous Closure in Transfemoral Aortic Valve Implantation: A Single-Centre Experience. <i>CardioVascular and Interventional Radiology</i> , 2015, 38, 1438-1443.	2.0	4
224	Coronary thrombus aspiration: a lesson for clinical medicine. <i>Lancet</i> , The, 2016, 387, 97-98.	13.7	4
225	Time-based measures of treatment effect: reassessment of ticagrelor and clopidogrel from the PLATO trial. <i>Open Heart</i> , 2017, 4, e000557.	2.3	4
226	New Method for Assessing the Effect of Driving Distance to Hospital Care. <i>Circulation: Cardiovascular Quality and Outcomes</i> , 2017, 10, .	2.2	4
227	Caffeine and incidence of dyspnea in patients treated with ticagrelor. <i>American Heart Journal</i> , 2018, 200, 141-143.	2.7	4
228	Routine Oxygen Supplementation in Acute Cardiovascular Disease. <i>Circulation</i> , 2018, 137, 320-322.	1.6	4
229	Bivalirudin versus heparin with primary percutaneous coronary intervention. <i>American Heart Journal</i> , 2018, 201, 9-16.	2.7	4
230	Safety of ticagrelor in patients with baseline conduction abnormalities: A PLATO (Study of Platelet) Tj ETQqO 0 0 rgBT /Overlock 10 Tf 50	2.7	4
231	Equilibrative nucleoside transporter 1 gene polymorphisms and clinical outcomes following acute coronary syndromes: findings from the PLATelet inhibition and patient Outcomes (PLATO) study. <i>Platelets</i> , 2019, 30, 579-588.	2.3	4
232	Radial versus femoral access in patients with acute coronary syndrome undergoing invasive management: A prespecified subgroup analysis from VALIDATE-SWEDEHEART. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2019, 8, 510-519.	1.0	4
233	Report of the European Society of Cardiology Cardiovascular Round Table regulatory workshop update of the evaluation of new agents for the treatment of acute coronary syndrome: Executive summary. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2019, 8, 745-754.	1.0	4
234	Patient experience of the informed consent process during acute myocardial infarction: a sub-study of the VALIDATE-SWEDEHEART trial. <i>Trials</i> , 2020, 21, 246.	1.6	4

#	ARTICLE	IF	CITATIONS
235	Post-resuscitation myocardial dysfunction in out-of-hospital cardiac arrest patients randomized to immediate coronary angiography versus standard of care. <i>IJC Heart and Vasculature</i> , 2020, 27, 100483.	1.1	4
236	The Full Revasc (Ffr-guidance for complete non-culprit REVASCularization) Registry-based randomized clinical trial. <i>American Heart Journal</i> , 2021, 241, 92-100.	2.7	4
237	Cost-effectiveness of ticagrelor in patients with type 2 diabetes and coronary artery disease: a European economic evaluation of the THEMIS trial. <i>European Heart Journal - Cardiovascular Pharmacotherapy</i> , 2022, 8, 777-785.	3.0	4
238	Coagulation, inflammation and myocardial dysfunction in unstable coronary artery disease and the influence of glycoprotein IIb/IIIa inhibition and low molecular weight heparin. <i>Upsala Journal of Medical Sciences</i> , 2004, 109, 71-122.	0.9	3
239	Biobank linked to SWEDEHEART quality registry—routine blood sample collection opens new opportunities for cardiovascular research. <i>Upsala Journal of Medical Sciences</i> , 2019, 124, 12-15.	0.9	3
240	Relationship between degree of heparin anticoagulation and clinical outcome in patients receiving potent P2Y12-inhibitors with no planned glycoprotein IIb/IIIa inhibitor during percutaneous coronary intervention in acute myocardial infarction: a VALIDATE-SWEDEHEART substudy. <i>European Heart Journal - Cardiovascular Pharmacotherapy</i> , 2020, 6, 6-13.	3.0	3
241	Low-dose ticagrelor with or without acetylsalicylic acid in patients with acute coronary syndrome: Rationale and design of the ELECTRA-SIRIO 2 trial. <i>Cardiology Journal</i> , 2021, , .	1.2	3
242	Clinical Outcomes After Surgical Revascularization Using No-Touch Versus Conventional Saphenous Vein Grafts: Mid-Term Follow-Up of Propensity Score Matched Cohorts. <i>Seminars in Thoracic and Cardiovascular Surgery</i> , 2021, , .	0.6	3
243	Sex as a determinant of prehospital ECG in ST- and non-ST elevation myocardial infarction patients: Table 1. <i>Heart</i> , 2014, 100, 1817-1818.	2.9	2
244	Height and prognosis following percutaneous coronary intervention. <i>International Journal of Cardiology</i> , 2016, 224, 188-190.	1.7	2
245	Importance of post-approval real-world evidence. <i>European Heart Journal - Cardiovascular Pharmacotherapy</i> , 2018, 4, 10-11.	3.0	2
246	Discussion forum response from authors to letter regarding article, “Three questions regarding the 2017 ESC STEMI guidelines”. <i>European Heart Journal</i> , 2019, 40, 1242-1242.	2.2	2
247	SWEDEHEART-1-year data show no benefit of newer generation drug-eluting stents over bare-metal stents in patients with severe kidney dysfunction following percutaneous coronary intervention. <i>Coronary Artery Disease</i> , 2020, 31, 49-58.	0.7	2
248	Outcome of PCI with Xience versus other commonly used modern drug eluting stents: A SCAAR report. <i>Catheterization and Cardiovascular Interventions</i> , 2021, 98, E197-E204.	1.7	2
249	Randomized comparison of early supplemental oxygen versus ambient air in patients with confirmed myocardial infarction: Sex-related outcomes from DETO2X-AMI. <i>American Heart Journal</i> , 2021, 237, 13-24.	2.7	2
250	Factor V Leiden and the Risk of Bleeding in Patients With Acute Coronary Syndromes Treated With Antiplatelet Therapy: Pooled Analysis of 3 Randomized Clinical Trials. <i>Journal of the American Heart Association</i> , 2021, 10, e021115.	3.7	2
251	Effects of early myocardial reperfusion and perfusion on myocardial necrosis/dysfunction and inflammation in patients with ST-segment and non-ST-segment elevation acute coronary syndrome: results from the PLATElet inhibition and patients Outcomes (PLATO) trial. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2022, 11, 336-349.	1.0	2
252	Ischaemic Events and Stent Thrombosis following Planned Discontinuation of Study Treatment with Ticagrelor or Clopidogrel in the PLATO Study. <i>Thrombosis and Haemostasis</i> , 2018, 118, 427-429.	3.4	1

#	ARTICLE	IF	CITATIONS
253	â€œTen Commandmentsâ€™ of the 2017 ESC STEMI Guidelines. <i>European Heart Journal</i> , 2018, 39, 83-83.	2.2	1
254	Short-term mental distress in research participants after receiving cardiovascular risk information. <i>PLoS ONE</i> , 2019, 14, e0217247.	2.5	1
255	Response to letter regarding article, â€œOxygen therapy in ST-elevation myocardial infarctionâ€™. <i>European Heart Journal</i> , 2019, 40, 215-215.	2.2	1
256	Haemorrhagic stroke and major bleeding after intervention with biological aortic valve prosthesis: risk factors and antithrombotic treatment. <i>European Heart Journal Supplements</i> , 2020, 22, C26-C33.	0.1	1
257	Response by Navarese et al to Letters Regarding Article, â€œComparative Efficacy and Safety of Oral P2Y12 Inhibitors in Acute Coronary Syndrome: Network Meta-Analysis of 52â€‰%816 Patients From 12 Randomized Trialsâ€™. <i>Circulation</i> , 2021, 143, e236-e237.	1.6	1
258	Pre-operative heart failure worsens outcome after aortic valve replacement irrespective of left ventricular ejection fraction. <i>European Heart Journal Quality of Care & Clinical Outcomes</i> , 2022, 8, 127-134.	4.0	1
259	Communicating Test Results from a General Health Check: Preferences from a Discrete Choice Experiment Survey. <i>Patient</i> , 2021, 14, 649-660.	2.7	1
260	Assessing the external validity of the VALIDATE-SWEDEHEART trial. <i>Clinical Trials</i> , 2021, 18, 427-435.	1.6	1
261	Individualized Duration of Dual Antiplatelet Therapy Guided by Risk Scoresâ€™ Ready for Prime Time? â€™. <i>Circulation Journal</i> , 2020, 84, 153-155.	1.6	1
262	Myocardial infarction after elective percutaneous coronary interventionâ€™ which cardiac troponin cut-off to use?. <i>European Heart Journal</i> , 2021, , .	2.2	1
263	What CVD risk factors predict self-perceived risk of having a myocardial infarction? A cross-sectional study. <i>International Journal of Cardiology Cardiovascular Risk and Prevention</i> , 2022, 12, 200125.	1.1	1
264	Balance of Benefit and Risk of Ticagrelor in Patients With Diabetes and Stable Coronary Artery Disease According to Bleeding Risk Assessment With the CRUSADE Score: Data From THEMIS and THEMIS PCI. <i>American Heart Journal</i> , 2022, 249, 23-23.	2.7	1
265	Improving long-term outcome after myocardial infarction. <i>Lancet, The</i> , 2012, 380, 1290-1291.	13.7	0
266	Evidenced-Based Antithrombotic Therapy for Acute Coronary Syndromes. <i>Diabetes</i> , 2013, 62, 709-710.	0.6	0
267	Response to the letter to the editor by Ariza-SolÃ© et al. <i>American Heart Journal</i> , 2014, 168, e5.	2.7	0
268	Unreliable Observations from a Confounded Analysis of a Skewed Database. <i>American Journal of Medicine</i> , 2017, 130, e355-e356.	1.5	0
269	Nonâ€™Vitamin K Antagonist Preferred in Patients With Nonvalvular Atrial Fibrillation and Indication for Aspirin Therapy. <i>Circulation</i> , 2018, 137, 1130-1131.	1.6	0
270	How far will the FIREHAWK stent fly?. <i>Lancet, The</i> , 2018, 392, 1091-1092.	13.7	0

#	ARTICLE	IF	CITATIONS
271	Clinical Impact of Intraprocedural Stent Thrombosis During Percutaneous Coronary Intervention in Patients Treated With Potent P2Y12 inhibitors â€”a VALIDATEâ€”SWEDHEART Substudy. <i>Journal of the American Heart Association</i> , 2021, 10, e022984.	3.7	0
272	Avoiding Routine Oxygen Therapy in Patients With Myocardial Infarction Saves Significant Expenditure for the Health Care Systemâ€”Insights From the Randomized DETO2X-AMI Trial. <i>Frontiers in Public Health</i> , 2021, 9, 711222.	2.7	0