

Stefan K James

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/9294855/stefan-k-james-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

260
papers

25,859
citations

53
h-index

159
g-index

278
ext. papers

33,250
ext. citations

9
avg, IF

6.24
L-index

#	Paper	IF	Citations
260	Development and validation of an artificial neural network algorithm to predict mortality and admission to hospital for heart failure after myocardial infarction: a nationwide population-based study.. <i>The Lancet Digital Health</i> , 2022 , 4, e37-e45	14.4	2
259	What CVD risk factors predict self-perceived risk of having a myocardial infarction? A cross-sectional study.. <i>International Journal of Cardiology Cardiovascular Risk and Prevention</i> , 2022 , 12, 200125		
258	Short Duration of DAPT Versus De-Escalation After Percutaneous Coronary Intervention for Acute 'Coronary' Syndromes.. <i>JACC: Cardiovascular Interventions</i> , 2022 , 15, 268-277	5	9
257	Balance of Benefit and Risk of Ticagrelor in Patients With Diabetes and Stable Coronary Artery Disease According to Bleeding Risk Assessment With the CRUSADE Score: Data From THEMIS and THEMIS PCI: Abbreviated title: Bleeding risk stratification of ticagrelor.. <i>American Heart Journal</i> , 2022 , 249, 23-23	4.9	0
256	5-Year Outcomes of PCI Guided by Measurement of Instantaneous Wave-Free Ratio Versus Fractional Flow Reserve.. <i>Journal of the American College of Cardiology</i> , 2022 , 79, 965-974	15.1	5
255	Avoiding Routine Oxygen Therapy in Patients With Myocardial Infarction Saves Significant Expenditure for the Health Care System-Insights From the Randomized DETO2X-AMI Trial.. <i>Frontiers in Public Health</i> , 2021 , 9, 711222	6	
254	Safety of Early hospital discharge following admission with ST-elevation myocardial infarction treated with percutaneous coronary intervention: a nationwide cohort study. <i>EuroIntervention</i> , 2021 ,	3.1	1
253	Myocardial infarction after elective percutaneous coronary intervention-which cardiac troponin cut-off to use?. <i>European Heart Journal</i> , 2021 ,	9.5	1
252	Low-dose ticagrelor with or without acetylsalicylic acid in patients with acute coronary syndrome: Rationale and design of the ELECTRA-SIRIO 2 trial. <i>Cardiology Journal</i> , 2021 ,	1.4	1
251	Differences in the 2020 ESC Versus 2015 ESC and 2014 ACC/AHA Guidelines on the Management of Acute Coronary Syndromes in Patients Presenting Without Persistent ST-Segment Elevation. <i>Current Atherosclerosis Reports</i> , 2021 , 23, 77	6	0
250	Low-density lipoprotein cholesterol reduction and statin intensity in myocardial infarction patients and major adverse outcomes: a Swedish nationwide cohort study. <i>European Heart Journal</i> , 2021 , 42, 243-252	9.5	22
249	Communicating Test Results from a General Health Check: Preferences from a Discrete Choice Experiment Survey. <i>Patient</i> , 2021 , 14, 649-660	3.7	1
248	Genetically determined NLRP3 inflammasome activation associates with systemic inflammation and cardiovascular mortality. <i>European Heart Journal</i> , 2021 , 42, 1742-1756	9.5	20
247	Routine Oxygen Therapy Does Not Improve Health-Related Quality of Life in Patients With Acute Myocardial Infarction-Insights From the Randomized DETO2X-AMI Trial. <i>Frontiers in Cardiovascular Medicine</i> , 2021 , 8, 638829	5.4	2
246	Outcome of PCI with Xience versus other commonly used modern drug eluting stents: A SCAAR report. <i>Catheterization and Cardiovascular Interventions</i> , 2021 , 98, E197-E204	2.7	
245	Good general health and lack of family history influence the underestimation of cardiovascular risk: a cross-sectional study. <i>European Journal of Cardiovascular Nursing</i> , 2021 , 20, 676-683	3.3	2
244	Assessing the external validity of the VALIDATE-SWEDEHEART trial. <i>Clinical Trials</i> , 2021 , 18, 427-435	2.2	

243	Differential effect of clopidogrel and ticagrelor on leukocyte count in relation to patient characteristics, biomarkers and genotype: a PLATO substudy. <i>Platelets</i> , 2021 , 1-7	3.6	4
242	Next-Generation Sequencing of CYP2C19 in Stent Thrombosis: Implications for Clopidogrel Pharmacogenomics. <i>Cardiovascular Drugs and Therapy</i> , 2021 , 35, 549-559	3.9	3
241	<i>Helicobacter pylori</i> screening in clinical routine during hospitalization for acute myocardial infarction. <i>American Heart Journal</i> , 2021 , 231, 105-109	4.9	4
240	Patient-tailored antithrombotic therapy following percutaneous coronary intervention. <i>European Heart Journal</i> , 2021 , 42, 1038-1046	9.5	9
239	Adaptation of the Charlson Comorbidity Index for Register-Based Research in Sweden. <i>Clinical Epidemiology</i> , 2021 , 13, 21-41	5.9	12
238	Response by Navarese et al to Letters Regarding Article, "Comparative Efficacy and Safety of Oral P2Y12 Inhibitors in Acute Coronary Syndrome: Network Meta-Analysis of 52 816 Patients From 12 Randomized Trials". <i>Circulation</i> , 2021 , 143, e236-e237	16.7	1
237	Impact of chronic obstructive pulmonary disease on 10-year mortality after percutaneous coronary intervention and bypass surgery for complex coronary artery disease: insights from the SYNTAX Extended Survival study. <i>Clinical Research in Cardiology</i> , 2021 , 110, 1083-1095	6.1	1
236	Randomized comparison of early supplemental oxygen versus ambient air in patients with confirmed myocardial infarction: Sex-related outcomes from DETO2X-AMI. <i>American Heart Journal</i> , 2021 , 237, 13-24	4.9	1
235	Bleeding avoidance strategies in percutaneous coronary intervention. <i>Nature Reviews Cardiology</i> , 2021 ,	14.8	10
234	Ten-year all-cause death after percutaneous or surgical revascularization in diabetic patients with complex coronary artery disease. <i>European Heart Journal</i> , 2021 ,	9.5	4
233	Ischemic Benefit and Hemorrhage Risk of Ticagrelor-Aspirin Versus Aspirin in Patients With Acute Ischemic Stroke or Transient Ischemic Attack. <i>Stroke</i> , 2021 , 52, 3482-3489	6.7	0
232	Physical Activity Is Associated With Lower Long-Term Incidence of Anxiety in a Population-Based, Large-Scale Study. <i>Frontiers in Psychiatry</i> , 2021 , 12, 714014	5	3
231	Factor V Leiden and the Risk of Bleeding in Patients With Acute Coronary Syndromes Treated With Antiplatelet Therapy: Pooled Analysis of 3 Randomized Clinical Trials. <i>Journal of the American Heart Association</i> , 2021 , 10, e021115	6	
230	Clinical Impact of Intraprocedural Stent Thrombosis During Percutaneous Coronary Intervention in Patients Treated With Potent P2Y12 inhibitors - a VALIDATE-SWEDEHEART Substudy. <i>Journal of the American Heart Association</i> , 2021 , 10, e022984	6	
229	Efficacy and Safety of Ticagrelor and Aspirin in Patients With Moderate Ischemic Stroke: An Exploratory Analysis of the THALES Randomized Clinical Trial. <i>JAMA Neurology</i> , 2021 , 78, 1091-1098	17.2	1
228	Short- and Long-Term Clinical Outcomes for Patients With Takotsubo Syndrome and Patients With Myocardial Infarction: A Report From the Swedish Coronary Angiography and Angioplasty Registry. <i>Journal of the American Heart Association</i> , 2021 , 10, e017290	6	3
227	The Full Revasc (Ffr-gUidance for compLete non-cuLprit REVAScularization) Registry-based randomized clinical trial. <i>American Heart Journal</i> , 2021 , 241, 92-100	4.9	1
226	Bivalirudin Versus Heparin Monotherapy in ST-Segment-Elevation Myocardial Infarction.. <i>Circulation: Cardiovascular Interventions</i> , 2021 , 14, e008969	6	1

225	Mortality with Paclitaxel-Coated Devices in Peripheral Artery Disease. <i>New England Journal of Medicine</i> , 2020 , 383, 2538-2546	59.2	61
224	Haemorrhagic stroke and major bleeding after intervention with biological aortic valve prosthesis: risk factors and antithrombotic treatment. <i>European Heart Journal Supplements</i> , 2020 , 22, C26-C33	1.5	0
223	EAPCI Position Statement on Invasive Management of Acute Coronary Syndromes during the COVID-19 pandemic. <i>European Heart Journal</i> , 2020 , 41, 1839-1851	9.5	76
222	Comparative Efficacy and Safety of Oral P2Y Inhibitors in Acute Coronary Syndrome: Network Meta-Analysis of 52 816 Patients From 12 Randomized Trials. <i>Circulation</i> , 2020 , 142, 150-160	16.7	44
221	Patient experience of the informed consent process during acute myocardial infarction: a sub-study of the VALIDATE-SWEDEHEART trial. <i>Trials</i> , 2020 , 21, 246	2.8	2
220	Percutaneous Treatment and Outcomes of Small Coronary Vessels: A SCAAR Report. <i>JACC: Cardiovascular Interventions</i> , 2020 , 13, 793-804	5	16
219	Post-Discharge Bleeding and Mortality Following Acute Coronary Syndromes With or Without PCI. <i>Journal of the American College of Cardiology</i> , 2020 , 76, 162-171	15.1	17
218	Comparison of warfarin versus antiplatelet therapy after surgical bioprosthetic aortic valve replacement. <i>Heart</i> , 2020 , 106, 838-844	5.1	7
217	Post-resuscitation myocardial dysfunction in out-of-hospital cardiac arrest patients randomized to immediate coronary angiography versus standard of care. <i>IJC Heart and Vasculature</i> , 2020 , 27, 100483	2.4	1
216	Dual-pathway inhibition for secondary and tertiary antithrombotic prevention in cardiovascular disease. <i>Nature Reviews Cardiology</i> , 2020 , 17, 242-257	14.8	41
215	No-touch saphenous vein grafts in coronary artery surgery (SWEDEGRAFT): Rationale and design of a multicenter, prospective, registry-based randomized clinical trial. <i>American Heart Journal</i> , 2020 , 224, 17-24	4.9	4
214	Prolonged antithrombotic therapy in patients after acute coronary syndrome: A critical appraisal of current European Society of Cardiology guidelines. <i>Cardiology Journal</i> , 2020 , 27, 661-676	1.4	4
213	Survival of Patients With Angina Pectoris Undergoing Percutaneous Coronary Intervention With Intracoronary Pressure Wire Guidance. <i>Journal of the American College of Cardiology</i> , 2020 , 75, 2785-2799	15.1	10
212	The design can limit PRECIS-2 retrospective assessment of the clinical trial explanatory/pragmatic features. <i>Journal of Clinical Epidemiology</i> , 2020 , 126, 193-201	5.7	6
211	Impaired Fibrinolysis Predicts Adverse Outcome in Acute Coronary Syndrome Patients with Diabetes: A PLATO Sub-Study. <i>Thrombosis and Haemostasis</i> , 2020 , 120, 412-422	7	12
210	Long-Distance Skiing and Incidence of Hypertension: A Cohort Study of 206 889 Participants in a Long-Distance Cross-Country Skiing Event. <i>Circulation</i> , 2020 , 141, 743-750	16.7	2
209	Effect of Oxygen Therapy on Cardiovascular Outcomes in Relation to Baseline Oxygen Saturation. <i>JACC: Cardiovascular Interventions</i> , 2020 , 13, 502-513	5	9
208	Individual Patient Data Pooled Analysis of Randomized Trials of Bivalirudin versus Heparin in Acute Myocardial Infarction: Rationale and Methodology. <i>Thrombosis and Haemostasis</i> , 2020 , 120, 348-362	7	8

207	SWEDHEART-1-year data show no benefit of newer generation drug-eluting stents over bare-metal stents in patients with severe kidney dysfunction following percutaneous coronary intervention. <i>Coronary Artery Disease</i> , 2020 , 31, 49-58	1.4	1
206	Pharmacodynamics, pharmacokinetics, and safety of single-dose subcutaneous administration of selatogrel, a novel P2Y12 receptor antagonist, in patients with chronic coronary syndromes. <i>European Heart Journal</i> , 2020 , 41, 3132-3140	9.5	24
205	ALCAM predicts future cardiovascular death in acute coronary syndromes: Insights from the PLATO trial. <i>Atherosclerosis</i> , 2020 , 293, 35-41	3.1	2
204	Delayed Clinical Manifestation of Parkinson's Disease Among Physically Active: Do Participants in a Long-Distance Ski Race Have a Motor Reserve?. <i>Journal of Parkinson's Disease</i> , 2020 , 10, 267-274	5.3	5
203	Incidence and outcome of myocardial infarction treated with percutaneous coronary intervention during COVID-19 pandemic. <i>Heart</i> , 2020 , 106, 1812-1818	5.1	19
202	Radial artery access is associated with lower mortality in patients undergoing primary PCI: a report from the SWEDHEART registry. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2020 , 9, 323-332	4.3	3
201	Risk Assessment Using Risk Scores in Patients with Acute Coronary Syndrome. <i>Journal of Clinical Medicine</i> , 2020 , 9,	5.1	5
200	Income is associated with the probability to receive early coronary angiography after out-of-hospital cardiac arrest. <i>Resuscitation</i> , 2020 , 156, 35-41	4	0
199	Association of Factor V Leiden With Subsequent Atherothrombotic Events: A GENIUS-CHD Study of Individual Participant Data. <i>Circulation</i> , 2020 , 142, 546-555	16.7	5
198	Ticagrelor and Aspirin or Aspirin Alone in Acute Ischemic Stroke or TIA. <i>New England Journal of Medicine</i> , 2020 , 383, 207-217	59.2	155
197	Ticagrelor Added to Aspirin in Acute Nonsevere Ischemic Stroke or Transient Ischemic Attack of Atherosclerotic Origin. <i>Stroke</i> , 2020 , 51, 3504-3513	6.7	22
196	European Society of Cardiology methodology for the development of quality indicators for the quantification of cardiovascular care and outcomes. <i>European Heart Journal Quality of Care & Clinical Outcomes</i> , 2020 ,	4.6	15
195	Trial Design Principles for Patients at High Bleeding Risk Undergoing PCI: JACC Scientific Expert Panel. <i>Journal of the American College of Cardiology</i> , 2020 , 76, 1468-1483	15.1	16
194	Relationship between degree of heparin anticoagulation and clinical outcome in patients receiving potent P2Y12-inhibitors with no planned glycoprotein IIb/IIIa inhibitor during percutaneous coronary intervention in acute myocardial infarction: a VALIDATE-SWEDHEART substudy. <i>European Heart Journal - Cardiovascular Pharmacotherapy</i> , 2020 , 6, 6-13	6.4	1
193	2019 ESC Guidelines for the diagnosis and management of chronic coronary syndromes. <i>European Heart Journal</i> , 2020 , 41, 407-477	9.5	1835
192	Bivalirudin Versus Heparin Monotherapy in Elderly Patients With Myocardial Infarction: A Prespecified Subgroup Analysis of the VALIDATE-SWEDHEART Trial. <i>Circulation: Cardiovascular Interventions</i> , 2020 , 13, e008671	6	4
191	Ticagrelor Added to Aspirin in Acute Ischemic Stroke or Transient Ischemic Attack in Prevention of Disabling Stroke: A Randomized Clinical Trial. <i>JAMA Neurology</i> , 2020 ,	17.2	5
190	Complete vs Culprit-Lesion-Only Revascularization for ST-Segment Elevation Myocardial Infarction: A Systematic Review and Meta-analysis. <i>JAMA Cardiology</i> , 2020 , 5, 881-888	16.2	34

189	Interleukin-18 in patients with acute coronary syndromes. <i>Clinical Cardiology</i> , 2019 , 42, 1202-1209	3.3	10
188	Long-Term Incidence of Atrial Fibrillation and Stroke Among Cross-Country Skiers. <i>Circulation</i> , 2019 , 140, 910-920	16.7	20
187	Elevated admission glucose is common and associated with high short-term complication burden after acute myocardial infarction: Insights from the VALIDATE-SWEDEHEART study. <i>Diabetes and Vascular Disease Research</i> , 2019 , 16, 582-584	3.3	6
186	Ticagrelor in patients with diabetes and stable coronary artery disease with a history of previous percutaneous coronary intervention (THEMIS-PCI): a phase 3, placebo-controlled, randomised trial. <i>Lancet, The</i> , 2019 , 394, 1169-1180	40	106
185	Oxygen Therapy in Myocardial Infarction Patients With or Without Diabetes: A Predefined Subgroup Analysis From the DETO2X-AMI Trial. <i>Diabetes Care</i> , 2019 , 42, 2032-2041	14.6	5
184	Prevalence and relevance of abnormal glucose metabolism in acute coronary syndromes: insights from the PLATelet inhibition and patient Outcomes (PLATO) trial. <i>Journal of Thrombosis and Thrombolysis</i> , 2019 , 48, 563-569	5.1	6
183	Clinical use of cangrelor: nationwide experience from the Swedish Coronary Angiography and Angioplasty Registry (SCAAR). <i>European Heart Journal - Cardiovascular Pharmacotherapy</i> , 2019 , 5, 151-157	6.4	11
182	Short-term mental distress in research participants after receiving cardiovascular risk information. <i>PLoS ONE</i> , 2019 , 14, e0217247	3.7	0
181	P2Y12 Inhibitor Switching in Response to Routine Notification of CYP2C19 Clopidogrel Metabolizer Status Following Acute Coronary Syndromes. <i>JAMA Cardiology</i> , 2019 , 4, 680-684	16.2	7
180	Defining high bleeding risk in patients undergoing percutaneous coronary intervention: a consensus document from the Academic Research Consortium for High Bleeding Risk. <i>European Heart Journal</i> , 2019 , 40, 2632-2653	9.5	169
179	Defining High Bleeding Risk in Patients Undergoing Percutaneous Coronary Intervention. <i>Circulation</i> , 2019 , 140, 240-261	16.7	183
178	Ticagrelor in patients with heart failure after acute coronary syndromes-Insights from the PLATelet inhibition and patient Outcomes (PLATO) trial. <i>American Heart Journal</i> , 2019 , 213, 57-65	4.9	6
177	Clinical and angiographic outcomes of bioabsorbable vs. permanent polymer drug-eluting stents in Sweden: a report from the Swedish Coronary and Angioplasty Registry (SCAAR). <i>European Heart Journal</i> , 2019 , 40, 2607-2615	9.5	11
176	Subsequent Event Risk in Individuals With Established Coronary Heart Disease. <i>Circulation Genomic and Precision Medicine</i> , 2019 , 12, e002470	5.2	13
175	Direct or subacute coronary angiography in out-of-hospital cardiac arrest (DISCO)-An initial pilot-study of a randomized clinical trial. <i>Resuscitation</i> , 2019 , 139, 253-261	4	14
174	Low risk pragmatic trials do not always require participants' informed consent. <i>BMJ, The</i> , 2019 , 364, l10939	3.9	17
173	Assessing the Nationwide Impact of a Registry-Based Randomized Clinical Trial on Cardiovascular Practice. <i>Circulation: Cardiovascular Interventions</i> , 2019 , 12, e007381	6	6
172	Dual Antiplatelet Therapy Duration Based on Ischemic and Bleeding Risks After Coronary Stenting. <i>Journal of the American College of Cardiology</i> , 2019 , 73, 741-754	15.1	123

171	Equilibrative nucleoside transporter 1 gene polymorphisms and clinical outcomes following acute coronary syndromes: findings from the PLATElet inhibition and patient Outcomes (PLATO) study. <i>Platelets</i> , 2019 , 30, 579-588	3.6	4
170	Gender differences in utilization of coronary angiography and angiographic findings after out-of-hospital cardiac arrest: A registry study. <i>Resuscitation</i> , 2019 , 143, 189-195	4	8
169	Radial versus femoral access in patients with acute coronary syndrome undergoing invasive management: A prespecified subgroup analysis from VALIDATE-SWEDEHEART. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2019 , 8, 510-519	4.3	2
168	Bleeding after antiplatelet therapy for the treatment of acute coronary syndromes: a review of the evidence and evolving paradigms. <i>Expert Opinion on Drug Safety</i> , 2019 , 18, 1171-1189	4.1	12
167	Long distance ski racing is associated with lower long-term incidence of depression in a population based, large-scale study. <i>Psychiatry Research</i> , 2019 , 281, 112546	9.9	10
166	Midlife physical activity is associated with lower incidence of vascular dementia but not Alzheimer's disease. <i>Alzheimer's Research and Therapy</i> , 2019 , 11, 87	9	11
165	The Acute Stroke or Transient Ischemic Attack Treated with Ticagrelor and Aspirin for Prevention of Stroke and Death (THALES) trial: Rationale and design. <i>International Journal of Stroke</i> , 2019 , 14, 745-751	6.3	20
164	Physical Activity Reduces Epilepsy Incidence: a Retrospective Cohort Study in Swedish Cross-Country Skiers and an Experimental Study in Seizure-Prone Synapsin II Knockout Mice. <i>Sports Medicine - Open</i> , 2019 , 5, 52	6.1	10
163	Coronary Artery Perforation and Tamponade - Incidence, Risk Factors, Predictors and Outcomes From 12 Years' Data of the SCAAR Registry. <i>Circulation Journal</i> , 2019 , 84, 43-53	2.9	7
162	Design and rationale of the Management of High Bleeding Risk Patients Post Bioresorbable Polymer Coated Stent Implantation With an Abbreviated Versus Standard DAPT Regimen (MASTER DAPT) Study. <i>American Heart Journal</i> , 2019 , 209, 97-105	4.9	39
161	Admission Levels of DKK1 (Dickkopf-1) Are Associated With Future Cardiovascular Death in Patients With Acute Coronary Syndromes. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2019 , 39, 294-302	9.4	12
160	Discussion forum response from authors to letter regarding article, 'Three questions regarding the 2017 ESC STEMI guidelines'. <i>European Heart Journal</i> , 2019 , 40, 1242	9.5	2
159	Response to letter regarding article, 'Oxygen therapy in ST-elevation myocardial infarction'. <i>European Heart Journal</i> , 2019 , 40, 215	9.5	1
158	Biobank linked to SWEDEHEART quality registry-routine blood sample collection opens new opportunities for cardiovascular research. <i>Uppsala Journal of Medical Sciences</i> , 2019 , 124, 12-15	2.8	1
157	Bivalirudin versus heparin monotherapy in non-ST-segment elevation myocardial infarction. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2019 , 8, 492-501	4.3	5
156	Editor's Choice- Heparin pre-treatment in patients with ST-segment elevation myocardial infarction and the risk of intracoronary thrombus and total vessel occlusion. Insights from the TASTE trial. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2019 , 8, 15-23	4.3	10
155	Report of the European Society of Cardiology Cardiovascular Round Table regulatory workshop update of the evaluation of new agents for the treatment of acute coronary syndrome: Executive summary. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2019 , 8, 745-754	4.3	1
154	Prognostic impact of baseline inflammatory markers in patients with acute coronary syndromes treated with ticagrelor and clopidogrel. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2019 , 2048872319878075	4.3	8

153	Caffeine and incidence of dyspnea in patients treated with ticagrelor. <i>American Heart Journal</i> , 2018 , 200, 141-143	4.9	2
152	Survival and incidence of cardiovascular diseases in participants in a long-distance ski race (Vasaloppet, Sweden) compared with the background population. <i>European Heart Journal Quality of Care & Clinical Outcomes</i> , 2018 , 4, 91-97	4.6	14
151	Clinical impact of direct stenting and interaction with thrombus aspiration in patients with ST-segment elevation myocardial infarction undergoing percutaneous coronary intervention: Thrombectomy Trialists Collaboration. <i>European Heart Journal</i> , 2018 , 39, 2472-2479	9.5	15
150	Development and external validation of a post-discharge bleeding risk score in patients with acute coronary syndrome: The BleeMACS score. <i>International Journal of Cardiology</i> , 2018 , 254, 10-15	3.2	40
149	Ischaemic Events and Stent Thrombosis following Planned Discontinuation of Study Treatment with Ticagrelor or Clopidogrel in the PLATO Study. <i>Thrombosis and Haemostasis</i> , 2018 , 118, 427-429	7	1
148	Fibrin clot properties independently predict adverse clinical outcome following acute coronary syndrome: a PLATO substudy. <i>European Heart Journal</i> , 2018 , 39, 1078-1085	9.5	73
147	Coronary angiographic findings and outcomes in patients with sudden cardiac arrest without ST-elevation myocardial infarction: A SWEDEHEART study. <i>Resuscitation</i> , 2018 , 126, 172-178	4	7
146	Routine Oxygen Supplementation in Acute Cardiovascular Disease: The End of a Paradigm?. <i>Circulation</i> , 2018 , 137, 320-322	16.7	4
145	Osteoprotegerin Is Associated With Major Bleeding But Not With Cardiovascular Outcomes in Patients With Acute Coronary Syndromes: Insights From the PLATO (Platelet Inhibition and Patient Outcomes) Trial. <i>Journal of the American Heart Association</i> , 2018 , 7,	6	6
144	Impact of Thrombus Aspiration on Mortality, Stent Thrombosis, and Stroke in Patients With ST-Segment-Elevation Myocardial Infarction: A Report From the Swedish Coronary Angiography and Angioplasty Registry. <i>Journal of the American Heart Association</i> , 2018 , 7,	6	13
143	Ten Commandments of the 2017 ESC STEMI Guidelines. <i>European Heart Journal</i> , 2018 , 39, 83-83	9.5	0
142	The 2017 ESC STEMI Guidelines. <i>European Heart Journal</i> , 2018 , 39, 79-82	9.5	5
141	Design of DISCO-Direct or Subacute Coronary Angiography in Out-of-Hospital Cardiac Arrest study. <i>American Heart Journal</i> , 2018 , 197, 53-61	4.9	15
140	Antithrombotic therapy after myocardial infarction in patients with atrial fibrillation undergoing percutaneous coronary intervention. <i>European Heart Journal - Cardiovascular Pharmacotherapy</i> , 2018 , 4, 36-45	6.4	10
139	Effects of supplemental oxygen therapy in patients with suspected acute myocardial infarction: a meta-analysis of randomised clinical trials. <i>Heart</i> , 2018 , 104, 1691-1698	5.1	25
138	Outcomes in patients treated with ticagrelor versus clopidogrel after acute myocardial infarction stratified by renal function. <i>Heart</i> , 2018 , 104, 1575-1582	5.1	16
137	Bivalirudin versus heparin with primary percutaneous coronary intervention. <i>American Heart Journal</i> , 2018 , 201, 9-16	4.9	3
136	Coronary angiography in out-of-hospital cardiac arrest without ST elevation on ECG-Short- and long-term survival. <i>American Heart Journal</i> , 2018 , 200, 90-95	4.9	19

135	No Benefit of Ticagrelor Pretreatment Compared With Treatment During Percutaneous Coronary Intervention in Patients With ST-Segment-Elevation Myocardial Infarction Undergoing Primary Percutaneous Coronary Intervention. <i>Circulation: Cardiovascular Interventions</i> , 2018 , 11, e005528	6	17
134	2017 ESC Guidelines for the management of acute myocardial infarction in patients presenting with ST-segment elevation: The Task Force for the management of acute myocardial infarction in patients presenting with ST-segment elevation of the European Society of Cardiology (ESC).	9.5	4237
133	2017 ESC focused update on dual antiplatelet therapy in coronary artery disease developed in collaboration with EACTS: The Task Force for dual antiplatelet therapy in coronary artery disease of the European Society of Cardiology (ESC) and of the European Association for Cardio-Thoracic Surgery (EACTS). <i>European Heart Journal</i> , 2018 , 39, 213-260	9.5	1475
132	Decreased Hip, Lower Leg, and Humeral Fractures but Increased Forearm Fractures in Highly Active Individuals. <i>Journal of Bone and Mineral Research</i> , 2018 , 33, 1842-1850	6.3	3
131	Safety of ticagrelor in patients with baseline conduction abnormalities: A PLATO (Study of Platelet Inhibition and Patient Outcomes) analysis. <i>American Heart Journal</i> , 2018 , 202, 54-60	4.9	3
130	Incidence, timing, and type of first and recurrent ischemic events in patients with and without peripheral artery disease after an acute coronary syndrome. <i>American Heart Journal</i> , 2018 , 201, 25-32	4.9	6
129	External Validation of the DAPT Score in a Nationwide Population. <i>Journal of the American College of Cardiology</i> , 2018 , 72, 1069-1078	15.1	43
128	The Analgesic Effect of Oxygen in Suspected Acute Myocardial Infarction: A Substudy of the DETO2X-AMI Trial. <i>JACC: Cardiovascular Interventions</i> , 2018 , 11, 1590-1597	5	10
127	Predictive Value of High-Sensitivity Troponin T for Systolic Dysfunction and Infarct Size (Six Months) After ST-Elevation Myocardial Infarction. <i>American Journal of Cardiology</i> , 2018 , 122, 735-743	3	5
126	Oxygen therapy in ST-elevation myocardial infarction. <i>European Heart Journal</i> , 2018 , 39, 2730-2739	9.5	25
125	Long-Term Effects of Oxygen Therapy on Death or Hospitalization for Heart Failure in Patients With Suspected Acute Myocardial Infarction. <i>Circulation</i> , 2018 , 138, 2754-2762	16.7	14
124	Association of Multiple Biomarkers With Risk of All-Cause and Cause-Specific Mortality After Acute Coronary Syndromes: A Secondary Analysis of the PLATO Biomarker Study. <i>JAMA Cardiology</i> , 2018 , 3, 1160-1166	16.2	34
123	Relations between implementation of new treatments and improved outcomes in patients with non-ST-elevation myocardial infarction during the last 20 years: experiences from SWEDEHEART registry 1995 to 2014. <i>European Heart Journal</i> , 2018 , 39, 3766-3776	9.5	65
122	How far will the FIREHAWK stent fly?. <i>Lancet, The</i> , 2018 , 392, 1091-1092	4.0	
121	Integrating the results of the CULPRIT-SHOCK trial in the 2017 ESC ST-elevation myocardial infarction guidelines: viewpoint of the task force. <i>European Heart Journal</i> , 2018 , 39, 4239-4242	9.5	18
120	Outcomes after planned invasive or conservative treatment strategy in patients with non-ST-elevation acute coronary syndrome and a normal value of high sensitivity troponin at randomisation: A Platelet Inhibition and Patient Outcomes (PLATO) trial biomarker substudy. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2017 , 6, 500-510	4.3	13
119	Balancing the risk of spontaneous ischemic and major bleeding events in acute coronary syndromes. <i>American Heart Journal</i> , 2017 , 186, 91-99	4.9	24
118	Biomarkers and Coronary Lesions Predict Outcomes after Revascularization in Non-ST-Elevation Acute Coronary Syndrome. <i>Clinical Chemistry</i> , 2017 , 63, 573-584	5.5	20

117	Derivation and validation of the predicting bleeding complications in patients undergoing stent implantation and subsequent dual antiplatelet therapy (PRECISE-DAPT) score: a pooled analysis of individual-patient datasets from clinical trials. <i>Lancet, The</i> , 2017 , 389, 1025-1034	4.0	543
116	Bleeding associated with the management of acute coronary syndromes. <i>Heart</i> , 2017 , 103, 546-562	5.1	5
115	Registry-Based Pragmatic Trials in Heart Failure: Current Experience and Future Directions. <i>Current Heart Failure Reports</i> , 2017 , 14, 59-70	2.8	38
114	Obesity, Diabetes, and Acute Coronary Syndrome: Differences Between Asians and Whites. <i>American Journal of Medicine</i> , 2017 , 130, 1170-1176	2.4	6
113	Growth Differentiation Factor 15 at 1 Month After an Acute Coronary Syndrome Is Associated With Increased Risk of Major Bleeding. <i>Journal of the American Heart Association</i> , 2017 , 6,	6	16
112	Intravascular Ultrasound Guidance Is Associated With Better Outcome in Patients Undergoing Unprotected Left Main Coronary Artery Stenting Compared With Angiography Guidance Alone. <i>Circulation: Cardiovascular Interventions</i> , 2017 , 10,	6	57
111	Ranolazine After Incomplete Percutaneous Coronary Revascularization in Patients With Versus Without Diabetes Mellitus: RIVER-PCI Trial. <i>Journal of the American College of Cardiology</i> , 2017 , 69, 2304-2313	15.1	11
110	Platelet-related biomarkers and their response to inhibition with aspirin and p2y-receptor antagonists in patients with acute coronary syndrome. <i>Journal of Thrombosis and Thrombolysis</i> , 2017 , 44, 145-153	5.1	11
109	Improving public health by improving clinical trial guidelines and their application. <i>European Heart Journal</i> , 2017 , 38, 1632-1637	9.5	15
108	Relative efficacy and safety of ticagrelor vs clopidogrel as a function of time to invasive management in non-ST-segment elevation acute coronary syndrome in the PLATO trial. <i>Clinical Cardiology</i> , 2017 , 40, 390-398	3.3	12
107	Real-life clinical outcomes with everolimus eluting platinum chromium stent with an abluminal biodegradable polymer in patients from the Swedish Coronary Angiography and Angioplasty Registry (SCAAR). <i>Catheterization and Cardiovascular Interventions</i> , 2017 , 90, 881-887	2.7	26
106	Response by Jolly et al to Letters Regarding Article, "Thrombus Aspiration in ST-Segment-Elevation Myocardial Infarction: An Individual Patient Meta-Analysis: Thrombectomy Trialists Collaboration". <i>Circulation</i> , 2017 , 135, e1103-e1104	16.7	4
105	Differential occurrence, profile, and impact of first recurrent cardiovascular events after an acute coronary syndrome. <i>American Heart Journal</i> , 2017 , 187, 194-203	4.9	15
104	Antithrombotic agents for secondary prevention after acute coronary syndromes: A systematic review and network meta-analysis. <i>International Journal of Cardiology</i> , 2017 , 241, 87-96	3.2	16
103	Clinically significant bleeding with low-dose rivaroxaban versus aspirin, in addition to P2Y12 inhibition, in acute coronary syndromes (GEMINI-ACS-1): a double-blind, multicentre, randomised trial. <i>Lancet, The</i> , 2017 , 389, 1799-1808	4.0	132
102	Instantaneous Wave-free Ratio versus Fractional Flow Reserve to Guide PCI. <i>New England Journal of Medicine</i> , 2017 , 376, 1813-1823	59.2	459
101	Potent P2Y Inhibitors in Men Versus Women: A Collaborative Meta-Analysis of Randomized Trials. <i>Journal of the American College of Cardiology</i> , 2017 , 69, 1549-1559	15.1	36
100	Cangrelor in combination with ticagrelor provides consistent and potent P2Y12-inhibition during and after primary percutaneous coronary intervention in real-world patients with ST-segment-elevation myocardial infarction. <i>Platelets</i> , 2017 , 28, 414-416	3.6	13

99	Thrombus Aspiration in ST-Segment-Elevation Myocardial Infarction: An Individual Patient Meta-Analysis: Thrombectomy Trialists Collaboration. <i>Circulation</i> , 2017 , 135, 143-152	16.7	157
98	International Expert Consensus on Switching Platelet P2Y Receptor-Inhibiting Therapies. <i>Circulation</i> , 2017 , 136, 1955-1975	16.7	215
97	Impact of Selection Bias on Estimation of Subsequent Event Risk. <i>Circulation: Cardiovascular Genetics</i> , 2017 , 10,		19
96	Bivalirudin versus Heparin Monotherapy in Myocardial Infarction. <i>New England Journal of Medicine</i> , 2017 , 377, 1132-1142	59.2	170
95	Improved outcomes in patients with ST-elevation myocardial infarction during the last 20 years are related to implementation of evidence-based treatments: experiences from the SWEDEHEART registry 1995-2014. <i>European Heart Journal</i> , 2017 , 38, 3056-3065	9.5	174
94	Time-based measures of treatment effect: reassessment of ticagrelor and clopidogrel from the PLATO trial. <i>Open Heart</i> , 2017 , 4, e000557	3	3
93	Unreliable Observations from a Confounded Analysis of a Skewed Database. <i>American Journal of Medicine</i> , 2017 , 130, e355-e356	2.4	
92	Treatment Trends, Effectiveness, and Safety of Statins on Lipid Goal Attainment in Chinese Percutaneous Coronary Intervention Patients: a Multicenter, Retrospective Cohort Study. <i>Clinical Therapeutics</i> , 2017 , 39, 1827-1839.e1	3.5	5
91	Gender Differences in Outcomes and Predictors of All-Cause Mortality After Percutaneous Coronary Intervention (Data from United Kingdom and Sweden). <i>American Journal of Cardiology</i> , 2017 , 119, 210-216	3	55
90	Long-term versus short-term dual antiplatelet therapy was similarly associated with a lower risk of death, stroke, or infarction in patients with acute coronary syndrome regardless of underlying kidney disease. <i>Kidney International</i> , 2017 , 91, 216-226	9.9	14
89	New Method for Assessing the Effect of Driving Distance to Hospital Care: Using OpenStreetMap Routing in Cardiovascular Research. <i>Circulation: Cardiovascular Quality and Outcomes</i> , 2017 , 10,	5.8	3
88	Oxygen Therapy in Suspected Acute Myocardial Infarction. <i>New England Journal of Medicine</i> , 2017 , 377, 1240-1249	59.2	186
87	Growth differentiation factor-15 level predicts major bleeding and cardiovascular events in patients with acute coronary syndromes: results from the PLATO study. <i>European Heart Journal</i> , 2016 , 37, 1325-33	9.5	91
86	Outcomes in patients treated with ticagrelor or clopidogrel after acute myocardial infarction: experiences from SWEDEHEART registry. <i>European Heart Journal</i> , 2016 , 37, 3335-3342	9.5	109
85	Bioresorbable Stents in PCI. <i>Current Cardiology Reports</i> , 2016 , 18, 74	4.2	7
84	Renal function is associated with long-term outcomes independent of degree of atherosclerosis: 6-year data from the Swedish Coronary Angiography and Angioplasty Registry. <i>European Heart Journal Quality of Care & Clinical Outcomes</i> , 2016 , 2, 91-98	4.6	5
83	Effects of Ranolazine on Angina and Quality of Life After Percutaneous Coronary Intervention With Incomplete Revascularization: Results From the Ranolazine for Incomplete Vessel Revascularization (RIVER-PCI) Trial. <i>Circulation</i> , 2016 , 133, 39-47	16.7	46
82	Risk of recurrent ischaemic events after myocardial infarction in long-distance ski race participants. <i>European Journal of Preventive Cardiology</i> , 2016 , 23, 282-90	3.9	15

81	A randomized trial to compare the safety of rivaroxaban vs aspirin in addition to either clopidogrel or ticagrelor in acute coronary syndrome: The design of the GEMINI-ACS-1 phase II study. <i>American Heart Journal</i> , 2016 , 174, 120-8	4.9	22
80	Safety and efficacy of ticagrelor and clopidogrel in primary percutaneous coronary intervention. <i>Heart</i> , 2016 , 102, 617-25	5.1	48
79	Long-Term Outcome of Incomplete Revascularization After Percutaneous Coronary Intervention in SCAAR (Swedish Coronary Angiography and Angioplasty Registry). <i>JACC: Cardiovascular Interventions</i> , 2016 , 9, 207-215	5	33
78	Bivalirudin versus heparin in non-ST and ST-segment elevation myocardial infarction-a registry-based randomized clinical trial in the SWEDEHEART registry (the VALIDATE-SWEDEHEART trial). <i>American Heart Journal</i> , 2016 , 175, 36-46	4.9	28
77	Novel Trial Designs: Lessons Learned from Thrombus Aspiration During ST-Segment Elevation Myocardial Infarction in Scandinavia (TASTE) Trial. <i>Current Cardiology Reports</i> , 2016 , 18, 11	4.2	29
76	Short and long-term survival after primary percutaneous coronary intervention in young patients with ST-elevation myocardial infarction. <i>International Journal of Cardiology</i> , 2016 , 203, 697-701	3.2	17
75	Frequency, clinical and angiographic characteristics, and outcomes of high-risk non-ST-segment elevation acute coronary syndromes patients with left circumflex culprit lesions. <i>International Journal of Cardiology</i> , 2016 , 203, 708-13	3.2	2
74	Thrombus aspiration in patients with large anterior myocardial infarction: A Thrombus Aspiration in ST-Elevation myocardial infarction in Scandinavia trial substudy. <i>American Heart Journal</i> , 2016 , 172, 129-34	4.9	3
73	Amyotrophic lateral sclerosis among cross-country skiers in Sweden. <i>European Journal of Epidemiology</i> , 2016 , 31, 247-53	12.1	21
72	Ranolazine in patients with incomplete revascularisation after percutaneous coronary intervention (RIVER-PCI): a multicentre, randomised, double-blind, placebo-controlled trial. <i>Lancet, The</i> , 2016 , 387, 136-45	4.0	77
71	Coronary thrombus aspiration: a lesson for clinical medicine. <i>Lancet, The</i> , 2016 , 387, 97-8	4.0	3
70	Low real-world early stent thrombosis rates in ST-elevation myocardial infarction patients and the use of bivalirudin, heparin alone or glycoprotein IIb/IIIa inhibitor treatment: A nationwide Swedish registry report. <i>American Heart Journal</i> , 2016 , 176, 78-82	4.9	7
69	Contemporary use of ticagrelor in patients with acute coronary syndrome: insights from Swedish Web System for Enhancement and Development of Evidence-Based Care in Heart Disease Evaluated According to Recommended Therapies (SWEDEHEART). <i>European Heart Journal - Cardiovascular Pharmacotherapy</i> , 2016 , 2, 5-12	6.4	30
68	Impact of glycoprotein IIb/IIIa inhibitors on the efficacy and safety of ticagrelor compared with clopidogrel in patients with acute coronary syndromes: Analysis from the Platelet Inhibition and Patient Outcomes (PLATO) Trial. <i>American Heart Journal</i> , 2016 , 177, 1-8	4.9	18
67	Impact of thrombus aspiration during ST-Elevation Myocardial Infarction: a six month composite endpoint and risk of stroke analyses of the TASTE trial. <i>BMC Cardiovascular Disorders</i> , 2016 , 16, 62	2.3	10
66	Height and prognosis following percutaneous coronary intervention. <i>International Journal of Cardiology</i> , 2016 , 224, 188-190	3.2	1
65	The prevalence and prognostic importance of possible familial hypercholesterolemia in patients with myocardial infarction. <i>American Heart Journal</i> , 2016 , 181, 35-42	4.9	29
64	β-blocker use and mortality in COPD patients after myocardial infarction: a Swedish nationwide observational study. <i>Journal of the American Heart Association</i> , 2015 , 4,	6	37

63	Cancer incidence in participants in a long-distance ski race (Vasaloppet, Sweden) compared to the background population. <i>European Journal of Cancer</i> , 2015 , 51, 558-568	7.5	17
62	Percutaneous Closure in Transfemoral Aortic Valve Implantation: A Single-Centre Experience. <i>CardioVascular and Interventional Radiology</i> , 2015 , 38, 1438-43	2.7	4
61	Baseline Q waves and time from symptom onset to ST-segment elevation myocardial infarction: insights from PLATO on the influence of sex. <i>American Journal of Medicine</i> , 2015 , 128, 914.e11-9	2.4	8
60	Registry-based randomized clinical trials--a new clinical trial paradigm. <i>Nature Reviews Cardiology</i> , 2015 , 12, 312-6	14.8	157
59	Ticagrelor Versus Clopidogrel in Patients With Acute Coronary Syndromes and Chronic Obstructive Pulmonary Disease: An Analysis From the Platelet Inhibition and Patient Outcomes (PLATO) Trial. <i>Journal of the American Heart Association</i> , 2015 , 4, e002490	6	30
58	Biomarkers for risk stratification of patients with ST-elevation myocardial infarction treated with primary percutaneous coronary intervention: Insights from the Platelet Inhibition and Patient Outcomes trial. <i>American Heart Journal</i> , 2015 , 169, 879-889.e7	4.9	33
57	Design and rationale of TROCADERO: A TRial Of Caffeine to Alleviate DyspnEa Related to ticagrelOr. <i>American Heart Journal</i> , 2015 , 170, 465-70	4.9	7
56	Cardiovascular events in acute coronary syndrome patients with peripheral arterial disease treated with ticagrelor compared with clopidogrel: Data from the PLATO Trial. <i>European Journal of Preventive Cardiology</i> , 2015 , 22, 734-42	3.9	65
55	Comparison of hospital variation in acute myocardial infarction care and outcome between Sweden and United Kingdom: population based cohort study using nationwide clinical registries. <i>BMJ, The</i> , 2015 , 351, h3913	5.9	77
54	Effect of genetic variations on ticagrelor plasma levels and clinical outcomes. <i>European Heart Journal</i> , 2015 , 36, 1901-12	9.5	75
53	Ticagrelor versus clopidogrel in Asian patients with acute coronary syndrome: A retrospective analysis from the Platelet Inhibition and Patient Outcomes (PLATO) Trial. <i>American Heart Journal</i> , 2015 , 169, 899-905.e1	4.9	65
52	Follow-up of ischaemic heart disease in patients with coeliac disease. <i>European Journal of Preventive Cardiology</i> , 2015 , 22, 83-90	3.9	9
51	Therapeutic hypothermia for the treatment of acute myocardial infarction-combined analysis of the RAPID MI-ICE and the CHILL-MI trials. <i>Therapeutic Hypothermia and Temperature Management</i> , 2015 , 5, 77-84	1.3	38
50	ST-elevation myocardial infarction, thrombus aspiration, and different invasive strategies. A TASTE trial substudy. <i>Journal of the American Heart Association</i> , 2015 , 4, e001755	6	18
49	Relationship Between Cancer and Cardiovascular Outcomes Following Percutaneous Coronary Intervention. <i>Journal of the American Heart Association</i> , 2015 , 4,	6	41
48	Risk of Recurrent Stroke and Death After First Stroke in Long-Distance Ski Race Participants. <i>Journal of the American Heart Association</i> , 2015 , 4, e002469	6	20
47	Instantaneous Wave-Free Ratio versus Fractional Flow Reserve guided intervention (iFR-SWEDEHEART): Rationale and design of a multicenter, prospective, registry-based randomized clinical trial. <i>American Heart Journal</i> , 2015 , 170, 945-50	4.9	26
46	Anticoagulant therapy and outcomes in patients with prior or acute heart failure and acute coronary syndromes: Insights from the APixaban for PRevention of Acute ISchemic Events 2 trial. <i>American Heart Journal</i> , 2015 , 169, 531-8	4.9	6

45	DETermination of the role of OXYgen in suspected Acute Myocardial Infarction trial. <i>American Heart Journal</i> , 2014 , 167, 322-8	4.9	43
44	Rapid endovascular catheter core cooling combined with cold saline as an adjunct to percutaneous coronary intervention for the treatment of acute myocardial infarction. The CHILL-MI trial: a randomized controlled study of the use of central venous catheter core cooling combined with cold	15.1	164
43	Extent of coronary artery disease and outcomes after ticagrelor administration in patients with an acute coronary syndrome: Insights from the PLATelet inhibition and patient Outcomes (PLATO) trial. <i>American Heart Journal</i> , 2014 , 168, 68-75.e2	4.9	12
42	Ticagrelor vs. clopidogrel in patients with non-ST-elevation acute coronary syndrome with or without revascularization: results from the PLATO trial. <i>European Heart Journal</i> , 2014 , 35, 2083-93	9.5	141
41	The efficacy of ticagrelor is maintained in women with acute coronary syndromes participating in the prospective, randomized, PLATelet inhibition and patient Outcomes (PLATO) trial. <i>European Heart Journal</i> , 2014 , 35, 1541-50	9.5	53
40	Review of the accumulated PLATO documentation supports reliable and consistent superiority of ticagrelor over clopidogrel in patients with acute coronary syndrome: Commentary on: DiNicolantonio JJ, Tomek A, Inactivations, deletions, non-adjudications, and downgrades of clinical	3.2	8
39	Treatment patterns and outcomes in patients undergoing percutaneous coronary intervention treated with prasugrel or clopidogrel (from the Swedish Coronary Angiography and Angioplasty Registry [SCAAR]). <i>American Journal of Cardiology</i> , 2014 , 113, 64-9	3	43
38	Causes of mortality with ticagrelor compared with clopidogrel in acute coronary syndromes. <i>Heart</i> , 2014 , 100, 1762-9	5.1	34
37	Stent thrombosis in new-generation drug-eluting stents in patients with STEMI undergoing primary PCI: a report from SCAAR. <i>Journal of the American College of Cardiology</i> , 2014 , 64, 16-24	15.1	89
36	No misrepresentation of vital status follow-up in PLATO: predefined analyses guarantee the integrity of the benefits of ticagrelor over clopidogrel in the PLATO trial: Commentary on: DiNicolantonio JJ, Tomek A, Misrepresentation of vital status follow-up: challenging the integrity	3.2	4
35	Quantitative assessment of myocardial perfusion in the detection of significant coronary artery disease: cutoff values and diagnostic accuracy of quantitative [(15)O]H ₂ O PET imaging. <i>Journal of the American College of Cardiology</i> , 2014 , 64, 1464-75	15.1	165
34	Prasugrel 2014 , 166-172		
33	Ticagrelor effects on myocardial infarction and the impact of event adjudication in the PLATO (Platelet Inhibition and Patient Outcomes) trial. <i>Journal of the American College of Cardiology</i> , 2014 , 63, 1493-9	15.1	39
32	Response to the letter to the editor by Ariza-Sol[et al. <i>American Heart Journal</i> , 2014 , 168, e5	4.9	
31	Polymorphism of the cystatin C gene in patients with acute coronary syndromes: Results from the PLATelet inhibition and patient Outcomes study. <i>American Heart Journal</i> , 2014 , 168, 96-102.e2	4.9	15
30	Prognosis of elderly patients with ST-elevation myocardial infarction treated with primary percutaneous coronary intervention in 2001 to 2011: A report from the Swedish Coronary Angiography and Angioplasty Registry (SCAAR) registry. <i>American Heart Journal</i> , 2014 , 167, 666-73	4.9	59
29	Cardiac troponin I levels in patients with non-ST-elevation acute coronary syndrome-the importance of gender. <i>American Heart Journal</i> , 2014 , 168, 317-324.e1	4.9	36
28	Annual report SWEDEHEART 2012. <i>Scandinavian Cardiovascular Journal</i> , 2014 , 48 Suppl 63, 2-133	2	8

27	Sex as a determinant of prehospital ECG in ST- and non-ST elevation myocardial infarction patients. <i>Heart</i> , 2014 , 100, 1817-8	5.1	1
26	Impact of chronic obstructive pulmonary disease on morbidity and mortality after myocardial infarction. <i>Open Heart</i> , 2014 , 1, e000002	3	39
25	Reperfusion therapy for ST elevation acute myocardial infarction 2010/2011: current status in 37 ESC countries. <i>European Heart Journal</i> , 2014 , 35, 1957-70	9.5	193
24	Acute myocardial infarction: a comparison of short-term survival in national outcome registries in Sweden and the UK. <i>Lancet, The</i> , 2014 , 383, 1305-1312	40	202
23	Chronic total occlusions in Sweden--a report from the Swedish Coronary Angiography and Angioplasty Registry (SCAAR). <i>PLoS ONE</i> , 2014 , 9, e103850	3.7	82
22	Thrombus aspiration during ST-segment elevation myocardial infarction. <i>New England Journal of Medicine</i> , 2013 , 369, 1587-97	59.2	736
21	Angiographic outcomes in the PLATO Trial (Platelet Inhibition and Patient Outcomes). <i>JACC: Cardiovascular Interventions</i> , 2013 , 6, 671-83	5	26
20	Heart failure complicating non-ST-segment elevation acute coronary syndrome: timing, predictors, and clinical outcomes. <i>JACC: Heart Failure</i> , 2013 , 1, 223-9	7.9	29
19	Evidence for obesity paradox in patients with acute coronary syndromes: a report from the Swedish Coronary Angiography and Angioplasty Registry. <i>European Heart Journal</i> , 2013 , 34, 345-53	9.5	165
18	Ticagrelor in patients with acute coronary syndromes and stroke: interpretation of subgroups in clinical trials. <i>Stroke</i> , 2013 , 44, 1477-9	6.7	4
17	Evidenced-based antithrombotic therapy for acute coronary syndromes. <i>Diabetes</i> , 2013 , 62, 709-10	0.9	
16	Improving long-term outcome after myocardial infarction. <i>Lancet, The</i> , 2012 , 380, 1290-1	40	
15	Ticagrelor versus clopidogrel in patients with acute coronary syndromes and a history of stroke or transient ischemic attack. <i>Circulation</i> , 2012 , 125, 2914-21	16.7	92
14	Characterization of dyspnoea in PLATO study patients treated with ticagrelor or clopidogrel and its association with clinical outcomes. <i>European Heart Journal</i> , 2011 , 32, 2945-53	9.5	136
13	The Swedish Web-system for enhancement and development of evidence-based care in heart disease evaluated according to recommended therapies (SWEDEHEART). <i>Heart</i> , 2010 , 96, 1617-21	5.1	414
12	Guidelines on myocardial revascularization. <i>European Heart Journal</i> , 2010 , 31, 2501-55	9.5	2070
11	Ticagrelor versus clopidogrel in acute coronary syndromes in relation to renal function: results from the Platelet Inhibition and Patient Outcomes (PLATO) trial. <i>Circulation</i> , 2010 , 122, 1056-67	16.7	280
10	Long-term safety and efficacy of drug-eluting versus bare-metal stents in Sweden. <i>New England Journal of Medicine</i> , 2009 , 360, 1933-45	59.2	178

9	Ticagrelor versus clopidogrel in patients with acute coronary syndromes. <i>New England Journal of Medicine</i> , 2009 , 361, 1045-57	59.2	4753
8	Comparison of ticagrelor, the first reversible oral P2Y(12) receptor antagonist, with clopidogrel in patients with acute coronary syndromes: Rationale, design, and baseline characteristics of the PLATElet inhibition and patient Outcomes (PLATO) trial. <i>American Heart Journal</i> , 2009 , 157, 599-605	4.9	302
7	The SCAAR-score in perspective. <i>EuroIntervention</i> , 2009 , 5, 501-4	3.1	13
6	Long-term outcomes with drug-eluting stents versus bare-metal stents in Sweden. <i>New England Journal of Medicine</i> , 2007 , 356, 1009-19	59.2	962
5	The antibody configurations of cardiac troponin I assays may determine their clinical performance. <i>Clinical Chemistry</i> , 2006 , 52, 832-7	5.5	59
4	An acute inflammatory reaction induced by myocardial damage is superimposed on a chronic inflammation in unstable coronary artery disease. <i>American Heart Journal</i> , 2005 , 149, 619-26	4.9	49
3	Coagulation, inflammation and myocardial dysfunction in unstable coronary artery disease and the influence of glycoprotein IIb/IIIa inhibition and low molecular weight heparin. <i>Upsala Journal of Medical Sciences</i> , 2004 , 109, 71-122	2.8	2
2	Troponin T levels and risk of 30-day outcomes in patients with the acute coronary syndrome: prospective verification in the GUSTO-IV trial. <i>American Journal of Medicine</i> , 2003 , 115, 178-84	2.4	125
1	N-terminal pro-brain natriuretic peptide and other risk markers for the separate prediction of mortality and subsequent myocardial infarction in patients with unstable coronary artery disease: a Global Utilization of Strategies To Open occluded arteries (GUSTO)-IV substudy. <i>Circulation</i> , 2003 , 108, 275-81	16.7	470