

Phillip S Wild

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/9294857/phillip-s-wild-publications-by-year.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

317
papers

16,231
citations

56
h-index

122
g-index

345
ext. papers

19,873
ext. citations

6.7
avg, IF

5.67
L-index

#	Paper	IF	Citations
317	Intraocular Pressure and Its Relation to Ocular Geometry: Results From the Gutenberg Health Study. <i>2022</i> , 63, 40		0
316	Mortality risk among 5-year survivors of childhood cancer in Germany-Results from the CVSS study (Cardiac and Vascular late Sequelae in long-term Survivors of childhood cancer study). <i>International Journal of Cancer</i> , 2022 , 150, 67-72	7.5	0
315	A Mixed-Methods Investigation of Medical Follow-Up in Long-Term Childhood Cancer Survivors: What Are the Reasons for Non-Attendance?. <i>Frontiers in Psychology</i> , 2022 , 13, 846671	3.4	
314	The association of depression and all-cause mortality: Explanatory factors and the influence of gender.. <i>Journal of Affective Disorders</i> , 2022 , 303, 315-322	6.6	0
313	Does social support prevent suicidal ideation in women and men? Gender-sensitive analyses of an important protective factor within prospective community cohorts.. <i>Journal of Affective Disorders</i> , 2022 , 306, 157-166	6.6	1
312	Depressive symptoms predict the incidence of common chronic diseases in women and men in a representative community sample.. <i>Psychological Medicine</i> , 2022 , 1-9	6.9	
311	Atherosclerosis and Its Impact on the Outcomes of Patients with Deep Venous Thrombosis. <i>Life</i> , 2022 , 12, 734	3	
310	Birthweight and its association with retinal vessel equivalents - Results from the population-based German Gutenberg Health Study. <i>Acta Ophthalmologica</i> , 2021 , 99, e773-e774	3.7	5
309	Association of Birth Weight with Central and Peripheral Corneal Thickness in Adulthood-Results from the Population-Based German Gutenberg Health Study. <i>Children</i> , 2021 , 8,	2.8	1
308	Right atrium size in the general population. <i>Scientific Reports</i> , 2021 , 11, 22523	4.9	0
307	Birth weight and its association with optic nerve head morphology - results from the population-based German Gutenberg Health Study. <i>Acta Ophthalmologica</i> , 2021 ,	3.7	0
306	Peripheral corneal thickness and associated factors - results from the population-based German Gutenberg Health Study. <i>Acta Ophthalmologica</i> , 2021 ,	3.7	1
305	Association of Birth Weight With Foveolar Thickness in Adulthood: Results From a Population-Based Study 2021 , 62, 9		2
304	Predictive Value for Increased Factor XIa and Plasma Kallikrein Activity in Acute Venous Thromboembolism. <i>Blood</i> , 2021 , 138, 293-293	2.2	1
303	Willingness to be Vaccinated Against SARS-CoV-2 in the German Population During the Second Wave of the Pandemic.. <i>Deutsches A&#x0308;rztblatt International</i> , 2021 , 118, 720-721	2.5	0
302	The relevance of depressive symptoms for the outcome of patients receiving vitamin K antagonists: results from the thromBEVAL cohort study. <i>European Heart Journal - Cardiovascular Pharmacotherapy</i> , 2021 , 7, 271-279	6.4	2
301	Promotion of Arterial Stiffness by Childhood Cancer and Its Characteristics in Adult Long-Term Survivors. <i>Journal of the American Heart Association</i> , 2021 , 10, e015609	6	3

300	Association of Global Longitudinal Strain With Clinical Status and Mortality in Patients With Chronic Heart Failure. <i>JAMA Cardiology</i> , 2021 , 6, 448-456	16.2	6
299	Sex-related differences in D-dimer levels for venous thromboembolism screening. <i>Academic Emergency Medicine</i> , 2021 , 28, 873-881	3.4	2
298	Work-life conflict and cardiovascular health: 5-year follow-up of the Gutenberg Health Study. <i>PLoS ONE</i> , 2021 , 16, e0251260	3.7	0
297	Distribution of estimated glomerular filtration rate and determinants of its age dependent loss in a German population-based study. <i>Scientific Reports</i> , 2021 , 11, 10165	4.9	4
296	Protein expression profiling suggests relevance of noncanonical pathways in isolated pulmonary embolism. <i>Blood</i> , 2021 , 137, 2681-2693	2.2	3
295	Cigarette Smoking Is Related to Endothelial Dysfunction of Resistance, but Not Conduit Arteries in the General Population-Results From the Gutenberg Health Study. <i>Frontiers in Cardiovascular Medicine</i> , 2021 , 8, 674622	5.4	2
294	Homoarginine and methylarginines independently predict long-term outcome in patients presenting with suspicion of venous thromboembolism. <i>Scientific Reports</i> , 2021 , 11, 9569	4.9	0
293	Face masks effectively limit the probability of SARS-CoV-2 transmission. <i>Science</i> , 2021 , 372,	33.3	73
292	Bidimensional structure and measurement equivalence of the Patient Health Questionnaire-9: sex-sensitive assessment of depressive symptoms in three representative German cohort studies. <i>BMC Psychiatry</i> , 2021 , 21, 238	4.2	2
291	The impact of platelet indices on clinical outcome in heart failure: results from the MyoVasc study. <i>ESC Heart Failure</i> , 2021 , 8, 2991-3001	3.7	1
290	Quality of Life 3 and 12 Months Following Acute Pulmonary Embolism: Analysis From a Prospective Multicenter Cohort Study. <i>Chest</i> , 2021 , 159, 2428-2438	5.3	5
289	Tubulin-folding cofactor E deficiency promotes vascular dysfunction by increased endoplasmic reticulum stress. <i>European Heart Journal</i> , 2021 ,	9.5	2
288	SCORE2 risk prediction algorithms: new models to estimate 10-year risk of cardiovascular disease in Europe. <i>European Heart Journal</i> , 2021 , 42, 2439-2454	9.5	58
287	Sex-Specific Relationship Between Parathyroid Hormone and Platelet Indices in Phenotypes of Heart Failure-Results From the MyoVasc Study. <i>Frontiers in Cardiovascular Medicine</i> , 2021 , 8, 682521	5.4	0
286	Cardiovascular profiling in the diabetic continuum: results from the population-based Gutenberg Health Study. <i>Clinical Research in Cardiology</i> , 2021 , 1	6.1	1
285	A targeted proteomics investigation of the obesity paradox in venous thromboembolism. <i>Blood Advances</i> , 2021 , 5, 2909-2918	7.8	1
284	Midregional pro atrial natriuretic peptide: a novel important biomarker for noise annoyance-induced cardiovascular morbidity and mortality?. <i>Clinical Research in Cardiology</i> , 2021 , 110, 29-39	6.1	7
283	Prevalence of pterygium and identification of associated factors in a German population - results from the Gutenberg Health Study. <i>Acta Ophthalmologica</i> , 2021 , 99, e130-e131	3.7	1

282	Epidemiologic Analysis of Asteroid Hyalosis and Associations: The Gutenberg Health Study. <i>Ophthalmology</i> , 2021 , 128, 328-330	7.3	1
281	Birth Weight and Diabetic Retinopathy: Results From the Population-Based Gutenberg Health Study (GHS). <i>Ophthalmic Epidemiology</i> , 2021 , 28, 122-130	1.9	2
280	Loneliness predicts suicidal ideation and anxiety symptoms in long-term childhood cancer survivors. <i>International Journal of Clinical and Health Psychology</i> , 2021 , 21, 100201	5.1	2
279	The relationship of ocular geometry with refractive error in normal and low birth weight adults. <i>Journal of Optometry</i> , 2021 , 14, 50-57	2.6	2
278	c.451dupT in KLKB1 is common in Nigerians, confirming a higher prevalence of severe prekallikrein deficiency in Africans compared to Europeans. <i>Journal of Thrombosis and Haemostasis</i> , 2021 , 19, 147-152 ^{15.4}		4
277	Incidence of Retinal Detachment in Germany: Results from the Gutenberg Health Study. <i>Ophthalmologica</i> , 2021 , 244, 133-140	3.7	2
276	Self-reported cardiovascular health of teachers: results from the 5-year follow-up of the Gutenberg Health Study cohort. <i>International Archives of Occupational and Environmental Health</i> , 2021 , 94, 251-259 ^{3.2}		0
275	Survival and quality of life after early discharge in low-risk pulmonary embolism. <i>European Respiratory Journal</i> , 2021 , 57,	13.6	4
274	Relation between Tissue Factor Pathway Inhibitor Activity and Cardiovascular Risk Factors and Diseases in a Large Population Sample. <i>Thrombosis and Haemostasis</i> , 2021 , 121, 174-181	7	2
273	Cost saving analysis of specialized, eHealth-based management of patients receiving oral anticoagulation therapy: Results from the thrombEVAL study. <i>Scientific Reports</i> , 2021 , 11, 2577	4.9	0
272	Inflammation predicts new onset of depression in men, but not in women within a prospective, representative community cohort. <i>Scientific Reports</i> , 2021 , 11, 2271	4.9	10
271	Similarities and Differences of Mental Health in Women and Men: A Systematic Review of Findings in Three Large German Cohorts. <i>Frontiers in Public Health</i> , 2021 , 9, 553071	6	11
270	Risk factors, physical and mental health burden of male and female pathological gamblers in the German general population aged 40-80. <i>BMC Psychiatry</i> , 2021 , 21, 123	4.2	1
269	Five-year cumulative incidence and progression of age-related macular degeneration: results from the German population-based Gutenberg Health Study (GHS). <i>Graefes Archive for Clinical and Experimental Ophthalmology</i> , 2021 , 1	3.8	1
268	Chronic venous insufficiency, cardiovascular disease, and mortality: a population study. <i>European Heart Journal</i> , 2021 , 42, 4157-4165	9.5	7
267	Domains of Physical Activity in Relation to Stiffness Index in the General Population. <i>Journal of the American Heart Association</i> , 2021 , 10, e020930	6	1
266	Five-year change in refractive error and its risk factors: results from the Gutenberg Health Study. <i>British Journal of Ophthalmology</i> , 2021 ,	5.5	1
265	Distribution of HOMA-IR in a population-based cohort and proposal for reference intervals. <i>Clinical Chemistry and Laboratory Medicine</i> , 2021 , 59, 1844-1851	5.9	2

264	Refined atrial fibrillation screening and cost-effectiveness in the German population. <i>Heart</i> , 2021 ,	5.1	1
263	Prevalence of corneal arcus and associated factors in a German population-Results from the Gutenberg Health Study. <i>PLoS ONE</i> , 2021 , 16, e0255893	3.7	
262	Galectin-3 for prediction of cardiac function compared to NT-proBNP in individuals with prediabetes and type 2 diabetes mellitus. <i>Scientific Reports</i> , 2021 , 11, 19012	4.9	2
261	Early discharge and home treatment of patients with low-risk pulmonary embolism with the oral factor Xa inhibitor rivaroxaban: an international multicentre single-arm clinical trial. <i>European Heart Journal</i> , 2020 , 41, 509-518	9.5	57
260	Aptamer-Based Proteomic Platform Identifies Novel Protein Predictors of Incident Heart Failure and Echocardiographic Traits. <i>Circulation: Heart Failure</i> , 2020 , 13, e006749	7.6	8
259	Rationale, design and baseline characteristics of the MyoVasc study: A prospective cohort study investigating development and progression of heart failure. <i>European Journal of Preventive Cardiology</i> , 2020 , 2047487320926438	3.9	5
258	Frequency of cataract surgery and its impact on visual function-results from the German Gutenberg Health Study. <i>Graefes Archive for Clinical and Experimental Ophthalmology</i> , 2020 , 258, 2223-2231	3.8	3
257	Prevalence and new onset of depression and anxiety among participants with AMD in a European cohort. <i>Scientific Reports</i> , 2020 , 10, 4816	4.9	3
256	What's past is prologue: Recalled parenting styles are associated with childhood cancer survivors' mental health outcomes more than 25 years after diagnosis. <i>Social Science and Medicine</i> , 2020 , 252, 112916	5.1	4
255	Iron deficiency is a common disorder in general population and independently predicts all-cause mortality: results from the Gutenberg Health Study. <i>Clinical Research in Cardiology</i> , 2020 , 109, 1352-1357	6.1	9
254	Frequency of stressful life events and associations with mental health and general subjective health in the general population. <i>Zeitschrift Fur Gesundheitswissenschaften</i> , 2020 , 29, 1071	1.4	8
253	Specialized Management of Oral Anticoagulation Therapy Improves Outcome in Patients with Chronic Renal Insufficiency. <i>Journal of Clinical Medicine</i> , 2020 , 9,	5.1	1
252	Germ-free housing conditions do not affect aortic root and aortic arch lesion size of late atherosclerotic low-density lipoprotein receptor-deficient mice. <i>Gut Microbes</i> , 2020 , 11, 1809-1823	8.8	9
251	Cardiovascular health outcomes of mobbing at work: results of the population-based, five-year follow-up of the Gutenberg health study. <i>Journal of Occupational Medicine and Toxicology</i> , 2020 , 15, 15	2.7	6
250	Noise annoyance predicts symptoms of depression, anxiety and sleep disturbance 5 years later. Findings from the Gutenberg Health Study. <i>European Journal of Public Health</i> , 2020 , 30, 516-521	2.1	26
249	Risk factors for suicidal ideation in a large, registry-based sample of adult long-term childhood cancer survivors. <i>Journal of Affective Disorders</i> , 2020 , 265, 351-356	6.6	9
248	Prevalence of Strabismus and Its Impact on Vision-Related Quality of Life: Results from the German Population-Based Gutenberg Health Study. <i>Ophthalmology</i> , 2020 , 127, 1113-1122	7.3	8
247	An epidemiological study exploring a possible impact of treatment with ACE inhibitors or angiotensin receptor blockers on ACE2 plasma concentrations. <i>Journal of Molecular and Cellular Cardiology</i> , 2020 , 141, 108-109	5.8	3

246	No evidence for an association of plasma homocysteine levels and refractive error - Results from the population-based Gutenberg Health Study (GHS). <i>PLoS ONE</i> , 2020 , 15, e0231011	3.7	
245	Missing value imputation in proximity extension assay-based targeted proteomics data. <i>PLoS ONE</i> , 2020 , 15, e0243487	3.7	4
244	Recalled parental rearing behavior in adult women and men with depressive and anxiety symptoms: Findings from a community study. <i>Zeitschrift Fur Psychosomatische Medizin Und Psychotherapie</i> , 2020 , 66, 243-258	1.3	0
243	Symptoms of depersonalization/derealization are independent risk factors for the development or persistence of psychological distress in the general population: Results from the Gutenberg health study. <i>Journal of Affective Disorders</i> , 2020 , 273, 41-47	6.6	4
242	Characteristics and pathologies of the vitreo-macular interface-results from the Gutenberg Health Study. <i>Acta Ophthalmologica</i> , 2020 , 98, e273-e281	3.7	2
241	The desire for children among adult survivors of childhood cancer: Psychometric evaluation of a cancer-specific questionnaire and relations with sociodemographic and psychological characteristics. <i>Psycho-Oncology</i> , 2020 , 29, 485-492	3.9	2
240	Schirmer test results: are they associated with topical or systemic medication?. <i>Ocular Surface</i> , 2020 , 18, 141-147	6.5	1
239	Association of Birth Weight with Peripapillary Retinal Nerve Fiber Layer Thickness in Adulthood-Results from a Population-Based Study 2020 , 61, 4		6
238	The association between recalled parental rearing behavior and depressiveness: a comparison between 1st immigrants and non-immigrants in the population-based Gutenberg Health Study. <i>BMC Psychiatry</i> , 2020 , 20, 367	4.2	0
237	Thrombin generation in cardiovascular disease and mortality - results from the Gutenberg Health Study. <i>Haematologica</i> , 2020 , 105, 2327-2334	6.6	15
236	Telemedicine-Based Specialized Care Improves the Outcome of Anticoagulated Individuals with Venous Thromboembolism-Results from the thrombEVAL Study. <i>Journal of Clinical Medicine</i> , 2020 , 9,	5.1	1
235	The association of chronic anxiousness with cardiovascular disease and mortality in the community: results from the Gutenberg Health Study. <i>Scientific Reports</i> , 2020 , 10, 12436	4.9	3
234	Sex-dependent associations of low birth weight and suicidal ideation in adulthood: a community-based cohort study. <i>Scientific Reports</i> , 2020 , 10, 12969	4.9	2
233	Comprehensive platelet phenotyping supports the role of platelets in the pathogenesis of acute venous thromboembolism - results from clinical observation studies. <i>EBioMedicine</i> , 2020 , 60, 102978	8.8	8
232	Peripapillary Retinal Nerve Fiber Layer Profile in Relation to Refractive Error and Axial Length: Results From the Gutenberg Health Study. <i>Translational Vision Science and Technology</i> , 2020 , 9, 35	3.3	8
231	Results from the Population-Based Gutenberg Health Study Revealing Four Altered Autoantibodies in Retinal Vein Occlusion Patients. <i>Journal of Ophthalmology</i> , 2020 , 2020, 8386160	2	0
230	Prevalence of myopic maculopathy in the German population: results from the Gutenberg health study. <i>British Journal of Ophthalmology</i> , 2020 , 104, 1254-1259	5.5	7
229	Choroidal thickness is associated with cardiovascular risk factors and cardiac health: the Gutenberg Health Study. <i>Clinical Research in Cardiology</i> , 2020 , 109, 172-182	6.1	10

228	Isolated Pulmonary Embolism Is Associated With a High Risk of Arterial Thrombotic Disease: Results From the VTEval Study. <i>Chest</i> , 2020 , 158, 341-349	5.3	3
227	A multi-cohort consortium for Gender-Sensitive Analyses of mental health trajectories and implications for prevention (GESA) in the general population in Germany. <i>BMJ Open</i> , 2020 , 10, e034220	3	6
226	Estimated stroke risk, yield, and number needed to screen for atrial fibrillation detected through single time screening: a multicountry patient-level meta-analysis of 141,220 screened individuals. <i>PLoS Medicine</i> , 2019 , 16, e1002903	11.6	56
225	Endothelial Function Assessed by Digital Volume Plethysmography Predicts the Development and Progression of Type 2 Diabetes Mellitus. <i>Journal of the American Heart Association</i> , 2019 , 8, e012509	6	15
224	Parenting in the face of serious illness: Childhood cancer survivors remember different rearing behavior than the general population. <i>Psycho-Oncology</i> , 2019 , 28, 1663-1670	3.9	5
223	Identification of acute myocardial infarction in elderly patients using optimized highly sensitive troponin I thresholds. <i>Biomarkers</i> , 2019 , 24, 549-555	2.6	
222	Relative Telomere Length and Cardiovascular Risk Factors. <i>Biomolecules</i> , 2019 , 9,	5.9	7
221	Status and predictors of planning ability in adult long-term survivors of CNS tumors and other types of childhood cancer. <i>Scientific Reports</i> , 2019 , 9, 7290	4.9	1
220	Income and education predict elevated depressive symptoms in the general population: results from the Gutenberg health study. <i>BMC Public Health</i> , 2019 , 19, 430	4.1	23
219	Noninvasive peripheral vascular function and atrial fibrillation in the general population. <i>Journal of Hypertension</i> , 2019 , 37, 928-934	1.9	7
218	The diagnostic performance of renal function-adjusted D-dimer testing in individuals suspected of having venous thromboembolism. <i>Haematologica</i> , 2019 , 104, e424-e427	6.6	5
217	Prevalence of mental distress among adult survivors of childhood cancer in Germany-Compared to the general population. <i>Cancer Medicine</i> , 2019 , 8, 1865-1874	4.8	17
216	Somatic symptom load in men and women from middle to high age in the Gutenberg Health Study - association with psychosocial and somatic factors. <i>Scientific Reports</i> , 2019 , 9, 4610	4.9	20
215	Heart rate, mortality, and the relation with clinical and subclinical cardiovascular diseases: results from the Gutenberg Health Study. <i>Clinical Research in Cardiology</i> , 2019 , 108, 1313-1323	6.1	14
214	Assessing Planning Ability Across the Adult Life Span in a Large Population-Representative Sample: Reliability Estimates and Normative Data for the Tower of London (TOL-F) Task. <i>Journal of the International Neuropsychological Society</i> , 2019 , 25, 520-529	3.1	6
213	A prospective cohort study to identify and evaluate endotypes of venous thromboembolism: Rationale and design of the Genotyping and Molecular Phenotyping in Venous ThromboEmbolic project (GMP-VTE). <i>Thrombosis Research</i> , 2019 , 181, 84-91	8.2	5
212	Subtherapeutic Anticoagulation Control under Treatment with Vitamin K-Antagonists-Data from a Specialized Coagulation Service. <i>Thrombosis and Haemostasis</i> , 2019 , 119, 1347-1357	7	7
211	Linking cancer and mental health in men and women in a representative community sample. <i>Journal of Psychosomatic Research</i> , 2019 , 124, 109760	4.1	9

210	Functional Characterization of Rare Variants in the Gene Identified in Sinus Node Dysfunction and Atrial Fibrillation. <i>Frontiers in Genetics</i> , 2019 , 10, 648	4.5	13
209	Application of High-Sensitivity Troponin in Suspected Myocardial Infarction. <i>New England Journal of Medicine</i> , 2019 , 380, 2529-2540	59.2	134
208	Acute exposure to nocturnal train noise induces endothelial dysfunction and pro-thromboinflammatory changes of the plasma proteome in healthy subjects. <i>Basic Research in Cardiology</i> , 2019 , 114, 46	11.8	35
207	Cardiovascular Risk Categories in Patients With Nonalcoholic Fatty Liver Disease and the Role of Low-Density Lipoprotein Cholesterol. <i>Hepatology Communications</i> , 2019 , 3, 1472-1481	6	18
206	One simple claudication question as first step in Peripheral Arterial Disease (PAD) screening: A meta-analysis of the association with reduced Ankle Brachial Index (ABI) in 27,945 subjects. <i>PLoS ONE</i> , 2019 , 14, e0224608	3.7	7
205	KCND3 potassium channel gene variant confers susceptibility to electrocardiographic early repolarization pattern. <i>JCI Insight</i> , 2019 , 4,	9.9	5
204	The Prevalence of Visual Impairment in the Adult Population. <i>Deutsches A&#x0308;rzteblatt International</i> , 2019 , 116, 289-295	2.5	9
203	Intact Visuospatial Cognition in Amblyopia: Results From the Gutenberg Health Study. <i>Journal of Pediatric Ophthalmology and Strabismus</i> , 2019 , 56, 397-401	0.9	1
202	Left ventricular geometry and function in early repolarization: results from the population-based Gutenberg Health Study. <i>Clinical Research in Cardiology</i> , 2019 , 108, 1107-1116	6.1	5
201	Common Genetic Variation in Relation to Brachial Vascular Dimensions and Flow-Mediated Vasodilation. <i>Circulation Genomic and Precision Medicine</i> , 2019 , 12, e002409	5.2	2
200	Association of Low Birth Weight With Altered Corneal Geometry and Axial Length in Adulthood in the German Gutenberg Health Study. <i>JAMA Ophthalmology</i> , 2019 , 137, 507-514	3.9	17
199	Potential of Multidimensional, Large-scale Biodatabases to Elucidate Coagulation and Platelet Pathways as an Approach towards Precision Medicine in Thrombotic Disease. <i>Hamostaseologie</i> , 2019 , 39, 152-163	1.9	5
198	Relation between platelet coagulant and vascular function, sex-specific analysis in adult survivors of childhood cancer compared to a population-based sample. <i>Scientific Reports</i> , 2019 , 9, 20090	4.9	
197	Course of depressive symptoms in men and women: differential effects of social, psychological, behavioral and somatic predictors. <i>Scientific Reports</i> , 2019 , 9, 18929	4.9	16
196	Association between medicated obstructive pulmonary disease, depression and subjective health: results from the population-based Gutenberg Health Study. <i>Scientific Reports</i> , 2019 , 9, 20252	4.9	6
195	Low Birth Weight Is Linked to Age-Related Macular Degeneration: Results From the Population-Based Gutenberg Health Study (GHS) 2019 , 60, 4943-4950		8
194	Application of non-HDL cholesterol for population-based cardiovascular risk stratification: results from the Multinational Cardiovascular Risk Consortium. <i>Lancet, The</i> , 2019 , 394, 2173-2183	4.0	75
193	Hypertension and multiple cardiovascular risk factors increase the risk for retinal vein occlusions: results from the Gutenberg Retinal Vein Occlusion Study. <i>Journal of Hypertension</i> , 2019 , 37, 1372-1383	1.9	15

192	Direct oral anticoagulants and vitamin K antagonists are linked to differential profiles of cardiac function and lipid metabolism. <i>Clinical Research in Cardiology</i> , 2019 , 108, 787-796	6.1	4
191	Relevance of Polypharmacy for Clinical Outcome in Patients Receiving Vitamin K Antagonists. <i>Journal of the American Geriatrics Society</i> , 2019 , 67, 463-470	5.6	6
190	Cardiovascular risk factors are important determinants of platelet-dependent thrombin generation in adult survivors of childhood cancer. <i>Clinical Research in Cardiology</i> , 2019 , 108, 438-447	6.1	5
189	Acute deep vein thrombosis suppresses peripheral T cell effector function. <i>British Journal of Haematology</i> , 2019 , 184, 847-850	4.5	2
188	Clinical Determinants of Thrombin Generation Measured in Presence and Absence of Platelets-Results from the Gutenberg Health Study. <i>Thrombosis and Haemostasis</i> , 2018 , 118, 873-882	7	9
187	International, multicenter evaluation of a new D-dimer assay for the exclusion of venous thromboembolism using standard and age-adjusted cut-offs. <i>Thrombosis Research</i> , 2018 , 166, 63-70	8.2	13
186	Traffic-associated air pollution as a risk factor for cancer in individuals with coronary artery disease. <i>European Journal of Preventive Cardiology</i> , 2018 , 25, 1117-1119	3.9	2
185	Coagulation and inflammation in long-term cancer survivors: results from the adult population. <i>Journal of Thrombosis and Haemostasis</i> , 2018 , 16, 699-708	15.4	9
184	Associations between degree and sub-dimensions of depression and metabolic syndrome (MetS) in the community: results from the Gutenberg Health Study (GHS). <i>BMC Psychiatry</i> , 2018 , 18, 114	4.2	4
183	Annoyance to different noise sources is associated with atrial fibrillation in the Gutenberg Health Study. <i>International Journal of Cardiology</i> , 2018 , 264, 79-84	3.2	33
182	Atrial Fibrillation Manifestations Risk Factors and Sex Differences in a Population-Based Cohort (From the Gutenberg Health Study). <i>American Journal of Cardiology</i> , 2018 , 122, 76-82	3	7
181	Burden of cardiovascular risk factors and cardiovascular disease in childhood cancer survivors: data from the German CVSS-study. <i>European Heart Journal</i> , 2018 , 39, 1555-1562	9.5	57
180	CD40L controls obesity-associated vascular inflammation, oxidative stress, and endothelial dysfunction in high fat diet-treated and db/db mice. <i>Cardiovascular Research</i> , 2018 , 114, 312-323	9.9	27
179	Subclinical levels of anxiety but not depression are associated with planning performance in a large population-based sample. <i>Psychological Medicine</i> , 2018 , 48, 168-174	6.9	6
178	Novel DNA Methylation Sites Influence Expression in Relation to Smoking. <i>Biomolecules</i> , 2018 , 8,	5.9	5
177	Crucial role for Nox2 and sleep deprivation in aircraft noise-induced vascular and cerebral oxidative stress, inflammation, and gene regulation. <i>European Heart Journal</i> , 2018 , 39, 3528-3539	9.5	88
176	Association of ocular, cardiovascular, morphometric and lifestyle parameters with retinal nerve fibre layer thickness. <i>PLoS ONE</i> , 2018 , 13, e0197682	3.7	25
175	Lipid-Mediated Relation between Tissue Factor Pathway Inhibitor Activity and Cardiovascular Risk Factors and Diseases in a Large Population Sample. <i>Blood</i> , 2018 , 132, 1169-1169	2.2	

174	Refractive, corneal, and ocular residual astigmatism: distribution in a German population and age dependency-the Gutenberg Health Study. <i>Graefes Archive for Clinical and Experimental Ophthalmology</i> , 2018 , 256, 445-446	3.8	2
173	Relapse Rate in Survivors of Acute Autoimmune Thrombotic Thrombocytopenic Purpura Treated with or without Rituximab. <i>Thrombosis and Haemostasis</i> , 2018 , 118, 1743-1751	7	16
172	Sex-specific differences in the distal versus proximal presenting location of acute deep vein thrombosis. <i>Thrombosis Research</i> , 2018 , 172, 74-79	8.2	9
171	Cross-Sectional Associations between Homoarginine, Intermediate Phenotypes, and Atrial Fibrillation in the Community-The Gutenberg Health Study. <i>Biomolecules</i> , 2018 , 8,	5.9	3
170	Management of Oral Anti-Coagulation in Patients with Heart Failure-Insights from the ThrombEVAL Study. <i>Thrombosis and Haemostasis</i> , 2018 , 118, 1930-1939	7	0
169	Genome Analyses of >200,000 Individuals Identify 58 Loci for Chronic Inflammation and Highlight Pathways that Link Inflammation and Complex Disorders. <i>American Journal of Human Genetics</i> , 2018 , 103, 691-706	11	151
168	Intake of Vitamin K Antagonists and Worsening of Cardiac and Vascular Disease: Results From the Population-Based Gutenberg Health Study. <i>Journal of the American Heart Association</i> , 2018 , 7, e008650	6	8
167	Is assessment of depression equivalent for migrants of different cultural backgrounds? Results from the German population-based Gutenberg Health Study (GHS). <i>Depression and Anxiety</i> , 2018 , 35, 1178-1189	8.4	9
166	Prevalence of glaucoma in Germany: results from the Gutenberg Health Study. <i>Graefes Archive for Clinical and Experimental Ophthalmology</i> , 2018 , 256, 1695-1702	3.8	17
165	Sustained atrial fibrillation increases the risk of anticoagulation-related bleeding in heart failure. <i>Clinical Research in Cardiology</i> , 2018 , 107, 1170-1179	6.1	2
164	Genome-wide association study with additional genetic and post-transcriptional analyses reveals novel regulators of plasma factor XI levels. <i>Human Molecular Genetics</i> , 2017 , 26, 637-649	5.6	27
163	Mean Platelet Volume and Arterial Stiffness - Clinical Relationship and Common Genetic Variability. <i>Scientific Reports</i> , 2017 , 7, 40229	4.9	12
162	New insights into the genetics of primary open-angle glaucoma based on meta-analyses of intraocular pressure and optic disc characteristics. <i>Human Molecular Genetics</i> , 2017 , 26, 438-453	5.6	80
161	Prevalence of cardiovascular late sequelae in long-term survivors of childhood cancer: A systematic review and meta-analysis. <i>Pediatric Blood and Cancer</i> , 2017 , 64, e26428	3	20
160	Relations of Metabolically Healthy and Unhealthy Obesity to Digital Vascular Function in Three Community-Based Cohorts: A Meta-Analysis. <i>Journal of the American Heart Association</i> , 2017 , 6,	6	20
159	FEV1 and FVC predict all-cause mortality independent of cardiac function - Results from the population-based Gutenberg Health Study. <i>International Journal of Cardiology</i> , 2017 , 234, 64-68	3.2	21
158	Cardiovascular medication and intraocular pressure: results from the Gutenberg Health Study. <i>British Journal of Ophthalmology</i> , 2017 , 101, 1633-1637	5.5	12
157	e-Health-based management of patients receiving oral anticoagulation therapy: results from the observational thrombEVAL study. <i>Journal of Thrombosis and Haemostasis</i> , 2017 , 15, 1375-1385	15.4	11

156	Retinal vessel metrics: normative data and their use in systemic hypertension: results from the Gutenberg Health Study. <i>Journal of Hypertension</i> , 2017 , 35, 1635-1645	1.9	17
155	Effects of noise on vascular function, oxidative stress, and inflammation: mechanistic insight from studies in mice. <i>European Heart Journal</i> , 2017 , 38, 2838-2849	9.5	117
154	Loneliness in the general population: prevalence, determinants and relations to mental health. <i>BMC Psychiatry</i> , 2017 , 17, 97	4.2	393
153	Genome-wide Trans-ethnic Meta-analysis Identifies Seven Genetic Loci Influencing Erythrocyte Traits and a Role for RBPMS in Erythropoiesis. <i>American Journal of Human Genetics</i> , 2017 , 100, 51-63	11	30
152	Midregional proadrenomedullin and growth differentiation factor-15 are not influenced by obesity in heart failure patients. <i>Clinical Research in Cardiology</i> , 2017 , 106, 401-410	6.1	10
151	Steeper Iris Conicity Is Related to a Shallower Anterior Chamber: The Gutenberg Health Study. <i>Journal of Ophthalmology</i> , 2017 , 2017, 2190347	2	2
150	The National Eye Institute 25-Item Visual Function Questionnaire (NEI VFQ-25) - reference data from the German population-based Gutenberg Health Study (GHS). <i>Health and Quality of Life Outcomes</i> , 2017 , 15, 156	3	20
149	The Prevalence of Glaucoma in Young People. <i>Deutsches A&#x0308;rztblatt International</i> , 2017 , 114, 204-210	2.5	13
148	Refractive, corneal and ocular residual astigmatism: distribution in a German population and age-dependency - the Gutenberg health study. <i>Graefes Archive for Clinical and Experimental Ophthalmology</i> , 2017 , 255, 2493-2501	3.8	11
147	Cardiovascular Biomarkers in Hypertensive Patients with Medical Treatment-Results from the Randomized TEAMSTA Protect I Trial. <i>Clinical Chemistry</i> , 2017 , 63, 1877-1885	5.5	6
146	A genomic exploration identifies mechanisms that may explain adverse cardiovascular effects of COX-2 inhibitors. <i>Scientific Reports</i> , 2017 , 7, 10252	4.9	10
145	Relation between Arterial Stiffness and Markers of Inflammation and Hemostasis - Data from the Population-based Gutenberg Health Study. <i>Scientific Reports</i> , 2017 , 7, 6346	4.9	19
144	Dbf4-dependent kinase and the Rtt107 scaffold promote Mus81-Mms4 resolvase activation during mitosis. <i>EMBO Journal</i> , 2017 , 36, 664-678	13	41
143	Transcriptome-Wide Analysis Identifies Novel Associations With Blood Pressure. <i>Hypertension</i> , 2017 , 70, 743-750	8.5	21
142	Age-related diagnostic value of D-dimer testing and the role of inflammation in patients with suspected deep vein thrombosis. <i>Scientific Reports</i> , 2017 , 7, 4591	4.9	18
141	Simulation of complex data structures for planning of studies with focus on biomarker comparison. <i>BMC Medical Research Methodology</i> , 2017 , 17, 90	4.7	3
140	Biomarkers for characterization of heart failure - Distinction of heart failure with preserved and reduced ejection fraction. <i>International Journal of Cardiology</i> , 2017 , 227, 272-277	3.2	42
139	Large-scale genome-wide analysis identifies genetic variants associated with cardiac structure and function. <i>Journal of Clinical Investigation</i> , 2017 , 127, 1798-1812	15.9	68

138	Comparison of HapMap and 1000 Genomes Reference Panels in a Large-Scale Genome-Wide Association Study. <i>PLoS ONE</i> , 2017 , 12, e0167742	3.7	21
137	Emotional and tangible social support in a German population-based sample: Development and validation of the Brief Social Support Scale (BS6). <i>PLoS ONE</i> , 2017 , 12, e0186516	3.7	18
136	The impact of pseudophakia on vision-related quality of life in the general population - The Gutenberg Health Study. <i>Aging</i> , 2017 , 9, 1030-1040	5.6	11
135	ADMA, subclinical changes and atrial fibrillation in the general population. <i>International Journal of Cardiology</i> , 2016 , 203, 640-6	3.2	14
134	Late outcomes after acute pulmonary embolism: rationale and design of FOCUS, a prospective observational multicenter cohort study. <i>Journal of Thrombosis and Thrombolysis</i> , 2016 , 42, 600-9	5.1	29
133	Sex-specific differences in genetic and nongenetic determinants of mean platelet volume: results from the Gutenberg Health Study. <i>Blood</i> , 2016 , 127, 251-9	2.2	44
132	Endophenotype Network Models: Common Core of Complex Diseases. <i>Scientific Reports</i> , 2016 , 6, 27414	4.9	55
131	Antiphospholipid antibodies in a large population-based cohort: genome-wide associations and effects on monocyte gene expression. <i>Thrombosis and Haemostasis</i> , 2016 , 116, 115-23	7	10
130	Prevalence of diabetic retinopathy in screening-detected diabetes mellitus: results from the Gutenberg Health Study (GHS). <i>Diabetologia</i> , 2016 , 59, 1913-9	10.3	30
129	Subclinical impairment of lung function is related to mild cardiac dysfunction and manifest heart failure in the general population. <i>International Journal of Cardiology</i> , 2016 , 218, 298-304	3.2	30
128	The Gutenberg health study: associations between occupational and private stress factors and work-privacy conflict. <i>BMC Public Health</i> , 2016 , 16, 192	4.1	9
127	Development of a mobbing short scale in the Gutenberg Health Study. <i>International Archives of Occupational and Environmental Health</i> , 2016 , 89, 137-46	3.2	8
126	Reference intervals of plasma homoarginine from the German Gutenberg Health Study. <i>Clinical Chemistry and Laboratory Medicine</i> , 2016 , 54, 1231-7	5.9	14
125	Genome-wide Association Studies Identify Genetic Loci Associated With Albuminuria in Diabetes. <i>Diabetes</i> , 2016 , 65, 803-17	0.9	96
124	ADMA and arginine derivatives in relation to non-invasive vascular function in the general population. <i>Atherosclerosis</i> , 2016 , 244, 149-56	3.1	13
123	Cell cycle control of DNA joint molecule resolution. <i>Current Opinion in Cell Biology</i> , 2016 , 40, 74-80	9	16
122	A meta-analysis of 120 246 individuals identifies 18 new loci for fibrinogen concentration. <i>Human Molecular Genetics</i> , 2016 , 25, 358-70	5.6	54
121	Assessing Planning Ability Across the Adult Life Span: Population-Representative and Age-Adjusted Reliability Estimates for the Tower of London (TOL-F). <i>Archives of Clinical Neuropsychology</i> , 2016 , 31, 148-64	2.7	18

120	Noise Annoyance Is Associated with Depression and Anxiety in the General Population- The Contribution of Aircraft Noise. <i>PLoS ONE</i> , 2016 , 11, e0155357	3.7	119
119	Hypertension in Germany. <i>Deutsches Arzteblatt International</i> , 2016 , 113, 809-815	2.5	19
118	Distribution of Anterior Chamber Angle Width and Correlation With Age, Refraction, and Anterior Chamber Depth-The Gutenberg Health Study 2016 , 57, 3740-6		15
117	Removing Batch Effects from Longitudinal Gene Expression - Quantile Normalization Plus ComBat as Best Approach for Microarray Transcriptome Data. <i>PLoS ONE</i> , 2016 , 11, e0156594	3.7	53
116	A Mechanism for Controlled Breakage of Under-replicated Chromosomes during Mitosis. <i>Developmental Cell</i> , 2016 , 39, 740-755	10.2	73
115	Distribution of antiphospholipid antibodies in a large population-based German cohort. <i>Clinical Chemistry and Laboratory Medicine</i> , 2016 , 54, 1663-70	5.9	15
114	Troponin I and cardiovascular risk prediction in the general population: the BiomarCaRE consortium. <i>European Heart Journal</i> , 2016 , 37, 2428-37	9.5	140
113	Risk factors for heart failure are associated with alterations of the LV end-diastolic pressure-volume relationship in non-heart failure individuals: data from a large-scale, population-based cohort. <i>European Heart Journal</i> , 2016 , 37, 1807-14	9.5	31
112	Association of Type D personality with cognitive functioning in individuals with and without cardiovascular disease - The Gutenberg Health Study. <i>International Journal of Cardiology</i> , 2016 , 214, 256-61	3.2	10
111	Depression, anxiety and suicidal ideation among 1(st) and 2(nd) generation migrants - results from the Gutenberg health study. <i>BMC Psychiatry</i> , 2016 , 16, 288	4.2	44
110	Development of recommendations to continue anticoagulation with one of the two types of oral anticoagulants based on the identification of patients' preference. <i>Seminars in Thrombosis and Hemostasis</i> , 2015 , 41, 166-77	5.3	9
109	High-sensitivity cardiac troponin I in the general population--defining reference populations for the determination of the 99th percentile in the Gutenberg Health Study. <i>Clinical Chemistry and Laboratory Medicine</i> , 2015 , 53, 699-706	5.9	47
108	Alterations of a Cellular Cholesterol Metabolism Network Are a Molecular Feature of Obesity-Related Type 2 Diabetes and Cardiovascular Disease. <i>Diabetes</i> , 2015 , 64, 3464-74	0.9	65
107	Evaluation of oral anticoagulation therapy: rationale and design of the thrombEVAL study programme. <i>European Journal of Preventive Cardiology</i> , 2015 , 22, 622-8	3.9	15
106	Distribution, genetic and cardiovascular determinants of FVIII:c - Data from the population-based Gutenberg Health Study. <i>International Journal of Cardiology</i> , 2015 , 187, 166-74	3.2	8
105	Symptoms of depression and anxiety predict mortality in patients undergoing oral anticoagulation: Results from the thrombEVAL study program. <i>International Journal of Cardiology</i> , 2015 , 187, 614-9	3.2	19
104	Quality of oral anticoagulation with phenprocoumon in regular medical care and its potential for improvement in a telemedicine-based coagulation service--results from the prospective, multi-center, observational cohort study thrombEVAL. <i>BMC Medicine</i> , 2015 , 13, 14	11.4	31
103	Profile of the Immune and Inflammatory Response in Individuals With Prediabetes and Type 2 Diabetes. <i>Diabetes Care</i> , 2015 , 38, 1356-64	14.6	120

102	Molecular Characterization of the NLRC4 Expression in Relation to Interleukin-18 Levels. <i>Circulation: Cardiovascular Genetics</i> , 2015 , 8, 717-26		18
101	Inflammatory bowel disease (IBD) locus 12: is glutathione peroxidase-1 (GPX1) the relevant gene?. <i>Genes and Immunity</i> , 2015 , 16, 571-5	4.4	5
100	Extensive alterations of the whole-blood transcriptome are associated with body mass index: results of an mRNA profiling study involving two large population-based cohorts. <i>BMC Medical Genomics</i> , 2015 , 8, 65	3.7	16
99	Prevalence and risk factors of retinal vein occlusion: the Gutenberg Health Study. <i>Journal of Thrombosis and Haemostasis</i> , 2015 , 13, 1254-63	15.4	61
98	The prevalence of amblyopia in Germany: data from the prospective, population-based Gutenberg Health Study. <i>Deutsches A&#x0308;rzteblatt International</i> , 2015 , 112, 338-44	2.5	27
97	Sex Differences in Correlates of Intermediate Phenotypes and Prevalent Cardiovascular Disease in the General Population. <i>Frontiers in Cardiovascular Medicine</i> , 2015 , 2, 15	5.4	3
96	Prevalence and Cardiovascular Associations of Diabetic Retinopathy and Maculopathy: Results from the Gutenberg Health Study. <i>PLoS ONE</i> , 2015 , 10, e0127188	3.7	25
95	Rationale and design of three observational, prospective cohort studies including biobanking to evaluate and improve diagnostics, management strategies and risk stratification in venous thromboembolism: the VTEval Project. <i>BMJ Open</i> , 2015 , 5, e008157	3	15
94	The distribution of whole blood viscosity, its determinants and relationship with arterial blood pressure in the community: cross-sectional analysis from the Gutenberg Health Study. <i>Therapeutic Advances in Cardiovascular Disease</i> , 2015 , 9, 354-65	3.4	14
93	Heme oxygenase-1 suppresses a pro-inflammatory phenotype in monocytes and determines endothelial function and arterial hypertension in mice and humans. <i>European Heart Journal</i> , 2015 , 36, 3437-46	9.5	62
92	History of deep vein thrombosis is a discriminator for concomitant atrial fibrillation in pulmonary embolism. <i>Thrombosis Research</i> , 2015 , 136, 899-906	8.2	18
91	The ophthalmic branch of the Gutenberg Health Study: study design, cohort profile and self-reported diseases. <i>PLoS ONE</i> , 2015 , 10, e0120476	3.7	61
90	Association of high-sensitivity assayed troponin I with cardiovascular phenotypes in the general population: the population-based Gutenberg health study. <i>Clinical Research in Cardiology</i> , 2014 , 103, 211-22	6.1	29
89	Prevalence of age-related macular degeneration in a large European cohort: results from the population-based Gutenberg Health Study. <i>Graefes Archive for Clinical and Experimental Ophthalmology</i> , 2014 , 252, 1403-11	3.8	45
88	Association of multiple biomarkers and classical risk factors with early carotid atherosclerosis: results from the Gutenberg Health Study. <i>Clinical Research in Cardiology</i> , 2014 , 103, 477-85	6.1	16
87	Prevalence of refractive errors in the European adult population: the Gutenberg Health Study (GHS). <i>British Journal of Ophthalmology</i> , 2014 , 98, 857-61	5.5	78
86	Interleukin 17 drives vascular inflammation, endothelial dysfunction, and arterial hypertension in psoriasis-like skin disease. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2014 , 34, 2658-68	9.4	140
85	Genome-wide association study of L-arginine and dimethylarginines reveals novel metabolic pathway for symmetric dimethylarginine. <i>Circulation: Cardiovascular Genetics</i> , 2014 , 7, 864-72		38

84	Genome-wide analysis of multi-ancestry cohorts identifies new loci influencing intraocular pressure and susceptibility to glaucoma. <i>Nature Genetics</i> , 2014 , 46, 1126-1130	36.3	171
83	Assessment of microRNAs in patients with unstable angina pectoris. <i>European Heart Journal</i> , 2014 , 35, 2106-14	9.5	100
82	Codierung der Tätigkeitsangaben im Basiskollektiv der Gutenberg-Gesundheitsstudie unter Anwendung der Klassifikation der Berufe KldB 2010 – Darstellung des Vorgehens und der Datenqualität. <i>Zeitschrift für Arbeitswissenschaft</i> , 2014 , 68, 153-162	0.7	4
81	A meta-analysis of genome-wide association studies identifies ORM1 as a novel gene controlling thrombin generation potential. <i>Blood</i> , 2014 , 123, 777-85	2.2	14
80	Associations between depression and diabetes in the community: do symptom dimensions matter? Results from the Gutenberg Health Study. <i>PLoS ONE</i> , 2014 , 9, e105499	3.7	19
79	Multiple biomarkers and atrial fibrillation in the general population. <i>PLoS ONE</i> , 2014 , 9, e112486	3.7	33
78	Combining cross-sectional data on prevalence with risk estimates from a prediction model. A novel method for estimating the attributable risk. <i>Methods of Information in Medicine</i> , 2014 , 53, 371-9	1.5	3
77	Adrenomedullin and arterial stiffness: integrative approach combining monocyte ADM expression, plasma MR-Pro-ADM, and genome-wide association study. <i>Circulation: Cardiovascular Genetics</i> , 2014 , 7, 634-41		9
76	Genetic determinants of circulating interleukin-1 receptor antagonist levels and their association with glycemic traits. <i>Diabetes</i> , 2014 , 63, 4343-59	0.9	32
75	Relevance of depression for anticoagulation management in a routine medical care setting: results from the ThrombEVAL study program. <i>Journal of Thrombosis and Haemostasis</i> , 2014 , 12, 2024-33	15.4	13
74	Stratifizierung des kardiovaskulären Risikos bei Patienten mit Typ-2-Diabetes. <i>Diabetologe</i> , 2014 , 10, 572-580	0.2	1
73	Correlations between central corneal thickness and general anthropometric characteristics and cardiovascular parameters in a large European cohort from the Gutenberg Health Study. <i>Cornea</i> , 2014 , 33, 359-65	3.1	15
72	History of depression but not current depression is associated with signs of atherosclerosis: data from the Gutenberg Health Study. <i>Psychological Medicine</i> , 2014 , 44, 919-25	6.9	12
71	Prevalence and associations of diabetic retinopathy in a large cohort of prediabetic subjects: the Gutenberg Health Study. <i>Journal of Diabetes and Its Complications</i> , 2014 , 28, 482-7	3.2	47
70	Predictive value of brachial reactive hyperemia and flow-mediated dilation in stable coronary artery disease. <i>Clinical Hemorheology and Microcirculation</i> , 2014 , 56, 247-57	2.5	6
69	Complaints of sleep disturbances are associated with cardiovascular disease: results from the Gutenberg Health Study. <i>PLoS ONE</i> , 2014 , 9, e104324	3.7	29
68	Association of MR-proadrenomedullin with cardiovascular risk factors and subclinical cardiovascular disease. <i>Atherosclerosis</i> , 2013 , 228, 451-9	3.1	36
67	Psychodynamic Motivation and Training program (PMT) for the secondary prevention in patients with stable coronary heart disease: study protocol for a randomized controlled trial of feasibility and effects. <i>Trials</i> , 2013 , 14, 314	2.8	7

66	Associations between depression and different measures of obesity (BMI, WC, WHtR, WHR). <i>BMC Psychiatry</i> , 2013 , 13, 223	4.2	62
65	Large-scale association analysis identifies new risk loci for coronary artery disease. <i>Nature Genetics</i> , 2013 , 45, 25-33	36.3	1172
64	Genome-wide association analyses identify 18 new loci associated with serum urate concentrations. <i>Nature Genetics</i> , 2013 , 45, 145-54	36.3	505
63	Distribution of intraocular pressure and its association with ocular features and cardiovascular risk factors: the Gutenberg Health Study. <i>Ophthalmology</i> , 2013 , 120, 961-8	7.3	43
62	Association of mental distress with smoking status in the community: Results from the Gutenberg Health Study. <i>Journal of Affective Disorders</i> , 2013 , 146, 355-60	6.6	29
61	Defining a reference population to determine the 99th percentile of a contemporary sensitive cardiac troponin I assay. <i>International Journal of Cardiology</i> , 2013 , 167, 1423-9	3.2	28
60	MR-proANP and MR-proADM for risk stratification of patients with acute chest pain. <i>Heart</i> , 2013 , 99, 388-95	5.1	36
59	Adaptive linear rank tests for eQTL studies. <i>Statistics in Medicine</i> , 2013 , 32, 524-37	2.3	4
58	Genome-wide haplotype analysis of cis expression quantitative trait loci in monocytes. <i>PLoS Genetics</i> , 2013 , 9, e1003240	6	47
57	GUESS-ing polygenic associations with multiple phenotypes using a GPU-based evolutionary stochastic search algorithm. <i>PLoS Genetics</i> , 2013 , 9, e1003657	6	45
56	Midregional pro-atrial natriuretic peptide in the general population/Insights from the Gutenberg Health Study. <i>Clinical Chemistry and Laboratory Medicine</i> , 2013 , 51, 1125-33	5.9	12
55	Homoarginine levels are regulated by L-arginine:glycine amidinotransferase and affect stroke outcome: results from human and murine studies. <i>Circulation</i> , 2013 , 128, 1451-61	16.7	102
54	Genome-wide and gene-centric analyses of circulating myeloperoxidase levels in the charge and care consortia. <i>Human Molecular Genetics</i> , 2013 , 22, 3381-93	5.6	18
53	The Gutenberg Health Study: measuring psychosocial factors at work and predicting health and work-related outcomes with the ERI and the COPSOQ questionnaire. <i>BMC Public Health</i> , 2013 , 13, 538	4.1	39
52	Sex differences in noninvasive vascular function in the community. <i>Journal of Hypertension</i> , 2013 , 31, 1437-46; discussion 1446	1.9	10
51	Association of hypertension with depression in the community: results from the Gutenberg Health Study. <i>Journal of Hypertension</i> , 2013 , 31, 893-9	1.9	37
50	The molecular genetic architecture of self-employment. <i>PLoS ONE</i> , 2013 , 8, e60542	3.7	28
49	Differential associations of depressive symptom dimensions with cardio-vascular disease in the community: results from the Gutenberg health study. <i>PLoS ONE</i> , 2013 , 8, e72014	3.7	34

48	Graphical modeling of gene expression in monocytes suggests molecular mechanisms explaining increased atherosclerosis in smokers. <i>PLoS ONE</i> , 2013 , 8, e50888	3.7	26
47	Distribution of central corneal thickness and its association with ocular parameters in a large central European cohort: the Gutenberg health study. <i>PLoS ONE</i> , 2013 , 8, e66158	3.7	38
46	Depression in atrial fibrillation in the general population. <i>PLoS ONE</i> , 2013 , 8, e79109	3.7	27
45	Plasma HDL cholesterol and risk of myocardial infarction: a mendelian randomisation study. <i>Lancet, The</i> , 2012 , 380, 572-80	4.0	1523
44	Association between chromosome 9p21 variants and the ankle-brachial index identified by a meta-analysis of 21 genome-wide association studies. <i>Circulation: Cardiovascular Genetics</i> , 2012 , 5, 100-12		84
43	Type D personality as a cardiovascular risk marker in the general population: results from the Gutenberg health study. <i>Psychotherapy and Psychosomatics</i> , 2012 , 81, 108-17	9.4	51
42	Discovery and fine mapping of serum protein loci through transethnic meta-analysis. <i>American Journal of Human Genetics</i> , 2012 , 91, 744-53	11	58
41	Prognostic information of glycogen phosphorylase isoenzyme BB in patients with suspected acute coronary syndrome. <i>American Journal of Cardiology</i> , 2012 , 110, 1225-30	3	12
40	Analyzing illumina gene expression microarray data from different tissues: methodological aspects of data analysis in the metaxpress consortium. <i>PLoS ONE</i> , 2012 , 7, e50938	3.7	54
39	Multiple endothelial biomarkers and noninvasive vascular function in the general population: the Gutenberg Health Study. <i>Hypertension</i> , 2012 , 60, 288-95	8.5	37
38	Midregional proadrenomedullin for prediction of cardiovascular events in coronary artery disease: results from the AtheroGene study. <i>Clinical Chemistry</i> , 2012 , 58, 226-36	5.5	39
37	Comprehensive exploration of the effects of miRNA SNPs on monocyte gene expression. <i>PLoS ONE</i> , 2012 , 7, e45863	3.7	8
36	Atrial fibrillation: its prevalence and risk factor profile in the German general population. <i>Deutsches A&#x0308;rztblatt International</i> , 2012 , 109, 293-9	2.5	47
35	Distinctiveness and overlap of depersonalization with anxiety and depression in a community sample: results from the Gutenberg Heart Study. <i>Psychiatry Research</i> , 2011 , 188, 264-8	9.9	20
34	Identification of ADAMTS7 as a novel locus for coronary atherosclerosis and association of ABO with myocardial infarction in the presence of coronary atherosclerosis: two genome-wide association studies. <i>Lancet, The</i> , 2011 , 377, 383-92	4.0	399
33	The choice of the filtering method in microarrays affects the inference regarding dosage compensation of the active X-chromosome. <i>PLoS ONE</i> , 2011 , 6, e23956	3.7	19
32	Large-scale association analysis identifies 13 new susceptibility loci for coronary artery disease. <i>Nature Genetics</i> , 2011 , 43, 333-8	36.3	1394
31	Prevalence of distress, comorbid conditions and well being in the general population. <i>Journal of Affective Disorders</i> , 2011 , 130, 429-37	6.6	58

30	Sex differences in early carotid atherosclerosis (from the community-based Gutenberg-Heart Study). <i>American Journal of Cardiology</i> , 2011 , 107, 1841-7	3	63
29	Genome-wide association study for coronary artery calcification with follow-up in myocardial infarction. <i>Circulation</i> , 2011 , 124, 2855-64	16.7	213
28	A genome-wide association study identifies LIPA as a susceptibility gene for coronary artery disease. <i>Circulation: Cardiovascular Genetics</i> , 2011 , 4, 403-12		98
27	Endothelium and hyperviscosity. <i>Clinical Hemorheology and Microcirculation</i> , 2011 , 49, 487-91	2.5	5
26	Peripheral hemorheological and vascular correlates of coronary blood flow. <i>Clinical Hemorheology and Microcirculation</i> , 2011 , 49, 261-9	2.5	20
25	Serial changes in highly sensitive troponin I assay and early diagnosis of myocardial infarction. <i>JAMA - Journal of the American Medical Association</i> , 2011 , 306, 2684-93	27.4	348
24	Meta-analysis of genome-wide association studies from the CHARGE consortium identifies common variants associated with carotid intima media thickness and plaque. <i>Nature Genetics</i> , 2011 , 43, 940-7	36.3	168
23	Integrating genome-wide genetic variations and monocyte expression data reveals trans-regulated gene modules in humans. <i>PLoS Genetics</i> , 2011 , 7, e1002367	6	99
22	Noninvasive vascular function measurement in the community: cross-sectional relations and comparison of methods. <i>Circulation: Cardiovascular Imaging</i> , 2011 , 4, 371-80	3.9	140
21	RANTES/CCL5 and risk for coronary events: results from the MONICA/KORA Augsburg case-cohort, Athero-Express and CARDIoGRAM studies. <i>PLoS ONE</i> , 2011 , 6, e25734	3.7	31
20	New loci associated with kidney function and chronic kidney disease. <i>Nature Genetics</i> , 2010 , 42, 376-84	36.3	599
19	Genetics and beyond--the transcriptome of human monocytes and disease susceptibility. <i>PLoS ONE</i> , 2010 , 5, e10693	3.7	482
18	Multiple marker approach to risk stratification in patients with stable coronary artery disease. <i>European Heart Journal</i> , 2010 , 31, 3024-31	9.5	84
17	Distribution and categorization of left ventricular measurements in the general population: results from the population-based Gutenberg Heart Study. <i>Circulation: Cardiovascular Imaging</i> , 2010 , 3, 604-13	3.9	44
16	Copeptin improves early diagnosis of acute myocardial infarction. <i>Journal of the American College of Cardiology</i> , 2010 , 55, 2096-106	15.1	231
15	Contribution of 30 biomarkers to 10-year cardiovascular risk estimation in 2 population cohorts: the MONICA, risk, genetics, archiving, and monograph (MORGAM) biomarker project. <i>Circulation</i> , 2010 , 121, 2388-97	16.7	257
14	Serum selenium and prognosis in cardiovascular disease: results from the AtheroGene study. <i>Atherosclerosis</i> , 2010 , 209, 271-7	3.1	71
13	C4BPB/C4BPA is a new susceptibility locus for venous thrombosis with unknown protein S-independent mechanism: results from genome-wide association and gene expression analyses followed by case-control studies. <i>Blood</i> , 2010 , 115, 4644-50	2.2	50

12	Type-D personality and depersonalization are associated with suicidal ideation in the German general population aged 35-74: results from the Gutenberg Heart Study. <i>Journal of Affective Disorders</i> , 2010 , 125, 227-33	6.6	36
11	Genetic variants associated with cardiac structure and function: a meta-analysis and replication of genome-wide association data. <i>JAMA - Journal of the American Medical Association</i> , 2009 , 302, 168-78	27.4	164
10	Growth-differentiation factor-15 for risk stratification in patients with stable and unstable coronary heart disease: results from the AtheroGene study. <i>Circulation: Cardiovascular Genetics</i> , 2009 , 2, 286-92		87
9	New susceptibility locus for coronary artery disease on chromosome 3q22.3. <i>Nature Genetics</i> , 2009 , 41, 280-2	36.3	389
8	Sensitive troponin I assay in early diagnosis of acute myocardial infarction. <i>New England Journal of Medicine</i> , 2009 , 361, 868-77	59.2	858
7	Effects of oral niacin on endothelial dysfunction in patients with coronary artery disease: results of the randomized, double-blind, placebo-controlled INEF study. <i>Atherosclerosis</i> , 2009 , 204, 216-21	3.1	69
6	Cystatin C and cardiovascular mortality in patients with coronary artery disease and normal or mildly reduced kidney function: results from the AtheroGene study. <i>European Heart Journal</i> , 2009 , 30, 314-20	9.5	82
5	Selenium supplementation improves antioxidant capacity in vitro and in vivo in patients with coronary artery disease The SElenium Therapy in Coronary Artery disease Patients (SETCAP) Study. <i>American Heart Journal</i> , 2008 , 156, 1201.e1-11	4.9	64
4	Fragment reconstruction of coronary arteries using transesophageal echocardiography for coronary diagnostics. <i>European Journal of Echocardiography</i> , 2008 , 9, 796-802		0
3	Freehand three-dimensional assessment of left ventricular volumes and ejection fraction with ultrasound contrast agent LK565. <i>European Journal of Echocardiography</i> , 2007 , 8, 19-29		4
2	Atypical Bland-White-Garland syndrome: a 58-year-old woman with stenosis of the pulmonary origin of the left coronary artery. <i>Echocardiography</i> , 2002 , 19, 73-6	1.5	3
1	Fragment reconstruction of coronary arteries by transesophageal echocardiography: a method for visualizing coronary arteries with ultrasound. <i>Circulation</i> , 2002 , 105, 1579-84	16.7	9