

Tim G A M Wolfs

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/9296526/tim-g-a-m-wolfs-publications-by-year.pdf>

Version: 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

74
papers

3,118
citations

26
h-index

55
g-index

78
ext. papers

3,467
ext. citations

4.9
avg, IF

4.57
L-index

#	Paper	IF	Citations
74	Chorioamnionitis Causes Kidney Inflammation, Podocyte Damage, and Pro-fibrotic Changes in Fetal Lambs. <i>Frontiers in Pediatrics</i> , 2022 , 10, 796702	3.4	0
73	Prenatal administration of multipotent adult progenitor cells modulates the systemic and cerebral immune response in an ovine model of chorioamnionitis. <i>Brain, Behavior, & Immunity - Health</i> , 2022 , 100458	5.1	1
72	Chorioamnionitis induces changes in ovine pulmonary endogenous epithelial stem/progenitor cells in utero. <i>Pediatric Research</i> , 2021 , 90, 549-558	3.2	1
71	Loss of enteric neuronal Ndr4 promotes colorectal cancer via increased release of Nid1 and Fbln2. <i>EMBO Reports</i> , 2021 , 22, e51913	6.5	6
70	Chorioamnionitis induces hepatic inflammation and time-dependent changes of the enterohepatic circulation in the ovine fetus. <i>Scientific Reports</i> , 2021 , 11, 10331	4.9	0
69	Hypothermia is not therapeutic in a neonatal piglet model of inflammation-sensitized hypoxia-ischemia. <i>Pediatric Research</i> , 2021 ,	3.2	5
68	Screening of Chorioamnionitis Using Volatile Organic Compound Detection in Exhaled Breath: A Pre-clinical Proof of Concept Study. <i>Frontiers in Pediatrics</i> , 2021 , 9, 617906	3.4	1
67	Serial blood cytokine and chemokine mRNA and microRNA over 48 h are insult specific in a piglet model of inflammation-sensitized hypoxia-ischaemia. <i>Pediatric Research</i> , 2021 , 89, 464-475	3.2	4
66	Systemic multipotent adult progenitor cells protect the cerebellum after asphyxia in fetal sheep. <i>Stem Cells Translational Medicine</i> , 2021 , 10, 57-67	6.9	3
65	Prematurity, perinatal inflammatory stress, and the predisposition to develop chronic kidney disease beyond oligonephropathy. <i>Pediatric Nephrology</i> , 2021 , 36, 1673-1681	3.2	6
64	Intestinal Goblet Cell Loss during Chorioamnionitis in Fetal Lambs: Mechanistic Insights and Postnatal Implications. <i>International Journal of Molecular Sciences</i> , 2021 , 22,	6.3	4
63	Sequential Exposure to Antenatal Microbial Triggers Attenuates Alveolar Growth and Pulmonary Vascular Development and Impacts Pulmonary Epithelial Stem/Progenitor Cells. <i>Frontiers in Medicine</i> , 2021 , 8, 614239	4.9	0
62	Detection of Volatile Organic Compounds as Potential Novel Biomarkers for Chorioamnionitis - Proof of Experimental Models. <i>Frontiers in Pediatrics</i> , 2021 , 9, 698489	3.4	0
61	Prophylactic Intra-Uterine β -Cyclodextrin Administration during Intra-Uterine Infection Partly Prevents Liver Inflammation without Interfering with the Enterohepatic Circulation of the Fetal Sheep. <i>Nutrients</i> , 2020 , 12,	6.7	2
60	Preterm Brain Injury, Antenatal Triggers, and Therapeutics: Timing Is Key. <i>Cells</i> , 2020 , 9,	7.9	19
59	Chorioamnionitis induces enteric nervous system injury: effects of timing and inflammation in the ovine fetus. <i>Molecular Medicine</i> , 2020 , 26, 82	6.2	8
58	Chronic Intra-Uterine Infection Induces Injury of the Enteric Nervous System in Ovine Fetuses. <i>Frontiers in Immunology</i> , 2020 , 11, 189	8.4	8

57	Electrical stimulation promotes the angiogenic potential of adipose-derived stem cells. <i>Scientific Reports</i> , 2019 , 9, 12076	4.9	11
56	Annexin A1 as Neuroprotective Determinant for Blood-Brain Barrier Integrity in Neonatal Hypoxic-Ischemic Encephalopathy. <i>Journal of Clinical Medicine</i> , 2019 , 8,	5.1	26
55	Protection of the Ovine Fetal Gut against -Induced Chorioamnionitis: A Potential Role for Plant Sterols. <i>Nutrients</i> , 2019 , 11,	6.7	6
54	Acute LPS sensitization and continuous infusion exacerbates hypoxic brain injury in a piglet model of neonatal encephalopathy. <i>Scientific Reports</i> , 2019 , 9, 10184	4.9	26
53	Why -aVF can be used in STAN as a proxy for scalp electrode-derived signal; reply to comments by Kjellmer et al. <i>PLoS ONE</i> , 2019 , 14, e0221220	3.7	
52	Chorioamnionitis, neuroinflammation, and injury: timing is key in the preterm ovine fetus. <i>Journal of Neuroinflammation</i> , 2018 , 15, 113	10.1	43
51	ST waveform analysis for monitoring hypoxic distress in fetal sheep after prolonged umbilical cord occlusion. <i>PLoS ONE</i> , 2018 , 13, e0195978	3.7	5
50	Human perinatal immunity in physiological conditions and during infection. <i>Molecular and Cellular Pediatrics</i> , 2017 , 4, 4	3.3	37
49	The Paradoxical Effects of Chronic Intra-Amniotic <i>Ureaplasma parvum</i> Exposure on Ovine Fetal Brain Development. <i>Developmental Neuroscience</i> , 2017 , 39, 472-486	2.2	19
48	Pulmonary vascular changes in extremely preterm sheep after intra-amniotic exposure to <i>Ureaplasma parvum</i> and lipopolysaccharide. <i>PLoS ONE</i> , 2017 , 12, e0180114	3.7	9
47	Mesenchymal Stromal Cell-Derived Extracellular Vesicles Protect the Fetal Brain After Hypoxia-Ischemia. <i>Stem Cells Translational Medicine</i> , 2016 , 5, 754-63	6.9	162
46	Intra-amniotic <i>Candida albicans</i> infection induces mucosal injury and inflammation in the ovine fetal intestine. <i>Scientific Reports</i> , 2016 , 6, 29806	4.9	12
45	Neuroinflammation and structural injury of the fetal ovine brain following intra-amniotic <i>Candida albicans</i> exposure. <i>Journal of Neuroinflammation</i> , 2016 , 13, 29	10.1	14
44	Mesenchymal stem/stromal cells-a key mediator for regeneration after perinatal morbidity?. <i>Molecular and Cellular Pediatrics</i> , 2016 , 3, 6	3.3	9
43	Comparison of ECG-based physiological markers for hypoxia in a preterm ovine model. <i>Pediatric Research</i> , 2016 , 79, 907-15	3.2	4
42	Selective IL-1 β exposure to the fetal gut, lung, and chorioamnion/skin causes intestinal inflammatory and developmental changes in fetal sheep. <i>Laboratory Investigation</i> , 2016 , 96, 69-80	5.9	18
41	Systemic interleukin-2 administration improves lung function and modulates chorioamnionitis-induced pulmonary inflammation in the ovine fetus. <i>American Journal of Physiology - Lung Cellular and Molecular Physiology</i> , 2016 , 310, L1-7	5.8	10
40	Global hypoxia-ischemia induced inflammation and structural changes in the preterm ovine gut which were not ameliorated by mesenchymal stem cell treatment. <i>Molecular Medicine</i> , 2016 , 22, 244-257 ^{6.2}	6.2	7

39	Can the preterm lung recover from perinatal stress?. <i>Molecular and Cellular Pediatrics</i> , 2016 , 3, 15	3.3	10
38	Using trend templates in a neonatal seizure algorithm improves detection of short seizures in a foetal ovine model. <i>Physiological Measurement</i> , 2015 , 36, 369-84	2.9	5
37	An acute intake of plant stanol esters alters immune-related pathways in the jejunum of healthy volunteers. <i>British Journal of Nutrition</i> , 2015 , 113, 794-802	3.6	18
36	Responses of the spleen to intraamniotic lipopolysaccharide exposure in fetal sheep. <i>Pediatric Research</i> , 2015 , 77, 29-35	3.2	13
35	Multipotent adult progenitor cells for hypoxic-ischemic injury in the preterm brain. <i>Journal of Neuroinflammation</i> , 2015 , 12, 241	10.1	25
34	Prophylactic Interleukin-2 Treatment Prevents Fetal Gut Inflammation and Injury in an Ovine Model of Chorioamnionitis. <i>Inflammatory Bowel Diseases</i> , 2015 , 21, 2026-38	4.5	12
33	The effects of dexamethasone and oxygen in ventilated adult sheep with early phase acute respiratory distress syndrome. <i>Lung</i> , 2015 , 193, 97-103	2.9	6
32	Intestinal fatty acid-binding protein: a possible marker for gut maturation. <i>Pediatric Research</i> , 2014 , 76, 261-8	3.2	14
31	Chorioamnionitis-induced fetal gut injury is mediated by direct gut exposure of inflammatory mediators or by lung inflammation. <i>American Journal of Physiology - Renal Physiology</i> , 2014 , 306, G382-93	5.1	39
30	Altered canonical Wnt signaling in the ovine fetal lung after exposure to intra-amniotic lipopolysaccharide and antenatal betamethasone. <i>Pediatric Research</i> , 2014 , 75, 281-7	3.2	9
29	Breast-feeding improves gut maturation compared with formula feeding in preterm babies. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2014 , 59, 720-4	2.8	18
28	Cerebral inflammation and mobilization of the peripheral immune system following global hypoxia-ischemia in preterm sheep. <i>Journal of Neuroinflammation</i> , 2013 , 10, 13	10.1	69
27	Chorioamnionitis as a risk factor for necrotizing enterocolitis: a systematic review and meta-analysis. <i>Journal of Pediatrics</i> , 2013 , 162, 236-42.e2	3.6	127
26	Systemic G-CSF attenuates cerebral inflammation and hypomyelination but does not reduce seizure burden in preterm sheep exposed to global hypoxia-ischemia. <i>Experimental Neurology</i> , 2013 , 250, 293-303	5.7	24
25	Noninvasive measurement of intestinal epithelial damage at time of refeeding can predict clinical outcome after necrotizing enterocolitis. <i>Pediatric Research</i> , 2013 , 73, 209-13	3.2	24
24	Intraamniotic lipopolysaccharide exposure changes cell populations and structure of the ovine fetal thymus. <i>Reproductive Sciences</i> , 2013 , 20, 946-56	3	27
23	Mesenchymal stem cells induce T-cell tolerance and protect the preterm brain after global hypoxia-ischemia. <i>PLoS ONE</i> , 2013 , 8, e73031	3.7	69
22	Effects of intra-amniotic lipopolysaccharide and maternal betamethasone on brain inflammation in fetal sheep. <i>PLoS ONE</i> , 2013 , 8, e81644	3.7	30

21	Increased levels of deleted in malignant brain tumours 1 (DMBT1) in active bacteria-related appendicitis. <i>Histopathology</i> , 2012 , 60, 561-9	7.3	7
20	Inflammation-induced immune suppression of the fetus: a potential link between chorioamnionitis and postnatal early onset sepsis. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2012 , 25 Suppl 1, 8-11 ²		37
19	Ovine fetal thymus response to lipopolysaccharide-induced chorioamnionitis and antenatal corticosteroids. <i>PLoS ONE</i> , 2012 , 7, e38257	3.7	24
18	IL-1 β -mediated chorioamnionitis induces depletion of FoxP3+ cells and ileal inflammation in the ovine fetal gut. <i>PLoS ONE</i> , 2011 , 6, e18355	3.7	40
17	Localization of the lipopolysaccharide recognition complex in the human healthy and inflamed premature and adult gut. <i>Inflammatory Bowel Diseases</i> , 2010 , 16, 68-75	4.5	44
16	Endotoxin induced chorioamnionitis prevents intestinal development during gestation in fetal sheep. <i>PLoS ONE</i> , 2009 , 4, e5837	3.7	73
15	Increased release of sMD-2 during human endotoxemia and sepsis: a role for endothelial cells. <i>Molecular Immunology</i> , 2008 , 45, 3268-77	4.3	25
14	Toll-like receptor 4 ligation on intrinsic renal cells contributes to the induction of antibody-mediated glomerulonephritis via CXCL1 and CXCL2. <i>Journal of the American Society of Nephrology: JASN</i> , 2007 , 18, 1732-9	12.7	89
13	Apoptotic cell death is initiated during normothermic ischemia in human kidneys. <i>American Journal of Transplantation</i> , 2005 , 5, 68-75	8.7	42
12	Rapid pulmonary expression of acute-phase reactants after local lipopolysaccharide exposure in mice is followed by an interleukin-6 mediated systemic acute-phase response. <i>Experimental Lung Research</i> , 2005 , 31, 855-71	2.3	22
11	The mannose-binding lectin-pathway is involved in complement activation in the course of renal ischemia-reperfusion injury. <i>American Journal of Pathology</i> , 2004 , 165, 1677-88	5.8	163
10	Exogenous alpha-1-acid glycoprotein protects against renal ischemia-reperfusion injury by inhibition of inflammation and apoptosis. <i>Transplantation</i> , 2004 , 78, 1116-24	1.8	32
9	Reduction of circulating redox-active iron by apotransferrin protects against renal ischemia-reperfusion injury. <i>Transplantation</i> , 2004 , 77, 669-75	1.8	73
8	Inhibition of complement factor C5 protects against renal ischemia-reperfusion injury: inhibition of late apoptosis and inflammation. <i>Transplantation</i> , 2003 , 75, 375-82	1.8	138
7	Lysophosphatidic acid prevents renal ischemia-reperfusion injury by inhibition of apoptosis and complement activation. <i>American Journal of Pathology</i> , 2003 , 163, 47-56	5.8	44
6	Complement factor C5a mediates renal ischemia-reperfusion injury independent from neutrophils. <i>Journal of Immunology</i> , 2003 , 170, 3883-9	5.3	198
5	In vivo expression of Toll-like receptor 2 and 4 by renal epithelial cells: IFN-gamma and TNF-alpha mediated up-regulation during inflammation. <i>Journal of Immunology</i> , 2002 , 168, 1286-93	5.3	373
4	Apoptosis and chemokine induction after renal ischemia-reperfusion. <i>Transplantation</i> , 2001 , 71, 1007-11	1.8	50

3	Activated caspase-1 is not a central mediator of inflammation in the course of ischemia-reperfusion. <i>Transplantation</i> , 2001 , 71, 778-84	1.8	23
2	Functional protection by acute phase proteins alpha(1)-acid glycoprotein and alpha(1)-antitrypsin against ischemia/reperfusion injury by preventing apoptosis and inflammation. <i>Circulation</i> , 2000 , 102, 1420-6	16.7	152
1	Inhibition of apoptosis induced by ischemia-reperfusion prevents inflammation. <i>Journal of Clinical Investigation</i> , 1999 , 104, 541-9	15.9	444