Karen P Alexander

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/9296899/karen-p-alexander-publications-by-year.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

127
papers8,906
citations41
h-index93
g-index142
ext. papers11,151
ext. citations8.2
avg, IF5.6
L-index

#	Paper	IF	Citations
127	Comprehensive Quality of Life Outcomes with Invasive versus Conservative Management of Chronic Coronary Disease in ISCHEMIA <i>Circulation</i> , 2022 ,	16.7	2
126	Presenting Symptoms in Patients Undergoing Coronary Artery Disease Evaluation: Association With Noninvasive Test Results and Clinical Outcomes in the PROMISE Trial <i>Circulation: Cardiovascular Quality and Outcomes</i> , 2022 , 101161CIRCOUTCOMES121008298	5.8	0
125	Anxiety and Depression Following Aortic Valve Replacement <i>Journal of the American Heart Association</i> , 2022 , e024377	6	
124	Clinical Events Classification (CEC) in Clinical Trials: Report on the Current Landscape and Future Directions - Proceedings from the CEC Summit 2018 <i>American Heart Journal</i> , 2021 , 246, 93-93	4.9	1
123	Chest Pain Redux: Updated and Patient Centered. <i>Circulation</i> , 2021 , 144, 1735-1737	16.7	1
122	Primary Prevention Trial Designs Using Coronary Imaging: A National Heart, Lung, and Blood Institute Workshop. <i>JACC: Cardiovascular Imaging</i> , 2021 , 14, 1454-1465	8.4	8
121	Comparison of Days Alive Out of Hospital With Initial Invasive vs Conservative Management: A Prespecified Analysis of the ISCHEMIA Trial. <i>JAMA Cardiology</i> , 2021 , 6, 1023-1031	16.2	1
120	Initial Invasive or Conservative Strategy for Stable Coronary Disease. <i>New England Journal of Medicine</i> , 2020 , 382, 1395-1407	59.2	642
119	Management of Coronary Disease in Patients with Advanced Kidney Disease. <i>New England Journal of Medicine</i> , 2020 , 382, 1608-1618	59.2	159
118	Health-Status Outcomes with Invasive or Conservative Care in Coronary Disease. <i>New England Journal of Medicine</i> , 2020 , 382, 1408-1419	59.2	138
117	Should We Simplify Computed Tomography Angiography Reporting as Black or White vs Describing All Shades of Gray?-Reply. <i>JAMA Cardiology</i> , 2020 , 5, 1450-1451	16.2	
116	Age-Related Differences in the Noninvasive Evaluation for Possible Coronary Artery Disease: Insights From the Prospective Multicenter Imaging Study for Evaluation of Chest Pain (PROMISE) Trial. <i>JAMA Cardiology</i> , 2020 , 5, 193-201	16.2	13
115	Gerotechnology for Older Adults With Cardiovascular Diseases: JACC State-of-the-Art Review. Journal of the American College of Cardiology, 2020 , 76, 2650-2670	15.1	15
114	Management of Atrial Fibrillation in Older Patients by Morbidity Burden: Insights From Get With The Guidelines-Atrial Fibrillation. <i>Journal of the American Heart Association</i> , 2020 , 9, e017024	6	13
113	Treatment of Older Patients with Atrial Fibrillation by Morbidity Burden. <i>European Heart Journal Quality of Care & Dinical Outcomes</i> , 2020 ,	4.6	4
112	Deprescribing in Older Adults With Cardiovascular Disease. <i>Journal of the American College of Cardiology</i> , 2019 , 73, 2584-2595	15.1	63
111	Thirty-Day Readmission Risk Model for Older Adults Hospitalized With Acute Myocardial Infarction. <i>Circulation: Cardiovascular Quality and Outcomes</i> , 2019 , 12, e005320	5.8	25

110	Relationship Between Optimism and Outcomes in Patients With Chronic Angina Pectoris. <i>American Journal of Cardiology</i> , 2019 , 123, 1399-1405	3	2
109	Baseline Characteristics and Risk Profiles of Participants in the ISCHEMIA Randomized Clinical Trial. JAMA Cardiology, 2019 , 4, 273-286	16.2	65
108	Sex-Based Differences in Presentation, Treatment, and Complications Among Older Adults Hospitalized for Acute Myocardial Infarction: The SILVER-AMI Study. <i>Circulation: Cardiovascular Quality and Outcomes</i> , 2019 , 12, e005691	5.8	24
107	Frequency, Regional Variation, and Predictors of Undetermined Cause of Death in Cardiometabolic Clinical Trials: A Pooled Analysis of 9259 Deaths in 9 Trials. <i>Circulation</i> , 2019 , 139, 863-873	16.7	8
106	Outcomes of apixaban versus warfarin in patients with atrial fibrillation and multi-morbidity: Insights from the ARISTOTLE trial. <i>American Heart Journal</i> , 2019 , 208, 123-131	4.9	35
105	Sex And Prognostic Significance of Self-Reported Frailty in Non-ST-Segment Elevation Acute Coronary Syndromes: Insights From the TRILOGY ACS Trial. <i>Canadian Journal of Cardiology</i> , 2019 , 35, 430-437	3.8	3
104	Slow Gait Speed and Cardiac Rehabilitation Participation in Older Adults After Acute Myocardial Infarction. <i>Journal of the American Heart Association</i> , 2018 , 7,	6	14
103	International Study of Comparative Health Effectiveness with Medical and Invasive Approaches (ISCHEMIA) trial: Rationale and design. <i>American Heart Journal</i> , 2018 , 201, 124-135	4.9	132
102	Domain Management Approach to Heart Failure in the Geriatric Patient: Present and Future. Journal of the American College of Cardiology, 2018 , 71, 1921-1936	15.1	82
101	Relation of Age and Health-Related Quality of Life to Invasive Versus Ischemia-Guided Management of Patients with Non-ST Elevation Myocardial Infarction. <i>American Journal of Cardiology</i> , 2018 , 121, 789-795	3	4
100	Coronary Artery Disease in Patients 180 Years of Age. <i>Journal of the American College of Cardiology</i> , 2018 , 71, 2015-2040	15.1	81
99	Gait Speed and 1-Year Mortality Following Cardiac Surgery: AlLandmark Analysis From the Society of Thoracic Surgeons AdultiCardiac Surgery Database. <i>Journal of the American Heart Association</i> , 2018 , 7, e010139	6	27
98	Frailty as an instrument for evaluation of elderly patients with non-ST-segment elevation myocardial infarction: A follow-up after more than 5 years. <i>European Journal of Preventive Cardiology</i> , 2018 , 25, 1813-1821	3.9	12
97	Frailty and Outcomes After Myocardial Infarction: Insights From the CONCORDANCE Registry. Journal of the American Heart Association, 2018 , 7, e009859	6	26
96	Individual and Joint Effects of Pulse Pressure and Blood Pressure Treatment Intensity on Serious Adverse Events in the SPRINT Trial. <i>American Journal of Medicine</i> , 2018 , 131, 1220-1227.e1	2.4	10
95	Ranolazine After Incomplete Percutaneous Coronary Revascularization in Patients With Versus Without Diabetes Mellitus: RIVER-PCI Trial. <i>Journal of the American College of Cardiology</i> , 2017 , 69, 2304	1 ⁻¹ 253 ⁻¹ 13	11
94	Reporting Clinical End Points and Safety Events in an Acute Coronary Syndrome Trial: Results With Integrated Collection. <i>Journal of the American Heart Association</i> , 2017 , 6,	6	5
93	Putting the Acute Coronary Syndrome in Context After 80 Years of Age. <i>Circulation</i> , 2017 , 135, 5-6	16.7	3

92	Contextualizing Myocardial Infarction: Comorbidities and Priorities in Older Adults. <i>American Journal of Medicine</i> , 2017 , 130, 1144-1147	2.4	6
91	Frailty is associated with worse outcomes in non-ST-segment elevation acute coronary syndromes: Insights from the TaRgeted platelet Inhibition to cLarify the Optimal strateGy to medically manage Acute Coronary Syndromes (TRILOGY ACS) trial. <i>European Heart Journal: Acute Cardiovascular Care</i> ,	4.3	79
90	Predictors of Physician Under-Recognition of Angina in Outpatients With Stable Coronary Artery Disease. <i>Circulation: Cardiovascular Quality and Outcomes</i> , 2016 , 9, 554-9	5.8	35
89	Exploring the Nexus Between Chronic Kidney Disease and Cardiovascular Disease. <i>European Heart Journal Quality of Care & Disease Clinical Outcomes</i> , 2016 , 2, 62-63	4.6	
88	Frailty: A Vital Sign for Older Adults With Cardiovascular Disease. <i>Canadian Journal of Cardiology</i> , 2016 , 32, 1082-7	3.8	32
87	Effect of angina under-recognition on treatment in outpatients with stable ischaemic heart disease. <i>European Heart Journal Quality of Care & Dutcomes</i> , 2016 , 2, 208-214	4.6	24
86	Effects of Ranolazine on Angina and Quality of Life After Percutaneous Coronary Intervention With Incomplete Revascularization: Results From the Ranolazine for Incomplete Vessel Revascularization (RIVER-PCI) Trial. <i>Circulation</i> , 2016 , 133, 39-47	16.7	46
85	Pooled analysis of adverse event collection from 4 acute coronary syndrome trials. <i>American Heart Journal</i> , 2016 , 174, 60-7	4.9	3
84	Multiple Chronic Conditions in Older Adults with Acute Coronary Syndromes. <i>Clinics in Geriatric Medicine</i> , 2016 , 32, 291-303	3.8	10
83	Ranolazine in patients with incomplete revascularisation after percutaneous coronary intervention (RIVER-PCI): a multicentre, randomised, double-blind, placebo-controlled trial. <i>Lancet, The</i> , 2016 , 387, 136-45	40	77
82	Acute coronary syndrome in the older adults. <i>Journal of Geriatric Cardiology</i> , 2016 , 13, 101-8	1.7	40
81	Improved Cardiovascular Disease Outcomes in Older Adults. F1000Research, 2016, 5,	3.6	15
80	Stable ischemic heart disease in the older adults. Journal of Geriatric Cardiology, 2016, 13, 109-14	1.7	13
79	Assessing Quality of Life and Medical Care in Chronic Angina: An Internet Survey. <i>Interactive Journal of Medical Research</i> , 2016 , 5, e12	2.1	3
78	Slow Gait Speed and Risk of Mortality or Hospital Readmission After Myocardial Infarction in the Translational Research Investigating Underlying Disparities in Recovery from Acute Myocardial Infarction: PatientsPHealth Status Registry. <i>Journal of the American Geriatrics Society</i> , 2016 , 64, 596-601	5.6	31
77	Gait Speed Predicts 30-Day Mortality After Transcatheter Aortic Valve Replacement: Results From the Society of Thoracic Surgeons/American College of Cardiology Transcatheter Valve Therapy Registry. <i>Circulation</i> , 2016 , 133, 1351-9	16.7	83
76	Knowledge Gaps in Cardiovascular Care of the Older Adult Population: A Scientific Statement From the American Heart Association, American College of Cardiology, and American Geriatrics Society. <i>Circulation</i> , 2016 , 133, 2103-22	16.7	104
75	Trends in Enrollment, Clinical Characteristics, Treatment, and Outcomes According to Age in Non-ST-Segment-Elevation Acute Coronary Syndromes Clinical Trials. <i>Circulation</i> , 2016 , 133, 1560-73	16.7	15

74	Gait Speed and Operative Mortality in Older Adults Following Cardiac Surgery. <i>JAMA Cardiology</i> , 2016 , 1, 314-21	16.2	98
73	Effect of age on efficacy and safety of vorapaxar in patients with non-ST-segment elevation acute coronary syndrome: Insights from the Thrombin Receptor Antagonist for Clinical Event Reduction in Acute Coronary Syndrome (TRACER) trial. <i>American Heart Journal</i> , 2016 , 178, 176-84	4.9	5
72	Knowledge Gaps in Cardiovascular Care of Older Adults: A Scientific Statement from the American Heart Association, American College of Cardiology, and American Geriatrics Society: Executive Summary. <i>Journal of the American Geriatrics Society</i> , 2016 , 64, 2185-2192	5.6	37
71	Frequency and Effects of Excess Dosing of Anticoagulants in Patients B 5 Years With Acute Myocardial Infarction Who Underwent Percutaneous Coronary Intervention (from the VIRGO Study). <i>American Journal of Cardiology</i> , 2015 , 116, 1-7	3	7
70	Doing the right things and doing them the right way: association between hospital guideline adherence, dosing safety, and outcomes among patients with acute coronary syndrome. <i>Circulation</i> , 2015 , 131, 980-7	16.7	24
69	Statin Treatment by Low-Density Lipoprotein Cholesterol Levels in Patients With Non-ST-Segment Elevation Myocardial Infarction/Unstable Angina Pectoris (from the CRUSADE Registry). <i>American Journal of Cardiology</i> , 2015 , 115, 1655-60	3	7
68	Targeted versus standard feedback: results from a randomized quality improvement trial. <i>American Heart Journal</i> , 2015 , 169, 132-41.e2	4.9	9
67	The Contemporary Use of Angiography and Revascularization Among Patients With Non-ST-Segment Elevation Myocardial Infarction in the United States Compared With South Korea. <i>Clinical Cardiology</i> , 2015 , 38, 708-14	3.3	7
66	The Association of Transfer Rate From Hospitals Without Revascularization Capabilities and Mortality Risk for Older Non-ST-Segment Elevation Myocardial Infarction Patients. <i>Clinical Cardiology</i> , 2015 , 38, 733-9	3.3	3
65	Older Adults in Clinical Research and Drug Development: Closing the Geriatric Gap. <i>Circulation: Cardiovascular Quality and Outcomes</i> , 2015 , 8, 631-3	5.8	9
64	Accuracy of bleeding scores for patients presenting with myocardial infarction: a meta-analysis of 9 studies and 13 759 patients. <i>Postepy W Kardiologii Interwencyjnej</i> , 2015 , 11, 182-90	0.4	7
63	Cumulative incidence of death and rehospitalization among the elderly in the first year after NSTEMI. <i>American Journal of Medicine</i> , 2015 , 128, 582-90	2.4	23
62	Cognitive and Physical Function by Statin Exposure in Elderly Individuals Following Acute Myocardial Infarction. <i>Clinical Cardiology</i> , 2015 , 38, 455-61	3.3	3
61	Futility, benefit, and transcatheter aortic valve replacement. <i>JACC: Cardiovascular Interventions</i> , 2014 , 7, 707-16	5	126
60	Contemporary patterns of discharge aspirin dosing after acute myocardial infarction in the United States: results from the National Cardiovascular Data Registry (NCDR). <i>Circulation: Cardiovascular Quality and Outcomes</i> , 2014 , 7, 701-7	5.8	24
59	Sources of hospital-level variation in major bleeding among patients with non-st-segment elevation myocardial infarction: a report from the National Cardiovascular Data Registry (NCDR). <i>Circulation: Cardiovascular Quality and Outcomes</i> , 2014 , 7, 236-43	5.8	6
58	Do patients treated at academic hospitals have better longitudinal outcomes after admission for non-ST-elevation myocardial infarction?. <i>American Heart Journal</i> , 2014 , 167, 762-9	4.9	16
57	Blood transfusion during acute myocardial infarction: association with mortality and variability across hospitals. <i>Journal of the American College of Cardiology</i> , 2014 , 64, 811-9	15.1	30

56	The quality of antiplatelet and anticoagulant medication administration among ST-segment elevation myocardial infarction patients transferred for primary percutaneous coronary intervention. <i>American Heart Journal</i> , 2014 , 167, 833-9	4.9	5
55	Implications of prior myocardial infarction for patients presenting with an acute myocardial infarction. <i>American Heart Journal</i> , 2014 , 167, 840-5	4.9	12
54	Frailty assessment in the cardiovascular care of older adults. <i>Journal of the American College of Cardiology</i> , 2014 , 63, 747-62	15.1	608
53	Reperfusion times and in-hospital outcomes among patients with an isolated posterior myocardial infarction: insights from the National Cardiovascular Data Registry (NCDR). <i>American Heart Journal</i> , 2014 , 167, 350-4	4.9	10
52	In-hospital switching between clopidogrel and prasugrel among patients with acute myocardial infarction treated with percutaneous coronary intervention: insights into contemporary practice from the national cardiovascular data registry. <i>Circulation: Cardiovascular Interventions</i> , 2014 , 7, 585-93	6	43
51	Trends in referral to cardiac rehabilitation after myocardial infarction: data from the National Cardiovascular Data Registry 2007 to 2012. <i>Journal of the American College of Cardiology</i> , 2014 , 63, 2583	2 ⁻¹ 25 ⁻¹ 83	46
50	Influence of heart failure symptoms and ejection fraction on short- and long-term outcomes for older patients with non-ST-segment elevation myocardial infarction. <i>American Heart Journal</i> , 2014 , 167, 267-273.e1	4.9	9
49	Balancing the risk of mortality and major bleeding in the treatment of NSTEMI patients - a report from the National Cardiovascular Data Registry. <i>American Heart Journal</i> , 2013 , 166, 1043-1049.e1	4.9	9
48	Use of ranolazine in patients with incomplete revascularization after percutaneous coronary intervention: design and rationale of the Ranolazine for Incomplete Vessel Revascularization Post-Percutaneous Coronary Intervention (RIVER-PCI) trial. <i>American Heart Journal</i> , 2013 , 166, 953-959.	4.9 e3	18
47	Characteristics and in-hospital outcomes of patients with non-ST-segment elevation myocardial infarction undergoing an invasive strategy according to hemoglobin levels. <i>American Journal of Cardiology</i> , 2013 , 111, 1099-103	3	7
46	Preoperative anxiety as a predictor of mortality and major morbidity in patients aged >70 years undergoing cardiac surgery. <i>American Journal of Cardiology</i> , 2013 , 111, 137-42	3	92
45	Cardiovascular health: the importance of measuring patient-reported health status: a scientific statement from the American Heart Association. <i>Circulation</i> , 2013 , 127, 2233-49	16.7	326
44	2012 ACCF/AATS/SCAI/STS expert consensus document on transcatheter aortic valve replacement. Journal of the American College of Cardiology, 2012 , 59, 1200-54	15.1	580
43	Admission international normalized ratio levels, early treatment strategies, and major bleeding risk among non-ST-segment-elevation myocardial infarction patients on home warfarin therapy: insights from the National Cardiovascular Data Registry. <i>Circulation</i> , 2012 , 125, 1414-23	16.7	14
42	The association of in-hospital major bleeding with short-, intermediate-, and long-term mortality among older patients with non-ST-segment elevation myocardial infarction. <i>European Heart Journal</i> , 2012 , 33, 2044-53	9.5	61
41	Cognitive impairment and outcomes in older adult survivors of acute myocardial infarction: findings from the translational research investigating underlying disparities in acute myocardial infarction patientsPhealth status registry. <i>American Heart Journal</i> , 2011 , 162, 860-869.e1	4.9	58
40	Predicting long-term mortality in older patients after non-ST-segment elevation myocardial infarction: the CRUSADE long-term mortality model and risk score. <i>American Heart Journal</i> , 2011 , 162, 875-883.e1	4.9	70
39	In-hospital major bleeding during ST-elevation and non-ST-elevation myocardial infarction care: derivation and validation of a model from the ACTION Registry -GWTG American Journal of Cardiology, 2011 , 107, 1136-43	3	171

38	Randomized trial of targeted performance feedback to facilitate quality improvement in acute myocardial infarction care. <i>Circulation: Cardiovascular Quality and Outcomes</i> , 2011 , 4, 129-35	5.8	7
37	Incidence, correlates, and outcomes of acute, hospital-acquired anemia in patients with acute myocardial infarction. <i>Circulation: Cardiovascular Quality and Outcomes</i> , 2010 , 3, 337-46	5.8	64
36	Minimizing the risks of anticoagulants and platelet inhibitors. <i>Circulation</i> , 2010 , 121, 1960-70	16.7	26
35	Use of evidence-based therapies in short-term outcomes of ST-segment elevation myocardial infarction and non-ST-segment elevation myocardial infarction in patients with chronic kidney disease: a report from the National Cardiovascular Data Acute Coronary Treatment and	16.7	294
34	Medication errors in acute cardiovascular and stroke patients: a scientific statement from the American Heart Association. <i>Circulation</i> , 2010 , 121, 1664-82	16.7	60
33	Changes in glycoprotein IIb/IIIa inhibitor excess dosing with site-specific safety feedback in the Can Rapid risk stratification of Unstable angina patients Suppress ADverse outcomes with Early implementation of the ACC/AHA guidelines (CRUSADE) initiative. <i>American Heart Journal</i> , 2010 ,	4.9	10
32	Comparison of outcomes in patients aged . <i>American Journal of Cardiology</i> , 2010 , 106, 1382-8	3	32
31	Antithrombotic strategy in non-ST-segment elevation myocardial infarction patients undergoing percutaneous coronary intervention: insights from the ACTION (Acute Coronary Treatment and Intervention Outcomes Network) Registry. <i>JACC: Cardiovascular Interventions</i> , 2010 , 3, 669-77	5	16
30	Management of hyperlipidemia in older adults. <i>Journal of Cardiovascular Pharmacology and Therapeutics</i> , 2009 , 14, 49-58	2.6	29
29	Baseline risk of major bleeding in non-ST-segment-elevation myocardial infarction: the CRUSADE (Can Rapid risk stratification of Unstable angina patients Suppress ADverse outcomes with Early implementation of the ACC/AHA Guidelines) Bleeding Score. <i>Circulation</i> , 2009 , 119, 1873-82	16.7	701
28	Weight-based dosing of enoxaparin in obese patients with non-ST-segment elevation acute coronary syndromes: results from the CRUSADE initiative. <i>Pharmacotherapy</i> , 2009 , 29, 631-8	5.8	27
27	Impact of gender and antithrombin strategy on early and late clinical outcomes in patients with non-ST-elevation acute coronary syndromes (from the ACUITY trial). <i>American Journal of Cardiology</i> , 2009 , 103, 1196-203	3	70
26	Antiplatelet therapy in older adults with non-ST-segment elevation acute coronary syndrome: considering risks and benefits. <i>American Journal of Cardiology</i> , 2009 , 104, 16C-21C	3	15
25	Evolving role of revascularization in older adults with acute coronary syndrome. <i>Current Cardiovascular Risk Reports</i> , 2009 , 3, 355-365	0.9	
24	Advanced age, antithrombotic strategy, and bleeding in non-ST-segment elevation acute coronary syndromes: results from the ACUITY (Acute Catheterization and Urgent Intervention Triage Strategy) trial. <i>Journal of the American College of Cardiology</i> , 2009 , 53, 1021-30	15.1	106
23	Profile of chronic and recurrent angina pectoris in a referral population. <i>American Journal of Cardiology</i> , 2008 , 102, 1301-6	3	12
22	Cockcroft-Gault versus modification of diet in renal disease: importance of glomerular filtration rate formula for classification of chronic kidney disease in patients with non-ST-segment elevation acute coronary syndromes. <i>Journal of the American College of Cardiology</i> , 2008 , 51, 991-6	15.1	108
21	The influence of age on health status outcomes after acute myocardial infarction. <i>American Heart Journal</i> , 2008 , 155, 855-61	4.9	25

20	Transfusion practice and outcomes in non-ST-segment elevation acute coronary syndromes. <i>American Heart Journal</i> , 2008 , 155, 1047-53	4.9	80
19	Unfractionated heparin dosing and risk of major bleeding in non-ST-segment elevation acute coronary syndromes. <i>American Heart Journal</i> , 2008 , 156, 209-15	4.9	37
18	Excess heparin dosing among fibrinolytic-treated patients with ST-segment elevation myocardial infarction. <i>American Journal of Medicine</i> , 2008 , 121, 805-10	2.4	11
17	Outcomes in elderly patients with acute coronary syndromes randomized to enoxaparin vs. unfractionated heparin: results from the SYNERGY trial. <i>European Heart Journal</i> , 2008 , 29, 1827-33	9.5	32
16	Bleeding after antithrombotic therapy in patients with acute ischemic heart disease: is it the drugs or how we use them?. <i>Journal of Thrombosis and Thrombolysis</i> , 2008 , 26, 175-82	5.1	7
15	Characteristics, management, and outcomes of 5,557 patients age > or =90 years with acute coronary syndromes: results from the CRUSADE Initiative. <i>Journal of the American College of Cardiology</i> , 2007 , 49, 1790-7	15.1	132
14	RESPONSE TO DR. DENKINGER ET AL Journal of the American Geriatrics Society, 2007, 55, 968-969	5.6	2
13	Comparison of baseline characteristics, treatment patterns, and in-hospital outcomes of Asian versus non-Asian white Americans with non-ST-segment elevation acute coronary syndromes from the CRUSADE quality improvement initiative. <i>American Journal of Cardiology</i> , 2007 , 100, 391-6	3	54
12	Acute coronary care in the elderly, part I: Non-ST-segment-elevation acute coronary syndromes: a scientific statement for healthcare professionals from the American Heart Association Council on Clinical Cardiology: in collaboration with the Society of Geriatric Cardiology. <i>Circulation</i> , 2007 , 115, 2549	16.7 9-69	507
11	Acute coronary care in the elderly, part II: ST-segment-elevation myocardial infarction: a scientific statement for healthcare professionals from the American Heart Association Council on Clinical Cardiology: in collaboration with the Society of Geriatric Cardiology. <i>Circulation</i> , 2007 , 115, 2570-89	16.7	398
10	Issues with care in the elderly patient presenting with acute ischemia. <i>Current Heart Failure Reports</i> , 2006 , 3, 51-6	2.8	4
9	International variation in invasive care of the elderly with acute coronary syndromes. <i>European Heart Journal</i> , 2006 , 27, 1558-64	9.5	24
8	Treatment of non-ST-elevation acute coronary syndrome in the elderly: current practice and future opportunities. <i>The American Journal of Geriatric Cardiology</i> , 2006 , 15, 42-9		5
7	Sex differences in major bleeding with glycoprotein IIb/IIIa inhibitors: results from the CRUSADE (Can Rapid risk stratification of Unstable angina patients Suppress ADverse outcomes with Early implementation of the ACC/AHA guidelines) initiative. <i>Circulation</i> , 2006 , 114, 1380-7	16.7	225
6	Evolution in cardiovascular care for elderly patients with non-ST-segment elevation acute coronary syndromes: results from the CRUSADE National Quality Improvement Initiative. <i>Journal of the American College of Cardiology</i> , 2005 , 46, 1479-87	15.1	253
5	The implications of blood transfusions for patients with non-ST-segment elevation acute coronary syndromes: results from the CRUSADE National Quality Improvement Initiative. <i>Journal of the American College of Cardiology</i> , 2005 , 46, 1490-5	15.1	172
4	Issues with care in the elderly patient presenting with acute ischemia. <i>Current Cardiology Reports</i> , 2005 , 7, 270-5	4.2	О
3	Excess dosing of antiplatelet and antithrombin agents in the treatment of non-ST-segment elevation acute coronary syndromes. <i>JAMA - Journal of the American Medical Association</i> , 2005 , 294, 310	08 ⁷ 18	498

- 2 Post-myocardial infarction risk stratification in elderly patients. American Heart Journal, 2001, 142, 37-424.9 19
- Medical and surgical management of coronary artery disease in women. *American Journal of Managed Care*, **2001**, 7, 951-6

2.1