

Thomas M Weller

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9297224/publications.pdf>

Version: 2024-02-01

119
papers

1,061
citations

471509

17
h-index

552781

26
g-index

119
all docs

119
docs citations

119
times ranked

948
citing authors

#	ARTICLE	IF	CITATIONS
1	A Semi-Empirical Model for Predicting the Effects of Moisture on Microwave Signal Attenuation in Fouled Railroad Ballast. , 2022, , .		0
2	Laser-Assisted and Additively Manufactured Multilayer Metal-Insulator-Metal Capacitors. , 2022, , .		1
3	3D Printed Wideband Multilayered Dual-Polarized Stacked Patch Antenna With Integrated MMIC Switch. IEEE Open Journal of Antennas and Propagation, 2021, 2, 38-48.	3.7	9
4	An X-Band Dielectric Rod Antenna for Subdermal Tumor Heating to Assist Electroporation-Mediated DNA Delivery. IEEE Journal of Electromagnetics, RF and Microwaves in Medicine and Biology, 2021, 5, 340-346.	3.4	3
5	Analytical and Experimental Study of Multilayer Dielectric Rod Waveguides. IEEE Transactions on Microwave Theory and Techniques, 2021, 69, 2088-2097.	4.6	3
6	Additive Manufactured, On-Package 2.4 GHz Tripolar Antenna System for Cluttered Channels. , 2021, , .		0
7	Dielectric Rod Antenna Array With Planar Folded Slot Antenna Excitation. IEEE Open Journal of Antennas and Propagation, 2021, 2, 664-673.	3.7	5
8	Optical interconnects on a flexible substrate by multi-material hybrid additive and subtractive manufacturing. Additive Manufacturing, 2021, 48, 102409.	3.0	2
9	Dielectric Lens Designs for Antenna Beam Shaping in a Subdermal Tumor Treatment Device. , 2021, , .		0
10	Additively Manufactured, Low Loss 20 GHz DC Contact RF MEMS Switch Using Laterally Actuated, Fix-Free Beam. , 2021, , .		2
11	Versatility of Laser Enhanced Direct Print Additive Manufacturing. NIP & Digital Fabrication Conference, 2021, 2021, 32-36.	0.0	1
12	<i>W</i>-Band MMIC Chip Assembly Using Laser-Enhanced Direct Print Additive Manufacturing. IEEE Transactions on Microwave Theory and Techniques, 2021, 69, 5381-5392.	4.6	2
13	Laser Enhanced Direct Print Additive Manufacturing of Embedded Circular Cross-Section Optical Fiber Interconnects for Board Level Computing Devices. Additive Manufacturing, 2020, 34, 101227.	3.0	0
14	A Novel Background Calibration Technique for Microwave Radiometric Sensors in Indoor Applications. , 2020, 4, 1-4.		1
15	Conductivity Improvement of Microdispensed Microstrip Lines and Grounded Coplanar Waveguides Using Laser Micromachining. IEEE Transactions on Components, Packaging and Manufacturing Technology, 2020, 10, 2129-2132.	2.5	4
16	Design of Cladded Dielectric Rod Antennas. , 2019, , .		2
17	Low-Loss Suspended Crossover Interconnects using Laser Enhanced Direct Print Additive Manufacturing. , 2019, , .		4
18	Phased Array Antenna Element with Embedded Cavity and MMIC using Direct Digital Manufacturing. , 2019, , .		8

#	ARTICLE	IF	CITATIONS
19	Ku band Metal Strip-Loaded Dielectric Rod Waveguide Filter. , 2019, , .		0
20	A Generalized Radiometer System Equation That Includes Temperature-Dependent System Losses. , 2019, , .		2
21	W-band Finite Ground Coplanar Waveguide (FG-CPW) using Laser Enhanced Direct-Print Additive Manufacturing (LE-DPAM). , 2019, , .		4
22	Thermal and Vapor Smoothing of Thermoplastic for Reduced Surface Roughness of Additive Manufactured RF Electronics. IEEE Transactions on Components, Packaging and Manufacturing Technology, 2019, 9, 1151-1160.	2.5	6
23	Effects of Soil Characteristics on Passive Wireless Sensor Interrogation. IEEE Sensors Journal, 2018, 18, 3454-3460.	4.7	11
24	Compact and Wideband MMIC Phase Shifters Using Tunable Active Inductor-Loaded All-Pass Networks. IEEE Transactions on Microwave Theory and Techniques, 2018, 66, 1047-1057.	4.6	32
25	Ku band Metal-Strip-Loaded Dielectric Rod Antenna with Narrowband Gain Enhancement. , 2018, , .		2
26	Additively Manufactured Vertically Interconnected On-Package Microstrip Patch Antenna. , 2018, , .		1
27	Laser-Assisted Additive Manufacturing of mm-Wave Lumped Passive Elements. IEEE Transactions on Microwave Theory and Techniques, 2018, 66, 5462-5471.	4.6	13
28	Multilayer Dielectric End-Fire Antenna With Enhanced Gain. IEEE Antennas and Wireless Propagation Letters, 2018, 17, 2213-2217.	4.0	19
29	Laser Assisted Additive Manufacturing of CPW mm-Wave Interdigital Capacitors. , 2018, , .		3
30	2.4 GHz Band Pass Filter Architecture for Direct Print Additive Manufacturing. , 2018, , .		3
31	An 18â€“26 GHz range calibrated linear synthetic aperture radar prototype suitable for security applications. , 2018, , .		3
32	Direct digital manufacturing of mm-wave vertical interconnects. , 2018, , .		5
33	Embedded 6-GHz 3-D Printed Half-Wave Dipole Antenna. IEEE Antennas and Wireless Propagation Letters, 2017, 16, 145-148.	4.0	15
34	UHF RFID Tags for On-/Off-Metal Applications Fabricated Using Additive Manufacturing. IEEE Antennas and Wireless Propagation Letters, 2017, 16, 1635-1638.	4.0	23
35	Multimaterial and Multilayer Direct Digital Manufacturing of 3-D Structural Microwave Electronics. Proceedings of the IEEE, 2017, 105, 688-701.	21.3	24
36	Fabrication, Modeling, and Application of Ceramic-Thermoplastic Composites for Fused Deposition Modeling of Microwave Components. IEEE Transactions on Microwave Theory and Techniques, 2017, 65, 2073-2084.	4.6	40

#	ARTICLE	IF	CITATIONS
37	Comparison of coherent and non-coherent scattering models for stratified media. , 2017, , .		0
38	Ku-band additive manufactured multilayer dielectric rod waveguide. , 2017, , .		6
39	Embedded 6 GHz 3D-printed half-wave dipole antenna array. , 2017, , .		4
40	Characterization and Modeling of K-Band Coplanar Waveguides Digitally Manufactured Using Pulsed Picosecond Laser Machining of Thick-Film Conductive Paste. IEEE Transactions on Microwave Theory and Techniques, 2017, 65, 3180-3187.	4.6	33
41	3D printed on-package tripolar antennas for mitigating harsh channel conditions. , 2017, , .		4
42	Laser enhanced direct print additive manufacturing for mm-wave components and packaging. , 2017, , .		9
43	A system and technology perspective on future 5G mm-wave communication systems. , 2017, , .		10
44	Additive Manufacturing of Radio-Frequency Components [Scanning the Issue]. Proceedings of the IEEE, 2017, 105, 589-592.	21.3	19
45	Ka-Band Characterization of Binder Jetting for 3-D Printing of Metallic Rectangular Waveguide Circuits and Antennas. IEEE Transactions on Microwave Theory and Techniques, 2017, 65, 3099-3108.	4.6	50
46	MMIC packaging and on-chip low-loss lateral interconnection using additive manufacturing and laser machining. , 2017, , .		13
47	3D printed multilayer mm-wave dielectric rod antenna with enhanced gain. , 2017, , .		12
48	Wideband Ku-band antennas using multi-layer direct digital manufacturing. , 2017, , .		4
49	Additive manufactured tripolar antenna system for link improvement in high multipath environments. , 2017, , .		6
50	Multi-layer RF tissue phantoms for mimicking a human core. , 2017, , .		1
51	High-k and low-loss electromagnetic composites for direct digital manufacturing of mmWave devices. , 2017, , .		1
52	Metallic 3D printed Ka-band pyramidal horn using binder jetting. , 2016, , .		13
53	Meshed rectangular waveguide for high power, low loss and reduced weight applications. , 2016, , .		15
54	High-k and low-loss thermoplastic composites for Fused Deposition Modeling and their application to 3D-printed Ku-band antennas. , 2016, , .		15

#	ARTICLE	IF	CITATIONS
55	Low permittivity cladding to improve the performance of dielectric rod waveguides and dielectric end-fire antennas. , 2016, , .		9
56	Propagation Characteristics and Modeling of Meshed Ground Coplanar Waveguide. IEEE Transactions on Microwave Theory and Techniques, 2016, 64, 3460-3468.	4.6	13
57	4 GHz 3D-printed balun-fed bowtie antenna with finite ground plane for gain and impedance matching enhancement. , 2016, , .		1
58	High-Permittivity and Low-Loss Electromagnetic Composites Based on Co-fired Ba _{0.55} Sr _{0.45} TiO ₃ or MgCaTiO ₂ Microfillers for Additive Manufacturing and Their Application to 3-D Printed K-Band Antennas. Journal of Microelectronics and Electronic Packaging, 2016, 13, 102-112.	0.7	2
59	A High-Efficiency, Miniaturized Sensor Node With 3-D Machined-Substrate Antennas for Embedded Wireless Monitoring. IEEE Sensors Journal, 2015, 15, 5036-5044.	4.7	7
60	Simultaneous RF electrical conductivity and topography mapping of smooth and rough conductive traces using microwave microscopy to identify localized variations. , 2015, , .		7
61	A 2.45 GHz Phased Array Antenna Unit Cell Fabricated Using 3-D Multi-Layer Direct Digital Manufacturing. IEEE Transactions on Microwave Theory and Techniques, 2015, 63, 4382-4394.	4.6	86
62	Periodic spherical loop antenna. , 2015, , .		0
63	Fabrication and Microwave Characterization of 3-D Printed Transmission Lines. IEEE Microwave and Wireless Components Letters, 2015, 25, 823-825.	3.2	58
64	3D multi-layer additive manufacturing of a 2.45 GHz RF front end. , 2015, , .		24
65	Noncontact Electrical Characterization of Printed Resistors Using Microwave Microscopy. IEEE Transactions on Instrumentation and Measurement, 2015, 64, 509-515.	4.7	9
66	Miniaturization of a Spiral Antenna Using Periodic Z-Plane Meandering. IEEE Transactions on Antennas and Propagation, 2015, 63, 1843-1848.	5.1	33
67	Engineered Nanocomposites for Additive Manufacturing of Microwave Electronics. International Symposium on Microelectronics, 2015, 2015, 000189-000196.	0.0	4
68	A 3-D printed miniaturized log-periodic dipole antenna. , 2014, , .		11
69	A high efficiency, electrically-small, 3-D machined-substrate antenna fabricated with fused deposition modeling and 3-D printing. , 2014, , .		5
70	Measurement of Electrical Conductivity of Direct Digital Printed Conductive Traces Using Near-Field Microwave Microscopy. International Symposium on Microelectronics, 2014, 2014, 000898-000904.	0.0	2
71	An electrically-small, 3-D cube antenna fabricated with additive manufacturing. , 2013, , .		1
72	Design and characterization of a passive harmonic sensor embedded in sand. , 2013, , .		2

#	ARTICLE	IF	CITATIONS
73	An electrically-small, 3-D cube antenna fabricated with additive manufacturing. , 2013, , .		2
74	An electrically-small, 3-D cube antenna fabricated with additive manufacturing. , 2013, , .		16
75	Low profile tunable dipole antenna using BST varactors for biomedical applications. , 2013, , .		1
76	Wideband Band-Stop X-Band Filter Using Electrically Small Tightly Coupled Resonators. IEEE Microwave and Wireless Components Letters, 2013, 23, 356-358.	3.2	2
77	A Quasi-Yagi Antenna Backed by a Jerusalem Cross Frequency Selective Surface. International Journal of Microwave Science and Technology, 2013, 2013, 1-8.	0.6	3
78	A high-efficiency, miniaturized sensor node with machined-substrate antennas for embedded wireless monitoring. , 2013, , .		6
79	An efficient, electrically-small, 3-D machined-substrate antenna. , 2013, , .		1
80	An electrically-small, 3-D cube antenna fabricated with additive manufacturing. , 2013, , .		0
81	An electrically-small, 3-D cube antenna fabricated with additive manufacturing. , 2013, , .		0
82	Temperature and voltage impact on intermodulation distortion of planar barium strontium titanate varactors. , 2012, , .		4
83	Broadside 6-element series-fed slot-coupled microstrip antenna array. , 2012, , .		1
84	A miniature, broadband, non-dispersive phase shifter based on CRLH TL unit cells. , 2012, , .		2
85	Non-uniform bias enhancement of a varactor-tuned FSS used with a low profile 2.4 GHz dipole antenna. , 2012, , .		5
86	Liquids characterization using a dielectric resonator-based microwave probe. , 2012, , .		8
87	Series-Fed Microstrip Antenna Arrays and Their Application to Omni-Directional Antennas. IEEE Transactions on Antennas and Propagation, 2012, 60, 4954-4959.	5.1	17
88	Improvements in cross ratio invariance techniques for coaxial probe dielectric measurements. , 2012, , .		3
89	A Compact 3-D Harmonic Repeater for Passive Wireless Sensing. IEEE Transactions on Microwave Theory and Techniques, 2012, 60, 3309-3316.	4.6	18
90	In situ characterization of pin diode waveforms using electro-optic sampling. Microwave and Optical Technology Letters, 2012, 54, 2653-2656.	1.4	0

#	ARTICLE	IF	CITATIONS
91	Low-cost non-contact microwave probe design for insulating materials characterization. , 2011, , .		4
92	The ground plane effect of a small meandered line antenna. , 2011, , .		6
93	One dimensional capacitive loading in a frequency selective surface for low profile antenna applications. , 2011, , .		7
94	Miniaturization of microstrip square open loop resonators using surface mount capacitors. , 2011, , .		6
95	Tunable Magneto-Dielectric Polymer Nanocomposites for Microwave Applications. IEEE Transactions on Microwave Theory and Techniques, 2011, 59, 302-310.	4.6	27
96	An electrically small meandered line antenna with truncated ground plane. , 2011, , .		4
97	Comparison of barium strontium titanate varactors on magnesium oxide and alumina substrates. , 2011, , .		4
98	Electrical and Structural Diagnostics of Barium Strontium Titanate (BST) Thin Films. Materials Research Society Symposia Proceedings, 2011, 1292, 149.	0.1	0
99	Polyimide core 3D rectangular micro coaxial transmission lines. Microwave and Optical Technology Letters, 2010, 52, 1291-1293.	1.4	5
100	Magnetically tunable nanocomposites for microwave applications. , 2010, , .		2
101	A Compact Reverberation Chamber for Hyper-Rayleigh Channel Emulation. IEEE Transactions on Antennas and Propagation, 2009, 57, 3962-3968.	5.1	18
102	Tunable harmonic re-radiator for sensing applications. , 2009, , .		11
103	A Quasi Yagi Antenna Backed by a Metal Reflector. IEEE Transactions on Antennas and Propagation, 2008, 56, 3868-3872.	5.1	20
104	Design and Analysis of a Multiport Circuit for Shaping Sub-Nanosecond Pulses. IEEE Transactions on Microwave Theory and Techniques, 2008, 56, 2764-2770.	4.6	9
105	Micro coaxial-fed millimeter-wave slot antenna. , 2008, , .		3
106	Structural and Electrical Properties of Nanocrystalline Diamond based Barium Strontium Titanate Varactors. Ferroelectrics, 2008, 377, 75-85.	0.6	2
107	High efficiency diode doubler with conjugate- matched antennas. , 2007, , .		19
108	Sensitivity Tunable Inductive Fluid Conductivity Sensor Based on RF Phase Detection. IEEE Sensors Journal, 2007, 7, 1300-1301.	4.7	13

#	ARTICLE	IF	CITATIONS
109	The effect of alignment tolerance on multilayer air cavity microstrip patches. , 2007, , .		1
110	3-D Micro Coaxial Transmission Lines With Integrated MEM Capacitors. IEEE Microwave and Wireless Components Letters, 2007, 17, 858-860.	3.2	5
111	Optimization and Implementation of Impedance-Matched True-Time-Delay Phase Shifters on Quartz Substrate. IEEE Transactions on Microwave Theory and Techniques, 2007, 55, 335-342.	4.6	20
112	Dielectric and structural properties of pulsed laser deposited and sputtered barium strontium titanate thin films. Materials Science and Engineering B: Solid-State Materials for Advanced Technology, 2007, 139, 177-185.	3.5	21
113	MEMS Based 3-D Micro Coaxial Transmission Lines. , 2006, , .		4
114	Integrated Micro Coaxial Air-Lines with Perforations. , 2006, , .		1
115	Determining the RF resistance and Q-factor of air-core inductors. Microwave and Optical Technology Letters, 2001, 29, 89-93.	1.4	1
116	Finite difference time domain analysis of cylindrical coplanar waveguide circuits. International Journal of Electronics, 2000, 87, 1083-1094.	1.4	7
117	Two-dimensional finite difference time domain analysis of cylindrical transmission lines. International Journal of Electronics, 2000, 87, 1065-1081.	1.4	10
118	Close-In Phase Noise Measurements of Injection Locked Oscillators. , 1998, , .		0
119	Wideband Frequency-Domain Measurement of Multipath Effects in 2.4 GHz Wireless Channels. , 1998, , .		0