

# Anke Hannemann

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/9298065/anke-hannemann-publications-by-year.pdf>

**Version:** 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

43  
papers

1,120  
citations

17  
h-index

33  
g-index

45  
ext. papers

1,327  
ext. citations

5.3  
avg, IF

4.17  
L-index

#	Paper	IF	Citations
43	The neurobiology of childhood trauma - aldosterone and blood pressure changes in a community sample.. <i>World Journal of Biological Psychiatry</i> , <b>2021</b> , 1-13	3.8	1
42	Sex differences in the association between basal serum cortisol concentrations and cortical thickness. <i>Neurobiology of Stress</i> , <b>2021</b> , 15, 100416	7.6	0
41	Broad Metabolome Alterations Associated with the Intake of Oral Contraceptives Are Mediated by Cortisol in Premenopausal Women. <i>Metabolites</i> , <b>2021</b> , 11,	5.6	2
40	Confirmatory testing of primary aldosteronism with saline infusion test and LC-MS/MS. <i>European Journal of Endocrinology</i> , <b>2021</b> , 184, 167-178	6.5	3
39	Associations of plasma YKL-40 concentrations with heel ultrasound parameters and bone turnover markers in the general adult population. <i>Bone</i> , <b>2020</b> , 141, 115675	4.7	1
38	Differential activation of the renin-angiotensin-aldosterone-system in response to childhood and adulthood trauma. <i>Psychoneuroendocrinology</i> , <b>2019</b> , 107, 232-240	5	12
37	Associations of trauma exposure and post-traumatic stress disorder with the activity of the renin-angiotensin-aldosterone-system in the general population. <i>Psychological Medicine</i> , <b>2019</b> , 49, 843-851	6.9	19
36	Associations of insulin-like growth factor-I and insulin-like growth factor binding protein-3 with bone quality in the general adult population. <i>Clinical Endocrinology</i> , <b>2018</b> , 88, 830-837	3.4	7
35	Targeting sphingosine-1-phosphate lyase as an anabolic therapy for bone loss. <i>Nature Medicine</i> , <b>2018</b> , 24, 667-678	50.5	62
34	Associations Between Plasma Chemerin Concentrations and Bone Quality in Adults From the General Population. <i>Endocrinology</i> , <b>2018</b> , 159, 2378-2385	4.8	5
33	Vitamin D and health care costs: Results from two independent population-based cohort studies. <i>Clinical Nutrition</i> , <b>2018</b> , 37, 2149-2155	5.9	7
32	Physiological Aldosterone Concentrations Are Associated with Alterations of Lipid Metabolism: Observations from the General Population. <i>International Journal of Endocrinology</i> , <b>2018</b> , 2018, 4128174	2.7	10
31	Living alone and activation of the renin-angiotensin-aldosterone-system: Differential effects depending on alexithymic personality features. <i>Journal of Psychosomatic Research</i> , <b>2017</b> , 96, 42-48	4.1	7
30	No mediating effects of glycemic control and inflammation on the association between vitamin D and lung function in the general population. <i>Respiratory Medicine</i> , <b>2017</b> , 125, 1-7	4.6	0
29	The Association between Bone Quality and Atherosclerosis: Results from Two Large Population-Based Studies. <i>International Journal of Endocrinology</i> , <b>2017</b> , 2017, 3946569	2.7	3
28	Association of Brain-Derived Neurotrophic Factor and Vitamin D with Depression and Obesity: A Population-Based Study. <i>Neuropsychobiology</i> , <b>2017</b> , 76, 171-181	4	16
27	Associations of aldosterone and renin concentrations with inflammation-the Study of Health in Pomerania and the German Conn <sup>®</sup> Registry. <i>Endocrine</i> , <b>2017</b> , 57, 298-307	4	7

26	Comprehensive metabolic characterization of serum osteocalcin action in a large non-diabetic sample. <i>PLoS ONE</i> , <b>2017</b> , 12, e0184721	3.7	
25	Reference intervals for serum concentrations of three bone turnover markers for men and women. <i>Bone</i> , <b>2016</b> , 93, 216	4.7	6
24	In Reply. <i>Deutsches A&amp;#x0308;rzteblatt International</i> , <b>2016</b> , 113, 99-100	2.5	
23	Prevalence of Malignancies in Patients With Primary Aldosteronism. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2016</b> , 101, 1656-63	5.6	4
22	Reduced Bone Stiffness in Women Is Associated with Clinical Attachment and Tooth Loss: The Study of Health in Pomerania. <i>Journal of Dental Research</i> , <b>2016</b> , 95, 1464-1471	8.1	7
21	Lower bone turnover markers in metabolic syndrome and diabetes: the population-based Study of Health in Pomerania. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , <b>2015</b> , 25, 458-63	4.5	17
20	Genome-wide meta-analyses of plasma renin activity and concentration reveal association with the kininogen 1 and prekallikrein genes. <i>Circulation: Cardiovascular Genetics</i> , <b>2015</b> , 8, 131-40		22
19	Fracture Risk and Risk Factors for Osteoporosis. <i>Deutsches A&amp;#x0308;rzteblatt International</i> , <b>2015</b> , 112, 365-71	2.5	19
18	Positive Association Between Adipose Tissue and Bone Stiffness. <i>Calcified Tissue International</i> , <b>2015</b> , 97, 40-9	3.9	21
17	Increased prevalence of diabetes mellitus and the metabolic syndrome in patients with primary aldosteronism of the German Conn $\forall$ Registry. <i>European Journal of Endocrinology</i> , <b>2015</b> , 173, 665-75	6.5	79
16	A high aldosterone to renin ratio is associated with high serum parathyroid hormone concentrations in the general population. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2014</b> , 99, 965-71	5.6	27
15	Aldosterone and glomerular filtration--observations in the general population. <i>BMC Nephrology</i> , <b>2014</b> , 15, 44	2.7	9
14	Association between serum vitamin D concentrations and inflammatory markers in the general adult population. <i>Metabolism: Clinical and Experimental</i> , <b>2014</b> , 63, 1056-62	12.7	58
13	Reference intervals for serum osteocalcin concentrations in adult men and women from the study of health in Pomerania. <i>BMC Endocrine Disorders</i> , <b>2013</b> , 13, 11	3.3	32
12	Reference intervals for serum concentrations of three bone turnover markers for men and women. <i>Bone</i> , <b>2013</b> , 57, 399-404	4.7	80
11	Osteocalcin is associated with testosterone in the general population and selected patients with bone disorders. <i>Andrology</i> , <b>2013</b> , 1, 469-74	4.2	34
10	Age-specific reference ranges for serum testosterone and androstenedione concentrations in women measured by liquid chromatography-tandem mass spectrometry. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2012</b> , 97, 408-15	5.6	126
9	Prevalence of primary aldosteronism in patient $\forall$ cohorts and in population-based studies--a review of the current literature. <i>Hormone and Metabolic Research</i> , <b>2012</b> , 44, 157-62	3.1	217

8	Screening for primary aldosteronism in hypertensive subjects: results from two German epidemiological studies. <i>European Journal of Endocrinology</i> , <b>2012</b> , 167, 7-15	6.5	78
7	Association of IGF-I and the IGF-I/IGFBP-3 ratio with plasma aldosterone levels in the general population. <i>Hormone and Metabolic Research</i> , <b>2012</b> , 44, 228-33	3.1	1
6	Age- and sex-specific reference limits for creatinine, cystatin C and the estimated glomerular filtration rate. <i>Clinical Chemistry and Laboratory Medicine</i> , <b>2011</b> , 50, 919-26	5.9	11
5	Plasma aldosterone levels and aldosterone-to-renin ratios are associated with endothelial dysfunction in young to middle-aged subjects. <i>Atherosclerosis</i> , <b>2011</b> , 219, 875-9	3.1	18
4	Association of plasma aldosterone with the metabolic syndrome in two German populations. <i>European Journal of Endocrinology</i> , <b>2011</b> , 164, 751-8	6.5	41
3	Hormone replacement after thyroid and parathyroid surgery: Target range was missed. <i>Deutsches A&amp;#x0308;rztblatt International</i> , <b>2011</b> , 108, 134; author reply 134	2.5	1
2	Reference intervals for aldosterone, renin, and the aldosterone-to-renin ratio in the population-based Study of Health in Pomerania (SHIP-1). <i>Hormone and Metabolic Research</i> , <b>2010</b> , 42, 392-9	3.1	35
1	Thyroid function tests in patients taking thyroid medication in Germany: Results from the population-based Study of Health in Pomerania (SHIP). <i>BMC Research Notes</i> , <b>2010</b> , 3, 227	2.3	14