

# Peter See

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9302014/publications.pdf>

Version: 2024-02-01

31  
papers

11,856  
citations

236612

25  
h-index

377514

34  
g-index

38  
all docs

38  
docs citations

38  
times ranked

17289  
citing authors

#	ARTICLE	IF	CITATIONS
1	Embryonic macrophages function during early life to determine invariant natural killer T cell levels at barrier surfaces. <i>Nature Immunology</i> , 2021, 22, 699-710.	7.0	15
2	ImmGen at 15. <i>Nature Immunology</i> , 2020, 21, 700-703.	7.0	55
3	Early Fate Defines Microglia and Non-parenchymal Brain Macrophage Development. <i>Cell</i> , 2020, 181, 557-573.e18.	13.5	218
4	Essential functions of Runx/Cbfb <sup>2</sup> in gut conventional dendritic cells for priming Ror <sup>3t</sup> T cells. <i>Life Science Alliance</i> , 2020, 3, e201900441.	1.3	8
5	Novel Microglia Depletion Systems: A Genetic Approach Utilizing Conditional Diphtheria Toxin Receptor Expression and a Pharmacological Model Based on the Blocking of Macrophage Colony-Stimulating Factor 1 Receptor. <i>Methods in Molecular Biology</i> , 2019, 2034, 217-230.	0.4	5
6	CSF-1 controls cerebellar microglia and is required for motor function and social interaction. <i>Journal of Experimental Medicine</i> , 2019, 216, 2265-2281.	4.2	138
7	Constitutive Siglec-1 expression confers susceptibility to HIV-1 infection of human dendritic cell precursors. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019, 116, 21685-21693.	3.3	37
8	Two distinct interstitial macrophage populations coexist across tissues in specific subtissular niches. <i>Science</i> , 2019, 363, .	6.0	676
9	A Single-Cell Sequencing Guide for Immunologists. <i>Frontiers in Immunology</i> , 2018, 9, 2425.	2.2	167
10	Hyaluronan Receptor LYVE-1-Expressing Macrophages Maintain Arterial Tone through Hyaluronan-Mediated Regulation of Smooth Muscle Cell Collagen. <i>Immunity</i> , 2018, 49, 326-341.e7.	6.6	235
11	Mapping the human DC lineage through the integration of high-dimensional techniques. <i>Science</i> , 2017, 356, .	6.0	429
12	Human fetal dendritic cells promote prenatal T-cell immune suppression through arginase-2. <i>Nature</i> , 2017, 546, 662-666.	13.7	199
13	Induced-Pluripotent-Stem-Cell-Derived Primitive Macrophages Provide a Platform for Modeling Tissue-Resident Macrophage Differentiation and Function. <i>Immunity</i> , 2017, 47, 183-198.e6.	6.6	245
14	Cross-reactive dengue human monoclonal antibody prevents severe pathologies and death from Zika virus infections. <i>JCI Insight</i> , 2017, 2, .	2.3	74
15	CXCR4 identifies transitional bone marrow premonocytes that replenish the mature monocyte pool for peripheral responses. <i>Journal of Experimental Medicine</i> , 2016, 213, 2293-2314.	4.2	108
16	Warburg metabolism in tumor-conditioned macrophages promotes metastasis in human pancreatic ductal adenocarcinoma. <i>Oncolmmunology</i> , 2016, 5, e1191731.	2.1	178
17	Intravital multiphoton imaging of mouse tibialis anterior muscle. <i>Intravital</i> , 2016, 5, e1156272.	2.0	9
18	Identification of a novel lymphoid population in the murine epidermis. <i>Scientific Reports</i> , 2015, 5, 12554.	1.6	13

#	ARTICLE	IF	CITATIONS
19	The methyltransferase Ezh2 controls cell adhesion and migration through direct methylation of the extranuclear regulatory protein talin. <i>Nature Immunology</i> , 2015, 16, 505-516.	7.0	144
20	Real-Time Imaging of Dendritic Cell Responses to Sterile Tissue Injury. <i>Journal of Investigative Dermatology</i> , 2015, 135, 1181-1184.	0.3	14
21	C-Myb+ Erythro-Myeloid Progenitor-Derived Fetal Monocytes Give Rise to Adult Tissue-Resident Macrophages. <i>Immunity</i> , 2015, 42, 665-678.	6.6	847
22	Microglia specific fluorescent probes for live cell imaging. <i>Chemical Communications</i> , 2014, 50, 1089-1091.	2.2	28
23	IRF4 Transcription Factor-Dependent CD11b+ Dendritic Cells in Human and Mouse Control Mucosal IL-17 Cytokine Responses. <i>Immunity</i> , 2013, 38, 970-983.	6.6	703
24	Tissue-Resident Macrophages Self-Maintain Locally throughout Adult Life with Minimal Contribution from Circulating Monocytes. <i>Immunity</i> , 2013, 38, 792-804.	6.6	1,767
25	Adult Langerhans cells derive predominantly from embryonic fetal liver monocytes with a minor contribution of yolk sac-derived macrophages. <i>Journal of Experimental Medicine</i> , 2012, 209, 1167-1181.	4.2	639
26	Tissue-specific differentiation of a circulating CCR9 <sup>+</sup> pDC-like common dendritic cell precursor. <i>Blood</i> , 2012, 119, 6063-6071.	0.6	61
27	Human Tissues Contain CD141 <sup>hi</sup> Cross-Presenting Dendritic Cells with Functional Homology to Mouse CD103 <sup>+</sup> Nonlymphoid Dendritic Cells. <i>Immunity</i> , 2012, 37, 60-73.	6.6	643
28	Dendritic cells and the malaria pre-erythrocytic stage. <i>Immunologic Research</i> , 2012, 53, 115-126.	1.3	10
29	The earliest intrathymic precursors of CD8 <sup>+</sup> thymic dendritic cells correspond to myeloid <sup>+</sup> double <sup>-</sup> negative 1c cells. <i>European Journal of Immunology</i> , 2011, 41, 2165-2175.	1.6	43
30	CD8 <sup>+</sup> T Cells and IFN- $\gamma$ Mediate the Time-Dependent Accumulation of Infected Red Blood Cells in Deep Organs during Experimental Cerebral Malaria. <i>PLoS ONE</i> , 2011, 6, e18720.	1.1	127
31	Fate Mapping Analysis Reveals That Adult Microglia Derive from Primitive Macrophages. <i>Science</i> , 2010, 330, 841-845.	6.0	3,920