Nadine E Foster

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9302588/publications.pdf

Version: 2024-02-01

237 papers

20,054 citations

18482 62 h-index 134 g-index

247 all docs

247 docs citations

times ranked

247

14046 citing authors

#	Article	IF	CITATIONS
1	What low back pain is and why we need to pay attention. Lancet, The, 2018, 391, 2356-2367.	13.7	2,444
2	Prevention and treatment of low back pain: evidence, challenges, and promising directions. Lancet, The, 2018, 391, 2368-2383.	13.7	1,363
3	Comparison of stratified primary care management for low back pain with current best practice (STarT Back): a randomised controlled trial. Lancet, The, 2011, 378, 1560-1571.	13.7	1,082
4	Acupuncture for Chronic Pain. Archives of Internal Medicine, 2012, 172, 1444.	3.8	835
5	A primary care back pain screening tool: Identifying patient subgroups for initial treatment. Arthritis and Rheumatism, 2008, 59, 632-641.	6.7	834
6	Low back pain: a call for action. Lancet, The, 2018, 391, 2384-2388.	13.7	777
7	A Consensus Approach Toward the Standardization of Back Pain Definitions for Use in Prevalence Studies. Spine, 2008, 33, 95-103.	2.0	537
8	Interrater Reliability of Algometry in Measuring Pressure Pain Thresholds in Healthy Humans, Using Multiple Raters. Clinical Journal of Pain, 2007, 23, 760-766.	1.9	529
9	Acupuncture for Chronic Pain: Update of an Individual Patient Data Meta-Analysis. Journal of Pain, 2018, 19, 455-474.	1.4	494
10	Hip arthroscopy versus best conservative care for the treatment of femoroacetabular impingement syndrome (UK FASHION): a multicentre randomised controlled trial. Lancet, The, 2018, 391, 2225-2235.	13.7	407
11	Gender differences in pressure pain threshold in healthy humans. Pain, 2003, 101, 259-266.	4.2	347
12	Exercise for lower limb osteoarthritis: systematic review incorporating trial sequential analysis and network meta-analysis. BMJ, The, 2013, 347, f5555-f5555.	6.0	272
13	Interventions to improve adherence to exercise for chronic musculoskeletal pain in adults. The Cochrane Library, 2010, , CD005956.	2.8	265
14	Core outcome measurement instruments for clinical trials in nonspecific low back pain. Pain, 2018, 159, 481-495.	4.2	263
15	Core outcome domains for clinical trials in non-specific low back pain. European Spine Journal, 2015, 24, 1127-1142.	2.2	259
16	Management of Nonspecific Low Back Pain by Physiotherapists in Britain and Ireland. Spine, 1999, 24, 1332.	2.0	251
17	Distinctiveness of psychological obstacles to recovery in low back pain patients in primary care. Pain, 2010, 148, 398-406.	4.2	250
18	Effective treatment options for musculoskeletal pain in primary care: A systematic overview of current evidence. PLoS ONE, 2017, 12, e0178621.	2.5	238

#	Article	IF	CITATIONS
19	Effect of Stratified Care for Low Back Pain in Family Practice (IMPaCT Back): A Prospective Population-Based Sequential Comparison. Annals of Family Medicine, 2014, 12, 102-111.	1.9	226
20	Illness perceptions of low back pain patients in primary care: What are they, do they change and are they associated with outcome? Pain, 2008, 136, 177-187.	4.2	225
21	Embedding Psychosocial Perspectives Within Clinical Management of Low Back Pain: Integration of Psychosocially Informed Management Principles Into Physical Therapist Practice—Challenges and Opportunities. Physical Therapy, 2011, 91, 790-803.	2.4	222
22	How does the self-reported clinical management of patients with low back pain relate to the attitudes and beliefs of health care practitioners? A survey of UK general practitioners and physiotherapists. Pain, 2008, 135, 187-195.	4.2	211
23	How important are back pain beliefs and expectations for satisfactory recovery from back pain?. Best Practice and Research in Clinical Rheumatology, 2010, 24, 205-217.	3.3	207
24	Subcutaneous Injection of Adalimumab Trial compared with Control (SCIATiC): a randomised controlled trial of adalimumab injection compared with placebo for patients receiving physiotherapy treatment for sciatica. Health Technology Assessment, 2017, 21, 1-180.	2.8	195
25	Acupuncture as an adjunct to exercise based physiotherapy for osteoarthritis of the knee: randomised controlled trial. BMJ: British Medical Journal, 2007, 335, 436.	2.3	183
26	Test-Retest Reliability of the Short-Form McGill Pain Questionnaire. Clinical Journal of Pain, 2005, 21, 73-82.	1.9	178
27	Effects of TENS frequency, intensity and stimulation site parameter manipulation on pressure pain thresholds in healthy human subjects. Pain, 2003, 106, 73-80.	4.2	173
28	Randomized Controlled Trial of Specific Spinal Stabilization Exercises and Conventional Physiotherapy for Recurrent Low Back Pain. Spine, 2006, 31, E670-E681.	2.0	172
29	Defining an Adequate Dose of Acupuncture Using a Neurophysiological Approach – a Narrative Review of the Literature. Acupuncture in Medicine, 2008, 26, 111-120.	1.0	161
30	Are prognostic indicators for poor outcome different for acute and chronic low back pain consulters in primary care?. Pain, 2010, 151, 790-797.	4.2	159
31	Nonoperative Treatment for Femoroacetabular Impingement: A Systematic Review of the Literature. PM and R, 2013, 5, 418-426.	1.6	158
32	Sensory stimulation (TENS): effects of parameter manipulation on mechanical pain thresholds in healthy human subjects. Pain, 2002, 99, 253-262.	4.2	151
33	Stratified models of care. Best Practice and Research in Clinical Rheumatology, 2013, 27, 649-661.	3.3	141
34	Effectiveness of community physiotherapy and enhanced pharmacy review for knee pain in people aged over 55 presenting to primary care: pragmatic randomised trial. BMJ: British Medical Journal, 2006, 333, 995.	2.3	139
35	Skin temperature response to cryotherapy. Archives of Physical Medicine and Rehabilitation, 2002, 83, 543-549.	0.9	123
36	The Influence of Patients' and Primary Care Practitioners' Beliefs and Expectations About Chronic Musculoskeletal Pain on the Process of Care. Clinical Journal of Pain, 2007, 23, 91-98.	1.9	118

3

#	Article	IF	Citations
37	Biopsychosocial care and the physiotherapy encounter: physiotherapists' accounts of back pain consultations. BMC Musculoskeletal Disorders, 2013, 14, 65.	1.9	117
38	Living with low back pain—Stories of hope and despair. Social Science and Medicine, 2007, 65, 1584-1594.	3.8	115
39	Prognostic Indicators of Low Back Pain in Primary Care: Five-Year Prospective Study. Journal of Pain, 2013, 14, 873-883.	1.4	112
40	Subgrouping patients with low back pain in primary care: Are we getting any better at it?. Manual Therapy, 2011, 16, 3-8.	1.6	111
41	Research priorities for non-pharmacological therapies for common musculoskeletal problems: nationally and internationally agreed recommendations. BMC Musculoskeletal Disorders, 2009, 10, 3.	1.9	105
42	Role of exercise for knee pain: What do older adults in the community think?. Arthritis Care and Research, 2012, 64, 1554-1564.	3.4	105
43	Characteristics of Acupuncture Treatment Associated with Outcome: An Individual Patient Meta-Analysis of 17,922 Patients with Chronic Pain in Randomised Controlled Trials. PLoS ONE, 2013, 8, e77438.	2.5	101
44	Back Pain Online. Spine, 2003, 28, 395-401.	2.0	100
45	Health care practitioners' attitudes and beliefs about low back pain: A systematic search and critical review of available measurement tools. Pain, 2007, 132, 91-101.	4.2	100
46	UKâ€based physical therapists' attitudes and beliefs regarding exercise and knee osteoarthritis: Findings from a mixedâ€methods study. Arthritis and Rheumatism, 2009, 61, 1511-1521.	6.7	94
47	Trajectories and predictors of the long-term course of low back pain: cohort study with 5-year follow-up. Pain, 2018, 159, 252-260.	4.2	94
48	Shoulder impingement: the effect of sitting posture on shoulder pain and range of motion. Manual Therapy, 2005, 10, 28-37.	1.6	93
49	Barriers and progress in the treatment of low back pain. BMC Medicine, 2011, 9, 108.	5.5	89
50	Conceptual overlap of psychological constructs in low back pain. Pain, 2013, 154, 1783-1791.	4.2	88
51	Do Physical Therapists in the United Kingdom Recognize Psychosocial Factors in Patients With Acute Low Back Pain?. Spine, 2005, 30, 1316-1322.	2.0	87
52	Attitudes to back pain amongst musculoskeletal practitioners: A comparison of professional groups and practice settings using the ABS-mp. Manual Therapy, 2007, 12, 167-175.	1.6	87
53	Effect of Low Back Pain Risk-Stratification Strategy on Patient Outcomes and Care Processes: the MATCH Randomized Trial in Primary Care. Journal of General Internal Medicine, 2018, 33, 1324-1336.	2.6	86
54	Physical Therapists' Use of Therapeutic Exercise for Patients With Clinical Knee Osteoarthritis in the United Kingdom: In Line With Current Recommendations?. Physical Therapy, 2008, 88, 1109-1121.	2.4	80

#	Article	IF	CITATIONS
55	Taking responsibility for the early assessment and treatment of patients with musculoskeletal pain: a review and critical analysis. Arthritis Research and Therapy, 2012, 14, 205.	3.5	76
56	The Effectiveness of a Posted Information Package on the Beliefs and Behavior of Musculoskeletal Practitioners. Spine, 2010, 35, 858-866.	2.0	71
57	GP attitudes and self-reported behaviour in primary care consultations for low back pain. Family Practice, 2009, 26, 359-364.	1.9	70
58	Exercise treatment effect modifiers in persistent low back pain: an individual participant data meta-analysis of 3514 participants from 27 randomised controlled trials. British Journal of Sports Medicine, 2020, 54, 1277-1278.	6.7	70
59	TRANSCUTANEOUS ELECTRICAL NERVE STIMULATION. American Journal of Physical Medicine and Rehabilitation, 1995, 74, 199-206.	1.4	69
60	The attitudes, beliefs and behaviours of GPs regarding exercise for chronic knee pain: a systematic review. BMC Family Practice, 2010, 11, 4.	2.9	68
61	Addressing patient beliefs and expectations in the consultation. Best Practice and Research in Clinical Rheumatology, 2010, 24, 219-225.	3.3	67
62	Persistent back pain - why do physical therapy clinicians continue treatment? A mixed methods study of chiropractors, osteopaths and physiotherapists. European Journal of Pain, 2006, 10, 67-67.	2.8	64
63	A Qualitative Investigation of Physical Therapists' Experiences and Feelings of Managing Patients With Nonspecific Low Back Pain. Physical Therapy, 2012, 92, 266-278.	2.4	64
64	Identifying patients' beliefs about treatments for chronic low back pain in primary care: a focus group study. British Journal of General Practice, 2013, 63, e490-e498.	1.4	64
65	Implementation interventions to improve the management of non-specific low back pain: a systematic review. BMC Musculoskeletal Disorders, 2016, 17, 258.	1.9	61
66	Perceptions of general practitioners towards the use of a new system for treating back pain: a qualitative interview study. BMC Medicine, 2011, 9, 49.	5.5	60
67	Effectiveness of PhysioDirect telephone assessment and advice services for patients with musculoskeletal problems: pragmatic randomised controlled trial. BMJ, The, 2013, 346, f43-f43.	6.0	56
68	Therapeutic alliance facilitates adherence to physiotherapy-led exercise and physical activity for older adults with knee pain: a longitudinal qualitative study. Journal of Physiotherapy, 2020, 66, 45-53.	1.7	56
69	How does hip osteoarthritis differ from knee osteoarthritis?. Osteoarthritis and Cartilage, 2022, 30, 32-41.	1.3	54
70	Targeted treatment in primary care for low back pain: the treatment system and clinical training programmes used in the IMPaCT Back study (ISRCTN 55174281). Family Practice, 2012, 29, 50-62.	1.9	52
71	"Lovely Pie in the Sky Plans― Spine, 2015, 40, 1842-1850.	2.0	52
72	The relationship between patient and practitioner expectations and preferences and clinical outcomes in a trial of exercise and acupuncture for knee osteoarthritis. European Journal of Pain, 2010, 14, 402-409.	2.8	51

#	Article	IF	Citations
73	Exercise for lower limb osteoarthritis: systematic review incorporating trial sequential analysis and network meta-analysis:. British Journal of Sports Medicine, 2014, 48, 1579-1579.	6.7	51
74	Does arthritis influence perceived ability to fulfill a parenting role? Patient Education and Counseling, 1999, 37, 141-151.	2.2	50
75	Personalised Hip Therapy: development of a non-operative protocol to treat femoroacetabular impingement syndrome in the FASHIoN randomised controlled trial. British Journal of Sports Medicine, 2016, 50, 1217-1223.	6.7	49
76	A core outcome set for clinical trials on non-specific low back pain: study protocol for the development of a core domain set. Trials, 2014, 15, 511.	1.6	46
77	Pain location matters: the impact of leg pain on health care use, work disability and quality of life in patients with low back pain. European Spine Journal, 2015, 24, 444-451.	2.2	42
78	UK FASHION: feasibility study of a randomised controlled trial of arthroscopic surgery for hip impingement compared with best conservative care. Health Technology Assessment, 2016, 20, 1-172.	2.8	42
79	Cost-Effectiveness of Acupuncture Care as an Adjunct to Exercise-Based Physical Therapy for Osteoarthritis of the Knee. Physical Therapy, 2011, 91, 630-641.	2.4	41
80	Keele Aches and Pains Study protocol: validity, acceptability, and feasibility of the Keele STarT MSK tool for subgrouping musculoskeletal patients in primary care. Journal of Pain Research, 2016, Volume 9, 807-818.	2.0	41
81	Maximising response from GPs to questionnaire surveys: do length or incentives make a difference?. BMC Medical Research Methodology, 2015, 15, 3.	3.1	39
82	Flexion Mobilizations With Movement Techniques: the Immediate Effects on Range of Movement and Pain in Subjects With Low Back Pain. Journal of Manipulative and Physiological Therapeutics, 2007, 30, 178-185.	0.9	38
83	A multicentre, pragmatic, parallel group, randomised controlled trial to compare the clinical and cost-effectiveness of three physiotherapy-led exercise interventions for knee osteoarthritis in older adults: the BEEP trial protocol (ISRCTN: 93634563). BMC Musculoskeletal Disorders, 2014, 15, 254.	1.9	38
84	Management of shoulder pain by UK general practitioners (GPs): a national survey. BMJ Open, 2017, 7, e015711.	1.9	38
85	Effectiveness and costs of a vocational advice service to improve work outcomes in patients with musculoskeletal pain in primary care: a cluster randomised trial (SWAP trial ISRCTN 52269669). Pain, 2018, 159, 128-138.	4.2	38
86	The Attitudes to Back Pain Scale in Musculoskeletal Practitioners (ABS-mp). Clinical Journal of Pain, 2006, 22, 378-386.	1.9	37
87	Subacromial impingement syndrome and pain: protocol for a randomised controlled trial of exercise and corticosteroid injection (the SUPPORT trial). BMC Musculoskeletal Disorders, 2014, 15, 81.	1.9	37
88	Measuring troublesomeness of chronic pain by location. BMC Musculoskeletal Disorders, 2006, 7, 34.	1.9	36
89	Defining adherence to therapeutic exercise for musculoskeletal pain: a systematic review. British Journal of Sports Medicine, 2020, 54, bjsports-2017-098742.	6.7	36
90	Refinement and validation of a tool for stratifying patients with musculoskeletal pain. European Journal of Pain, 2021, 25, 2081-2093.	2.8	36

#	Article	IF	Citations
91	Patients' treatment beliefs in low back pain. Pain, 2015, 156, 1489-1500.	4.2	33
92	Exercise and physical activity in older adults with knee pain: a mixed methods study. Rheumatology, 2015, 54, 413-423.	1.9	33
93	Level of Distress in a Recurrent Low Back Pain Population Referred for Physical Therapy. Spine, 2003, 28, 953-959.	2.0	31
94	Physiotherapy management of low back pain in Thailand: a study of practice. Physiotherapy Research International, 2005, 10, 201-212.	1.5	31
95	Musculoskeletal pain illness perceptions: Factor structure of the Illness Perceptions Questionnaire-Revised. Psychology and Health, 2013, 28, 84-102.	2.2	31
96	Relationship Between Attitudes and Beliefs and Physical Activity in Older Adults With Knee Pain: Secondary Analysis of a Randomized Controlled Trial. Arthritis Care and Research, 2017, 69, 1192-1200.	3.4	31
97	Evaluating Acupuncture and Standard carE for pregnant women with Back pain (EASE Back): a feasibility study and pilot randomised trial. Health Technology Assessment, 2016, 20, 1-236.	2.8	31
98	Multi-centre randomised controlled trial comparing arthroscopic hip surgery to physiotherapist-led care for femoroacetabular impingement (FAI) syndrome on hip cartilage metabolism: the Australian FASHION trial. BMC Musculoskeletal Disorders, 2021, 22, 697.	1.9	30
99	Treatment and the process of care in musculoskeletal conditions. Orthopedic Clinics of North America, 2003, 34, 239-244.	1.2	29
100	Methodological issues in pragmatic trials of complex interventions in primary care. British Journal of General Practice, 2012, 62, 10-11.	1.4	29
101	Neuropathic Pain in Low Back-Related Leg Pain Patients: What Is the Evidence of Prevalence, Characteristics, and Prognosis in Primary Care? A Systematic Review of the Literature. Journal of Pain, 2017, 18, 1295-1312.	1.4	29
102	Identifying Treatment Effect Modifiers in the STarT Back Trial: A Secondary Analysis. Journal of Pain, 2017, 18, 54-65.	1.4	29
103	Optimising outcomes of exercise and corticosteroid injection in patients with subacromial pain (impingement) syndrome: a factorial randomised trial. British Journal of Sports Medicine, 2021, 55, 262-271.	6.7	29
104	Testing the effectiveness of an innovative information package on practitioner reported behaviour and beliefs: The UK Chiropractors, Osteopaths and Musculoskeletal Physiotherapists Low back pain ManagemENT (COMPLeMENT) trial [ISRCTN77245761]. BMC Musculoskeletal Disorders, 2005, 6, 41.	1.9	28
105	Implementing change in physiotherapy: professions, contexts and interventions. Journal of Health Organization and Management, 2014, 28, 96-114.	1.3	28
106	Using an internet intervention to support self-management of low back pain in primary care: findings from a randomised controlled feasibility trial (SupportBack). BMJ Open, 2018, 8, e016768.	1.9	28
107	The Effect of Patient Characteristics on Acupuncture Treatment Outcomes. Clinical Journal of Pain, 2019, 35, 428-434.	1.9	28
108	Technology versus tradition: a non-inferiority trial comparing video to face-to-face consultations with a physiotherapist for people with knee osteoarthritis. Protocol for the PEAK randomised controlled trial. BMC Musculoskeletal Disorders, 2020, 21, 522.	1.9	28

#	Article	IF	CITATIONS
109	STEMS pilot trial: a pilot cluster randomised controlled trial to investigate the addition of patient direct access to physiotherapy to usual GP-led primary care for adults with musculoskeletal pain. BMJ Open, 2017, 7, e012987.	1.9	27
110	GPs' attitudes, beliefs and behaviours regarding exercise for chronic knee pain: a questionnaire survey. BMJ Open, 2017, 7, e014999.	1.9	27
111	Manipulation of Transcutaneous Electrical Nerve Stimulation Variables has no Effect on Two Models of Experimental Pain in Humans. Clinical Journal of Pain, 1996, 12, 301-310.	1.9	27
112	Title is missing!. Spine, 2003, 28, 395-401.	2.0	26
113	The evidence for and against â€~PhysioDirect' telephone assessment and advice services. Physiotherapy, 2011, 97, 78-82.	0.4	26
114	Implementing Stratified Primary Care Management for Low Back Pain. Spine, 2015, 40, 405-414.	2.0	26
115	The acceptability to patients of PhysioDirect telephone assessment and advice services; a qualitative interview study. BMC Health Services Research, 2016, 16, 104.	2.2	26
116	The OMERACT Core Domain Set for Clinical Trials of Shoulder Disorders. Journal of Rheumatology, 2019, 46, 969-975.	2.0	25
117	Matching treatment options for risk sub-groups in musculoskeletal pain: a consensus groups study. BMC Musculoskeletal Disorders, 2019, 20, 271.	1.9	25
118	What influences general practitioners' use of exercise for patients with chronic knee pain? Results from a national survey. BMC Family Practice, 2016, 17, 172.	2.9	24
119	Critically Appraised Topics (CATs). Physiotherapy, 2001, 87, 179-190.	0.4	23
120	We need to rethink front line care for back pain. BMJ: British Medical Journal, 2011, 342, d3260-d3260.	2.3	23
121	Risk-based stratified primary care for common musculoskeletal pain presentations (STarT MSK): a cluster-randomised, controlled trial. Lancet Rheumatology, The, 2022, 4, e591-e602.	3.9	23
122	Is acupuncture a useful adjunct to physiotherapy for older adults with knee pain?: The "Acupuncture, Physiotherapy and Exercise" (APEX) study [ISRCTN88597683]. BMC Musculoskeletal Disorders, 2004, 5, 31.	1.9	22
123	IMPaCT Back study protocol. Implementation of subgrouping for targeted treatment systems for low back pain patients in primary care: a prospective population-based sequential comparison. BMC Musculoskeletal Disorders, 2010, 11, 186.	1.9	22
124	Evaluation of a Novel e-Learning Program for Physiotherapists to Manage Knee Osteoarthritis via Telehealth: Qualitative Study Nested in the PEAK (Physiotherapy Exercise and Physical Activity for Knee) Tj ETQqC) 04 0 3rgBT	/02/2rlock 10
125	Clinical effectiveness of one ultrasound guided intra-articular corticosteroid and local anaesthetic injection in addition to advice and education for hip osteoarthritis (HIT trial): single blind, parallel group, three arm, randomised controlled trial. BMJ, The, 2022, 377, e068446.	6.0	21
126	Land- and water-based exercise therapies for musculoskeletal conditions. Best Practice and Research in Clinical Rheumatology, 2008, 22, 407-418.	3.3	20

#	Article	IF	CITATIONS
127	Missing Data and Imputation: A Practical Illustration in a Prognostic Study on Low Back Pain. Journal of Manipulative and Physiological Therapeutics, 2012, 35, 464-471.	0.9	19
128	Subgrouping and TargetEd Exercise pRogrammes for knee and hip OsteoArthritis (STEER OA): a systematic review update and individual participant data meta-analysis protocol. BMJ Open, 2017, 7, e018971.	1.9	19
129	How Do Physical Therapists in the United Kingdom Manage Patients With Hip Osteoarthritis? Results of a Cross-Sectional Survey. Physical Therapy, 2018, 98, 461-470.	2.4	19
130	Do comorbidities predict pain and function in knee osteoarthritis following an exercise intervention, and do they moderate the effect of exercise? Analyses of data from three randomized controlled trials. Musculoskeletal Care, 2020, 18, 3-11.	1.4	19
131	Stratified care versus usual care for management of patients presenting with sciatica in primary care (SCOPiC): a randomised controlled trial. Lancet Rheumatology, The, 2020, 2, e401-e411.	3.9	19
132	PhysioDirect: Supporting physiotherapists to deliver telephone assessment and advice services within the context of a randomised trial. Physiotherapy, 2013, 99, 113-118.	0.4	18
133	Rationale, design and methods of the Study of Work and Pain (SWAP): a cluster randomised controlled trial testing the addition of a vocational advice service to best current primary care for patients with musculoskeletal pain (ISRCTN 52269669). BMC Musculoskeletal Disorders, 2014, 15, 232.	1.9	18
134	Evaluating acupuncture and standard care for pregnant women with back pain: the EASE Back pilot randomised controlled trial (ISRCTN49955124). Pilot and Feasibility Studies, 2016, 2, 72.	1.2	18
135	Evaluation of a risk-stratification strategy to improve primary care for low back pain: the MATCH cluster randomized trial protocol. BMC Musculoskeletal Disorders, 2016, 17, 361.	1.9	18
136	Adaptation and Implementation of the STarT Back Risk Stratification Strategy in a US Health Care Organization: A Process Evaluation. Pain Medicine, 2019, 20, 1105-1119.	1.9	18
137	Exploring Patients' Experiences of Internet-Based Self-Management Support for Low Back Pain in Primary Care. Pain Medicine, 2020, 21, 1806-1817.	1.9	18
138	Prevalence, Characteristics, and Clinical Course of Neuropathic Pain in Primary Care Patients Consulting With Low Back-related Leg Pain. Clinical Journal of Pain, 2020, 36, 813-824.	1.9	18
139	Comparative effectiveness of treatment options for subacromial shoulder conditions: a systematic review and network meta-analysis. Therapeutic Advances in Musculoskeletal Disease, 2021, 13, 1759720X2110375.	2.7	18
140	'PhysioDirect' telephone assessment and advice services for physiotherapy: protocol for a pragmatic randomised controlled trial. BMC Health Services Research, 2009, 9, 136.	2.2	17
141	General Practitioners' and patients' perceptions towards stratified care: a theory informed investigation. BMC Family Practice, 2016, 17, 125.	2.9	17
142	Beliefs and preferences: do they help determine the outcome of musculoskeletal problems?. Physical Therapy Reviews, 2007, 12, 199-206.	0.8	16
143	Using an internet intervention to support self-management of low back pain in primary care: protocol for a randomised controlled feasibility trial (SupportBack). BMJ Open, 2015, 5, e009524.	1.9	16
144	Responsiveness and Minimal Important Change for Pain and Disability Outcome Measures in Pregnancy-Related Low Back and Pelvic Girdle Pain. Physical Therapy, 2019, 99, 1551-1561.	2.4	16

#	Article	IF	Citations
145	Stratified primary care versus non-stratified care for musculoskeletal pain: qualitative findings from the STarT MSK feasibility and pilot cluster randomized controlled trial. BMC Family Practice, 2020, 21, 31.	2.9	16
146	Impairment-targeted exercises for older adults with knee pain: protocol for a proof-of-principle study. BMC Musculoskeletal Disorders, 2011, 12, 2.	1.9	14
147	A pragmatic randomised controlled trial of †PhysioDirect' telephone assessment and advice services for patients with musculoskeletal problems: economic evaluation. BMJ Open, 2013, 3, e003406.	1.9	14
148	Exercise Interventions for Persistent Non-Specific Low Back Pain – Does Matching Outcomes to Treatment Targets Make a Difference? A Systematic Review and Meta-Analysis. Journal of Pain, 2021, 22, 107-126.	1.4	14
149	Can Aspects of Physiotherapist Communication Influence Patients' Pain Experiences? A Systematic Review. Physical Therapy Reviews, 2003, 8, 197-210.	0.8	13
150	The Role of Qualitative Research in Clinical Trial Development: The EASE Back Study. Journal of Mixed Methods Research, 2018, 12, 325-343.	2.6	13
151	Computer-Based Stratified Primary Care for Musculoskeletal Consultations Compared With Usual Care: Study Protocol for the STarT MSK Cluster Randomized Controlled Trial. JMIR Research Protocols, 2020, 9, e17939.	1.0	13
152	Researching low back pain? An overview of the pitfalls. Physical Therapy Reviews, 1998, 3, 9-17.	0.8	12
153	Physical Therapists' Views and Experiences of Pregnancy-Related Low Back Pain and the Role of Acupuncture: Qualitative Exploration. Physical Therapy, 2015, 95, 1234-1243.	2.4	12
154	The clinical and cost-effectiveness of stratified care for patients with sciatica: the SCOPiC randomised controlled trial protocol (ISRCTN75449581). BMC Musculoskeletal Disorders, 2017, 18, 172.	1.9	12
155	Change in physical activity level and clinical outcomes in older adults with knee pain: a secondary analysis from a randomised controlled trial. BMC Musculoskeletal Disorders, 2018, 19, 59.	1.9	12
156	Guidelines for the use of diagnostic imaging in musculoskeletal pain conditions affecting the lower back, knee and shoulder: A scoping review. Musculoskeletal Care, 2020, 18, 546-554.	1.4	12
157	Stratified versus usual care for the management of primary care patients with sciatica: the SCOPiC RCT. Health Technology Assessment, 2020, 24, 1-130.	2.8	12
158	The Ninth International Forum for Primary Care Research on Low Back Pain. Spine, 2009, 34, 304-307.	2.0	11
159	Pharmacist-led medication review for knee pain in older adults: content, process and outcomes. International Journal of Pharmacy Practice, 2010, 16, 347-355.	0.6	11
160	Development and Validation of the Keele Musculoskeletal Patient Reported Outcome Measure (MSK-PROM). PLoS ONE, 2015, 10, e0124557.	2.5	11
161	Protocol for a multi-centre pilot and feasibility randomised controlled trial with a nested qualitative study: rehabilitation following rotator cuff repair (the RaCeR study). Trials, 2019, 20, 328.	1.6	11
162	Validation of the Musculoskeletal Health Questionnaire (MSK-HQ) in primary care patients with musculoskeletal pain. Seminars in Arthritis and Rheumatism, 2020, 50, 813-820.	3.4	11

#	Article	IF	CITATIONS
163	Rehabilitation following rotator cuff repair: A multi-centre pilot & mp; feasibility randomised controlled trial (RaCeR). Clinical Rehabilitation, 2021, 35, 829-839.	2.2	11
164	Treatment targets of exercise for persistent non-specific low back pain: a consensus study. Physiotherapy, 2021, 112, 78-86.	0.4	11
165	Optimal primary care management of clinical osteoarthritis and joint pain in older people: a mixed-methods programme of systematic reviews, observational and qualitative studies, and randomised controlled trials. Programme Grants for Applied Research, 2018, 6, 1-260.	1.0	11
166	A new multidisciplinary approach to integrating best evidence into musculoskeletal practice. Journal of Evaluation in Clinical Practice, 2007, 13, 703-708.	1.8	10
167	Western medical acupuncture in a group setting for knee osteoarthritis: results of a pilot randomised controlled trial. Pilot and Feasibility Studies, 2016, 2, 10.	1.2	10
168	Development and delivery of a physiotherapist-led exercise intervention in a randomised controlled trial for subacromial impingement syndrome (the SUPPORT trial). Physiotherapy, 2017, 103, 379-386.	0.4	10
169	Content and Evaluation of the Benefits of Effective Exercise for Older Adults With Knee Pain Trial Physiotherapist Training Program. Archives of Physical Medicine and Rehabilitation, 2017, 98, 866-873.	0.9	10
170	Rehabilitation following rotator cuff repair: A nested qualitative study exploring the perceptions and experiences of participants in a randomised controlled trial. Clinical Rehabilitation, 2021, 35, 911-919.	2.2	10
171	The effect of an integrated multidisciplinary rehabilitation programme alternating inpatient interventions with home-based activities for patients with chronic low back pain: a randomized controlled trial. Clinical Rehabilitation, 2020, 34, 382-393.	2.2	9
172	Study protocol for a randomized controlled trial of the effectiveness of adding motivational interviewing or stratified vocational advice intervention to usual case management on return to work for people with musculoskeletal disorders. The MI-NAV study. BMC Musculoskeletal Disorders, 2020, 21, 496.	1.9	9
173	Low back pain – Authors' reply. Lancet, The, 2018, 392, 2549-2550.	13.7	8
174	Primary care for low back pain: we don't know the half of it. Pain, 2020, 161, 663-665.	4.2	8
175	Cognitive behavioural therapy shown to be an effective and low cost treatment for subacute and chronic low-back pain, improving pain and disability scores in a pragmatic RCT. Evidence-Based Medicine, 2010, 15, 118-119.	0.6	7
176	A randomised controlled trial of the clinical and cost-effectiveness of ultrasound-guided intra-articular corticosteroid and local anaesthetic injections: the hip injection trial (HIT) protocol. BMC Musculoskeletal Disorders, 2018, 19, 218.	1.9	7
177	Acceptability of a vocational advice service for patients consulting in primary care with musculoskeletal pain: A qualitative exploration of the experiences of general practitioners, vocational advisers and patients. Scandinavian Journal of Public Health, 2019, 47, 78-85.	2.3	7
178	Patients' and clinicians' perspectives on a †fast-track' pathway for patients with sciatica in primary care: qualitative findings from the SCOPiC stratified care trial. BMC Musculoskeletal Disorders, 2020, 21, 469.	1.9	7
179	Identifying patients with chronic pain who respond to acupuncture: results from an individual patient data meta-analysis. Acupuncture in Medicine, 2021, 39, 83-90.	1.0	7
180	The enigma of rotator cuff tears and the case for uncertainty. British Journal of Sports Medicine, 2018, 52, 1222-1222.	6.7	6

#	Article	IF	CITATIONS
181	Item response theory evaluation of the biomedical scale of the Pain Attitudes and Beliefs Scale. PLoS ONE, 2018, 13, e0202539.	2.5	6
182	Subgrouping patients with sciatica in primary care for matched care pathways: development of a subgrouping algorithm. BMC Musculoskeletal Disorders, 2019, 20, 313.	1.9	6
183	Do the effects of acupuncture vary between acupuncturists? Analysis of the Acupuncture Trialists' Collaboration individual patient data meta-analysis. Acupuncture in Medicine, 2020, 39, 096452842095908.	1.0	6
184	Stratified care integrated with eHealth versus usual primary care physiotherapy in patients with neck and/or shoulder complaints: protocol for a cluster randomized controlled trial. BMC Musculoskeletal Disorders, 2021, 22, 143.	1.9	6
185	Systematic review of spinal manipulation: A balanced review of evidence?. Journal of the Royal Society of Medicine, 2006, 99, 277-277.	2.0	5
186	Impairment-targeted exercises for older adults with knee pain: a proof-of-principle study (TargET-Knee-Pain). BMC Musculoskeletal Disorders, 2016, 17, 47.	1.9	5
187	Infection and low back pain: seeking evidence or fear of exploring new indications for antibiotics?. European Spine Journal, 2016, 25, 3859-3861.	2.2	5
188	176.â€∱REFINEMENT AND VALIDATION OF THE KEELE START MSK TOOL FOR MUSCULOSKELETAL PAIN IN PRIMA CARE. Rheumatology, 2017, 56, .	RY _{1.9}	5
189	First Contact Practitioners' (FCPs) and General Practitioners' Perceptions Towards FCPs Delivering Vocational Advice to Patients with Musculoskeletal Conditions: A Qualitative Investigation of the Implementation Potential of the I-SWAP Initiative. Journal of Occupational Rehabilitation, 2022, 32, 147-155.	2.2	5
190	Being a parent with arthritis: The therapists viewpoint. Journal of Interprofessional Care, 1998, 12, 437-440.	1.7	4
191	Letters. Spine, 2006, 31, 2405-2406.	2.0	4
192	SAPC hot topic: is it a dangerous idea to make physiotherapists the gatekeepers of frontline primary care for all patients with musculoskeletal problems?. Primary Health Care Research and Development, 2013, 14, 413-415.	1.2	4
193	Health services changes: is a run-in period necessary before evaluation in randomised clinical trials?. Trials, 2014, 15, 41.	1.6	4
194	A pilot cluster randomised controlled trial to investigate the addition of direct access to physiotherapy to usual GP-led primary care for adults with musculoskeletal pain: the STEMS pilot trial protocol (ISRCTN23378642). Pilot and Feasibility Studies, 2015, 1, 26.	1.2	4
195	Costâ€"utility analysis of interventions to improve effectiveness of exercise therapy for adults with knee osteoarthritis: the BEEP trial. Rheumatology Advances in Practice, 2018, 2, rky018.	0.7	4
196	Physiotherapists' use of suprascapular nerve blocks: an online survey. Physiotherapy, 2019, 105, 461-468.	0.4	4
197	Supporting self-management of low back pain with an internet intervention in primary care: a protocol for a randomised controlled trial of clinical and cost-effectiveness (SupportBack 2). BMJ Open, 2020, 10, e040543.	1.9	4
198	Providing patients with direct access to musculoskeletal physiotherapy: the impact on general practice musculoskeletal workload and resource use. The STEMS-2 study. Physiotherapy, 2021, 111, 48-56.	0.4	4

#	Article	IF	Citations
199	Title is missing!. Spine, 2003, 28, 953-959.	2.0	3
200	The implementation of guidelines for the management of patients with low back pain: the role of practitioners' attitudes and perceptions. International Musculoskeletal Medicine, 2010, 32, 151-156.	0.1	3
201	Commentary on the Cochrane Review of Acupuncture for Peripheral Joint Osteoarthritis. Explore: the Journal of Science and Healing, 2010, 6, 189-191.	1.0	3
202	Effectiveness of PhysioDirect telephone assessment and advice services for patients with musculoskeletal problems:. British Journal of Sports Medicine, 2014, 48, 1391-1391.	6.7	3
203	Factors associated with physiotherapists' preference for MRI in primary care patients with low back and leg pain. Musculoskeletal Science and Practice, 2018, 38, 46-52.	1.3	3
204	The cost-effectiveness of different approaches to exercise and corticosteroid injection for subacromial pain (impingement) syndrome. Rheumatology, 2021, 60, 4175-4184.	1.9	3
205	Self-management advice, exercise and foot orthoses for plantar heel pain: the TREADON pilot and feasibility randomised trial. Pilot and Feasibility Studies, 2021, 7, 92.	1.2	3
206	Integrating clinician support with intervention design as part of a programme testing stratified care for musculoskeletal pain in general practice. BMC Family Practice, 2021, 22, 161.	2.9	3
207	Arthroscopic hip surgery compared with personalised hip therapy in people over 16 years old with femoroacetabular impingement syndrome: UK FASHION RCT. Health Technology Assessment, 2022, 26, 1-236.	2.8	3
208	Accuracy of placement of ultrasoundâ€guided corticosteroid injection for subacromial pain (impingement) syndrome does not influence pain and function: Secondary analysis of a randomised controlled trial. Musculoskeletal Care, 2022, 20, 831-838.	1.4	3
209	Consensus for statements regarding a definition for spinal osteoarthritis for use in research and clinical practice: A Delphi study. Arthritis Care and Research, 2021, , .	3.4	3
210	In response to: "A randomized trial of behavioral physical therapy interventions for acute and sub-acute low back pain, by George SZ et al. [Pain 2008;140:145-57]. Pain, 2009, 142, 164.	4.2	2
211	Similar clinical outcomes but more healthcare use in shoulder impingement patients following corticosteroid injection compared with physical therapy. Evidence-Based Medicine, 2015, 20, 67-67.	0.6	2
212	Predictors of pain interference and potential gain from intervention in community dwelling adults with joint pain: A prospective cohort study. Musculoskeletal Care, 2019, 17, 231-240.	1.4	2
213	Early Referral to Physical Therapy: A Reasonable Choice for Primary Care Patients With Sciatica. Annals of Internal Medicine, 2021, 174, 107-108.	3.9	2
214	Predicting pain and function outcomes in people consulting with shoulder pain: the PANDA-S clinical cohort and qualitative study protocol. BMJ Open, 2021, 11, e052758.	1.9	2
215	Opportunities and challenges around adapting supported employment interventions for people with chronic low back pain: modified nominal group technique. Disability and Rehabilitation, 2021, 43, 2750-2757.	1.8	2
216	Family-based Interventions Benefit Individuals With Musculoskeletal Pain in the Short-term but not in the Long-Term. Clinical Journal of Pain, 2021, 37, 140-157.	1.9	2

#	Article	IF	CITATIONS
217	Feasibility of delivering and evaluating stratified care integrated with telehealth (†Rapid Stratified) Tj ETQq1 1 0. controlled trial. BMJ Open, 2022, 12, e056339.	.784314 rg 1.9	gBT /Overlo 2
218	Physiotherapy added to GP care results in long-term improvements for sciatica. Australian Journal of Physiotherapy, 2008, 54, 218.	0.9	1
219	McKenzie treatment for acute back pain added to first-line care does not result in appreciable clinical improvements. Journal of Physiotherapy, 2010, 56, 135.	1.7	1
220	171.â€fUK-Based Physiotherapists' Current Management of Pregnancy-Related Back Pain: A National Survey. Rheumatology, 2014, 53, i123-i124.	1.9	1
221	Lessons learnt from a discontinued randomised controlled trial: adalimumab injection compared with placebo for patients receiving physiotherapy treatment for sciatica (Subcutaneous Injection of) Tj ETQq $1\ 1\ 0$.718∕4314 rg	gBT /Overlo
222	P144â€fValidation of the Musculoskeletal Health Questionnaire (MSK-HQ) in patients with musculoskeletal pain in primary care. Rheumatology, 2020, 59, .	1.9	1
223	Clinical and cost-effectiveness of bracing in symptomatic knee osteoarthritis management: protocol for a multicentre, primary care, randomised, parallel-group, superiority trial. BMJ Open, 2021, 11, e048196.	1.9	1
224	Gait rehabilitation for foot and ankle impairments in early rheumatoid arthritis: a feasibility study of a new gait rehabilitation programme (GREAT Strides). Pilot and Feasibility Studies, 2022, 8, .	1.2	1
225	Transcutane elektrische neurostimulatie. Stimulus, 1996, 15, 197-199.	0.0	O
226	Clarification of reporting in stability systematic review. Australian Journal of Physiotherapy, 2006, 52, 312.	0.9	0
227	A home-based program of simple quadriceps exercises reduces knee pain and improves knee function in overweight people with knee pain. Australian Journal of Physiotherapy, 2009, 55, 284.	0.9	O
228	Response to letter by Roelofs et al Pain, 2010, 150, 208-209.	4.2	0
229	Characteristics of Acupuncture Treatment Associated with Outcome: Analyses of 17,922 Patients with Chronic Pain in Randomized Controlled Trials. Journal of Alternative and Complementary Medicine, 2014, 20, A8-A9.	2.1	O
230	048â€fA Consensus Group Approach to Agreeing Matched Treatment Options for Musculoskeletal Pain of Patients Stratified According to Prognostic Risk. Rheumatology, 2016, , .	1.9	0
231	$046\hat{a} \in f$ Effective Treatment Options for Musculoskeletal Pain Conditions: A Rapid Meta-Synthesis of Current Best Evidence in Primary Care. Rheumatology, 2016, , .	1.9	O
232	P105â€fTherapists acceptability of delivering a psychologically informed gait rehabilitation intervention in early rheumatoid arthritis (GREAT): a qualitative interview study. Rheumatology, 2020, 59, .	1.9	0
233	P221 $\hat{a} \in \mathcal{F}$ Treatment fidelity in the Gait Rehabilitation in Early Rheumatoid Arthritis Trial (GREAT) feasibility study. Rheumatology, 2020, 59, .	1.9	O
234	April 2020 Letter to the Editor-in-Chief. Journal of Orthopaedic and Sports Physical Therapy, 2020, 50, 216-217.	3.5	0

Protocol for a multi-site pilot and feasibility randomised controlled trial: Surgery versus 235 PhysiothErapist-leD exercise for traumatic tears of the rotator cuff (the SPeEDy study). Pilot and 1.:		
Feasibility Studies, 2021, 7, 17.	2 0	
Implementation of a novel stratified PAthway of CarE for common musculoskeletal (MSK) conditions in primary care: protocol for a multicentre pragmatic randomised controlled trial (the PACE MSK) Tj ETQq0 0 0 rgBTi/s	Øverlock	10 Tf 50 6
Recommendations on patient-facing websites regarding diagnostic imaging for low back, knee, and shoulder pain: A scoping review. PEC Innovation, 2022, 1, 100040.	.8 0	