
Nadine E Foster

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9302588/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	First Contact Practitioners' (FCPs) and General Practitioners' Perceptions Towards FCPs Delivering Vocational Advice to Patients with Musculoskeletal Conditions: A Qualitative Investigation of the Implementation Potential of the I-SWAP Initiative. Journal of Occupational Rehabilitation, 2022, 32, 147-155.	2.2	5
2	How does hip osteoarthritis differ from knee osteoarthritis?. Osteoarthritis and Cartilage, 2022, 30, 32-41.	1.3	54
3	Feasibility of delivering and evaluating stratified care integrated with telehealth (â€~Rapid Stratified) Tj ETQq1 controlled trial. BMJ Open, 2022, 12, e056339.	1 0.784314 1.9	rgBT /Overlo 2
4	Arthroscopic hip surgery compared with personalised hip therapy in people over 16 years old with femoroacetabular impingement syndrome: UK FASHIoN RCT. Health Technology Assessment, 2022, 26, 1-236.	2.8	3
5	Accuracy of placement of ultrasoundâ€guided corticosteroid injection for subacromial pain (impingement) syndrome does not influence pain and function: Secondary analysis of a randomised controlled trial. Musculoskeletal Care, 2022, 20, 831-838.	1.4	3
6	Recommendations on patient-facing websites regarding diagnostic imaging for low back, knee, and shoulder pain: A scoping review. PEC Innovation, 2022, 1, 100040.	0.8	0
7	Clinical effectiveness of one ultrasound guided intra-articular corticosteroid and local anaesthetic injection in addition to advice and education for hip osteoarthritis (HIT trial): single blind, parallel group, three arm, randomised controlled trial. BMJ, The, 2022, 377, e068446.	6.0	21
8	Gait rehabilitation for foot and ankle impairments in early rheumatoid arthritis: a feasibility study of a new gait rehabilitation programme (GREAT Strides). Pilot and Feasibility Studies, 2022, 8, .	1.2	1
9	Risk-based stratified primary care for common musculoskeletal pain presentations (STarT MSK): a cluster-randomised, controlled trial. Lancet Rheumatology, The, 2022, 4, e591-e602.	3.9	23
10	Identifying patients with chronic pain who respond to acupuncture: results from an individual patient data meta-analysis. Acupuncture in Medicine, 2021, 39, 83-90.	1.0	7
11	Exercise Interventions for Persistent Non-Specific Low Back Pain – Does Matching Outcomes to Treatment Targets Make a Difference? A Systematic Review and Meta-Analysis. Journal of Pain, 2021, 22, 107-126.	1.4	14
12	Providing patients with direct access to musculoskeletal physiotherapy: the impact on general practice musculoskeletal workload and resource use. The STEMS-2 study. Physiotherapy, 2021, 111, 48-56.	0.4	4
13	Early Referral to Physical Therapy: A Reasonable Choice for Primary Care Patients With Sciatica. Annals of Internal Medicine, 2021, 174, 107-108.	3.9	2
14	Rehabilitation following rotator cuff repair: A multi-centre pilot & feasibility randomised controlled trial (RaCeR). Clinical Rehabilitation, 2021, 35, 829-839.	2.2	11
15	Optimising outcomes of exercise and corticosteroid injection in patients with subacromial pain (impingement) syndrome: a factorial randomised trial. British Journal of Sports Medicine, 2021, 55, 262-271.	6.7	29
16	Comparative effectiveness of treatment options for subacromial shoulder conditions: a systematic review and network meta-analysis. Therapeutic Advances in Musculoskeletal Disease, 2021, 13, 1759720X2110375.	2.7	18
17	Protocol for a multi-site pilot and feasibility randomised controlled trial: Surgery versus PhysiothErapist-leD exercise for traumatic tears of the rotator cuff (the SPeEDy study). Pilot and Feasibility Studies, 2021, 7, 17.	1.2	0
18	The cost-effectiveness of different approaches to exercise and corticosteroid injection for subacromial pain (impingement) syndrome. Rheumatology, 2021, 60, 4175-4184.	1.9	3

#	Article	IF	CITATIONS
19	Stratified care integrated with eHealth versus usual primary care physiotherapy in patients with neck and/or shoulder complaints: protocol for a cluster randomized controlled trial. BMC Musculoskeletal Disorders, 2021, 22, 143.	1.9	6
20	Clinical and cost-effectiveness of bracing in symptomatic knee osteoarthritis management: protocol for a multicentre, primary care, randomised, parallel-group, superiority trial. BMJ Open, 2021, 11, e048196.	1.9	1
21	Self-management advice, exercise and foot orthoses for plantar heel pain: the TREADON pilot and feasibility randomised trial. Pilot and Feasibility Studies, 2021, 7, 92.	1.2	3
22	Evaluation of a Novel e-Learning Program for Physiotherapists to Manage Knee Osteoarthritis via Telehealth: Qualitative Study Nested in the PEAK (Physiotherapy Exercise and Physical Activity for Knee) Tj ET(QqO O4QargBT	/Ozverlock 10
23	Integrating clinician support with intervention design as part of a programme testing stratified care for musculoskeletal pain in general practice. BMC Family Practice, 2021, 22, 161.	2.9	3
24	Refinement and validation of a tool for stratifying patients with musculoskeletal pain. European Journal of Pain, 2021, 25, 2081-2093.	2.8	36
25	Multi-centre randomised controlled trial comparing arthroscopic hip surgery to physiotherapist-led care for femoroacetabular impingement (FAI) syndrome on hip cartilage metabolism: the Australian FASHIoN trial. BMC Musculoskeletal Disorders, 2021, 22, 697.	1.9	30
26	Predicting pain and function outcomes in people consulting with shoulder pain: the PANDA-S clinical cohort and qualitative study protocol. BMJ Open, 2021, 11, e052758.	1.9	2
27	Treatment targets of exercise for persistent non-specific low back pain: a consensus study. Physiotherapy, 2021, 112, 78-86.	0.4	11
28	Opportunities and challenges around adapting supported employment interventions for people with chronic low back pain: modified nominal group technique. Disability and Rehabilitation, 2021, 43, 2750-2757.	1.8	2
29	Rehabilitation following rotator cuff repair: A nested qualitative study exploring the perceptions and experiences of participants in a randomised controlled trial. Clinical Rehabilitation, 2021, 35, 911-919.	2.2	10
30	Family-based Interventions Benefit Individuals With Musculoskeletal Pain in the Short-term but not in the Long-Term. Clinical Journal of Pain, 2021, 37, 140-157.	1.9	2
31	Implementation of a novel stratified PAthway of CarE for common musculoskeletal (MSK) conditions in primary care: protocol for a multicentre pragmatic randomised controlled trial (the PACE MSK) Tj ETQq1 1 ().784 3.0 4 rgE	BT Øverlock 1
32	Consensus for statements regarding a definition for spinal osteoarthritis for use in research and clinical practice: A Delphi study. Arthritis Care and Research, 2021, , .	3.4	3
33	Defining adherence to therapeutic exercise for musculoskeletal pain: a systematic review. British Journal of Sports Medicine, 2020, 54, bjsports-2017-098742.	6.7	36
34	The effect of an integrated multidisciplinary rehabilitation programme alternating inpatient interventions with home-based activities for patients with chronic low back pain: a randomized controlled trial. Clinical Rehabilitation, 2020, 34, 382-393.	2.2	9
35	Exploring Patients' Experiences of Internet-Based Self-Management Support for Low Back Pain in Primary Care. Pain Medicine, 2020, 21, 1806-1817.	1.9	18
36	Do comorbidities predict pain and function in knee osteoarthritis following an exercise intervention, and do they moderate the effect of exercise? Analyses of data from three randomized controlled trials. Musculoskeletal Care, 2020, 18, 3-11.	1.4	19

#	Article	IF	CITATIONS
37	Therapeutic alliance facilitates adherence to physiotherapy-led exercise and physical activity for older adults with knee pain: a longitudinal qualitative study. Journal of Physiotherapy, 2020, 66, 45-53.	1.7	56
38	Primary care for low back pain: we don't know the half of it. Pain, 2020, 161, 663-665.	4.2	8
39	Exercise treatment effect modifiers in persistent low back pain: an individual participant data meta-analysis of 3514 participants from 27 randomised controlled trials. British Journal of Sports Medicine, 2020, 54, 1277-1278.	6.7	70
40	P105 Therapists acceptability of delivering a psychologically informed gait rehabilitation intervention in early rheumatoid arthritis (GREAT): a qualitative interview study. Rheumatology, 2020, 59, .	1.9	0
41	P144 Validation of the Musculoskeletal Health Questionnaire (MSK-HQ) in patients with musculoskeletal pain in primary care. Rheumatology, 2020, 59, .	1.9	1
42	P221â€∱Treatment fidelity in the Gait Rehabilitation in Early Rheumatoid Arthritis Trial (GREAT) feasibility study. Rheumatology, 2020, 59, .	1.9	0
43	Prevalence, Characteristics, and Clinical Course of Neuropathic Pain in Primary Care Patients Consulting With Low Back-related Leg Pain. Clinical Journal of Pain, 2020, 36, 813-824.	1.9	18
44	Validation of the Musculoskeletal Health Questionnaire (MSK-HQ) in primary care patients with musculoskeletal pain. Seminars in Arthritis and Rheumatism, 2020, 50, 813-820.	3.4	11
45	Patients' and clinicians' perspectives on a â€ ⁻ fast-track' pathway for patients with sciatica in primary care: qualitative findings from the SCOPiC stratified care trial. BMC Musculoskeletal Disorders, 2020, 21, 469.	1.9	7
46	Study protocol for a randomized controlled trial of the effectiveness of adding motivational interviewing or stratified vocational advice intervention to usual case management on return to work for people with musculoskeletal disorders. The MI-NAV study. BMC Musculoskeletal Disorders, 2020, 21, 496.	1.9	9
47	Guidelines for the use of diagnostic imaging in musculoskeletal pain conditions affecting the lower back, knee and shoulder: A scoping review. Musculoskeletal Care, 2020, 18, 546-554.	1.4	12
48	Technology versus tradition: a non-inferiority trial comparing video to face-to-face consultations with a physiotherapist for people with knee osteoarthritis. Protocol for the PEAK randomised controlled trial. BMC Musculoskeletal Disorders, 2020, 21, 522.	1.9	28
49	Supporting self-management of low back pain with an internet intervention in primary care: a protocol for a randomised controlled trial of clinical and cost-effectiveness (SupportBack 2). BMJ Open, 2020, 10, e040543.	1.9	4
50	Do the effects of acupuncture vary between acupuncturists? Analysis of the Acupuncture Trialists' Collaboration individual patient data meta-analysis. Acupuncture in Medicine, 2020, 39, 096452842095908.	1.0	6
51	April 2020 Letter to the Editor-in-Chief. Journal of Orthopaedic and Sports Physical Therapy, 2020, 50, 216-217.	3.5	0
52	Stratified care versus usual care for management of patients presenting with sciatica in primary care (SCOPiC): a randomised controlled trial. Lancet Rheumatology, The, 2020, 2, e401-e411.	3.9	19
53	Stratified primary care versus non-stratified care for musculoskeletal pain: qualitative findings from the STarT MSK feasibility and pilot cluster randomized controlled trial. BMC Family Practice, 2020, 21, 31.	2.9	16
54	Computer-Based Stratified Primary Care for Musculoskeletal Consultations Compared With Usual Care: Study Protocol for the STarT MSK Cluster Randomized Controlled Trial. JMIR Research Protocols, 2020, 9, e17939.	1.0	13

#	Article	IF	CITATIONS
55	Stratified versus usual care for the management of primary care patients with sciatica: the SCOPiC RCT. Health Technology Assessment, 2020, 24, 1-130.	2.8	12
56	Responsiveness and Minimal Important Change for Pain and Disability Outcome Measures in Pregnancy-Related Low Back and Pelvic Girdle Pain. Physical Therapy, 2019, 99, 1551-1561.	2.4	16
57	Subgrouping patients with sciatica in primary care for matched care pathways: development of a subgrouping algorithm. BMC Musculoskeletal Disorders, 2019, 20, 313.	1.9	6
58	The OMERACT Core Domain Set for Clinical Trials of Shoulder Disorders. Journal of Rheumatology, 2019, 46, 969-975.	2.0	25
59	Predictors of pain interference and potential gain from intervention in community dwelling adults with joint pain: A prospective cohort study. Musculoskeletal Care, 2019, 17, 231-240.	1.4	2
60	Matching treatment options for risk sub-groups in musculoskeletal pain: a consensus groups study. BMC Musculoskeletal Disorders, 2019, 20, 271.	1.9	25
61	Protocol for a multi-centre pilot and feasibility randomised controlled trial with a nested qualitative study: rehabilitation following rotator cuff repair (the RaCeR study). Trials, 2019, 20, 328.	1.6	11
62	Physiotherapists' use of suprascapular nerve blocks: an online survey. Physiotherapy, 2019, 105, 461-468.	0.4	4
63	The Effect of Patient Characteristics on Acupuncture Treatment Outcomes. Clinical Journal of Pain, 2019, 35, 428-434.	1.9	28
64	Adaptation and Implementation of the STarT Back Risk Stratification Strategy in a US Health Care Organization: A Process Evaluation. Pain Medicine, 2019, 20, 1105-1119.	1.9	18
65	Acceptability of a vocational advice service for patients consulting in primary care with musculoskeletal pain: A qualitative exploration of the experiences of general practitioners, vocational advisers and patients. Scandinavian Journal of Public Health, 2019, 47, 78-85.	2.3	7
66	How Do Physical Therapists in the United Kingdom Manage Patients With Hip Osteoarthritis? Results of a Cross-Sectional Survey. Physical Therapy, 2018, 98, 461-470.	2.4	19
67	The enigma of rotator cuff tears and the case for uncertainty. British Journal of Sports Medicine, 2018, 52, 1222-1222.	6.7	6
68	Using an internet intervention to support self-management of low back pain in primary care: findings from a randomised controlled feasibility trial (SupportBack). BMJ Open, 2018, 8, e016768.	1.9	28
69	What low back pain is and why we need to pay attention. Lancet, The, 2018, 391, 2356-2367.	13.7	2,444
70	Low back pain: a call for action. Lancet, The, 2018, 391, 2384-2388.	13.7	777
71	Prevention and treatment of low back pain: evidence, challenges, and promising directions. Lancet, The, 2018, 391, 2368-2383.	13.7	1,363
72	The Role of Qualitative Research in Clinical Trial Development: The EASE Back Study. Journal of Mixed Methods Research, 2018, 12, 325-343.	2.6	13

#	Article	IF	CITATIONS
73	Effectiveness and costs of a vocational advice service to improve work outcomes in patients with musculoskeletal pain in primary care: a cluster randomised trial (SWAP trial ISRCTN 52269669). Pain, 2018, 159, 128-138.	4.2	38
74	Core outcome measurement instruments for clinical trials in nonspecific low back pain. Pain, 2018, 159, 481-495.	4.2	263
75	Acupuncture for Chronic Pain: Update of an Individual Patient Data Meta-Analysis. Journal of Pain, 2018, 19, 455-474.	1.4	494
76	Trajectories and predictors of the long-term course of low back pain: cohort study with 5-year follow-up. Pain, 2018, 159, 252-260.	4.2	94
77	Low back pain – Authors' reply. Lancet, The, 2018, 392, 2549-2550.	13.7	8
78	A randomised controlled trial of the clinical and cost-effectiveness of ultrasound-guided intra-articular corticosteroid and local anaesthetic injections: the hip injection trial (HIT) protocol. BMC Musculoskeletal Disorders, 2018, 19, 218.	1.9	7
79	Factors associated with physiotherapists' preference for MRI in primary care patients with low back and leg pain. Musculoskeletal Science and Practice, 2018, 38, 46-52.	1.3	3
80	Item response theory evaluation of the biomedical scale of the Pain Attitudes and Beliefs Scale. PLoS ONE, 2018, 13, e0202539.	2.5	6
81	Effect of Low Back Pain Risk-Stratification Strategy on Patient Outcomes and Care Processes: the MATCH Randomized Trial in Primary Care. Journal of General Internal Medicine, 2018, 33, 1324-1336.	2.6	86
82	Hip arthroscopy versus best conservative care for the treatment of femoroacetabular impingement syndrome (UK FASHION): a multicentre randomised controlled trial. Lancet, The, 2018, 391, 2225-2235.	13.7	407
83	Lessons learnt from a discontinued randomised controlled trial: adalimumab injection compared with placebo for patients receiving physiotherapy treatment for sciatica (Subcutaneous Injection of) Tj ETQq1 1	0.71864314	rg B T /Overlo
84	Change in physical activity level and clinical outcomes in older adults with knee pain: a secondary analysis from a randomised controlled trial. BMC Musculoskeletal Disorders, 2018, 19, 59.	1.9	12
85	Cost–utility analysis of interventions to improve effectiveness of exercise therapy for adults with knee osteoarthritis: the BEEP trial. Rheumatology Advances in Practice, 2018, 2, rky018.	0.7	4
86	Optimal primary care management of clinical osteoarthritis and joint pain in older people: a mixed-methods programme of systematic reviews, observational and qualitative studies, and randomised controlled trials. Programme Grants for Applied Research, 2018, 6, 1-260.	1.0	11
87	Neuropathic Pain in Low Back-Related Leg Pain Patients: What Is the Evidence of Prevalence, Characteristics, and Prognosis in Primary Care? A Systematic Review of the Literature. Journal of Pain, 2017, 18, 1295-1312.	1.4	29
88	Development and delivery of a physiotherapist-led exercise intervention in a randomised controlled trial for subacromial impingement syndrome (the SUPPORT trial). Physiotherapy, 2017, 103, 379-386.	0.4	10
89	Content and Evaluation of the Benefits of Effective Exercise for Older Adults With Knee Pain Trial Physiotherapist Training Program. Archives of Physical Medicine and Rehabilitation, 2017, 98, 866-873.	0.9	10
90	STEMS pilot trial: a pilot cluster randomised controlled trial to investigate the addition of patient direct access to physiotherapy to usual GP-led primary care for adults with musculoskeletal pain. BMJ Open, 2017, 7, e012987.	1.9	27

#	Article	IF	CITATIONS
91	Management of shoulder pain by UK general practitioners (GPs): a national survey. BMJ Open, 2017, 7, e015711.	1.9	38
92	The clinical and cost-effectiveness of stratified care for patients with sciatica: the SCOPiC randomised controlled trial protocol (ISRCTN75449581). BMC Musculoskeletal Disorders, 2017, 18, 172.	1.9	12
93	Identifying Treatment Effect Modifiers in the STarT Back Trial: A Secondary Analysis. Journal of Pain, 2017, 18, 54-65.	1.4	29
94	Relationship Between Attitudes and Beliefs and Physical Activity in Older Adults With Knee Pain: Secondary Analysis of a Randomized Controlled Trial. Arthritis Care and Research, 2017, 69, 1192-1200.	3.4	31
95	GPs' attitudes, beliefs and behaviours regarding exercise for chronic knee pain: a questionnaire survey. BMJ Open, 2017, 7, e014999.	1.9	27
96	Subgrouping and TargetEd Exercise pRogrammes for knee and hip OsteoArthritis (STEER OA): a systematic review update and individual participant data meta-analysis protocol. BMJ Open, 2017, 7, e018971.	1.9	19
97	176. REFINEMENT AND VALIDATION OF THE KEELE START MSK TOOL FOR MUSCULOSKELETAL PAIN IN PRIMAR CARE. Rheumatology, 2017, 56, .	γ 1.9	5
98	Effective treatment options for musculoskeletal pain in primary care: A systematic overview of current evidence. PLoS ONE, 2017, 12, e0178621.	2.5	238
99	Subcutaneous Injection of Adalimumab Trial compared with Control (SCIATiC): a randomised controlled trial of adalimumab injection compared with placebo for patients receiving physiotherapy treatment for sciatica. Health Technology Assessment, 2017, 21, 1-180.	2.8	195
100	Keele Aches and Pains Study protocol: validity, acceptability, and feasibility of the Keele STarT MSK tool for subgrouping musculoskeletal patients in primary care. Journal of Pain Research, 2016, Volume 9, 807-818.	2.0	41
101	048 A Consensus Group Approach to Agreeing Matched Treatment Options for Musculoskeletal Pain of Patients Stratified According to Prognostic Risk. Rheumatology, 2016, , .	1.9	0
102	Evaluating acupuncture and standard care for pregnant women with back pain: the EASE Back pilot randomised controlled trial (ISRCTN49955124). Pilot and Feasibility Studies, 2016, 2, 72.	1.2	18
103	Impairment-targeted exercises for older adults with knee pain: a proof-of-principle study (TargET-Knee-Pain). BMC Musculoskeletal Disorders, 2016, 17, 47.	1.9	5
104	Personalised Hip Therapy: development of a non-operative protocol to treat femoroacetabular impingement syndrome in the FASHIoN randomised controlled trial. British Journal of Sports Medicine, 2016, 50, 1217-1223.	6.7	49
105	Evaluation of a risk-stratification strategy to improve primary care for low back pain: the MATCH cluster randomized trial protocol. BMC Musculoskeletal Disorders, 2016, 17, 361.	1.9	18
106	General Practitioners' and patients' perceptions towards stratified care: a theory informed investigation. BMC Family Practice, 2016, 17, 125.	2.9	17
107	What influences general practitioners' use of exercise for patients with chronic knee pain? Results from a national survey. BMC Family Practice, 2016, 17, 172.	2.9	24
108	046 Effective Treatment Options for Musculoskeletal Pain Conditions: A Rapid Meta-Synthesis of Current Best Evidence in Primary Care. Rheumatology, 2016, , .	1.9	0

#	Article	IF	CITATIONS
109	The acceptability to patients of PhysioDirect telephone assessment and advice services; a qualitative interview study. BMC Health Services Research, 2016, 16, 104.	2.2	26
110	Western medical acupuncture in a group setting for knee osteoarthritis: results of a pilot randomised controlled trial. Pilot and Feasibility Studies, 2016, 2, 10.	1.2	10
111	Implementation interventions to improve the management of non-specific low back pain: a systematic review. BMC Musculoskeletal Disorders, 2016, 17, 258.	1.9	61
112	Infection and low back pain: seeking evidence or fear of exploring new indications for antibiotics?. European Spine Journal, 2016, 25, 3859-3861.	2.2	5
113	UK FASHIoN: feasibility study of a randomised controlled trial of arthroscopic surgery for hip impingement compared with best conservative care. Health Technology Assessment, 2016, 20, 1-172.	2.8	42
114	Evaluating Acupuncture and Standard carE for pregnant women with Back pain (EASE Back): a feasibility study and pilot randomised trial. Health Technology Assessment, 2016, 20, 1-236.	2.8	31
115	Using an internet intervention to support self-management of low back pain in primary care: protocol for a randomised controlled feasibility trial (SupportBack). BMJ Open, 2015, 5, e009524.	1.9	16
116	A pilot cluster randomised controlled trial to investigate the addition of direct access to physiotherapy to usual GP-led primary care for adults with musculoskeletal pain: the STEMS pilot trial protocol (ISRCTN23378642). Pilot and Feasibility Studies, 2015, 1, 26.	1.2	4
117	"Lovely Pie in the Sky Plans― Spine, 2015, 40, 1842-1850.	2.0	52
118	Patients' treatment beliefs in low back pain. Pain, 2015, 156, 1489-1500.	4.2	33
119	Development and Validation of the Keele Musculoskeletal Patient Reported Outcome Measure (MSK-PROM). PLoS ONE, 2015, 10, e0124557.	2.5	11
120	Physical Therapists' Views and Experiences of Pregnancy-Related Low Back Pain and the Role of Acupuncture: Qualitative Exploration. Physical Therapy, 2015, 95, 1234-1243.	2.4	12
121	Exercise and physical activity in older adults with knee pain: a mixed methods study. Rheumatology, 2015, 54, 413-423.	1.9	33
122	Maximising response from GPs to questionnaire surveys: do length or incentives make a difference?. BMC Medical Research Methodology, 2015, 15, 3.	3.1	39
123	Similar clinical outcomes but more healthcare use in shoulder impingement patients following corticosteroid injection compared with physical therapy. Evidence-Based Medicine, 2015, 20, 67-67.	0.6	2
124	Core outcome domains for clinical trials in non-specific low back pain. European Spine Journal, 2015, 24, 1127-1142.	2.2	259
125	Implementing Stratified Primary Care Management for Low Back Pain. Spine, 2015, 40, 405-414.	2.0	26
126	Pain location matters: the impact of leg pain on health care use, work disability and quality of life in natients with low back pain. European Spine Journal, 2015, 24, 444-451	2.2	42

#	Article	IF	CITATIONS
127	171.â€fUK-Based Physiotherapists' Current Management of Pregnancy-Related Back Pain: A National Survey. Rheumatology, 2014, 53, i123-i124.	1.9	1
128	Effect of Stratified Care for Low Back Pain in Family Practice (IMPaCT Back): A Prospective Population-Based Sequential Comparison. Annals of Family Medicine, 2014, 12, 102-111.	1.9	226
129	Implementing change in physiotherapy: professions, contexts and interventions. Journal of Health Organization and Management, 2014, 28, 96-114.	1.3	28
130	Characteristics of Acupuncture Treatment Associated with Outcome: Analyses of 17,922 Patients with Chronic Pain in Randomized Controlled Trials. Journal of Alternative and Complementary Medicine, 2014, 20, A8-A9.	2.1	0
131	Subacromial impingement syndrome and pain: protocol for a randomised controlled trial of exercise and corticosteroid injection (the SUPPORT trial). BMC Musculoskeletal Disorders, 2014, 15, 81.	1.9	37
132	A core outcome set for clinical trials on non-specific low back pain: study protocol for the development of a core domain set. Trials, 2014, 15, 511.	1.6	46
133	Effectiveness of PhysioDirect telephone assessment and advice services for patients with musculoskeletal problems:. British Journal of Sports Medicine, 2014, 48, 1391-1391.	6.7	3
134	Health services changes: is a run-in period necessary before evaluation in randomised clinical trials?. Trials, 2014, 15, 41.	1.6	4
135	Exercise for lower limb osteoarthritis: systematic review incorporating trial sequential analysis and network meta-analysis:. British Journal of Sports Medicine, 2014, 48, 1579-1579.	6.7	51
136	Rationale, design and methods of the Study of Work and Pain (SWAP): a cluster randomised controlled trial testing the addition of a vocational advice service to best current primary care for patients with musculoskeletal pain (ISRCTN 52269669). BMC Musculoskeletal Disorders, 2014, 15, 232.	1.9	18
137	A multicentre, pragmatic, parallel group, randomised controlled trial to compare the clinical and cost-effectiveness of three physiotherapy-led exercise interventions for knee osteoarthritis in older adults: the BEEP trial protocol (ISRCTN: 93634563). BMC Musculoskeletal Disorders, 2014, 15, 254.	1.9	38
138	Biopsychosocial care and the physiotherapy encounter: physiotherapists' accounts of back pain consultations. BMC Musculoskeletal Disorders, 2013, 14, 65.	1.9	117
139	Conceptual overlap of psychological constructs in low back pain. Pain, 2013, 154, 1783-1791.	4.2	88
140	Prognostic Indicators of Low Back Pain in Primary Care: Five-Year Prospective Study. Journal of Pain, 2013, 14, 873-883.	1.4	112
141	PhysioDirect: Supporting physiotherapists to deliver telephone assessment and advice services within the context of a randomised trial. Physiotherapy, 2013, 99, 113-118.	0.4	18
142	Stratified models of care. Best Practice and Research in Clinical Rheumatology, 2013, 27, 649-661.	3.3	141
143	Nonoperative Treatment for Femoroacetabular Impingement: A Systematic Review of the Literature. PM and R, 2013, 5, 418-426.	1.6	158
144	Exercise for lower limb osteoarthritis: systematic review incorporating trial sequential analysis and network meta-analysis. BMJ, The, 2013, 347, f5555-f5555.	6.0	272

#	Article	IF	CITATIONS
145	A pragmatic randomised controlled trial of †PhysioDirect' telephone assessment and advice services for patients with musculoskeletal problems: economic evaluation. BMJ Open, 2013, 3, e003406.	1.9	14
146	Identifying patients' beliefs about treatments for chronic low back pain in primary care: a focus group study. British Journal of General Practice, 2013, 63, e490-e498.	1.4	64
147	Effectiveness of PhysioDirect telephone assessment and advice services for patients with musculoskeletal problems: pragmatic randomised controlled trial. BMJ, The, 2013, 346, f43-f43.	6.0	56
148	SAPC hot topic: is it a dangerous idea to make physiotherapists the gatekeepers of frontline primary care for all patients with musculoskeletal problems?. Primary Health Care Research and Development, 2013, 14, 413-415.	1.2	4
149	Musculoskeletal pain illness perceptions: Factor structure of the Illness Perceptions Questionnaire-Revised. Psychology and Health, 2013, 28, 84-102.	2.2	31
150	Characteristics of Acupuncture Treatment Associated with Outcome: An Individual Patient Meta-Analysis of 17,922 Patients with Chronic Pain in Randomised Controlled Trials. PLoS ONE, 2013, 8, e77438.	2.5	101
151	Methodological issues in pragmatic trials of complex interventions in primary care. British Journal of General Practice, 2012, 62, 10-11.	1.4	29
152	A Qualitative Investigation of Physical Therapists' Experiences and Feelings of Managing Patients With Nonspecific Low Back Pain. Physical Therapy, 2012, 92, 266-278.	2.4	64
153	Targeted treatment in primary care for low back pain: the treatment system and clinical training programmes used in the IMPaCT Back study (ISRCTN 55174281). Family Practice, 2012, 29, 50-62.	1.9	52
154	Acupuncture for Chronic Pain. Archives of Internal Medicine, 2012, 172, 1444.	3.8	835
155	Taking responsibility for the early assessment and treatment of patients with musculoskeletal pain: a review and critical analysis. Arthritis Research and Therapy, 2012, 14, 205.	3.5	76
156	Role of exercise for knee pain: What do older adults in the community think?. Arthritis Care and Research, 2012, 64, 1554-1564.	3.4	105
157	Missing Data and Imputation: A Practical Illustration in a Prognostic Study on Low Back Pain. Journal of Manipulative and Physiological Therapeutics, 2012, 35, 464-471.	0.9	19
158	Comparison of stratified primary care management for low back pain with current best practice (STarT Back): a randomised controlled trial. Lancet, The, 2011, 378, 1560-1571.	13.7	1,082
159	We need to rethink front line care for back pain. BMJ: British Medical Journal, 2011, 342, d3260-d3260.	2.3	23
160	The evidence for and against â€~PhysioDirect' telephone assessment and advice services. Physiotherapy, 2011, 97, 78-82.	0.4	26
161	Subgrouping patients with low back pain in primary care: Are we getting any better at it?. Manual Therapy, 2011, 16, 3-8.	1.6	111
162	Impairment-targeted exercises for older adults with knee pain: protocol for a proof-of-principle study. BMC Musculoskeletal Disorders, 2011, 12, 2.	1.9	14

#	Article	IF	CITATIONS
163	Barriers and progress in the treatment of low back pain. BMC Medicine, 2011, 9, 108.	5.5	89
164	Perceptions of general practitioners towards the use of a new system for treating back pain: a qualitative interview study. BMC Medicine, 2011, 9, 49.	5.5	60
165	Cost-Effectiveness of Acupuncture Care as an Adjunct to Exercise-Based Physical Therapy for Osteoarthritis of the Knee. Physical Therapy, 2011, 91, 630-641.	2.4	41
166	Embedding Psychosocial Perspectives Within Clinical Management of Low Back Pain: Integration of Psychosocially Informed Management Principles Into Physical Therapist Practice—Challenges and Opportunities. Physical Therapy, 2011, 91, 790-803.	2.4	222
167	The Effectiveness of a Posted Information Package on the Beliefs and Behavior of Musculoskeletal Practitioners. Spine, 2010, 35, 858-866.	2.0	71
168	Pharmacist-led medication review for knee pain in older adults: content, process and outcomes. International Journal of Pharmacy Practice, 2010, 16, 347-355.	0.6	11
169	Distinctiveness of psychological obstacles to recovery in low back pain patients in primary care. Pain, 2010, 148, 398-406.	4.2	250
170	Response to letter by Roelofs et al Pain, 2010, 150, 208-209.	4.2	0
171	Are prognostic indicators for poor outcome different for acute and chronic low back pain consulters in primary care?. Pain, 2010, 151, 790-797.	4.2	159
172	IMPaCT Back study protocol. Implementation of subgrouping for targeted treatment systems for low back pain patients in primary care: a prospective population-based sequential comparison. BMC Musculoskeletal Disorders, 2010, 11, 186.	1.9	22
173	How important are back pain beliefs and expectations for satisfactory recovery from back pain?. Best Practice and Research in Clinical Rheumatology, 2010, 24, 205-217.	3.3	207
174	Addressing patient beliefs and expectations in the consultation. Best Practice and Research in Clinical Rheumatology, 2010, 24, 219-225.	3.3	67
175	The relationship between patient and practitioner expectations and preferences and clinical outcomes in a trial of exercise and acupuncture for knee osteoarthritis. European Journal of Pain, 2010, 14, 402-409.	2.8	51
176	The attitudes, beliefs and behaviours of GPs regarding exercise for chronic knee pain: a systematic review. BMC Family Practice, 2010, 11, 4.	2.9	68
177	The implementation of guidelines for the management of patients with low back pain: the role of practitioners' attitudes and perceptions. International Musculoskeletal Medicine, 2010, 32, 151-156.	0.1	3
178	McKenzie treatment for acute back pain added to first-line care does not result in appreciable clinical improvements. Journal of Physiotherapy, 2010, 56, 135.	1.7	1
179	Interventions to improve adherence to exercise for chronic musculoskeletal pain in adults. The Cochrane Library, 2010, , CD005956.	2.8	265
180	Cognitive behavioural therapy shown to be an effective and low cost treatment for subacute and chronic low-back pain, improving pain and disability scores in a pragmatic RCT. Evidence-Based Medicine, 2010, 15, 118-119.	0.6	7

#	Article	IF	CITATIONS
181	Commentary on the Cochrane Review of Acupuncture for Peripheral Joint Osteoarthritis. Explore: the Journal of Science and Healing, 2010, 6, 189-191.	1.0	3
182	GP attitudes and self-reported behaviour in primary care consultations for low back pain. Family Practice, 2009, 26, 359-364.	1.9	70
183	Research priorities for non-pharmacological therapies for common musculoskeletal problems: nationally and internationally agreed recommendations. BMC Musculoskeletal Disorders, 2009, 10, 3.	1.9	105
184	'PhysioDirect' telephone assessment and advice services for physiotherapy: protocol for a pragmatic randomised controlled trial. BMC Health Services Research, 2009, 9, 136.	2.2	17
185	UKâ€based physical therapists' attitudes and beliefs regarding exercise and knee osteoarthritis: Findings from a mixedâ€methods study. Arthritis and Rheumatism, 2009, 61, 1511-1521.	6.7	94
186	In response to: "A randomized trial of behavioral physical therapy interventions for acute and sub-acute low back pain, by George SZ et al. [Pain 2008;140:145-57]. Pain, 2009, 142, 164.	4.2	2
187	A home-based program of simple quadriceps exercises reduces knee pain and improves knee function in overweight people with knee pain. Australian Journal of Physiotherapy, 2009, 55, 284.	0.9	Ο
188	The Ninth International Forum for Primary Care Research on Low Back Pain. Spine, 2009, 34, 304-307.	2.0	11
189	A primary care back pain screening tool: Identifying patient subgroups for initial treatment. Arthritis and Rheumatism, 2008, 59, 632-641.	6.7	834
190	Land- and water-based exercise therapies for musculoskeletal conditions. Best Practice and Research in Clinical Rheumatology, 2008, 22, 407-418.	3.3	20
191	How does the self-reported clinical management of patients with low back pain relate to the attitudes and beliefs of health care practitioners? A survey of UK general practitioners and physiotherapists. Pain, 2008, 135, 187-195.	4.2	211
192	Illness perceptions of low back pain patients in primary care: What are they, do they change and are they associated with outcome?. Pain, 2008, 136, 177-187.	4.2	225
193	Physiotherapy added to GP care results in long-term improvements for sciatica. Australian Journal of Physiotherapy, 2008, 54, 218.	0.9	1
194	Defining an Adequate Dose of Acupuncture Using a Neurophysiological Approach – a Narrative Review of the Literature. Acupuncture in Medicine, 2008, 26, 111-120.	1.0	161
195	Physical Therapists' Use of Therapeutic Exercise for Patients With Clinical Knee Osteoarthritis in the United Kingdom: In Line With Current Recommendations?. Physical Therapy, 2008, 88, 1109-1121.	2.4	80
196	A Consensus Approach Toward the Standardization of Back Pain Definitions for Use in Prevalence Studies. Spine, 2008, 33, 95-103.	2.0	537
197	Beliefs and preferences: do they help determine the outcome of musculoskeletal problems?. Physical Therapy Reviews, 2007, 12, 199-206.	0.8	16
198	The Influence of Patients' and Primary Care Practitioners' Beliefs and Expectations About Chronic Musculoskeletal Pain on the Process of Care. Clinical Journal of Pain, 2007, 23, 91-98.	1.9	118

#	Article	IF	CITATIONS
199	Interrater Reliability of Algometry in Measuring Pressure Pain Thresholds in Healthy Humans, Using Multiple Raters. Clinical Journal of Pain, 2007, 23, 760-766.	1.9	529
200	Health care practitioners' attitudes and beliefs about low back pain: A systematic search and critical review of available measurement tools. Pain, 2007, 132, 91-101.	4.2	100
201	Flexion Mobilizations With Movement Techniques: the Immediate Effects on Range of Movement and Pain in Subjects With Low Back Pain. Journal of Manipulative and Physiological Therapeutics, 2007, 30, 178-185.	0.9	38
202	Acupuncture as an adjunct to exercise based physiotherapy for osteoarthritis of the knee: randomised controlled trial. BMJ: British Medical Journal, 2007, 335, 436.	2.3	183
203	A new multidisciplinary approach to integrating best evidence into musculoskeletal practice. Journal of Evaluation in Clinical Practice, 2007, 13, 703-708.	1.8	10
204	Attitudes to back pain amongst musculoskeletal practitioners: A comparison of professional groups and practice settings using the ABS-mp. Manual Therapy, 2007, 12, 167-175.	1.6	87
205	Living with low back pain—Stories of hope and despair. Social Science and Medicine, 2007, 65, 1584-1594.	3.8	115
206	Clarification of reporting in stability systematic review. Australian Journal of Physiotherapy, 2006, 52, 312.	0.9	0
207	Letters. Spine, 2006, 31, 2405-2406.	2.0	4
208	Systematic review of spinal manipulation: A balanced review of evidence?. Journal of the Royal Society of Medicine, 2006, 99, 277-277.	2.0	5
209	The Attitudes to Back Pain Scale in Musculoskeletal Practitioners (ABS-mp). Clinical Journal of Pain, 2006, 22, 378-386.	1.9	37
210	Randomized Controlled Trial of Specific Spinal Stabilization Exercises and Conventional Physiotherapy for Recurrent Low Back Pain. Spine, 2006, 31, E670-E681.	2.0	172
211	Persistent back pain - why do physical therapy clinicians continue treatment? A mixed methods study of chiropractors, osteopaths and physiotherapists. European Journal of Pain, 2006, 10, 67-67.	2.8	64
212	Measuring troublesomeness of chronic pain by location. BMC Musculoskeletal Disorders, 2006, 7, 34.	1.9	36
213	Effectiveness of community physiotherapy and enhanced pharmacy review for knee pain in people aged over 55 presenting to primary care: pragmatic randomised trial. BMJ: British Medical Journal, 2006, 333, 995.	2.3	139
214	Do Physical Therapists in the United Kingdom Recognize Psychosocial Factors in Patients With Acute Low Back Pain?. Spine, 2005, 30, 1316-1322.	2.0	87
215	Test-Retest Reliability of the Short-Form McGill Pain Questionnaire. Clinical Journal of Pain, 2005, 21, 73-82.	1.9	178
216	Shoulder impingement: the effect of sitting posture on shoulder pain and range of motion. Manual Therapy, 2005, 10, 28-37.	1.6	93

#	Article	IF	CITATIONS
217	Testing the effectiveness of an innovative information package on practitioner reported behaviour and beliefs: The UK Chiropractors, Osteopaths and Musculoskeletal Physiotherapists Low back pain ManagemENT (COMPLeMENT) trial [ISRCTN77245761]. BMC Musculoskeletal Disorders, 2005, 6, 41.	1.9	28
218	Physiotherapy management of low back pain in Thailand: a study of practice. Physiotherapy Research International, 2005, 10, 201-212.	1.5	31
219	Is acupuncture a useful adjunct to physiotherapy for older adults with knee pain?: The "Acupuncture, Physiotherapy and Exercise" (APEX) study [ISRCTN88597683]. BMC Musculoskeletal Disorders, 2004, 5, 31.	1.9	22
220	Gender differences in pressure pain threshold in healthy humans. Pain, 2003, 101, 259-266.	4.2	347
221	Effects of TENS frequency, intensity and stimulation site parameter manipulation on pressure pain thresholds in healthy human subjects. Pain, 2003, 106, 73-80.	4.2	173
222	Treatment and the process of care in musculoskeletal conditions. Orthopedic Clinics of North America, 2003, 34, 239-244.	1.2	29
223	Can Aspects of Physiotherapist Communication Influence Patients' Pain Experiences? A Systematic Review. Physical Therapy Reviews, 2003, 8, 197-210.	0.8	13
224	Back Pain Online. Spine, 2003, 28, 395-401.	2.0	100
225	Title is missing!. Spine, 2003, 28, 395-401.	2.0	26
226	Title is missing!. Spine, 2003, 28, 953-959.	2.0	3
227	Level of Distress in a Recurrent Low Back Pain Population Referred for Physical Therapy. Spine, 2003, 28, 953-959.	2.0	31
228	Skin temperature response to cryotherapy. Archives of Physical Medicine and Rehabilitation, 2002, 83, 543-549.	0.9	123
229	Sensory stimulation (TENS): effects of parameter manipulation on mechanical pain thresholds in healthy human subjects. Pain, 2002, 99, 253-262.	4.2	151
230	Critically Appraised Topics (CATs). Physiotherapy, 2001, 87, 179-190.	0.4	23
231	Does arthritis influence perceived ability to fulfill a parenting role?. Patient Education and Counseling, 1999, 37, 141-151.	2.2	50
232	Management of Nonspecific Low Back Pain by Physiotherapists in Britain and Ireland. Spine, 1999, 24, 1332.	2.0	251
233	Being a parent with arthritis: The therapists viewpoint. Journal of Interprofessional Care, 1998, 12, 437-440.	1.7	4
234	Researching low back pain? An overview of the pitfalls. Physical Therapy Reviews, 1998, 3, 9-17.	0.8	12

#	Article	IF	CITATIONS
235	Transcutane elektrische neurostimulatie. Stimulus, 1996, 15, 197-199.	0.0	Ο
236	Manipulation of Transcutaneous Electrical Nerve Stimulation Variables has no Effect on Two Models of Experimental Pain in Humans. Clinical Journal of Pain, 1996, 12, 301-310.	1.9	27
237	TRANSCUTANEOUS ELECTRICAL NERVE STIMULATION. American Journal of Physical Medicine and Rehabilitation, 1995, 74, 199-206.	1.4	69