

Kyung-Won Lee

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9302757/publications.pdf>

Version: 2024-02-01

39
papers

706
citations

566801

15
h-index

580395

25
g-index

39
all docs

39
docs citations

39
times ranked

1218
citing authors

#	ARTICLE	IF	CITATIONS
1	Trends in intake and sources of dietary protein in Korean adults, 1998–2018. <i>British Journal of Nutrition</i> , 2022, 128, 1595-1606.	1.2	4
2	Pro-inflammatory diet associated with low back pain in adults aged 50 and older. <i>Applied Nursing Research</i> , 2022, 66, 151589.	1.0	2
3	Association of Seaweed Consumption with Metabolic Syndrome and Its Components: Findings from the Korean Genome and Epidemiology Study. <i>Foods</i> , 2022, 11, 1635.	1.9	1
4	Relationships of Dietary Factors with Obesity, Hypertension, and Diabetes by Regional Type among Single-Person Households in Korea. <i>Nutrients</i> , 2021, 13, 1218.	1.7	8
5	CLOCK Gene Variation Is Associated with the Incidence of Metabolic Syndrome Modulated by Monounsaturated Fatty Acids. <i>Journal of Personalized Medicine</i> , 2021, 11, 412.	1.1	3
6	High pre-pregnancy BMI with a history of gestational diabetes mellitus is associated with an increased risk of type 2 diabetes in Korean women. <i>PLoS ONE</i> , 2021, 16, e0252442.	1.1	7
7	Comparison of Dietary Behaviors and the Prevalence of Metabolic Syndrome in Single- and Multi-Person Households among Korean Adults. <i>Healthcare (Switzerland)</i> , 2021, 9, 1116.	1.0	4
8	Dietary carbohydrates interact with AMY1 polymorphisms to influence the incidence of type 2 diabetes in Korean adults. <i>Scientific Reports</i> , 2021, 11, 16788.	1.6	4
9	Dietary Acid Load Is Positively Associated with the Incidence of Hyperuricemia in Middle-Aged and Older Korean Adults: Findings from the Korean Genome and Epidemiology Study. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 10260.	1.2	9
10	Association of Food Insecurity with Nutrient Intake and Depression among Korean and US Adults: Data from the 2014 Korea and the 2013–2014 US National Health and Nutrition Examination Surveys. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 506.	1.2	8
11	Association between Eating Alone Patterns and Mental Health Conditions by Region among Korean Adults. <i>Korean Journal of Community Nutrition</i> , 2021, 26, 441.	0.1	3
12	Positive association between dietary acid load and future insulin resistance risk: findings from the Korean Genome and Epidemiology Study. <i>Nutrition Journal</i> , 2020, 19, 137.	1.5	16
13	Examining Regional Differences of Dietary Inflammatory Index and Its Association with Depression and Depressive Symptoms in Korean Adults. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 3205.	1.2	14
14	Prospective Associations of Serum Adiponectin, Leptin, and Leptin-Adiponectin Ratio with Incidence of Metabolic Syndrome: The Korean Genome and Epidemiology Study. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 3287.	1.2	21
15	Dietary carbohydrate quality and quantity in relation to the incidence of type 2 diabetes: A prospective cohort study of middle-aged and older Korean adults. <i>Nutrition</i> , 2019, 57, 245-251.	1.1	8
16	Identification of Dietary Patterns Associated with Incidence of Hyperglycemia in Middle-Aged and Older Korean Adults. <i>Nutrients</i> , 2019, 11, 1801.	1.7	16
17	Effects of Inflammation and Depression on Telomere Length in Young Adults in the United States. <i>Journal of Clinical Medicine</i> , 2019, 8, 711.	1.0	19
18	Dietary inflammatory index is positively associated with serum high-sensitivity C-reactive protein in a Korean adult population. <i>Nutrition</i> , 2019, 63-64, 155-161.	1.1	42

#	ARTICLE	IF	CITATIONS
19	Association of Night Eating with Depression and Depressive Symptoms in Korean Women. International Journal of Environmental Research and Public Health, 2019, 16, 4831.	1.2	13
20	Inflammatory potential of diet is associated with cognitive function in an older adult Korean population. Nutrition, 2018, 55-56, 56-62.	1.1	44
21	A Healthy Beverage Consumption Pattern Is Inversely Associated with the Risk of Obesity and Metabolic Abnormalities in Korean Adults. Journal of Medicinal Food, 2018, 21, 935-945.	0.8	12
22	Identifying Dietary Patterns Associated with Mild Cognitive Impairment in Older Korean Adults Using Reduced Rank Regression. International Journal of Environmental Research and Public Health, 2018, 15, 100.	1.2	18
23	Pre-Pregnancy Body Mass Index Is Associated with Dietary Inflammatory Index and C-Reactive Protein Concentrations during Pregnancy. Nutrients, 2017, 9, 351.	1.7	39
24	The Consumption of Dairy Products Is Associated with Reduced Risks of Obesity and Metabolic Syndrome in Korean Women but not in Men. Nutrients, 2017, 9, 630.	1.7	30
25	Iodine Status and Its Determinants among Adolescent School Girls in Rural Tanzania. FASEB Journal, 2017, 31, 786.5.	0.2	1
26	Dietary quality differs by consumption of meals prepared at home vs. outside in Korean adults. Nutrition Research and Practice, 2016, 10, 294.	0.7	26
27	Pre-Pregnancy Weight Status Is Associated with Diet Quality and Nutritional Biomarkers during Pregnancy. Nutrients, 2016, 8, 162.	1.7	59
28	Low Urinary Iodine Concentrations Associated with Dyslipidemia in US Adults. Nutrients, 2016, 8, 171.	1.7	29
29	Food Group Intakes as Determinants of Iodine Status among US Adult Population. Nutrients, 2016, 8, 325.	1.7	28
30	Total Water Intake from Beverages and Foods Is Associated with Energy Intake and Eating Behaviors in Korean Adults. Nutrients, 2016, 8, 617.	1.7	12
31	Dietary Patterns During Pregnancy are Associated with Gestational Weight Gain. Maternal and Child Health Journal, 2016, 20, 2527-2538.	0.7	22
32	Changes in iodine status among US adults, 2001–2012. International Journal of Food Sciences and Nutrition, 2016, 67, 184-194.	1.3	15
33	Nutritional and health consequences are associated with food insecurity among Korean elderly: Based on the fifth (2010) Korea National Health and Nutrition Examination Survey (KNHANES V-1). Journal of Nutrition and Health, 2015, 48, 519.	0.2	24
34	Dietary Patterns during Pregnancy Are Associated with Risk of Gestational Diabetes Mellitus. Nutrients, 2015, 7, 9369-9382.	1.7	106
35	Can Iodine Status be Predicted by Food Group Intake?. FASEB Journal, 2015, 29, LB388.	0.2	0
36	Frequent Consumption of Meals Prepared Outside Home Influence Dietary Adequacy and Diversity in Korean Adults. FASEB Journal, 2015, 29, 597.11.	0.2	0

#	ARTICLE	IF	CITATIONS
37	The Traditional Korean Dietary Pattern Is Associated with Decreased Risk of Metabolic Syndrome: Findings from the Korean National Health and Nutrition Examination Survey, 1998â€“2009. Journal of Medicinal Food, 2014, 17, 43-56.	0.8	34
38	The Application of the Korean Dietary Pattern Score; KNHANES (Korean National Health and Nutrition) Tj ETQq0 0 0,rgBT /Ovgrlock 10 T	0.2	3
39	Salt substitute effect of flavorings and intensity rating of beef soup in different test settings. Food Science and Biotechnology, 2010, 19, 1421-1427.	1.2	2