Carlo Vascotto

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/9303112/carlo-vascotto-publications-by-year.pdf

Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

45
papers

1,779
citations

26
h-index
g-index

51
ext. papers

2,017
ext. citations

5.4
avg, IF

L-index

#	Paper Paper	IF	Citations
45	AGE-TXNIP axis drives inflammation in Alzheimer ½ by targeting Al t o mitochondria in microglia <i>Cell Death and Disease</i> , 2022 , 13, 302	9.8	1
44	DNA Repair Protein APE1 Degrades Dysfunctional Abasic mRNA in Mitochondria Affecting Oxidative Phosphorylation. <i>Journal of Molecular Biology</i> , 2021 , 433, 167125	6.5	3
43	Mitochondrial apurinic/apyrimidinic endonuclease 1 enhances mtDNA repair contributing to cell proliferation and mitochondrial integrity in early stages of hepatocellular carcinoma. <i>BMC Cancer</i> , 2020 , 20, 969	4.8	5
42	Mitochondrial Oxidative Stress Induces Rapid Intermembrane Space/Matrix Translocation of Apurinic/Apyrimidinic Endonuclease 1 Protein through TIM23 Complex. <i>Journal of Molecular Biology</i> , 2020 , 432, 166713	6.5	5
41	Autophagy and Inflammasome Activation in Dilated Cardiomyopathy. <i>Journal of Clinical Medicine</i> , 2019 , 8,	5.1	14
40	Transcription, Processing, and Decay of Mitochondrial RNA in Health and Disease. <i>International Journal of Molecular Sciences</i> , 2019 , 20,	6.3	34
39	[Letter to the Editor] Isolation of mitochondria is necessary for precise quantification of mitochondrial DNA damage in human carcinoma samples. <i>BioTechniques</i> , 2017 , 62, 13-17	2.5	3
38	Inhibitors of the apurinic/apyrimidinic endonuclease 1 (APE1)/nucleophosmin (NPM1) interaction that display anti-tumor properties. <i>Molecular Carcinogenesis</i> , 2016 , 55, 688-704	5	48
37	Identification of tumorigenesis-related mRNAs associated with RNA-binding protein HuR in thyroid cancer cells. <i>Oncotarget</i> , 2016 , 7, 63388-63407	3.3	14
36	Mitochondrial translocation of APE1 relies on the MIA pathway. Nucleic Acids Research, 2015, 43, 5451-	64 0.1	42
35	Transcriptional Up-Regulation of APE1/Ref-1 in Hepatic Tumor: Role in Hepatocytes Resistance to Oxidative Stress and Apoptosis. <i>PLoS ONE</i> , 2015 , 10, e0143289	3.7	19
34	Impairment of enzymatic antioxidant defenses is associated with bilirubin-induced neuronal cell death in the cerebellum of Ugt1 KO mice. <i>Cell Death and Disease</i> , 2015 , 6, e1739	9.8	21
33	Oxidative Stress, Antioxidant Defenses, and the Liver. <i>Oxidative Stress in Applied Basic Research and Clinical Practice</i> , 2015 , 41-64		1
32	Ex vivo molecular rejuvenation improves the therapeutic activity of senescent human cardiac stem cells in a mouse model of myocardial infarction. <i>Stem Cells</i> , 2014 , 32, 2373-85	5.8	52
31	Functional regulation of the apurinic/apyrimidinic endonuclease 1 by nucleophosmin: impact on tumor biology. <i>Oncogene</i> , 2014 , 33, 2876-87	9.2	39
30	Expression and prognostic significance of APE1/Ref-1 and NPM1 proteins in high-grade ovarian serous cancer. <i>American Journal of Clinical Pathology</i> , 2014 , 141, 404-14	1.9	27
29	Osteoblastic cell secretome: a novel role for progranulin during risedronate treatment. <i>Bone</i> , 2014 , 58, 81-91	4.7	11

(2007-2014)

28	The redox function of APE1 is involved in the differentiation process of stem cells toward a neuronal cell fate. <i>PLoS ONE</i> , 2014 , 9, e89232	3.7	25
27	SIRT1 gene expression upon genotoxic damage is regulated by APE1 through nCaRE-promoter elements. <i>Molecular Biology of the Cell</i> , 2014 , 25, 532-47	3.5	61
26	Alterations in the redox state and liver damage: hints from the EASL Basic School of Hepatology. Journal of Hepatology, 2013 , 58, 365-74	13.4	40
25	Role of the unstructured N-terminal domain of the hAPE1 (human apurinic/apyrimidinic endonuclease 1) in the modulation of its interaction with nucleic acids and NPM1 (nucleophosmin). <i>Biochemical Journal</i> , 2013 , 452, 545-57	3.8	31
24	Role of mutual interactions in the chemical and thermal stability of nucleophosmin NPM1 domains. <i>Biochemical and Biophysical Research Communications</i> , 2013 , 430, 523-8	3.4	17
23	Combining RNAi and in vivo confocal microscopy analysis of the photoconvertible fluorescent protein Dendra2 to study a DNA repair protein. <i>BioTechniques</i> , 2013 , 55, 198-203	2.5	6
22	Specific inhibition of the redox activity of ape1/ref-1 by e3330 blocks tnf-Induced activation of IL-8 production in liver cancer cell lines. <i>PLoS ONE</i> , 2013 , 8, e70909	3.7	36
21	Nucleolar accumulation of APE1 depends on charged lysine residues that undergo acetylation upon genotoxic stress and modulate its BER activity in cells. <i>Molecular Biology of the Cell</i> , 2012 , 23, 4079-96	3.5	73
20	Human AP endonuclease/redox factor APE1/ref-1 modulates mitochondrial function after oxidative stress by regulating the transcriptional activity of NRF1. <i>Free Radical Biology and Medicine</i> , 2012 , 53, 237-48	7.8	29
19	Blockade of Base Excision Repair 2012 , 29-53		5
19 18	Blockade of Base Excision Repair 2012 , 29-53 Knock-in reconstitution studies reveal an unexpected role of Cys-65 in regulating APE1/Ref-1 subcellular trafficking and function. <i>Molecular Biology of the Cell</i> , 2011 , 22, 3887-901	3.5	50
	Knock-in reconstitution studies reveal an unexpected role of Cys-65 in regulating APE1/Ref-1	3.5	50
18	Knock-in reconstitution studies reveal an unexpected role of Cys-65 in regulating APE1/Ref-1 subcellular trafficking and function. <i>Molecular Biology of the Cell</i> , 2011 , 22, 3887-901 Critical lysine residues within the overlooked N-terminal domain of human APE1 regulate its		50
18	Knock-in reconstitution studies reveal an unexpected role of Cys-65 in regulating APE1/Ref-1 subcellular trafficking and function. <i>Molecular Biology of the Cell</i> , 2011 , 22, 3887-901 Critical lysine residues within the overlooked N-terminal domain of human APE1 regulate its biological functions. <i>Nucleic Acids Research</i> , 2010 , 38, 8239-56 APE1/Ref-1 interacts with NPM1 within nucleoli and plays a role in the rRNA quality control	20.1	50
18 17 16	Knock-in reconstitution studies reveal an unexpected role of Cys-65 in regulating APE1/Ref-1 subcellular trafficking and function. <i>Molecular Biology of the Cell</i> , 2011 , 22, 3887-901 Critical lysine residues within the overlooked N-terminal domain of human APE1 regulate its biological functions. <i>Nucleic Acids Research</i> , 2010 , 38, 8239-56 APE1/Ref-1 interacts with NPM1 within nucleoli and plays a role in the rRNA quality control process. <i>Molecular and Cellular Biology</i> , 2009 , 29, 1834-54 Genome-wide analysis and proteomic studies reveal APE1/Ref-1 multifunctional role in mammalian	20.1	50 83 169
18 17 16	Knock-in reconstitution studies reveal an unexpected role of Cys-65 in regulating APE1/Ref-1 subcellular trafficking and function. <i>Molecular Biology of the Cell</i> , 2011 , 22, 3887-901 Critical lysine residues within the overlooked N-terminal domain of human APE1 regulate its biological functions. <i>Nucleic Acids Research</i> , 2010 , 38, 8239-56 APE1/Ref-1 interacts with NPM1 within nucleoli and plays a role in the rRNA quality control process. <i>Molecular and Cellular Biology</i> , 2009 , 29, 1834-54 Genome-wide analysis and proteomic studies reveal APE1/Ref-1 multifunctional role in mammalian cells. <i>Proteomics</i> , 2009 , 9, 1058-74 The solution structure of DNA-free Pax-8 paired box domain accounts for redox regulation of	20.1 4.8 4.8	50 83 169 79
18 17 16 15 14	Knock-in reconstitution studies reveal an unexpected role of Cys-65 in regulating APE1/Ref-1 subcellular trafficking and function. <i>Molecular Biology of the Cell</i> , 2011 , 22, 3887-901 Critical lysine residues within the overlooked N-terminal domain of human APE1 regulate its biological functions. <i>Nucleic Acids Research</i> , 2010 , 38, 8239-56 APE1/Ref-1 interacts with NPM1 within nucleoli and plays a role in the rRNA quality control process. <i>Molecular and Cellular Biology</i> , 2009 , 29, 1834-54 Genome-wide analysis and proteomic studies reveal APE1/Ref-1 multifunctional role in mammalian cells. <i>Proteomics</i> , 2009 , 9, 1058-74 The solution structure of DNA-free Pax-8 paired box domain accounts for redox regulation of transcriptional activity in the pax protein family. <i>Journal of Biological Chemistry</i> , 2008 , 283, 33321-8 The neutrophil gelatinase-associated lipocalin (NGAL), a NF-kappaB-regulated gene, is a survival factor for thyroid neoplastic cells. <i>Proceedings of the National Academy of Sciences of the United</i>	20.1 4.8 4.8	50 83 169 79 18

10	RbAp48 is a target of nuclear factor-kappaB activity in thyroid cancer. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2007 , 92, 1458-66	5.6	29
9	Bilirubin-induced cell toxicity involves PTEN activation through an APE1/Ref-1-dependent pathway. Journal of Molecular Medicine, 2007 , 85, 1099-112	5.5	38
8	Redox proteomics and immunohistology to study molecular events during ischemia-reperfusion in human liver. <i>Transplantation Proceedings</i> , 2007 , 39, 1755-60	1.1	21
7	Nucleotide receptors stimulation by extracellular ATP controls Hsp90 expression through APE1/Ref-1 in thyroid cancer cells: a novel tumorigenic pathway. <i>Journal of Cellular Physiology</i> , 2006 , 209, 44-55	7	17
6	Proteomic analysis of liver tissues subjected to early ischemia/reperfusion injury during human orthotopic liver transplantation. <i>Proteomics</i> , 2006 , 6, 3455-65	4.8	49
5	Differential proteomic analysis of nuclear extracts from thyroid cell lines. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2006 , 833, 41-50	3.2	16
4	Overoxidation of peroxiredoxins as an immediate and sensitive marker of oxidative stress in HepG2 cells and its application to the redox effects induced by ischemia/reperfusion in human liver. <i>Free Radical Research</i> , 2005 , 39, 255-68	4	54
3	Activation of human T lymphocytes under conditions similar to those that occur during exposure to microgravity: a proteomics study. <i>Proteomics</i> , 2005 , 5, 1827-37	4.8	34
2	The importance of redox state in liver damage. <i>Annals of Hepatology</i> , 2004 , 3, 86-92	3.1	139
1	The importance of redox state in liver damage. <i>Annals of Hepatology</i> , 2004 , 3, 86-92	3.1	44