
## John M D Thompson

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/930447/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Short Sleep Duration in Middle Childhood: Risk Factors and Consequences. Sleep, 2008, 31, 71-78.	1.1	340
2	Breastfeeding and Reduced Risk of Sudden Infant Death Syndrome: A Meta-analysis. Pediatrics, 2011, 128, 103-110.	2.1	340
3	Antibiotics in the first year of life and subsequent neurocognitive outcomes. Acta Paediatrica, International Journal of Paediatrics, 2017, 106, 87-94.	1.5	125
4	Associations between Acetaminophen Use during Pregnancy and ADHD Symptoms Measured at Ages 7 and 11 Years. PLoS ONE, 2014, 9, e108210.	2.5	123
5	Risk factors for small-for-gestational-age babies: The Auckland Birthweight Collaborative Study. Journal of Paediatrics and Child Health, 2001, 37, 369-375.	0.8	120
6	Duration of Breastfeeding and Risk of SIDS: An Individual Participant Data Meta-analysis. Pediatrics, 2017, 140, .	2.1	117
7	Risk Factors for Excessive Gestational Weight Gain in a Healthy, Nulliparous Cohort. Journal of Obesity, 2014, 2014, 1-9.	2.7	115
8	Association between maternal sleep practices and risk of late stillbirth: a case-control study. BMJ: British Medical Journal, 2011, 342, d3403-d3403.	2.3	107
9	Maternal dietary patterns in pregnancy and the association with small-for-gestational-age infants. British Journal of Nutrition, 2010, 103, 1665-1673.	2.3	102
10	Secular trends in socio-economic status and the implications for preterm birth. Paediatric and Perinatal Epidemiology, 2006, 20, 182-187.	1.7	101
11	Maternal Perception of Fetal Activity and Late Stillbirth Risk: Findings from the Auckland Stillbirth Study. Birth, 2011, 38, 311-316.	2.2	95
12	Risk factors for obesity in 7-year-old European children: the Auckland Birthweight Collaborative Study. Archives of Disease in Childhood, 2007, 92, 866-871.	1.9	91
13	The effect of supine positioning on maternal hemodynamics during late pregnancy. Journal of Maternal-Fetal and Neonatal Medicine, 2019, 32, 3923-3930.	1.5	70
14	Going to sleep in the supine position is a modifiable risk factor for late pregnancy stillbirth; Findings from the New Zealand multicentre stillbirth case-control study. PLoS ONE, 2017, 12, e0179396.	2.5	69
15	Discordant association of the CREBRF rs373863828 A allele with increased BMI and protection from type 2 diabetes in MÄori and Pacific (Polynesian) people living in Aotearoa/New Zealand. Diabetologia, 2018, 61, 1603-1613.	6.3	61
16	Obesity and diabetes genes are associated with being born small for gestational age: Results from the Auckland Birthweight Collaborative study. BMC Medical Genetics, 2010, 11, 125.	2.1	58
17	Placental Infarcts, Intervillous Fibrin Plaques, and Intervillous Thrombi: Incidences, Cooccurrences, and Epidemiological Associations. Pediatric and Developmental Pathology, 2004, 7, 26-34.	1.0	48
18	Effect of maternal position on fetal behavioural state and heart rate variability in healthy late gestation pregnancy. Journal of Physiology, 2017, 595, 1213-1221.	2.9	48

#	Article	IF	CITATIONS
19	Alterations in maternally perceived fetal movement and their association with late stillbirth: findings from the Midland and North of England stillbirth case–control study. BMJ Open, 2018, 8, e020031.	1.9	47
20	An Individual Participant Data Meta-analysis of Maternal Going-to-Sleep Position, Interactions with Fetal Vulnerability, and the Risk of Late Stillbirth. EClinicalMedicine, 2019, 10, 49-57.	7.1	46
21	Cesarean section and maternal education; secular trends in Norway, 1967–2004. Acta Obstetricia Et Gynecologica Scandinavica, 2007, 86, 840-848.	2.8	42
22	Risk factors for migraine and tension-type headache in 11Âyear old children. Journal of Headache and Pain, 2014, 15, 60.	6.0	38
23	Maternal folic acid supplementation for the prevention of preeclampsia: A systematic review and metaâ€analysis. Paediatric and Perinatal Epidemiology, 2018, 32, 346-357.	1.7	36
24	Determinants of cognitive ability at 7Âyears: a longitudinal case–control study of children born small-for-gestational age at term. European Journal of Pediatrics, 2009, 168, 1217-1224.	2.7	35
25	Prediction of Small for Gestational Age Infants in Healthy Nulliparous Women Using Clinical and Ultrasound Risk Factors Combined with Early Pregnancy Biomarkers. PLoS ONE, 2017, 12, e0169311.	2.5	35
26	Determinants of developmental delay in infants aged 12 months. Paediatric and Perinatal Epidemiology, 2007, 21, 121-128.	1.7	33
27	Maternal stress during pregnancy is associated with moderate to severe depression in 11-year-old children. Acta Paediatrica, International Journal of Paediatrics, 2015, 104, 68-74.	1.5	33
28	An investigation of fetal behavioural states during maternal sleep in healthy late gestation pregnancy: an observational study. Journal of Physiology, 2017, 595, 7441-7450.	2.9	31
29	The catecholâ€ <i>O</i> â€methyltransferase ( <i>COMT</i> ) Val158Met polymorphism moderates the effect of antenatal stress on childhood behavioural problems: longitudinal evidence across multiple ages. Developmental Medicine and Child Neurology, 2012, 54, 148-154.	2.1	28
30	A description of sleep behaviour in healthy late pregnancy, and the accuracy of self-reports. BMC Pregnancy and Childbirth, 2016, 16, 115.	2.4	28
31	Placental Chorioamnionitis at Term: Epidemiology and Follow-Up in Childhood. Pediatric and Developmental Pathology, 2010, 13, 282-290.	1.0	27
32	Dietary patterns and intelligence in early and middle childhood. Intelligence, 2009, 37, 506-513.	3.0	25
33	Hemodynamic changes in women with symptoms of supine hypotensive syndrome. Acta Obstetricia Et Gynecologica Scandinavica, 2020, 99, 631-636.	2.8	25
34	Associations Between the KIAA0319 Dyslexia Susceptibility Gene Variants, Antenatal Maternal Stress, and Reading Ability in a Longitudinal Birth Cohort. Dyslexia, 2016, 22, 379-393.	1.5	22
35	Relationship between obesity, ethnicity and risk of late stillbirth: a case control study. BMC Pregnancy and Childbirth, 2011, 11, 3.	2.4	21
36	Understanding the associations and significance of fetal movements in overweight or obese pregnant women: a systematic review. Acta Obstetricia Et Gynecologica Scandinavica, 2018, 97, 13-24.	2.8	21

#	Article	IF	CITATIONS
37	Dietary patterns of children at 3.5 and 7Âyears of age: a New Zealand birth cohort study. Acta Paediatrica, International Journal of Paediatrics, 2013, 102, 137-142.	1.5	20
38	Perinatal Risk and Protective Factors for Pediatric Abusive Head Trauma: A Multicenter Case-Control Study. Journal of Pediatrics, 2017, 187, 240-246.e4.	1.8	20
39	Association between maternally perceived quality and pattern of fetal movements and late stillbirth. Scientific Reports, 2019, 9, 9815.	3.3	20
40	Clinician Identification of Birth Asphyxia Using Intrapartum Cardiotocography Among Neonates With and Without Encephalopathy in New Zealand. JAMA Network Open, 2020, 3, e1921363.	5.9	20
41	Associations between social and behavioural factors and the risk of late stillbirth – findings from the Midland and North of England Stillbirth caseâ€control study. BJOG: an International Journal of Obstetrics and Gynaecology, 2021, 128, 704-713.	2.3	18
42	Infant care practices and parent uptake of safe sleep messages: a cross-sectional survey in Queensland, Australia. BMC Pediatrics, 2020, 20, 27.	1.7	17
43	The effects of maternal position, in late gestation pregnancy, on placental blood flow and oxygenation: an MRI study. Journal of Physiology, 2021, 599, 1901-1915.	2.9	17
44	Children born small for gestational age are not at special risk for preschool emotion and behaviour problems. Early Human Development, 2012, 88, 479-485.	1.8	15
45	Survey of maternal sleep practices in late pregnancy in a multi-ethnic sample in South Auckland, New Zealand. BMC Pregnancy and Childbirth, 2017, 17, 190.	2.4	15
46	Relationships of maternal body mass index and plasma biomarkers with childhood body mass index and adiposity at 6Âyears: The Children of SCOPE study. Pediatric Obesity, 2019, 14, e12537.	2.8	15
47	The Effect of Interactions between Folic Acid Supplementation and One Carbon Metabolism Gene Variants on Small-for-Gestational-Age Births in the Screening for Pregnancy Endpoints (SCOPE) Cohort Study. Nutrients, 2020, 12, 1677.	4.1	15
48	Analysis of MMP2 promoter polymorphisms in childhood obesity. BMC Research Notes, 2011, 4, 253.	1.4	14
49	An evaluation of pathologists' application of the diagnostic criteria from the San Diego definition of SIDS and unclassified sudden infant death. International Journal of Legal Medicine, 2020, 134, 1015-1021.	2.2	14
50	The Pacific-specific CREBRF rs373863828 allele protects against gestational diabetes mellitus in MÄori and Pacific women with obesity. Diabetologia, 2020, 63, 2169-2176.	6.3	14
51	Perceived stress during pregnancy and the catechol-O-methyltransferase (COMT) rs165599 polymorphism impacts on childhood IQ. Cognition, 2014, 132, 461-470.	2.2	13
52	Association of Supine Going-to-Sleep Position in Late Pregnancy With Reduced Birth Weight. JAMA Network Open, 2019, 2, e1912614.	5.9	13
53	Applying a Social Exclusion Framework to Explore the Relationship Between Sudden Unexpected Deaths in Infancy (SUDI) and Social Vulnerability. Frontiers in Public Health, 2020, 8, 563573.	2.7	13
54	Validation of thoracic impedance cardiography by echocardiography in healthy late pregnancy. BMC Pregnancy and Childbirth, 2015, 15, 70.	2.4	12

#	Article	IF	CITATIONS
55	Analysis of association of gene variants with obesity traits in New Zealand European children at 6 years of age. Molecular BioSystems, 2017, 13, 1524-1533.	2.9	12
56	Late stillbirth post mortem examination in New Zealand: Maternal decisionâ€making. Australian and New Zealand Journal of Obstetrics and Gynaecology, 2018, 58, 667-673.	1.0	12
57	A diurnal fetal movement pattern: Findings from a cross-sectional study of maternally perceived fetal movements in the third trimester of pregnancy. PLoS ONE, 2019, 14, e0217583.	2.5	12
58	Associations between symptoms of sleep-disordered breathing and maternal sleep patterns with late stillbirth: Findings from an individual participant data meta-analysis. PLoS ONE, 2020, 15, e0230861.	2.5	12
59	Early antibiotic exposure and body mass index in children born small for gestational age. Acta Paediatrica, International Journal of Paediatrics, 2013, 102, e434-5.	1.5	11
60	Environmental and genetic determinants of childhood depression: The roles of DAT1 and the antenatal environment. Journal of Affective Disorders, 2016, 197, 151-158.	4.1	11
61	Gene-by-environment interactions of the CLOCK, PEMT, and GHRELINÂloci with average sleep duration in relation to obesity traitsÂusing a cohort of 643 New Zealand European children. Sleep Medicine, 2017, 37, 19-26.	1.6	11
62	Maternal stress during pregnancy and small for gestational age birthweight are not associated with telomere length at 11â€years of age. Gene, 2019, 694, 97-101.	2.2	11
63	The use of postâ€mortem lividity to determine sleep position in sudden unexpected deaths in infancy. Acta Paediatrica, International Journal of Paediatrics, 2020, 109, 1162-1165.	1.5	11
64	A better understanding of the association between maternal perception of foetal movements and late stillbirth—findings from an individual participant data meta-analysis. BMC Medicine, 2021, 19, 267.	5.5	11
65	Reduced genetic influence on childhood obesity in small for gestational age children. BMC Medical Genetics, 2013, 14, 10.	2.1	9
66	Dental arch relationship outcomes for children with complete unilateral and complete bilateral cleft lip and palate in New Zealand. Orthodontics and Craniofacial Research, 2019, 22, 147-152.	2.8	9
67	Prevalence of risk factors for sudden infant death among Indigenous and nonâ€Indigenous people in Australia. Acta Paediatrica, International Journal of Paediatrics, 2020, 109, 2614-2626.	1.5	9
68	Childhood dietary patterns and body composition at age 6 years: the Children of Screening for Pregnancy Endpoints (SCOPE) study. British Journal of Nutrition, 2020, 124, 217-224.	2.3	9
69	Awareness of infant safe sleep messages and associated care practices: findings from an Australian cohort of families with young infants. BMJ Paediatrics Open, 2021, 5, e000972.	1.4	9
70	Fetal growth restriction and other factors associated with neonatal death in New Zealand. Australian and New Zealand Journal of Obstetrics and Gynaecology, 2007, 47, 457-463.	1.0	8
71	Prevalence and determinants of cytomegalovirus infection in preâ€school children. Journal of Paediatrics and Child Health, 2009, 45, 291-296.	0.8	8
72	A randomised controlled demonstration trial of multifaceted nutritional intervention and or probiotics: the healthy mums and babies (HUMBA) trial. BMC Pregnancy and Childbirth, 2016, 16, 373.	2.4	8

#	Article	IF	CITATIONS
73	Bone fill following secondary alveolar bone grafting for children with cleft of the alveolus in New Zealand. Orthodontics and Craniofacial Research, 2019, 22, 153-158.	2.8	8
74	A retrospective nationwide study of the dental caries experience of New Zealand children with orofacial cleft. Community Dentistry and Oral Epidemiology, 2020, 48, 42-48.	1.9	8
75	Maternally perceived fetal movement patterns: The influence of body mass index. Early Human Development, 2020, 140, 104922.	1.8	8
76	The effect of positioning on maternal anatomy and hemodynamics during late pregnancy. Clinical Anatomy, 2020, 33, 943-949.	2.7	8
77	No evidence for copy number and methylation variation in H19 and KCNQ10T1 imprinting control regions in children born small for gestational age. BMC Medical Genetics, 2014, 15, 67.	2.1	7
78	Nasolabial outcomes in a nationwide study of orofacial cleft in New Zealand. Orthodontics and Craniofacial Research, 2019, 22, 194-200.	2.8	7
79	The real divide: the use of algorithmâ€derived Indigenous status to measure disparities in sudden unexpected deaths in infancy in Queensland. Australian and New Zealand Journal of Public Health, 2019, 43, 570-576.	1.8	7
80	The Collaborative IPD of Sleep and Stillbirth (Cribss): is maternal going-to-sleep position a risk factor for late stillbirth and does maternal sleep position interact with fetal vulnerability? An individual participant data meta-analysis study protocol. BMJ Open, 2018, 8, e020323.	1.9	6
81	The Long-term Effects of Early Paternal Presence on Children's Behavior. Journal of Child and Family Studies, 2018, 27, 3544-3553.	1.3	6
82	Plasma folate and its association with folic acid supplementation, socio-demographic and lifestyle factors among New Zealand pregnant women. British Journal of Nutrition, 2019, 122, 910-918.	2.3	6
83	Craniofacial morphology and soft tissue profile outcomes for complete unilateral and complete bilateral cleft lip and palate in New Zealand. Orthodontics and Craniofacial Research, 2019, 22, 139-146.	2.8	6
84	Reliability of a Categorical Scale (GOSLON) and a Continuous Scale (10-cm Visual Analog Scale) for Assessing Dental Arch Relationships Using Conventional Plaster and 3D Digital Orthodontic Study Models of Children With Complete Unilateral Cleft Lip and Palate. Cleft Palate-Craniofacial Journal, 2019, 56, 84-89.	0.9	6
85	Outpatient balloon catheter vs inpatient prostaglandin for induction of labour (OBLIGE): a randomised controlled trial. Trials, 2020, 21, 190.	1.6	6
86	Quality of Life Using General Population Validated Questionnaires in Children With Cleft Lip and/or Palate in New Zealand. Cleft Palate-Craniofacial Journal, 2021, 58, 779-786.	0.9	6
87	Maternal smoking in pregnancy moderates the effect of the brain-derived neurotrophic factor (BDNF) gene polymorphism on childhood IQ across multiple ages. Intelligence, 2014, 43, 47-51.	3.0	5
88	Re: "Widespread prevalence of a CREBRF variant among MÄori and Pacific children is associated with weight and height in early childhood― International Journal of Obesity, 2018, 42, 1389-1391.	3.4	5
89	Educational Attainment of Children Born with Unilateral Cleft Lip and Palate in the United Kingdom. Cleft Palate-Craniofacial Journal, 2021, 58, 587-596.	0.9	5
90	Speech Outcomes of a National Cohort of Children with Orofacial Cleft at 5 and 10 Years of age. Cleft Palate-Craniofacial Journal, 2022, 59, 1400-1412.	0.9	5

#	Article	IF	CITATIONS
91	Dietary intakes in children born small for gestational age and appropriate for gestational age: A longitudinal study. Maternal and Child Nutrition, 2017, 13, .	3.0	4
92	Early adolescent physical activity, sleep and symptoms of depression at 16 years of age. Acta Paediatrica, International Journal of Paediatrics, 2020, 109, 1394-1399.	1.5	4
93	Physical Activity, Sleep, Body Mass Index, and Associated Risk of Behavioral and Emotional Problems in Childhood. Journal of Developmental and Behavioral Pediatrics, 2020, 41, 187-194.	1.1	4
94	Factor structure of the SDQ and longitudinal associations from pre-school to pre-teen in New Zealand. PLoS ONE, 2021, 16, e0247932.	2.5	4
95	Comparison of Reliability of Categorical and Continuous Scales for Radiographic Assessments of Bone Infill Following Secondary Alveolar Bone Grafting. Cleft Palate-Craniofacial Journal, 2018, 55, 269-275.	0.9	3
96	Challenges parents encounter when implementing infant safe sleep advice. Acta Paediatrica, International Journal of Paediatrics, 2021, 110, 3083-3093.	1.5	3
97	Priority setting: Consensus for Australia's infant safe sleeping public health promotion programme. Journal of Paediatrics and Child Health, 2021, 57, 219-226.	0.8	2
98	Modification of maternal late pregnancy sleep position: a survey evaluation of a New Zealand public health campaign. BMJ Open, 2021, 11, e047681.	1.9	2
99	Risk of perinatal mortality in the first year of midwifery practice in New Zealand: analysis of a retrospective national cohort. BMJ Open, 2018, 8, e019026.	1.9	1
100	How reliable is parental/carer assessment of infant health status?. Forensic Science, Medicine, and Pathology, 2019, 15, 629-630.	1.4	1
101	Behavioral Outcomes in Children With an Orofacial Cleft in a National Study in New Zealand. Cleft Palate-Craniofacial Journal, 2021, 58, 1032-1039.	0.9	1
102	A Nationwide Survey of Oral Health Related Quality of Life of Children With Orofacial Cleft in New Zealand. Cleft Palate-Craniofacial Journal, 2021, 58, 1040-1046.	0.9	1
103	Infant Care Practices, Caregiver Awareness of Safe Sleep Advice and Barriers to Implementation: A Scoping Review. International Journal of Environmental Research and Public Health, 2022, 19, 7712.	2.6	1
104	Live births of infants less than 23 weeks gestation disproportionately affect infant mortality rates in the United States. Journal of Neonatal-Perinatal Medicine, 2009, 2, 83-87.	0.8	0
105	The Relationship Between Breastfeeding and SIDS. , 2019, , 142-145.		0
106	Do data from child protective services and the police enhance modelling of perinatal risk for paediatric abusive head trauma? A retrospective case-control study. BMJ Open, 2019, 9, e024199.	1.9	0
107	Early life adversity and the role of the dopamine transporter (DAT1) gene in predicting childhood symptoms of ADHD and depression. , 2021, , 15-25.		0
108	Initial evidence that polymorphisms in neurotransmitter-regulating genes contribute to being born small for gestational age. Journal of Pediatric Genetics, 2012, 1, 103-13.	0.7	0

#	Article	IF	CITATIONS
109	Duration of Breastfeeding and Risk of SIDS: An Individual Participant Data Meta-analysis. , 2018, , 127-136.		0
110	The technique â€j̃oint and individual variance explained' highlights persistent aspects of the diet using longitudinal food frequency data. British Journal of Nutrition, 2021, , 1-9.	2.3	0
111	Title is missing!. , 2020, 15, e0230861.		Ο
112	Title is missing!. , 2020, 15, e0230861.		0
113	Title is missing!. , 2020, 15, e0230861.		Ο
114	Title is missing!. , 2020, 15, e0230861.		0
115	Maternal mental health and substance use disorders in sudden unexpected death in infancy using routinely collected health data in New Zealand, 2000–2016. Archives of Disease in Childhood, 2022, 107, 917-921.	1.9	О