

# Li-Min Zheng

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/9306046/li-min-zheng-publications-by-year.pdf>

**Version:** 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

164 papers	4,664 citations	41 h-index	57 g-index
171 ext. papers	5,128 ext. citations	5.6 avg, IF	5.92 L-index

#	Paper	IF	Citations
164	Iridium-lanthanide complexes: Structures, properties and applications. <i>Coordination Chemistry Reviews</i> , <b>2022</b> , 456, 214367	23.2	3
163	Dynamic Cantilever Magnetometry of Paramagnetism with Slow Relaxation. <i>Chinese Physics Letters</i> , <b>2022</b> , 39, 037501	1.8	
162	Mixed-ligated cobalt phosphonates showing slow magnetic relaxation and spin-flop behavior. <i>Journal of Solid State Chemistry</i> , <b>2022</b> , 123227	3.3	
161	Uranyl phosphonates: crystalline materials and nanosheets for temperature sensing. <i>Dalton Transactions</i> , <b>2021</b> , 50, 17129-17139	4.3	2
160	Layer or Tube? Uncovering Key Factors Determining the Rolling-up of Layered Coordination Polymers. <i>Journal of the American Chemical Society</i> , <b>2021</b> , 143, 17587-17598	16.4	1
159	Controllable Macroscopic Chirality of Coordination Polymers through pH and Anion-Mediated Weak Interactions. <i>Chemistry - A European Journal</i> , <b>2021</b> , 27, 16722-16734	4.8	4
158	Cluster-Bridging-Coordinated Bimetallic Metal-Organic Framework as High-Performance Anode Material for Lithium-Ion Storage. <i>Small Structures</i> , <b>2021</b> , 2, 2100122	8.7	4
157	Cobalt(II)-dianthracene Frameworks: Assembly, Exfoliation and Properties. <i>Chemistry - an Asian Journal</i> , <b>2021</b> , 16, 1456-1465	4.5	3
156	Dysprosium Coordination Polymer Incorporating Dianthracene: Thermo-induced Phase Transition Accompanied with Magnetic and Optical Changes. <i>European Journal of Inorganic Chemistry</i> , <b>2021</b> , 2021, 1565-1570	2.3	4
155	Anhydrous Superprotonic Conductivity of a Uranyl-Based MOF from Ambient Temperature to 110 °C <b>2021</b> , 3, 744-751		9
154	Chemically Exfoliated Semiconducting Bimetallic Porphyrinylphosphonate Metal-Organic Layers for Photocatalytic CO <sub>2</sub> Reduction under Visible Light. <i>ACS Applied Energy Materials</i> , <b>2021</b> , 4, 4319-4326	6.1	5
153	Thermo-induced structural transformation with synergistic optical and magnetic changes in ytterbium and erbium complexes. <i>Chinese Chemical Letters</i> , <b>2021</b> , 32, 1519-1522	8.1	3
152	From helices to superhelices: hierarchical assembly of homochiral van der Waals 1D coordination polymers. <i>Chemical Science</i> , <b>2021</b> , 12, 12619-12630	9.4	2
151	Homochiral Dysprosium Phosphonate Nanowires: Morphology Control and Magnetic Dynamics. <i>Chemistry - an Asian Journal</i> , <b>2021</b> , 16, 2648-2658	4.5	1
150	Heterometallic uranyl-organic frameworks incorporating manganese and copper: Structures, ammonia sorption and magnetic properties. <i>Polyhedron</i> , <b>2021</b> , 205, 115327	2.7	4
149	Polar Lanthanide Anthracene Complexes Exhibiting Magnetic, Luminescent and Dielectric Properties. <i>European Journal of Inorganic Chemistry</i> , <b>2021</b> , 2021, 4207	2.3	0
148	Dysprosium-dianthracene framework showing thermo-responsive magnetic and luminescence properties. <i>Journal of Materials Chemistry C</i> , <b>2021</b> , 9, 10749-10758	7.1	2

147	Metal-Metalloligand Coordination Polymer Embedding Triangular Cobalt-Oxo Clusters: Solvent- and Temperature-Induced Crystal to Crystal Transformations and Associated Magnetism. <i>Inorganic Chemistry</i> , <b>2020</b> , 59, 8935-8945	5.1	15
146	Chiral metal phosphonates: assembly, structures and functions. <i>Science China Chemistry</i> , <b>2020</b> , 63, 619-636	6.9	20
145	Synergetic magnetic and luminescence switching via solid state phase transitions of the dysprosium-dianthracene complex. <i>Journal of Materials Chemistry C</i> , <b>2020</b> , 8, 7369-7377	7.1	11
144	Cyclic Lanthanide-based Molecular Clusters: Assembly and Single Molecule Magnet Behavior. <i>Acta Chimica Sinica</i> , <b>2020</b> , 78, 34	3.3	13
143	Field-induced slow magnetic relaxation in low-spin $S = 1/2$ mononuclear osmium(v) complexes. <i>Dalton Transactions</i> , <b>2020</b> , 49, 4084-4092	4.3	6
142	Metal-organic nanotubes: Designs, structures and functions. <i>Coordination Chemistry Reviews</i> , <b>2020</b> , 403, 213083	23.2	17
141	Luminescent Ir(III)-Ln(III) coordination polymers showing slow magnetization relaxation. <i>Inorganic Chemistry Frontiers</i> , <b>2020</b> , 7, 4580-4592	6.8	8
140	Polar layered coordination polymers incorporating triazacyclononane-triphosphonate metalloligands. <i>Dalton Transactions</i> , <b>2020</b> , 49, 3758-3765	4.3	3
139	Metal phosphonates incorporating metalloligands: assembly, structures and properties. <i>Chemical Communications</i> , <b>2020</b> , 56, 12090-12108	5.8	15
138	Thermo- and light-triggered reversible interconversion of dysprosium-anthracene complexes and their responsive optical, magnetic and dielectric properties. <i>Chemical Science</i> , <b>2020</b> , 12, 929-937	9.4	13
137	Cyclometalated Iridium(III) Complexes Incorporating Aromatic Phosphonate Ligands: Syntheses, Structures, and Tunable Optical Properties. <i>ACS Omega</i> , <b>2019</b> , 4, 16543-16550	3.9	5
136	Two- and Three-Dimensional Heterometallic Ln[Ru- $\mu$ -Ammonium Diphosphonate] Nets: Structures, Porosity, Magnetism, and Proton Conductivity. <i>Inorganic Chemistry</i> , <b>2019</b> , 58, 14034-14045	5.1	10
135	Hofmann Metal-Organic Framework Monolayer Nanosheets as an Axial Coordination Platform for Biosensing. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2019</b> , 11, 12986-12992	9.5	23
134	Polymorphic layered copper phosphonates: exfoliation and proton conductivity studies. <i>Dalton Transactions</i> , <b>2019</b> , 48, 6539-6545	4.3	12
133	Syntheses, crystal structures and magnetic properties of a series of luminescent lanthanide complexes containing neutral tetradentate phenanthroline-amide ligands. <i>Inorganic Chemistry Frontiers</i> , <b>2019</b> , 6, 1442-1452	6.8	10
132	Octahedral erbium and ytterbium ion encapsulated in phosphorescent iridium complexes showing field-induced magnetization relaxation. <i>Journal of Magnetism and Magnetic Materials</i> , <b>2019</b> , 484, 139-145	2.8	7
131	Homochiral iron(ii)-based metal-organic nanotubes: metamagnetism and selective nitric oxide adsorption in a confined channel. <i>Chemical Communications</i> , <b>2019</b> , 55, 2825-2828	5.8	17
130	Interplay of anthracene luminescence and dysprosium magnetism by steric control of photodimerization. <i>Dalton Transactions</i> , <b>2019</b> , 48, 13769-13779	4.3	15

129	Incorporating Paramagnetic IrIVCl <sub>6</sub> 2In H-Bonded Networks of Metal-Phosphonate Hydrate: Slow Magnetic Relaxation and Proton Conduction. <i>Crystal Growth and Design</i> , <b>2019</b> , 19, 4836-4843	3.5	6
128	Lanthanide anthracene complexes: slow magnetic relaxation and luminescence in Dy, Er and Yb based materials. <i>Dalton Transactions</i> , <b>2019</b> , 48, 2735-2740	4.3	24
127	From a layered iridium(iii)-cobalt(ii) organophosphonate to an efficient oxygen-evolution-reaction electrocatalyst. <i>Chemical Communications</i> , <b>2019</b> , 55, 13920-13923	5.8	7
126	Changes in magnetic order through two consecutive dehydration steps of metal-phosphonate diamond chains.. <i>RSC Advances</i> , <b>2019</b> , 9, 31911-31917	3.7	1
125	Proton conductive metal phosphonate frameworks. <i>Coordination Chemistry Reviews</i> , <b>2019</b> , 378, 577-594	23.2	220
124	Coupling photo-, mechano- and thermochromism and single-ion-magnetism of two mononuclear dysprosium-anthracene-phosphonate complexes. <i>Chemical Communications</i> , <b>2018</b> , 54, 3278-3281	5.8	31
123	Iridium(III)-Based Metal-Organic Frameworks as Multiresponsive Luminescent Sensors for Fe, CrO <sub>3</sub> , and ATP in Aqueous Media. <i>Inorganic Chemistry</i> , <b>2018</b> , 57, 1079-1089	5.1	86
122	Bioinspired Engineering of Cobalt-Phosphonate Nanosheets for Robust Hydrogen Evolution Reaction. <i>ACS Catalysis</i> , <b>2018</b> , 8, 3895-3902	13.1	58
121	Reversible SC-SC Transformation involving [4+4] Cycloaddition of Anthracene: A Single-Ion to Single-Molecule Magnet and Yellow-Green to Blue-White Emission. <i>Angewandte Chemie - International Edition</i> , <b>2018</b> , 57, 8577-8581	16.4	62
120	Homochiral Erbium Coordination Polymers: Salt-Assisted Conversion from Triple to Quadruple Helices. <i>Crystal Growth and Design</i> , <b>2018</b> , 18, 4045-4053	3.5	12
119	NalrCl: Spin-Orbital-Induced Semiconductor Showing Hydration-Dependent Structural and Magnetic Variations. <i>Inorganic Chemistry</i> , <b>2018</b> , 57, 13252-13258	5.1	8
118	Counteranion Modulated Crystal Growth and Function of One-Dimensional Homochiral Coordination Polymers: Morphology, Structures, and Magnetic Properties. <i>Inorganic Chemistry</i> , <b>2018</b> , 57, 12143-12154	5.1	11
117	Temperature controlled formation of polar copper phosphonates showing large dielectric anisotropy and a dehydration-induced switch from ferromagnetic to antiferromagnetic interactions. <i>Chemical Communications</i> , <b>2018</b> , 54, 6276-6279	5.8	4
116	Reversible SC-SC Transformation involving [4+4] Cycloaddition of Anthracene: A Single-Ion to Single-Molecule Magnet and Yellow-Green to Blue-White Emission. <i>Angewandte Chemie</i> , <b>2018</b> , 130, 8713-8717	3.6	17
115	Reversible ON-OFF switching of single-molecule-magnetism associated with single-crystal-to-single-crystal structural transformation of a decanuclear dysprosium phosphonate. <i>Chemical Science</i> , <b>2018</b> , 9, 6424-6433	9.4	38
114	Dynamic Motion of Organic Ligands in Polar Layered Cobalt Phosphonates. <i>Chemistry - A European Journal</i> , <b>2018</b> , 24, 13495-13503	4.8	4
113	Defective Metal-Organic Frameworks Incorporating Iridium-Based Metalloligands: Sorption and Dye Degradation Properties. <i>Chemistry - A European Journal</i> , <b>2017</b> , 23, 6615-6624	4.8	32
112	Chiral expression from molecular to macroscopic level via pH modulation in terbium coordination polymers. <i>Nature Communications</i> , <b>2017</b> , 8, 2131	17.4	28

111	Formation Mechanism and Reversible Expansion and Shrinkage of Magnesium-Based Homochiral Metal-Organic Nanotubes. <i>Chemistry - A European Journal</i> , <b>2017</b> , 23, 1086-1092	4.8	15
110	Enantioenriched Cobalt Phosphonate Containing $\pi$ -Type Chains and Showing Slow Magnetization Relaxation. <i>Inorganic Chemistry</i> , <b>2016</b> , 55, 9521-9523	5.1	10
109	Homochiral mononuclear Dy-Schiff base complexes showing field-induced double magnetic relaxation processes. <i>Dalton Transactions</i> , <b>2016</b> , 45, 690-5	4.3	16
108	Cyclic single-molecule magnets: from the odd-numbered heptanuclear to a dimer of heptanuclear dysprosium clusters. <i>Chemical Communications</i> , <b>2016</b> , 52, 2314-7	5.8	35
107	Multiple-Step Humidity-Induced Single-Crystal to Single-Crystal Transformations of a Cobalt Phosphonate: Structural and Proton Conductivity Studies. <i>Inorganic Chemistry</i> , <b>2016</b> , 55, 3706-12	5.1	45
106	Lanthanide salen-type complexes exhibiting single ion magnet and photoluminescent properties. <i>Dalton Transactions</i> , <b>2016</b> , 45, 2974-82	4.3	43
105	Proton Conductivities Manipulated by the Counter-Anions in 2D Co-Ca Coordination Frameworks. <i>European Journal of Inorganic Chemistry</i> , <b>2016</b> , 2016, 4476-4482	2.3	12
104	Cyclic Single-Molecule Magnets: From Even-Numbered Hexanuclear to Odd-Numbered Heptanuclear Dysprosium Clusters. <i>European Journal of Inorganic Chemistry</i> , <b>2016</b> , 2016, 3184-3190	2.3	9
103	Self-assembly of a Linear Ni <sub>9</sub> Triple-helical Supramolecule with Dominant Ferromagnetic Interactions. <i>Chemistry - an Asian Journal</i> , <b>2016</b> , 11, 2021-4	4.5	7
102	Successive Phase Transition, Dielectric Ordering, and Liquid Crystalline Behavior of Simple (Laurylammonium)(Phenyl Phosphates) Salts. <i>Journal of Physical Chemistry B</i> , <b>2016</b> , 120, 6761-70	3.4	7
101	Polymorphic Lanthanide Phosphonates Showing Distinct Magnetic Behavior. <i>Inorganic Chemistry</i> , <b>2016</b> , 55, 5297-304	5.1	18
100	Magnetic materials based on 3d metal phosphonates. <i>Coordination Chemistry Reviews</i> , <b>2016</b> , 319, 63-85	23.2	89
99	Enantiopure phosphonic acids as chiral inducers: homochiral crystallization of cobalt coordination polymers showing field-induced slow magnetization relaxation. <i>Chemical Communications</i> , <b>2016</b> , 52, 6877-80	5.8	18
98	Facile synthesis of a water stable 3D Eu-MOF showing high proton conductivity and its application as a sensitive luminescent sensor for Cu <sup>2+</sup> ions. <i>Journal of Materials Chemistry A</i> , <b>2016</b> , 4, 16484-16489	13	77
97	Enlarging the ring by incorporating a phosphonate coligand: from the cyclic hexanuclear to octanuclear dysprosium clusters. <i>Dalton Transactions</i> , <b>2015</b> , 44, 14208-12	4.3	13
96	Modulating the microporosity of cobalt phosphonates via positional isomerism of co-linkers. <i>CrystEngComm</i> , <b>2015</b> , 17, 8926-8932	3.3	11
95	A cryogenic luminescent ratiometric thermometer based on a lanthanide phosphonate dimer. <i>Journal of Materials Chemistry C</i> , <b>2015</b> , 3, 8480-8484	7.1	67
94	Lanthanide phosphonates with pseudo-D <sub>5h</sub> local symmetry exhibiting magnetic and luminescence bifunctional properties. <i>Inorganic Chemistry Frontiers</i> , <b>2015</b> , 2, 558-566	6.8	49

93	Cobalt and copper pyridylmethylphosphonates with two- and three-dimensional structures and field-induced magnetic transitions. <i>Dalton Transactions</i> , <b>2015</b> , 44, 19256-63	4.3	3
92	Homochiral metal phosphonate nanotubes. <i>Chemical Communications</i> , <b>2015</b> , 51, 15141-4	5.8	21
91	Chirality- and pH-Controlled Supramolecular Isomerism in Cobalt Phosphonates and Its Impact on the Magnetic Behavior. <i>Chemistry - A European Journal</i> , <b>2015</b> , 21, 17336-43	4.8	15
90	Co <sup>II</sup> /La Phosphonate Showing Humidity-Sensitive Single Crystal to Single Crystal Structural Transformation and Tunable Proton Conduction Properties. <i>Chemistry of Materials</i> , <b>2015</b> , 27, 8116-8125	9.6	117
89	pH-controlled polymorphism in a layered dysprosium phosphonate and its impact on the magnetization relaxation. <i>Chemical Communications</i> , <b>2015</b> , 51, 2649-52	5.8	24
88	Lanthanide-based Single Molecule Magnets. <i>Acta Chimica Sinica</i> , <b>2015</b> , 73, 1091	3.3	30
87	Polar metal phosphonate containing unusual (4)-OH bridged double chains showing canted antiferromagnetism with large coercivity. <i>Chemical Communications</i> , <b>2014</b> , 50, 3979-81	5.8	35
86	Exfoliated layered copper phosphonate showing enhanced adsorption capability towards Pb ions. <i>Chemical Communications</i> , <b>2014</b> , 50, 10622-5	5.8	19
85	A layered erbium phosphonate in pseudo-D(5h) symmetry exhibiting field-tunable magnetic relaxation and optical correlation. <i>Chemical Communications</i> , <b>2014</b> , 50, 7621-4	5.8	77
84	A luminescent heptanuclear Dy <sub>6</sub> complex showing field-induced slow magnetization relaxation. <i>Chemical Communications</i> , <b>2014</b> , 50, 8356-9	5.8	31
83	Control of the single-molecule magnet behavior of lanthanide-diarylethene photochromic assemblies by irradiation with light. <i>Chemistry - A European Journal</i> , <b>2014</b> , 20, 12502-13	4.8	69
82	Heterometallic 3d-4f coordination polymers based on 1,4,7-triazacyclononane-1,4,7-triyl-tris(methylenephosphonate). <i>Inorganic Chemistry</i> , <b>2014</b> , 53, 6042-7	5.1	17
81	M <sub>2</sub> (pbtch)(phen) <sub>2</sub> (H <sub>2</sub> O) <sub>2</sub> [M(II)=Co, Ni]: Mixed-ligated metal phosphonates based on 5-phosphonatophenyl-1,2,4-tricarboxylic acid showing double chain structures. <i>Chinese Chemical Letters</i> , <b>2014</b> , 25, 835-838	8.1	14
80	Enhancing proton conduction in 2D Co-La coordination frameworks by solid-state phase transition. <i>Journal of the American Chemical Society</i> , <b>2014</b> , 136, 9292-5	16.4	124
79	Switching on Single-Molecule-Magnet Behavior in Mn <sup>III</sup> Schiff Base Out-of-Plane Dimers by the Phosphonate Terminal Ligand. <i>European Journal of Inorganic Chemistry</i> , <b>2014</b> , 2014, 1042-1050	2.3	9
78	Homochiral cobalt phosphonates containing $\Gamma$ -type chains with a tunable interlayer distance and a field-induced phase transition. <i>Chemistry - A European Journal</i> , <b>2014</b> , 20, 17137-42	4.8	23
77	Synthesis and evaluation of c(RGDyK)-coupled superparamagnetic iron oxide nanoparticles for specific delivery of large amount of doxorubicin to tumor cell. <i>Journal of Nanoparticle Research</i> , <b>2013</b> , 15, 1	2.3	1
76	Dy(III) single-ion magnet showing extreme sensitivity to (de)hydration. <i>Inorganic Chemistry</i> , <b>2013</b> , 52, 8342-8	5.1	55



75	Solvent responsive magnetic dynamics of a dinuclear dysprosium single-molecule magnet. <i>Chemistry - A European Journal</i> , <b>2013</b> , 19, 9619-28	4.8	57
74	Reaction of an anthracene-based cyclic phosphonate ester with trimethylsilyl bromide unexpectedly generating two phosphonates: syntheses, crystal structures and fluorescent properties. <i>RSC Advances</i> , <b>2013</b> , 3, 4001	3.7	5
73	Racemic metal phosphonates based on 1-phosphonomethyl-2-benzimidazol-piperidine. <i>CrystEngComm</i> , <b>2013</b> , 15, 10316	3.3	10
72	Diruthenium(III,III) diphosphonate with a spin ground state $S = 2$ . <i>Dalton Transactions</i> , <b>2013</b> , 42, 3429-33	4.3	20
71	Breathing effect in a cobalt phosphonate upon dehydration/rehydration: a single-crystal-to-single-crystal study. <i>Chemistry - A European Journal</i> , <b>2013</b> , 19, 16394-402	4.8	39
70	Supramolecular Isomerism of One-Dimensional Copper(II) Phosphonate and Its Influence on the Magnetic Properties. <i>ChemPlusChem</i> , <b>2012</b> , 77, 1087-1095	2.8	29
69	Isostructural lanthanide oxalatophosphonates $\text{Ln}(\text{5pm8hqH3})(\text{C}_2\text{O}_4)1.5(\text{H}_2\text{O})\cdot 2\text{H}_2\text{O}$ [ $\text{Ln}(\text{III}) = \text{Eu}, \text{Gd}, \text{Tb}, \text{Dy}$ ] ( $\text{5pm8hqH3} = 5\text{-phosphonomethyl-8-hydroxyquinoline}$ ): structures, magnetic and fluorescent properties. <i>RSC Advances</i> , <b>2012</b> , 2, 6680	3.7	14
68	An enantioenriched vanadium phosphonate generated via asymmetric chiral amplification of crystallization from achiral sources showing a single-crystal-to-single-crystal dehydration process. <i>Chemical Communications</i> , <b>2012</b> , 48, 6565-7	5.8	39
67	A racemic polar cobalt phosphonate with weak ferromagnetism. <i>Chemistry - A European Journal</i> , <b>2012</b> , 18, 10839-42	4.8	32
66	Enhanced magnetic hardness in a nanoscale metal-organic hybrid ferrimagnet. <i>Chemistry - A European Journal</i> , <b>2012</b> , 18, 9534-42	4.8	32
65	Cobalt and copper phosphinates based on N-(phosphinomethyl)iminodiacetic acid: supramolecular layered structures and magnetic properties. <i>CrystEngComm</i> , <b>2012</b> , 14, 4699	3.3	6
64	Cobalt and manganese diphosphonates with one-, two-, and three-dimensional structures and field-induced magnetic transitions. <i>Inorganic Chemistry</i> , <b>2011</b> , 50, 2278-87	5.1	48
63	Tuning the Spin State of Cobalt in a CoLa Heterometallic Complex through Controllable Coordination Sphere of La. <i>Angewandte Chemie</i> , <b>2011</b> , 123, 5618-5622	3.6	10
62	Tuning the spin state of cobalt in a Co-La heterometallic complex through controllable coordination sphere of La. <i>Angewandte Chemie - International Edition</i> , <b>2011</b> , 50, 5504-8	16.4	41
61	Magnetization relaxation in a three-dimensional ligated cobalt phosphonate containing ferrimagnetic chains. <i>Chemistry - A European Journal</i> , <b>2011</b> , 17, 3579-83	4.8	44
60	$\text{Co}(\text{2-OOCC(6)H(4)PO(3)})\cdot \text{H}_2\text{O}$ : a layered metal phosphonate showing reversible dehydration-rehydration behavior and ferrimagnetism. <i>Dalton Transactions</i> , <b>2011</b> , 40, 1307-12	4.3	28
59	A pH responsive electrochemical switch sensor based on $\text{Fe}(\text{notpH}_3)$ [ $\text{notpH}_6 = 1,4,7\text{-triazacyclononane-1,4,7-triyl-tris(methylene-phosphonic acid)}$ ]. <i>Talanta</i> , <b>2010</b> , 83, 145-8	6.2	7
58	$\text{Zn}(\text{3})(\text{4-OOCC(6)H(4)PO(3)})\cdot (\text{2})$ : A polar metal phosphonate with pillared layered structure showing SHG-activity and large dielectric anisotropy. <i>Dalton Transactions</i> , <b>2010</b> , 39, 8606-8	4.3	24

- 57 Studies on the solid state reactions of coordination compounds. XLVIII. The effect of KSCN on the thermal decomposition of cobalt(III)-ammine complexes. *Chinese Journal of Chemistry*, **2010**, 11, 225-230<sup>4.9</sup>
- 56 The solid state reactions of o-aminobenzoic acid with Zn(II), Cu(II), Ni(II), Mn(II) acetate hydrate at room temperature. *Chinese Journal of Chemistry*, **2010**, 12, 243-247 4.9 1
- 55 Pillared Layered Metal Phosphonates Showing Field-Induced Magnetic Transitions. *European Journal of Inorganic Chemistry*, **2010**, 2010, 895-901 2.3 8
- 54 Lanthanide oxalatophosphonates with two- and three-dimensional structures. *Journal of Solid State Chemistry*, **2010**, 183, 1159-1164 3.3 14
- 53 Metal diphosphonates with double-layer and pillared layered structures based on N-cyclohexylaminomethanediphosphonate. *Journal of Solid State Chemistry*, **2010**, 183, 1588-1594 3.3 14
- 52 Homochiral lanthanide phosphonates with brick-wall-shaped layer structures showing chiroptical and catalytical properties. *Inorganic Chemistry*, **2009**, 48, 1901-5 5.1 56
- 51 Functional Interface of Ferric Ion Immobilized on Phosphonic Acid Terminated Self-Assembled Monolayers on a Au Electrode for Detection of Hydrogen Peroxide. *Journal of Physical Chemistry C*, **2009**, 113, 3746-3750 3.8 28
- 50 Mixed-valent manganese phosphonate clusters prepared under microwave-assisted and ambient conditions. *Dalton Transactions*, **2009**, 5029-34 4.3 18
- 49 Lanthanide Carboxyphosphonates Ln(O<sub>3</sub>PCH<sub>2</sub>NC<sub>5</sub>H<sub>9</sub>COO)(H<sub>2</sub>O)<sub>2</sub>·xH<sub>2</sub>O with Open Framework Structures Containing Parallelogram-like Channels. *Crystal Growth and Design*, **2009**, 9, 4445-4449 3.5 16
- 48 Ag(I)-mediated formation of pyrophosphonate coupled with C-C bond cleavage of acetonitrile. *Chemical Communications*, **2009**, 2893-5 5.8 35
- 47 Tuning the field-induced magnetic transition in a layered cobalt phosphonate by reversible dehydration-hydration process. *Chemical Communications*, **2009**, 3023-5 5.8 40
- 46 Layered copper compounds based on 4-(3-bromothieryl)phosphonate (BTP): weak ferromagnetism observed in [Cu<sub>2</sub>(4,4'-bpy)<sub>0.5</sub>(BTP)<sub>2</sub>].H<sub>2</sub>O. *Dalton Transactions*, **2009**, 8548-54 4.3 25
- 45 Homochiral zinc phosphonates with layered and open framework structures using polycarboxylate as second linkers. *Dalton Transactions*, **2009**, 9837-42 4.3 31
- 44 Metal phosphonates based on (4-carboxypiperidyl)-N-methylenephosphonate: in situ ligand cleavage and metamagnetism in Co<sub>3</sub>(O<sub>3</sub>PCH<sub>2</sub>NHC<sub>5</sub>H<sub>9</sub>-COO)<sub>2</sub>(O<sub>3</sub>PCH<sub>2</sub>-NC<sub>5</sub>H<sub>10</sub>)(H<sub>2</sub>O). *Dalton Transactions*, **2009**, 2746-50 4.3 22
- 43 LiF-assisted crystallization of zinc 4-carboxyphenylphosphonates with pillared layered structures. *CrystEngComm*, **2009**, 11, 1674 3.3 23
- 42 [M(OOCC<sub>6</sub>H<sub>4</sub>PO<sub>3</sub>H)(H<sub>2</sub>O)] (M(II) = Mn, Co, Ni): layered metal phosphonates showing variable magnetic behavior. *CrystEngComm*, **2009**, 11, 1255 3.3 30
- 41 Structure and magnetism of a linear trimanganese (III, II, III) complex based on benzoate and Schiff-base ligands. *Journal of Coordination Chemistry*, **2008**, 61, 2814-2822 1.6 8
- 40 Polymorphism in homochiral zinc phosphonates. *Inorganic Chemistry*, **2008**, 47, 5525-7 5.1 45



39	Zinc 4-Carboxyphenylphosphonates with Pillared Layered Framework Structures Containing Large 12-Membered Rings Built Up from Tetranuclear Zn <sub>4</sub> Clusters and CPO <sub>3</sub> Linkages. <i>Crystal Growth and Design</i> , <b>2008</b> , 8, 2950-2953	3.5	39
38	Chiral-layered metal phosphonate formed via spontaneous resolution showing dehydration-induced antiferromagnetic to ferromagnetic transformation. <i>Inorganic Chemistry</i> , <b>2008</b> , 47, 10211-3	5.1	34
37	Syntheses, structures and catalytic properties of one-dimensional lanthanide-dotp compounds [dotpH <sub>8</sub> =1,4,7,10-tetraazacyclododecane-1,4,7,10-tetrakis-(methylenephosphonic acid)]. <i>Inorganic Chemistry Communication</i> , <b>2008</b> , 11, 1075-1078	3.1	14
36	Copper diphosphonates with zero-, one- and two-dimensional structures: ferrimagnetism in layer compound Cu <sub>3</sub> (ImhedpH)(2).2H <sub>2</sub> O [ImhedpH <sub>4</sub> =(1-C <sub>3</sub> H <sub>3</sub> N <sub>2</sub> )CH <sub>2</sub> C(OH)(PO <sub>3</sub> H <sub>2</sub> ) <sub>2</sub> ]. <i>Dalton Transactions</i> , <b>2008</b> , 5008-15	4.3	40
35	Cobalt diphosphonate with a new double chain structure exhibiting field-induced magnetic transition. <i>Dalton Transactions</i> , <b>2007</b> , 4681-4	4.3	32
34	Microwave-assisted hydrothermal syntheses of metal phosphonates with layered and framework structures. <i>Dalton Transactions</i> , <b>2007</b> , 4222	4.3	14
33	Tridecanuclear and docosanuclear manganese phosphonate clusters with slow magnetic relaxation. <i>Inorganic Chemistry</i> , <b>2007</b> , 46, 5459-61	5.1	57
32	Lanthanide diruthenium(II,III) compounds showing layered and PtS-type open framework structures. <i>Inorganic Chemistry</i> , <b>2007</b> , 46, 8524-32	5.1	65
31	Anion-directed self-assembly of lanthanide-notp compounds and their fluorescence, magnetic, and catalytic properties. <i>Chemistry - A European Journal</i> , <b>2007</b> , 13, 2333-43	4.8	94
30	Three-dimensional lanthanide(III)-copper(II) compounds based on an unsymmetrical 2-pyridylphosphonate ligand: an experimental and theoretical study. <i>Chemistry - A European Journal</i> , <b>2007</b> , 13, 4759-69	4.8	75
29	Copper and cadmium phosphonates based on 2-quinolinephosphonate. <i>Solid State Sciences</i> , <b>2007</b> , 9, 686-692	3.4	8
28	Na <sub>3</sub> Ru <sub>2</sub> (hedp) <sub>2</sub> ·4H <sub>2</sub> O: A mixed valent diruthenium diphosphonate with three-dimensional structure. <i>Solid State Sciences</i> , <b>2006</b> , 8, 1041-1045	3.4	4
27	Metal Phosphonates Based on {[(Benzimidazol-2-ylmethyl)imino]bis(methylene)}bis(phosphonic Acid): Syntheses, Structures and Magnetic Properties of the Chain Compounds [M{(C <sub>7</sub> H <sub>5</sub> N <sub>2</sub> )CH <sub>2</sub> N(CH <sub>2</sub> PO <sub>3</sub> H) <sub>2</sub> }] (M = Mn, Fe, Co, Cu, Cd). <i>European Journal of Inorganic Chemistry</i> , <b>2006</b> , 2006, 1830-1837	2.3	36
26	Incorporation of triazacyclononane into the metal phosphonate backbones. <i>Inorganic Chemistry</i> , <b>2006</b> , 45, 1124-9	5.1	57
25	Dodecanuclear manganese(III) phosphonates with cage structures. <i>Inorganic Chemistry</i> , <b>2006</b> , 45, 59-65	5.1	73
24	Template- and pH-directed assembly of diruthenium diphosphonates with different topologies and oxidation states. <i>Inorganic Chemistry</i> , <b>2006</b> , 45, 4205-13	5.1	41
23	Synthesis and characterization of two metal phosphonates with 3D structures: Cu <sub>12</sub> CuII[(3-C <sub>5</sub> H <sub>4</sub> N)CH(OH)PO <sub>3</sub> ] <sub>2</sub> and Zn[(3-C <sub>5</sub> H <sub>4</sub> N)CH(OH)PO <sub>3</sub> ]. <i>New Journal of Chemistry</i> , <b>2005</b> , 29, 721	3.6	23
22	Syntheses, structures, and magnetic properties of mixed-valent diruthenium(II,III) diphosphonates with discrete and one-dimensional structures. <i>Inorganic Chemistry</i> , <b>2005</b> , 44, 4309-14	5.1	51

21	Mixed-valent diruthenium diphosphonate with kagome structure. <i>Inorganic Chemistry</i> , <b>2005</b> , 44, 6921-3	5.1	46
20	One-dimensional cobalt diphosphonates exhibiting weak ferromagnetism and field-induced magnetic transitions. <i>Inorganic Chemistry</i> , <b>2004</b> , 43, 2151-6	5.1	75
19	Syntheses and Structures of Layered Copper(II) Diphosphonates with Mixed Ligands. <i>European Journal of Inorganic Chemistry</i> , <b>2003</b> , 2003, 726-730	2.3	22
18	Novel layered ruthenium diphosphonate containing a mixed valent diruthenium paddlewheel core. <i>Inorganic Chemistry</i> , <b>2003</b> , 42, 2827-9	5.1	34
17	[Cu(tn)] <sub>3</sub> [W(CN) <sub>8</sub> ] <sub>2</sub> ·2H <sub>2</sub> O and [Cu(pn)] <sub>3</sub> [W(CN) <sub>8</sub> ] <sub>2</sub> ·2H <sub>2</sub> O: Two Novel Cu(II)/W(V) Cyano-Bridged Two-Dimensional Coordination Polymers with Metamagnetism. <i>Chemistry of Materials</i> , <b>2003</b> , 15, 2094-2098	8.6	52
16	Synthesis, crystal structure and magnetic properties of a Cu(II)/W(V) bimetallic complex with a novel open framework structure. <i>Dalton Transactions</i> , <b>2003</b> , 3283-3287	4.3	30
15	{M(C <sub>5</sub> H <sub>4</sub> N)CH(OH)PO <sub>3</sub> }(H <sub>2</sub> O) (M = Mn, Fe, Co): layered compounds based on [hydroxy(4-pyridyl)methyl]phosphonate. <i>Dalton Transactions</i> , <b>2003</b> , 953-956	4.3	14
14	Metamagnetic Copper(II) Diphosphonates with Layered Structures. <i>Chemistry of Materials</i> , <b>2002</b> , 14, 3143-3147	9.6	60
13	Syntheses, crystal structures and magnetic properties of manganese(II)-hedp compounds involving alkylenediamine templates (hedp = 1-hydroxyethylidene-diphosphonate). <i>Dalton Transactions RSC</i> , <b>2002</b> , 2752-2759		45
12	Novel coordination polymer containing a mixed valence copper(I,II) phosphonate unit: Cu(I) <sub>2</sub> Cu(II)(hedpH(2)) <sub>2</sub> (4,4'-bpy) <sub>2</sub> ·2H <sub>2</sub> O (hedp = 1-hydroxyethylidenediphosphonate). <i>Inorganic Chemistry</i> , <b>2002</b> , 41, 4084-6	5.1	66
11	A cyano-bridged Mn(II)Mo(V) bimetallic ferrimagnet with a novel moniliform structure. <i>Dalton Transactions RSC</i> , <b>2002</b> , 2805		44
10	A novel Cu(II)-W(V) bimetallic assembly magnet {[Cu(en) <sub>2</sub> ] <sub>3</sub> [W(CN) <sub>8</sub> ] <sub>2</sub> ·2H <sub>2</sub> O} (en = ethylenediamine) with cube-like W <sub>8</sub> Cu <sub>12</sub> units from a coordinated anion template self-assembly reaction. <i>New Journal of Chemistry</i> , <b>2002</b> , 26, 485-489	3.6	45
9	Crystal structures and magnetic properties of two octacyanometalate-based tungstate(V) copper(II) bimetallic assemblies. <i>New Journal of Chemistry</i> , <b>2002</b> , 26, 1190-1195	3.6	27
8	Cu <sub>4</sub> (CH <sub>3</sub> C(OH)(PO <sub>3</sub> ) <sub>2</sub> ) <sub>2</sub> (C <sub>4</sub> H <sub>4</sub> N <sub>2</sub> )(H <sub>2</sub> O) <sub>4</sub> : a novel, three-dimensional copper diphosphonate with metamagnetism. <i>Chemical Communications</i> , <b>2001</b> , 2346-7	5.8	84
7	Syntheses, structures and magnetic properties of two copper(II) diphosphonates: [NH <sub>3</sub> (CH <sub>2</sub> ) <sub>2</sub> NH <sub>3</sub> ] <sub>2</sub> [Cu <sub>2</sub> (hedp) <sub>2</sub> ] <sub>2</sub> ·H <sub>2</sub> O and [NH <sub>3</sub> CH(CH <sub>3</sub> )CH <sub>2</sub> NH <sub>3</sub> ] <sub>2</sub> [Cu <sub>2</sub> (hedp) <sub>2</sub> ] (hedp = 1-hydroxyethylidenediphosphonate). <i>Dalton Transactions RSC</i> , <b>2001</b> , 3274		31
6	Zinc diphosphonates templated by organic amines: syntheses and characterizations of [NH <sub>3</sub> (CH <sub>2</sub> ) <sub>2</sub> NH <sub>3</sub> ] <sub>2</sub> Zn(hedpH <sub>2</sub> ) <sub>2</sub> ·2H <sub>2</sub> O and [NH <sub>3</sub> (CH <sub>2</sub> ) <sub>n</sub> NH <sub>3</sub> ] <sub>2</sub> Zn <sub>2</sub> (hedpH) <sub>2</sub> ·2H <sub>2</sub> O (n=4,5,6) (hedp=1-hydroxyethylidenediphosphonate). <i>Inorganic Chemistry</i> , <b>2001</b> , 40, 5024-9	5.1	62
5	Syntheses and Structures of Transition Metal-hedp Compounds and the Template Influences (hedp = 1-Hydroxyethylidenediphosphonate). <i>Comments on Inorganic Chemistry</i> , <b>2000</b> , 22, 129-149	3.9	41
4	Structure and magnetic properties of a new dinuclear nickel(II) complex with a dinucleating hexaazamacrocyclic. <i>Transition Metal Chemistry</i> , <b>1999</b> , 24, 346-349	2.1	4

- |   |  |     |    |
|---|--|-----|----|
| 3 | Template-Directed One- and Two-Dimensional Copper(II) Diphosphonates: Structures and Characterizations of $(\text{NH}_4)_2\text{Cu}(\text{hedp})(\text{H}_2\text{O})_4$ , $[\text{NH}(\text{CH}_2)_4\text{NH}_3]\text{Cu}(\text{hedp}) \cdot 2\text{H}_2\text{O}$ , and $[\text{NH}_2(\text{C}(\text{H}_4)_2\text{NH}_2)]\text{Cu}(\text{hedp})$ (hedp = 1-Hydroxyethylidenediphosphonate). <i>Inorganic Chemistry</i> , <b>1999</b> , 38, 5061-5066 | 5.1 | 35 |
| 2 | $[\text{NH}(\text{CH}_2)_4\text{NH}_3]\text{Fe}_2[\text{CH}_3\text{C}(\text{OH})(\text{PO}_3)(\text{PO}_3\text{H})]_2 \cdot 2\text{H}_2\text{O}$ : A Novel Iron(II) Diphosphonate with a Supramolecular Open Network Structure. <i>Inorganic Chemistry</i> , <b>1999</b> , 38, 4618-4619   | 5.1 | 51 |
| 1 | Solid State Reactions of Dimethylglyoxime with Nickel Acetate at Close to Room Temperature. <i>Synthesis and Reactivity in Inorganic, Metal Organic, and Nano Metal Chemistry</i> , <b>1995</b> , 25, 1091-1099  |     |    |