## Claudia Nastasi

## List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9306499/publications.pdf

Version: 2024-02-01

516561 477173 1,217 29 16 29 citations h-index g-index papers 30 30 30 2184 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	The effect of short-chain fatty acids on human monocyte-derived dendritic cells. Scientific Reports, 2015, 5, 16148.	1.6	269
2	Gut microbiota trajectory in pediatric patients undergoing hematopoietic SCT. Bone Marrow Transplantation, 2015, 50, 992-998.	1.3	111
3	Antibiotics inhibit tumor and disease activity in cutaneous T-cell lymphoma. Blood, 2019, 134, 1072-1083.	0.6	94
4	Staphylococcal enterotoxin A (SEA) stimulates STAT3 activation and IL-17 expression in cutaneous T-cell lymphoma. Blood, 2016, 127, 1287-1296.	0.6	86
5	Single-cell heterogeneity in Sézary syndrome. Blood Advances, 2018, 2, 2115-2126.	2.5	78
6	Jak3, STAT3, and STAT5 inhibit expression of miR-22, a novel tumor suppressor microRNA, in cutaneous T-Cell lymphoma. Oncotarget, 2015, 6, 20555-20569.	0.8	78
7	Butyrate and propionate inhibit antigen-specific CD8+ T cell activation by suppressing IL-12 production by antigen-presenting cells. Scientific Reports, 2017, 7, 14516.	1.6	77
8	DNA Damage Response and Immune Defense. International Journal of Molecular Sciences, 2020, 21, 7504.	1.8	66
9	The Typhoid Toxin Promotes Host Survival and the Establishment of a Persistent Asymptomatic Infection. PLoS Pathogens, 2016, 12, e1005528.	2.1	60
10	STAT5 induces miR-21 expression in cutaneous T cell lymphoma. Oncotarget, 2016, 7, 45730-45744.	0.8	45
11	SATB1 in Malignant T Cells. Journal of Investigative Dermatology, 2018, 138, 1805-1815.	0.3	38
12	The inhibitory checkpoint, PD-L2, is a target for effector T cells: Novel possibilities for immune therapy. Oncolmmunology, 2018, 7, e1390641.	2.1	33
13	Staphylococcal alpha-toxin tilts the balance between malignant and non-malignant CD4 <sup>+</sup> T cells in cutaneous T-cell lymphoma. Oncolmmunology, 2019, 8, e1641387.	2.1	32
14	<i>Staphylococcus aureus</i> alpha-toxin inhibits CD8 <sup>+</sup> T cell-mediated killing of cancer cells in cutaneous T-cell lymphoma. Oncolmmunology, 2020, 9, 1751561.	2.1	24
15	Staphylococcus aureus enterotoxins induce FOXP3 in neoplastic T cells in Sézary syndrome. Blood Cancer Journal, 2020, 10, 57.	2.8	24
16	Inhibition of succinate dehydrogenase activity impairs human T cell activation and function. Scientific Reports, 2021, 11, 1458.	1.6	24
17	Interleukin-26 (IL-26) is a novel anti-microbial peptide produced by T cells in response to staphylococcal enterotoxin. Oncotarget, 2018, 9, 19481-19489.	0.8	15
18	Malignant T cells activate endothelial cells via IL-17 F. Blood Cancer Journal, 2017, 7, e586-e586.	2.8	12

#	Article	IF	CITATIONS
19	Targeting the Tumor Microenvironment: A Close Up of Tumor-Associated Macrophages and Neutrophils. Frontiers in Oncology, 2022, 12, .	1.3	11
20	The Thioredoxin-Interacting Protein TXNIP Is a Putative Tumour Suppressor in Cutaneous T-Cell Lymphoma. Dermatology, 2021, 237, 283-290.	0.9	8
21	MicroRNA-93 Targets p21 and Promotes Proliferation in Mycosis Fungoides T Cells. Dermatology, 2021, 237, 277-282.	0.9	8
22	Are the Organoid Models an Invaluable Contribution to ZIKA Virus Research?. Pathogens, 2021, 10, 1233.	1.2	6
23	The Expression of IL-21 Is Promoted by MEKK4 in Malignant T Cells and Associated with Increased Progression Risk in Cutaneous T-Cell Lymphoma. Journal of Investigative Dermatology, 2016, 136, 866-869.	0.3	4
24	Ectopic expression of a novel CD22 splice-variant regulates survival and proliferation in malignant T cells from cutaneous T cell lymphoma (CTCL) patients. Oncotarget, 2015, 6, 14374-14384.	0.8	4
25	Expression of the Voltage-Gated Potassium Channel Kv1.3 in Lesional Skin from Patients with Cutaneous T-Cell Lymphoma and Benign Dermatitis. Dermatology, 2020, 236, 123-132.	0.9	3
26	Expression and function of Kv1.3 channel in malignant T cells in SÃ $ \odot $ zary syndrome. Oncotarget, 2019, 10, 4894-4906.	0.8	3
27	Pharmacological and clinical monitoring in children with acute lymphoblastic leukemia treated with a biogeneric PEG―⟨scp⟩ ⟨ scp⟩ â€asparaginase product. Pediatric Blood and Cancer, 2022, , e29753.	0.8	2
28	Hostâ€"Pathogen Interactions: Organotypic Cultures to Unravel the Mysteries of the Primordial Hostility among Organisms. Pathogens, 2022, 11, 362.	1.2	1
29	Antibiotics inhibit tumor and disease activity in cutaneous T cell lymphoma. European Journal of Cancer, 2019, 119, S5.	1.3	0