## Jennifer Batchelor

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9306711/publications.pdf

Version: 2024-02-01

201385 182168 2,710 68 27 51 citations h-index g-index papers 68 68 68 2811 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Cognitive Remediation as an Adjunct Treatment for Substance Use Disorders: A Systematic Review. Neuropsychology Review, 2022, 32, 161-191.	2.5	18
2	Psychometric Properties of a New Decision-Making Capacity Assessment Tool for People with Substance Use Disorder: The CAT–CAT. Archives of Clinical Neuropsychology, 2022, 37, 994-1034.	0.3	1
3	The role of cognition for identifying unsafe young drivers. Safety Science, 2021, 138, 105099.	2.6	5
4	The Alcohol and Drug Cognitive Enhancement (ACE) Screening Tool: A simple and brief questionnaire to screen for cognitive impairment in substance use disorder treatment services. Applied Neuropsychology Adult, 2021, , 1-8.	0.7	0
5	Chronic Neurophysiological Effects of Repeated Head Trauma in Retired Australian Male Sport Athletes. Frontiers in Neurology, 2021, 12, 633320.	1.1	7
6	Brief executive-function assessment tool: A new cognitive impairment screening tool for alcohol and other drug services. Applied Neuropsychology Adult, 2021, , 1-11.	0.7	3
7	Rates of false positive outcomes on the A-WPTAS picture items in a sample of non-concussed athletes. Brain Injury, 2021, 35, 783-787.	0.6	O
8	Cognitive profile of young children with Williams syndrome. Journal of Intellectual Disability Research, 2021, 65, 784-794.	1.2	8
9	Engagement in cognitively stimulating activities in individuals with Mild Cognitive Impairment: relationships with neuropsychological domains and hippocampal volume. Aging, Neuropsychology, and Cognition, 2021, , 1-22.	0.7	3
10	Diffusion Tensor Imaging in Sport-Related Concussion: A Systematic Review Using an <i>a priori</i> Quality Rating System. Journal of Neurotrauma, 2021, 38, 3032-3046.	1.7	2
11	An examination of the heterogeneity of cognitive outcome following severe to extremely severe traumatic brain injury. Clinical Neuropsychologist, 2020, 34, 120-139.	1.5	7
12	Cognitive abilities in Williams syndrome. Research in Developmental Disabilities, 2020, 104, 103701.	1.2	13
13	Cognitive function and driving in middle adulthood: Does age matter?. Transportation Research Part F: Traffic Psychology and Behaviour, 2019, 66, 471-484.	1.8	21
14	Length of post-traumatic amnesia and its prediction of neuropsychological outcome following severe to extremely severe traumatic brain injury in a litigating sample. Brain Injury, 2019, 33, 1087-1096.	0.6	4
15	Cognitive function and driving: Important for young and old alike. Transportation Research Part F: Traffic Psychology and Behaviour, 2019, 60, 262-273.	1.8	34
16	Determining Fitness to Drive for Drivers with Dementia: A Medical Practitioner Perspective. Journal of the Austalasian College of Road Safety, 2019, 30, 9-17.	0.5	3
17	Cognitive function and young drivers: The relationship between driving, attitudes, personality and cognition. Transportation Research Part F: Traffic Psychology and Behaviour, 2018, 55, 341-352.	1.8	60
18	Current sleep disturbance in older people with a lifetime history of depression is associated with increased connectivity in the Default Mode Network. Journal of Affective Disorders, 2018, 229, 85-94.	2.0	21

#	Article	IF	CITATIONS
19	Cognitive screening in substance users: Diagnostic accuracies of the Mini-Mental State Examination, Addenbrooke's Cognitive Examination–Revised, and Montreal Cognitive Assessment. Journal of Clinical and Experimental Neuropsychology, 2018, 40, 107-122.	0.8	38
20	Functional Connectivity in the Default Mode Network is Reduced in Association with Nocturnal Awakening in Mild Cognitive Impairment. Journal of Alzheimer's Disease, 2017, 56, 1373-1384.	1.2	23
21	Cognitive Tests and Determining Fitness to Drive in Dementia: A Systematic Review. Journal of the American Geriatrics Society, 2016, 64, 1904-1917.	1.3	74
22	Sleep disturbance in mild cognitive impairment is associated with alterations in the brain's default mode network Behavioral Neuroscience, 2016, 130, 305-315.	0.6	27
23	Fitness to Stand Trial in One Australian Jurisdiction: The Role of Cognitive Abilities, Neurological Dysfunction and Psychiatric Disorders. Psychiatry, Psychology and Law, 2016, 23, 499-511.	0.9	3
24	An exploratory study of the association of acute posttraumatic stress, depression, and pain to cognitive functioning in mild traumatic brain injury Neuropsychology, 2015, 29, 530-542.	1.0	20
25	Identifying Posttraumatic Amnesia in Individuals With a Glasgow Coma Scale of 15 After Mild Traumatic Brain Injury. Archives of Physical Medicine and Rehabilitation, 2015, 96, 956-959.	0.5	16
26	A Comparison of the Degree of Effort Involved in the TOMM and the ACS Word Choice Test Using a Dual-Task Paradigm. Applied Neuropsychology Adult, 2015, 22, 114-123.	0.7	47
27	Perceived Cognitive Difficulties and Cognitive Test Performance as Predictors of Employment Outcomes in People with Multiple Sclerosis. Journal of the International Neuropsychological Society, 2015, 21, 156-168.	1.2	78
28	Fitness to Stand Trial: Views of Criminal Lawyers and Forensic Mental Health Experts Regarding the Role of Neuropsychological Assessment. Psychiatry, Psychology and Law, 2015, 22, 880-889.	0.9	5
29	Examining Rey Complex Figure Test organization in healthy adults. Journal of Clinical and Experimental Neuropsychology, 2015, 37, 1052-1061.	0.8	12
30	A neuropsychological comparison of siblings with neurological versus hepatic symptoms of Wilson's Disease. Neurocase, 2015, 21, 154-161.	0.2	7
31	Prevalence and Predictors of Poor Sleep Quality in Mild Cognitive Impairment. Journal of Geriatric Psychiatry and Neurology, 2014, 27, 204-211.	1.2	53
32	The role of cognition in fitness to stand trial: a systematic review. Journal of Forensic Psychiatry and Psychology, 2014, 25, 77-99.	0.6	19
33	Cognitive and Psychological Functioning in Fabry Disease. Archives of Clinical Neuropsychology, 2014, 29, 642-650.	0.3	29
34	Information processing speed remains low in school teachers a decade after recovery from depression. International Journal of Geriatric Psychiatry, 2014, 29, 1098-1100.	1.3	1
35	Cognitive Training Enhances Pre-Attentive Neurophysiological Responses in Older Adults †At Risk†of Dementia. Journal of Alzheimer's Disease, 2014, 41, 1095-1108.	1.2	29
36	Effects of Concomitant Spinal Cord Injury and Brain Injury on Medical and Functional Outcomes and Community Participation. Topics in Spinal Cord Injury Rehabilitation, 2014, 20, 225-235.	0.8	31

#	Article	IF	CITATIONS
37	Validity of Cognitive Screens for HIV-Associated Neurocognitive Disorder: A Systematic Review and an Informed Screen Selection Guide. Current HIV/AIDS Reports, 2013, 10, 342-355.	1.1	66
38	The Role of Cognitive Assessment in Determining Fitness to Stand Trial. International Journal of Forensic Mental Health, $2012$ , $11$ , $102-109$ .	0.6	22
39	Facial emotional processing in HIV infection: Relation to neurocognitive and neuropsychiatric status Neuropsychology, 2012, 26, 713-722.	1.0	39
40	Diagnostic Efficiency of ImPACT and CogSport in Concussed Rugby Union Players Who Have Not Undergone Baseline Neurocognitive Testing. Applied Neuropsychology Adult, 2012, 19, 90-97.	0.7	32
41	Effort Test Failure: Toward a Predictive Model. Clinical Neuropsychologist, 2012, 26, 1377-1396.	1.5	22
42	Validation of the Abbreviated Westmead Post-traumatic Amnesia Scale: A brief measure to identify acute cognitive impairment in mild traumatic brain injury. Brain Injury, 2011, 25, 1198-1205.	0.6	27
43	The prospective course of postconcussion syndrome: The role of mild traumatic brain injury Neuropsychology, 2011, 25, 454-465.	1.0	254
44	Effects of cultural background on WAIS-III and WMS-III performances after moderate–severe traumatic brain injury. Australian Psychologist, 2010, 45, 112-122.	0.9	15
45	Reduced Processing Speed in Rugby Union Players Reporting Three or More Previous Concussions. Archives of Clinical Neuropsychology, 2010, 25, 174-181.	0.3	46
46	Early intervention for cognitive decline: can cognitive training be used as a selective prevention technique?. International Psychogeriatrics, 2010, 22, 537-548.	0.6	145
47	Detection of Simulated Memory Impairment in 6- to 11-Year-Old Children. Child Neuropsychology, 2010, 16, 105-118.	0.8	24
48	18q Deletion syndrome: A neuropsychological case study. Neurocase, 2009, 15, 101-109.	0.2	2
49	Diagnostic efficiency of demographically corrected Wechsler Adult Intelligence Scale-III and Wechsler Memory Scale-III indices in moderate to severe traumatic brain injury and lower education levels. Journal of the International Neuropsychological Society, 2009, 15, 938-950.	1.2	7
50	Effects of education and cultural background on performance on WAIS-III, WMS-III, WAIS-R and WMS-R measures: Systematic review. Australian Psychologist, 2009, 44, 216-223.	0.9	32
51	The diagnostic accuracy of the Revised Westmead PTA Scale as an adjunct to the Glasgow Coma Scale in the early identification of cognitive impairment in patients with mild traumatic brain injury. Journal of Neurology, Neurosurgery and Psychiatry, 2008, 79, 1100-1106.	0.9	50
52	Mild traumatic brain injury does not predict acute postconcussion syndrome. Journal of Neurology, Neurosurgery and Psychiatry, 2008, 79, 300-306.	0.9	293
53	The Westmead Post-Traumatic Amnesia Scale for Children (WPTAS-C) Aged 4 and 5 Years Old. Brain Impairment, 2008, 9, 14-21.	0.5	7
54	Applicability of neural reserve theory in mild traumatic brain injury. Brain Injury, 2007, 21, 943-949.	0.6	11

#	Article	IF	CITATIONS
55	The relationship of psychological and cognitive factors and opioids in the development of the postconcussion syndrome in general trauma patients with mild traumatic brain injury. Journal of the International Neuropsychological Society, 2006, 12, 792-801.	1.2	74
56	Longitudinal Assessment of Neuropsychologic and Language Function in Children with Benign Rolandic Epilepsy. Journal of Child Neurology, 2006, 21, 518-522.	0.7	26
57	When Euthymia Is Just Not Good Enough. Journal of Nervous and Mental Disease, 2005, 193, 323-330.	0.5	69
58	The Neuropsychological and Language Profile of Children with Benign Rolandic Epilepsy. Epilepsia, 2005, 46, 924-930.	2.6	145
59	Inter-rater reliability of the wms-r logical memory and visual reproduction subtests in a neurosurgical sample. Australian Psychologist, 1998, 33, 231-233.	0.9	1
60	Further examination of post-traumatic amnesia and post-coma disturbance as non-linear predictors of outcome after head injury Neuropsychology, 1995, 9, 599-605.	1.0	10
61	Stroop colour word test as a measure of attentional deficit following mild head injury. Clinical Neuropsychologist, 1995, 9, 180-186.	1.5	31
62	Post-coma disturbance and post-traumatic amnesia as nonlinear predictors of cognitive outcome following severe closed head injury: Findings from the Westmead Head Injury Project. Brain Injury, 1994, 8, 519-528.	0.6	41
63	The performance of hospitalized, non head-injured children on the Westmead PTA scale. Neuropsychology, Development and Cognition Section D: the Clinical Neuropsychologist, 1993, 7, 85-95.	1.4	24
64	Neuropsychological abnormalities in patients with pituitary tumours. Acta Neurologica Scandinavica, 1992, 86, 626-631.	1.0	91
65	The children's auditoryâ€verbal selective reminding test: Equivalence and testâ€retest reliability of two forms with boys and girls. Developmental Neuropsychology, 1990, 6, 225-230.	1.0	3
66	Preliminary validation of a clinical scale for measuring the duration of postâ€traumatic amnesia. Medical Journal of Australia, 1986, 144, 569-572.	0.8	337
67	Die swell in elastic and viscous fluids. Polymer, 1973, 14, 297-299.	1.8	42
68	Not all mentally stimulating activities are alike: insights from a 4-factor model and implications for late-life cognition. Aging, Neuropsychology, and Cognition, 0, , 1-15.	0.7	O