

Jennifer H Steel

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9306941/publications.pdf>

Version: 2024-02-01

58
papers

3,522
citations

147566

31
h-index

168136

53
g-index

61
all docs

61
docs citations

61
times ranked

4757
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | SREBP1 drives Keratin-80-dependent cytoskeletal changes and invasive behavior in endocrine-resistant ER ⁺ breast cancer. <i>Nature Communications</i> , 2019, 10, 2115. | 5.8 | 42 |
| 2 | LEFTY2 inhibits endometrial receptivity by downregulating Orai1 expression and store-operated Ca ²⁺ entry. <i>Journal of Molecular Medicine</i> , 2018, 96, 173-182. | 1.7 | 13 |
| 3 | Biomarker Assessment of HR Deficiency, Tumor <i>BRCA1/2</i> Mutations, and <i>CCNE1</i> Copy Number in Ovarian Cancer: Associations with Clinical Outcome Following Platinum Monotherapy. <i>Molecular Cancer Research</i> , 2018, 16, 1103-1111. | 1.5 | 83 |
| 4 | Protective effect of stromal Dickkopf-3 in prostate cancer: opposing roles for TGFBI and ECM-1. <i>Oncogene</i> , 2018, 37, 5305-5324. | 2.6 | 42 |
| 5 | A progesterone-brown fat axis is involved in regulating fetal growth. <i>Scientific Reports</i> , 2017, 7, 10671. | 1.6 | 14 |
| 6 | Activation of SGK1 in Endometrial Epithelial Cells in Response to PI3K/AKT Inhibition Impairs Embryo Implantation. <i>Cellular Physiology and Biochemistry</i> , 2016, 39, 2077-2087. | 1.1 | 35 |
| 7 | The nuclear cofactor receptor interacting protein-140 (RIP140) regulates the expression of genes involved in A β generation. <i>Neurobiology of Aging</i> , 2016, 47, 180-191. | 1.5 | 9 |
| 8 | Expression of CDK7, Cyclin H, and MAT1 Is Elevated in Breast Cancer and Is Prognostic in Estrogen Receptor ⁺ Positive Breast Cancer. <i>Clinical Cancer Research</i> , 2016, 22, 5929-5938. | 3.2 | 66 |
| 9 | The RNA-binding protein LARP1 is a post-transcriptional regulator of survival and tumorigenesis in ovarian cancer. <i>Nucleic Acids Research</i> , 2016, 44, 1227-1246. | 6.5 | 120 |
| 10 | Differential epigenetic reprogramming in response to specific endocrine therapies promotes cholesterol biosynthesis and cellular invasion. <i>Nature Communications</i> , 2015, 6, 10044. | 5.8 | 108 |
| 11 | DMXL2 drives epithelial to mesenchymal transition in hormonal therapy resistant breast cancer through notch hyper-activation. <i>Oncotarget</i> , 2015, 6, 22467-22479. | 0.8 | 33 |
| 12 | The pioneer factor PBX1 is a novel driver of metastatic progression in ER ⁺ -positive breast cancer. <i>Oncotarget</i> , 2015, 6, 21878-21891. | 0.8 | 45 |
| 13 | Complex Formation and Function of Estrogen Receptor β in Transcription Requires RIP140. <i>Cancer Research</i> , 2014, 74, 5469-5479. | 0.4 | 28 |
| 14 | Uterine Selection of Human Embryos at Implantation. <i>Scientific Reports</i> , 2014, 4, 3894. | 1.6 | 232 |
| 15 | The transcriptional co-factor RIP140 regulates mammary gland development by promoting the generation of key mitogenic signals. <i>Development (Cambridge)</i> , 2013, 140, 1079-1089. | 1.2 | 44 |
| 16 | Absence of RIP140 Reveals a Pathway Regulating glut4-Dependent Glucose Uptake in Oxidative Skeletal Muscle through UCP1-Mediated Activation of AMPK. <i>PLoS ONE</i> , 2012, 7, e32520. | 1.1 | 27 |
| 17 | Disordered IL-33/ST2 Activation in Decidualizing Stromal Cells Prolongs Uterine Receptivity in Women with Recurrent Pregnancy Loss. <i>PLoS ONE</i> , 2012, 7, e52252. | 1.1 | 185 |
| 18 | 667C>T and 1298A>C polymorphisms of MTHFR do not predict response to methotrexate in patients with gestational trophoblastic neoplasia. <i>Gynecologic Oncology</i> , 2011, 123, 605-609. | 0.6 | 6 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 19 | Down-Regulation of the Histone Methyltransferase EZH2 Contributes to the Epigenetic Programming of Decidualizing Human Endometrial Stromal Cells. <i>Molecular Endocrinology</i> , 2011, 25, 1892-1903. | 3.7 | 82 |
| 20 | Deregulation of the serum- and glucocorticoid-inducible kinase SGK1 in the endometrium causes reproductive failure. <i>Nature Medicine</i> , 2011, 17, 1509-1513. | 15.2 | 157 |
| 21 | Elevated expression of the metabolic regulator receptor-interacting protein 140 results in cardiac hypertrophy and impaired cardiac function. <i>Cardiovascular Research</i> , 2010, 86, 443-451. | 1.8 | 38 |
| 22 | The Nuclear Receptor Cofactor Receptor-Interacting Protein 140 Is a Positive Regulator of Amphiregulin Expression and Cumulus Cell-Oocyte Complex Expansion in the Mouse Ovary. <i>Endocrinology</i> , 2010, 151, 2923-2932. | 1.4 | 33 |
| 23 | The Transcriptional Corepressor RIP140 Regulates Oxidative Metabolism in Skeletal Muscle. <i>Cell Metabolism</i> , 2007, 6, 236-245. | 7.2 | 174 |
| 24 | RIP140 Expression Is Stimulated by Estrogen-related Receptor $\hat{\pm}$ during Adipogenesis*. <i>Journal of Biological Chemistry</i> , 2006, 281, 32140-32147. | 1.6 | 57 |
| 25 | Maternal origin of inflammatory leukocytes in preterm fetal membranes, shown by fluorescence in situ hybridisation. <i>Placenta</i> , 2005, 26, 672-677. | 0.7 | 71 |
| 26 | Multiple Signaling Defects in the Absence of RIP140 Impair Both Cumulus Expansion and Follicle Rupture. <i>Endocrinology</i> , 2005, 146, 4127-4137. | 1.4 | 37 |
| 27 | Role of the RIP140 corepressor in ovulation and adipose biology. <i>Journal of Endocrinology</i> , 2005, 185, 1-9. | 1.2 | 118 |
| 28 | Bacteria and Inflammatory Cells in Fetal Membranes Do Not Always Cause Preterm Labor. <i>Pediatric Research</i> , 2005, 57, 404-411. | 1.1 | 281 |
| 29 | Nuclear receptor corepressor RIP140 regulates fat accumulation. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2004, 101, 8437-8442. | 3.3 | 337 |
| 30 | Identification of RIP140 as a nuclear receptor cofactor with a role in female reproduction. <i>FEBS Letters</i> , 2003, 546, 149-153. | 1.3 | 11 |
| 31 | The Thyroid Hormone Receptor-Associated Protein TRAP220 Is Required at Distinct Embryonic Stages in Placental, Cardiac, and Hepatic Development. <i>Molecular Endocrinology</i> , 2003, 17, 2418-2435. | 3.7 | 58 |
| 32 | Advantages of in situ hybridisation over direct or indirect in situ reverse transcriptase-polymerase chain reaction for localisation of galanin mRNA expression in rat small intestine and pituitary. <i>The Histochemical Journal</i> , 2001, 33, 201-211. | 0.6 | 8 |
| 33 | Impaired Mammary Gland Development in <i>Cy1-1^{+/+}</i> Mice during Pregnancy and Lactation Is Epithelial Cell Autonomous. <i>Developmental Biology</i> , 1999, 212, 1-11. | 0.9 | 83 |
| 34 | Molecular approaches to neuroendocrine pathology. , 1997, 16, 179-205. | | 3 |
| 35 | MAKING SENSE OUT OF IN SITU PCR. , 1997, 182, 11-12. | | 3 |
| 36 | Introduction to functional anatomy of the pituitary gland and alterations in disease. , 1997, 39, 97-97. | | 0 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Peptidylglycine γ -amidating monooxygenase (PAM) immunoreactivity and messenger RNA in human pituitary and increased expression in pituitary tumours. <i>Cell and Tissue Research</i> , 1994, 276, 197-207. | 1.5 | 22 |
| 38 | Increased nitric oxide synthase immunoreactivity in rat dorsal root ganglia in a neuropathic pain model. <i>Neuroscience Letters</i> , 1994, 169, 81-84. | 1.0 | 124 |
| 39 | Peptidylglycine γ -amidating monooxygenase (PAM) immunoreactivity and messenger RNA in human pituitary and increased expression in pituitary tumours. <i>Cell and Tissue Research</i> , 1994, 276, 197-207. | 1.5 | 4 |
| 40 | Localization of Calcitonin Gene-Related Peptide in the Rat and Human Pituitary Gland Using Immunocytochemistry and in Situ Hybridization.. <i>Annals of the New York Academy of Sciences</i> , 1992, 657, 135-154. | 1.8 | 13 |
| 41 | Observer variation in quantification of immunocytochemistry by image analysis. <i>The Histochemical Journal</i> , 1991, 23, 541-547. | 0.6 | 43 |
| 42 | Effect of Endocrine Manipulation on Anterior Pituitary Galanin in the Rat. <i>Endocrinology</i> , 1990, 127, 467-475. | 1.4 | 81 |
| 43 | Localization of Immunoreactivity for Calcitonin Gene- Related Peptide in the Rat Anterior Pituitary during Ontogeny and Gonadal Steroid Manipulations and Detection of its Messenger Ribonucleic Acid. <i>Endocrinology</i> , 1990, 127, 2618-2629. | 1.4 | 52 |
| 44 | Combined use of immunocytochemistry and in situ hybridization to study β thyroid-stimulating hormone gene expression in pituitaries of hypothyroid rats. <i>Molecular and Cellular Probes</i> , 1990, 4, 385-396. | 0.9 | 8 |
| 45 | Neuropeptide Y and the Anterior Pituitary. <i>Annals of the New York Academy of Sciences</i> , 1990, 611, 329-335. | 1.8 | 1 |
| 46 | The anterior pituitary content of neuromedin U-like immunoreactivity is altered by thyrotrophin-releasing hormone and thyroid hormone status in the rat. <i>Journal of Endocrinology</i> , 1989, 122, 471-NP. | 1.2 | 13 |
| 47 | Novel peptide pancreastatin: Its occurrence and codistribution with chromogranin a in the central nervous system of the pig. <i>Journal of Comparative Neurology</i> , 1989, 288, 627-639. | 0.9 | 31 |
| 48 | Galanin and vasoactive intestinal polypeptide are colocalised with classical pituitary hormones and show plasticity of expression. <i>Histochemistry</i> , 1989, 93, 183-189. | 1.9 | 92 |
| 49 | The distribution of GAWK-like immunoreactivity in neuroendocrine cells of the human gut, pancreas, adrenal and pituitary glands and its co-localisation with chromogranin B. <i>Histochemistry</i> , 1989, 90, 475-483. | 1.9 | 20 |
| 50 | Localisation of calcitonin gene-related peptide immunoreactivity and messenger RNA in the rat anterior pituitary and the effect of gonadal steroid manipulations. <i>Regulatory Peptides</i> , 1989, 26, 72. | 1.9 | 0 |
| 51 | Thyroid and adrenal hormone status influences the pituitary expression of galanin -ir and mRNA. <i>Regulatory Peptides</i> , 1989, 26, 73. | 1.9 | 0 |
| 52 | Combined use of in situ hybridisation and immunocytochemistry for the investigation of prolactin gene expression in immature, pubertal, pregnant, lactating and ovariectomised rats. <i>Histochemistry</i> , 1988, 89, 75-80. | 1.9 | 27 |
| 53 | The effect of ovariectomy and oestrogen replacement on the anterior pituitary peptides 7B2 and galanin in the rat. <i>Regulatory Peptides</i> , 1988, 22, 425. | 1.9 | 4 |
| 54 | Occurrence and developmental pattern of neuromedin U-immunoreactive nerves in the gastrointestinal tract and brain of the rat. <i>Neuroscience</i> , 1988, 25, 797-816. | 1.1 | 122 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Localization of 7B2, Neuromedin B, and Neuromedin U in Specific Cell Types of Rat, Mouse, and Human Pituitary, in Rat Hypothalamus, and in 30 Human Pituitary and Extrapituitary Tumors. <i>Endocrinology</i> , 1988, 122, 270-282. | 1.4 | 119 |
| 56 | Increased hypothalamic neuropeptide Y concentrations in diabetic rat. <i>Diabetes</i> , 1988, 37, 763-772. | 0.3 | 58 |
| 57 | Dynamic endocrinology of the pituitary; Combined use of hybridisation and immunocytochemistry for the study of prolactin and proopiomelanocortin gene expression, synthesis and secretion. <i>Regulatory Peptides</i> , 1987, 18, 375. | 1.9 | 0 |
| 58 | Pancreastatin, a novel neuropeptide, is widely distributed throughout porcine brain, pituitary, spinal cord and dorsal root ganglia. <i>Regulatory Peptides</i> , 1987, 18, 376. | 1.9 | 2 |