

Richard G Gray

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/9307686/richard-g-gray-publications-by-year.pdf>

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

93
papers

13,030
citations

43
h-index

95
g-index

95
ext. papers

15,203
ext. citations

17
avg, IF

5.47
L-index

#	Paper	IF	Citations
93	Aromatase inhibitors versus tamoxifen in premenopausal women with oestrogen receptor-positive early-stage breast cancer treated with ovarian suppression: a patient-level meta-analysis of 7030 women from four randomised trials.. <i>Lancet Oncology, The</i> , 2022 ,	21.7	7
92	Swarm learning for decentralized artificial intelligence in cancer histopathology.. <i>Nature Medicine</i> , 2022 ,	50.5	3
91	Assistive technology and telecare to maintain independent living at home for people with dementia: the ATTILA RCT. <i>Health Technology Assessment</i> , 2021 , 25, 1-156	4.4	5
90	Cost-Effectiveness of Dopamine Agonists and Monoamine Oxidase B Inhibitors in Early Parkinson's Disease. <i>Movement Disorders</i> , 2021 , 36, 2136-2143	7	1
89	Trastuzumab for early-stage, HER2-positive breast cancer: a meta-analysis of 13 864 women in seven randomised trials. <i>Lancet Oncology, The</i> , 2021 , 22, 1139-1150	21.7	24
88	Second asymptomatic carotid surgery trial (ACST-2): a randomised comparison of carotid artery stenting versus carotid endarterectomy. <i>Lancet, The</i> , 2021 , 398, 1065-1073	40	36
87	Prognostic and Predictive Value of Tumor Budding in Colorectal Cancer. <i>Clinical Colorectal Cancer</i> , 2021 , 20, 256-264	3.8	2
86	The effectiveness and cost-effectiveness of assistive technology and telecare for independent living in dementia: a randomised controlled trial. <i>Age and Ageing</i> , 2021 , 50, 882-890	3	8
85	The impact of assistive technology on burden and psychological well-being in informal caregivers of people with dementia (ATTILA Study). <i>Alzheimer's and Dementia: Translational Research and Clinical Interventions</i> , 2020 , 6, e12064	6	6
84	Clinical-Grade Detection of Microsatellite Instability in Colorectal Tumors by Deep Learning. <i>Gastroenterology</i> , 2020 , 159, 1406-1416.e11	13.3	84
83	Minocycline 200 mg or 400 mg versus placebo for mild Alzheimer's disease: the MADE Phase II, three-arm RCT. <i>Efficacy and Mechanism Evaluation</i> , 2020 , 7, 1-62	1.7	6
82	Confirmation that somatic mutations of beta-2 microglobulin correlate with a lack of recurrence in a subset of stage II mismatch repair deficient colorectal cancers from the QUASAR trial. <i>Histopathology</i> , 2019 , 75, 236-246	7.3	8
81	Assessment of need and practice for assistive technology and telecare for people with dementia-The ATTILA (Assistive Technology and Telecare to maintain Independent Living At home for people with dementia) trial. <i>Alzheimer's and Dementia: Translational Research and Clinical Interventions</i> , 2019 , 5, 420-430	6	14
80	Anal fistula plug versus surgeon's preference for surgery for trans-sphincteric anal fistula: the FIAT RCT. <i>Health Technology Assessment</i> , 2019 , 23, 1-76	4.4	19
79	Neoadjuvant chemotherapy for early breast cancer - Author's reply. <i>Lancet Oncology, The</i> , 2018 , 19, e130	21.7	
78	Breast-Cancer Recurrence after Stopping Endocrine Therapy. <i>New England Journal of Medicine</i> , 2018 , 378, 870-871	59.2	5
77	Prophylactic Low-Dose Oxygen for Patients With Acute Stroke-Reply. <i>JAMA - Journal of the American Medical Association</i> , 2018 , 319, 502	27.4	

76	Intratumoral stromal morphometry predicts disease recurrence but not response to 5-fluorouracil-results from the QUASAR trial of colorectal cancer. <i>Histopathology</i> , 2018 , 72, 391-404	7.3	12
75	Antipsychotic treatment of very late-onset schizophrenia-like psychosis (ATLAS): a randomised, controlled, double-blind trial. <i>Lancet Psychiatry</i> , 2018 , 5, 553-563	23.3	30
74	Routine low-dose continuous or nocturnal oxygen for people with acute stroke: three-arm Stroke Oxygen Supplementation RCT. <i>Health Technology Assessment</i> , 2018 , 22, 1-88	4.4	5
73	Partial ablation versus radical prostatectomy in intermediate-risk prostate cancer: the PART feasibility RCT. <i>Health Technology Assessment</i> , 2018 , 22, 1-96	4.4	18
72	Amisulpride for very late-onset schizophrenia-like psychosis: the ATLAS three-arm RCT. <i>Health Technology Assessment</i> , 2018 , 22, 1-62	4.4	4
71	Long-term outcomes for neoadjuvant versus adjuvant chemotherapy in early breast cancer: meta-analysis of individual patient data from ten randomised trials. <i>Lancet Oncology</i> , 2018 , 19, 27-36	31.7	413
70	Effect of Routine Low-Dose Oxygen Supplementation on Death and Disability in Adults With Acute Stroke: The Stroke Oxygen Study Randomized Clinical Trial. <i>JAMA - Journal of the American Medical Association</i> , 2017 , 318, 1125-1135	27.4	99
69	Estimating the Risks of Breast Cancer Radiotherapy: Evidence From Modern Radiation Doses to the Lungs and Heart and From Previous Randomized Trials. <i>Journal of Clinical Oncology</i> , 2017 , 35, 1641-1649	2.2	348
68	Effects of acarbose on cardiovascular and diabetes outcomes in patients with coronary heart disease and impaired glucose tolerance (ACE): a randomised, double-blind, placebo-controlled trial. <i>Lancet Diabetes and Endocrinology</i> , 2017 , 5, 877-886	18.1	164
67	20-Year Risks of Breast-Cancer Recurrence after Stopping Endocrine Therapy at 5 Years. <i>New England Journal of Medicine</i> , 2017 , 377, 1836-1846	59.2	610
66	HER2 overexpression and amplification as a potential therapeutic target in colorectal cancer: analysis of 3256 patients enrolled in the QUASAR, FOCUS and PICCOLO colorectal cancer trials. <i>Journal of Pathology</i> , 2016 , 238, 562-70	9.4	126
65	A randomised controlled trial of the clinical effectiveness and cost-effectiveness of the levonorgestrel-releasing intrauterine system in primary care against standard treatment for menorrhagia: the ECLIPSE trial. <i>Health Technology Assessment</i> , 2015 , 19, i-xxv, 1-118	4.4	172
64	Long-term effectiveness of dopamine agonists and monoamine oxidase B inhibitors compared with levodopa as initial treatment for Parkinson's disease (PD MED): a large, open-label, pragmatic randomised trial. <i>Lancet</i> , 2014 , 384, 1196-205	40	216
63	Statistical analysis plan for the Stroke Oxygen Study (SOB): a multi-center randomized controlled trial to assess whether routine oxygen supplementation in the first 72 hours after a stroke improves long-term outcome. <i>Trials</i> , 2014 , 15, 229	2.8	2
62	The Stroke Oxygen Study (SO2S) - a multi-center, study to assess whether routine oxygen treatment in the first 72 hours after a stroke improves long-term outcome: study protocol for a randomized controlled trial. <i>Trials</i> , 2014 , 15, 99	2.8	15
61	Tamoxifen therapy for patients with breast cancer - Authors' reply. <i>Lancet</i> , 2013 , 381, 2078-9	40	2
60	Does telecare prolong community living in dementia? A study protocol for a pragmatic, randomised controlled trial. <i>Trials</i> , 2013 , 14, 349	2.8	31
59	Long-term effects of continuing adjuvant tamoxifen to 10 years versus stopping at 5 years after diagnosis of oestrogen receptor-positive breast cancer: ATLAS, a randomised trial. <i>Lancet</i> , 2013 , 381, 805-16	40	1293

58	Levonorgestrel intrauterine system versus medical therapy for menorrhagia. <i>New England Journal of Medicine</i> , 2013 , 368, 128-37	59.2	101
57	Levonorgestrel Intrauterine System Versus Medical Therapy for Menorrhagia. <i>Obstetrical and Gynecological Survey</i> , 2013 , 68, 351-353	2.4	2
56	Donepezil and memantine for moderate-to-severe Alzheimer's disease. <i>New England Journal of Medicine</i> , 2012 , 366, 893-903	59.2	483
55	Should treatment for Parkinson's disease start immediately on diagnosis or delayed until functional disability develops?. <i>Movement Disorders</i> , 2011 , 26, 1187-93	7	18
54	Determining the minimum clinically important differences for outcomes in the DOMINO trial. <i>International Journal of Geriatric Psychiatry</i> , 2011 , 26, 812-7	3.9	96
53	Value of mismatch repair, KRAS, and BRAF mutations in predicting recurrence and benefits from chemotherapy in colorectal cancer. <i>Journal of Clinical Oncology</i> , 2011 , 29, 1261-70	2.2	489
52	Time to initiation of adjuvant chemotherapy and survival in colorectal cancer. <i>JAMA - Journal of the American Medical Association</i> , 2011 , 306, 1199; author reply 1200	27.4	8
51	Validation study of a quantitative multigene reverse transcriptase-polymerase chain reaction assay for assessment of recurrence risk in patients with stage II colon cancer. <i>Journal of Clinical Oncology</i> , 2011 , 29, 4611-9	2.2	282
50	Aspirin in Alzheimer's disease: increased risk of intracerebral hemorrhage: cause for concern?. <i>Stroke</i> , 2010 , 41, 2690-2	6.7	42
49	Anthracycline-based adjuvant chemotherapy in breast cancer. <i>Lancet, The</i> , 2010 , 375, 1870-1; author reply 1871-2	40	1
48	Laparoscopic uterosacral nerve ablation for alleviating chronic pelvic pain: a randomized controlled trial. <i>JAMA - Journal of the American Medical Association</i> , 2009 , 302, 955-61	27.4	84
47	Balancing treatment allocations by clinician or center in randomized trials allows unacceptable levels of treatment prediction. <i>Journal of Evidence-Based Medicine</i> , 2009 , 2, 196-204	6.1	14
46	DOMINO-AD protocol: donepezil and memantine in moderate to severe Alzheimer's disease - a multicentre RCT. <i>Trials</i> , 2009 , 10, 57	2.8	36
45	Revascularization versus medical therapy for renal-artery stenosis. <i>New England Journal of Medicine</i> , 2009 , 361, 1953-62	59.2	819
44	Multiple sclerosis risk sharing scheme: two year results of clinical cohort study with historical comparator. <i>BMJ, The</i> , 2009 , 339, b4677	5.9	59
43	A genome-wide association study identifies colorectal cancer susceptibility loci on chromosomes 10p14 and 8q23.3. <i>Nature Genetics</i> , 2008 , 40, 623-30	36.3	463
42	Common genetic variants at the CRAC1 (HMPS) locus on chromosome 15q13.3 influence colorectal cancer risk. <i>Nature Genetics</i> , 2008 , 40, 26-8	36.3	258
41	Refinement of the basis and impact of common 11q23.1 variation to the risk of developing colorectal cancer. <i>Human Molecular Genetics</i> , 2008 , 17, 3720-7	5.6	57

40	Adjuvant chemotherapy for rectal cancer [Authors' reply. <i>Lancet, The</i> , 2008 , 371, 1503	40	6
39	Dopamine agonist therapy in early Parkinson's disease. <i>The Cochrane Library</i> , 2008 , CD006564	5.2	95
38	Evaluation of the efficacy and safety of adjunct treatment to levodopa therapy in Parkinson's disease patients with motor complications 2008 ,		2
37	A genome-wide association study shows that common alleles of SMAD7 influence colorectal cancer risk. <i>Nature Genetics</i> , 2007 , 39, 1315-7	36.3	430
36	A genome-wide association scan of tag SNPs identifies a susceptibility variant for colorectal cancer at 8q24.21. <i>Nature Genetics</i> , 2007 , 39, 984-8	36.3	689
35	PLUTO trial protocol: percutaneous shunting for lower urinary tract obstruction randomised controlled trial. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2007 , 114, 904-5, e1-4	3.7	43
34	End points for colon cancer adjuvant trials: observations and recommendations based on individual patient data from 20,898 patients enrolled onto 18 randomized trials from the ACCENT Group. <i>Journal of Clinical Oncology</i> , 2007 , 25, 4569-74	2.2	183
33	Adjuvant chemotherapy versus observation in patients with colorectal cancer: a randomised study. <i>Lancet, The</i> , 2007 , 370, 2020-9	40	1012
32	Search for low penetrance alleles for colorectal cancer through a scan of 1467 non-synonymous SNPs in 2575 cases and 2707 controls with validation by kin-cohort analysis of 14 704 first-degree relatives. <i>Human Molecular Genetics</i> , 2006 , 15, 3263-71	5.6	56
31	Factors predisposing women to chronic pelvic pain: systematic review. <i>BMJ, The</i> , 2006 , 332, 749-55	5.9	339
30	Disease-free survival versus overall survival as a primary end point for adjuvant colon cancer studies: individual patient data from 20,898 patients on 18 randomized trials. <i>Journal of Clinical Oncology</i> , 2005 , 23, 8664-70	2.2	509
29	Commentary: Mendelian randomization--an update on its use to evaluate allogeneic stem cell transplantation in leukaemia. <i>International Journal of Epidemiology</i> , 2004 , 33, 15-7	7.8	57
28	Cabergoline versus levodopa monotherapy. <i>Movement Disorders</i> , 2004 , 19, 733-4; author reply 734-5	7	2
27	Monoamine oxidase type B inhibitors in early Parkinson's disease: meta-analysis of 17 randomised trials involving 3525 patients. <i>BMJ, The</i> , 2004 , 329, 593	5.9	102
26	High-dose chemotherapy for breast cancer. <i>New England Journal of Medicine</i> , 2003 , 349, 1476-9; author reply 1476-9	59.2	1
25	ICON4/AGO-OVAR-2.2: questions about trial design, cost-effectiveness, and clinical benefit. <i>Lancet, The</i> , 2003 , 362, 1333; author reply 1334	40	2
24	5'fluorouracil (FU) and folinic acid (FA) in either the weekly 'Roswell Park' or the 4-weekly 'Mayo' regimen should be standard chemotherapy for colon cancer. <i>European Journal of Cancer</i> , 2003 , 39, 2110	7.5	1
23	Continuing uncertainty about the value of percutaneous revascularization in atherosclerotic renovascular disease: a meta-analysis of randomized trials. <i>Nephrology Dialysis Transplantation</i> , 2003 , 18, 298-304	4.3	108

22	Evaluating drug treatments for Parkinson's disease: how good are the trials?. <i>BMJ, The</i> , 2002 , 324, 1508-1511	3.1	23
21	Continuous versus interrupted perineal repair with standard or rapidly absorbed sutures after spontaneous vaginal birth: a randomised controlled trial. <i>Lancet, The</i> , 2002 , 359, 2217-23	4.0	112
20	Laparoscopic uterine nerve ablation: a survey of gynaecological practice in the UK. <i>Gynaecological Endoscopy</i> , 2000 , 9, 157-159		11
19	Tumour site, sex, and survival in colorectal cancer. <i>Lancet, The</i> , 2000 , 356, 858	4.0	4
18	A simple, robust, validated and highly predictive index for the determination of risk-directed therapy in acute myeloid leukaemia derived from the MRC AML 10 trial. United Kingdom Medical Research Council's Adult and Childhood Leukaemia Working Parties. <i>British Journal of Haematology</i> , 1999 , 107, 69-79	4.5	336
17	Severe adverse impact on sexual functioning and fertility of bone marrow transplantation, either allogeneic or autologous, compared with consolidation chemotherapy alone: analysis of the MRC AML 10 trial. <i>Cancer</i> , 1999 , 86, 1231-9	6.4	97
16	Effectiveness of rivastigmine in Alzheimer's disease. Improvements in functional ability remain unestablished. <i>BMJ: British Medical Journal</i> , 1999 , 319, 640-1		14
15	Marked improvements in outcome with chemotherapy alone in paediatric acute myeloid leukemia: results of the United Kingdom Medical Research Council's 10th AML trial. MRC Childhood Leukaemia Working Party. <i>British Journal of Haematology</i> , 1998 , 101, 130-40	4.5	238
14	Randomised comparison of addition of autologous bone-marrow transplantation to intensive chemotherapy for acute myeloid leukaemia in first remission: results of MRC AML 10 trial. UK Medical Research Council Adult and Children's Leukaemia Working Parties. <i>Lancet, The</i> , 1998 , 351, 700-8	4.0	487
13	Randomized Comparison of DAT Versus ADE as Induction Chemotherapy in Children and Younger Adults With Acute Myeloid Leukemia. Results of the Medical Research Council's 10th AML Trial (MRC AML10). <i>Blood</i> , 1997 , 89, 2311-2318	2.2	272
12	The trials of Dr. Bernard Fisher: a European perspective on an American episode. <i>Contemporary Clinical Trials</i> , 1997 , 18, 1-13		21
11	Adjuvant treatment with tamoxifen. Recruitment into studies assessing optimum duration of treatment must continue. <i>BMJ: British Medical Journal</i> , 1996 , 312, 1036-7		
10	Adjuvant treatment for colorectal cancer. Concerns about chemotherapy are legitimate. <i>BMJ: British Medical Journal</i> , 1996 , 312, 1417-8		0
9	Large-scale randomized evidence: large, simple trials and overviews of trials. <i>Journal of Clinical Epidemiology</i> , 1995 , 48, 23-40	5.7	267
8	Making randomised trials larger: a simple solution?. <i>European Journal of Surgical Oncology</i> , 1995 , 21, 137-9	3.6	10
7	Autografting for patients with CML in chronic phase: an update. Hammersmith BMT Team LRF Centre for Adult Leukaemia. <i>British Journal of Haematology</i> , 1994 , 86, 76-81	4.5	66
6	The EBCTCG overview of adjuvant therapy of breast cancer. What are the implications for future studies? Early Breast Cancer Trialists' Collaborative Group. <i>Annals of the New York Academy of Sciences</i> , 1993 , 698, 339-48	6.5	9
5	Large-scale randomized evidence: large, simple trials and overviews of trials. <i>Annals of the New York Academy of Sciences</i> , 1993 , 703, 314-40	6.5	47

4	Intraportal 5-fluorouracil for colorectal cancer: the AXIS trial. <i>Lancet, The</i> , 1992 , 340, 985	40	1
3	Combination chemotherapy for myelomatosis. <i>Lancet, The</i> , 1992 , 340, 433	40	2
2	AML associated with previous cytotoxic therapy, MDS or myeloproliferative disorders: results from the MRC's 9th AML trial. <i>British Journal of Haematology</i> , 1989 , 72, 45-53	4.5	127
1	Avoidance of large biases and large random errors in the assessment of moderate treatment effects: the need for systematic overviews. <i>Statistics in Medicine</i> , 1987 , 6, 245-54	2.3	149