Eduardo J M Filipe

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9307786/publications.pdf

Version: 2024-02-01

1			257357	2	76775
	78	1,881	24		41
ı	papers	citations	h-index		g-index
ı					
	78	78	78		1536
	all docs	docs citations	times ranked		citing authors

#	Article	IF	CITATIONS
1	On the Critical Temperature, Normal Boiling Point, and Vapor Pressure of Ionic Liquids. Journal of Physical Chemistry B, 2005, 109, 6040-6043.	1.2	475
2	Cation Alkyl Side Chain Length and Symmetry Effects on the Surface Tension of Ionic Liquids. Langmuir, 2014, 30, 6408-6418.	1.6	75
3	Thermodynamics of Liquid Mixtures of Xenon with Alkanes:  (Xenon + Ethane) and (Xenon + Propane). Journal of Physical Chemistry B, 2000, 104, 1315-1321.	1.2	62
4	Nanoscale Pattern Formation in Langmuirâ-'Blodgett Films of a Semifluorinated Alkane and a Polystyreneâ-'Poly(Ethylene Oxide) Diblock Copolymer. Nano Letters, 2002, 2, 1083-1086.	4. 5	54
5	Thermodynamics of Liquid Mixtures of Xenon with Alkanes:  (Xenon + n-Butane) and (Xenon +) Tj ETQq1 1 C).784314 r -	ggŢ/Overloc
6	Modelling the phase behaviour and excess properties of alkane + perfluoroalkane binary mixtures with the SAFT–VR approach. Fluid Phase Equilibria, 2005, 228-229, 389-393.	1.4	53
7	Liquid Phase Behavior of Perfluoroalkylalkane Surfactants. Journal of Physical Chemistry B, 2007, 111, 2856-2863.	1.2	52
8	Viscosity of Liquid Perfluoroalkanes and Perfluoroalkylalkane Surfactants. Journal of Physical Chemistry B, 2011, 115, 9130-9139.	1.2	42
9	SAFT-γ force field for the simulation of molecular fluids: 8. Hetero-segmented coarse-grained models of perfluoroalkylalkanes assessed with new vapour–liquid interfacial tension data. Molecular Physics, 2016, 114, 2597-2614.	0.8	41
10	Predicting the solubility of xenon in n-hexane and n-perfluorohexane: a simulation and theoretical study. Molecular Physics, 2002, 100, 2547-2553.	0.8	40
11	Solution Behavior of Perfluoroalkanes and Perfluoroalkylalkane Surfactants in <i>n</i> -Octane. Journal of Physical Chemistry C, 2007, 111, 15962-15968.	1.5	34
12	Systems Involving Hydrogenated and Fluorinated Chains: Volumetric Properties of Perfluoroalkanes and Perfluoroalkylalkane Surfactants. Journal of Physical Chemistry B, 2011, 115, 15013-15023.	1.2	34
13	Spontaneous self-assembly and structure of perfluoroalkylalkane surfactant hemimicelles by molecular dynamics simulations. Proceedings of the National Academy of Sciences of the United States of America, 2019, 116, 14868-14873.	3.3	34
14	Liquid Mixtures Involving Hydrogenated and Fluorinated Chains: $(\langle i \rangle p \langle i \rangle, i \rangle, \langle i \rangle T \langle i \rangle)$ Surface of (Ethanol + 2,2,2-Trifluoroethanol), Experimental and Simulation. Journal of Physical Chemistry B, 2013, 117, 9709-9717.	1.2	31
15	Diffusion Coefficients of Fluorinated Surfactants in Water: Experimental Results and Prediction by Computer Simulation. Journal of Chemical & Engineering Data, 2014, 59, 3151-3159.	1.0	31
16	Vapor Pressure of Perfluoroalkylalkanes: The Role of the Dipole. Journal of Physical Chemistry B, 2015, 119, 1623-1632.	1.2	30
17	Is xenon an "ennobled―alkane?. Physical Chemistry Chemical Physics, 2002, 4, 1618-1621.	1.3	28
18	Perfluoroalkanes and perfluoroalkylalkane surfactants in solution: Partial molar volumes in n-octane and hetero-SAFT-VR modelling. Fluid Phase Equilibria, 2011, 306, 76-81.	1.4	28

#	Article	IF	CITATIONS
19	Alkane Coiling in Perfluoroalkane Solutions: A New Primitive Solvophobic Effect. Langmuir, 2017, 33, 11429-11435.	1.6	28
20	Liquid Mixtures Involving Hydrogenated and Fluorinated Alcohols: Thermodynamics, Spectroscopy, and Simulation. Journal of Physical Chemistry B, 2016, 120, 10091-10105.	1.2	27
21	Understanding the interactions of imidazolium-based ionic liquids with cell membrane models. Physical Chemistry Chemical Physics, 2018, 20, 29764-29777.	1.3	27
22	Using ¹²⁹ Xe NMR to Probe the Structure of Ionic Liquids. Journal of Physical Chemistry Letters, 2013, 4, 2758-2762.	2.1	26
23	Highly organized crystalline monolayer of a semi-fluorinated alkane on a solid substrate obtained by spin-coating. Thin Solid Films, 2010, 519, 414-416.	0.8	25
24	Long-Range Nanometer-Scale Organization of Semifluorinated Alkane Monolayers at the Air/Water Interface. Langmuir, 2011, 27, 13497-13505.	1.6	25
25	On the liquid mixtures of xenon, alkanes and perfluorinated compounds. Physical Chemistry Chemical Physics, 2001, 3, 2852-2855.	1.3	24
26	Viscosity of liquid systems involving hydrogenated and fluorinated substances: Liquid mixtures of (hexane+perfluorohexane). Fluid Phase Equilibria, 2013, 358, 161-165.	1.4	22
27	Thermodynamics of Liquid (Xenon + Methane) Mixtures. Journal of Physical Chemistry B, 2004, 108, 7377-7381.	1.2	21
28	Probing the Structure of Liquids with ¹²⁹ Xe NMR Spectroscopy: <i>n</i> -Alkanes, Cycloalkanes, and Branched Alkanes. Journal of Physical Chemistry B, 2013, 117, 9014-9024.	1.2	21
29	Charge Templates in Aromatic Plus Ionic Liquid Systems Revisited: NMR Experiments and Molecular Dynamics Simulations. Journal of Physical Chemistry B, 2014, 118, 5772-5780.	1.2	21
30	From nano-emulsions to phase separation: evidence of nano-segregation in (alkane + perfluoroalkane) mixtures using ¹²⁹ Xe NMR Spectroscopy. Physical Chemistry Chemical Physics, 2019, 21, 3742-3751.	1.3	21
31	Prediction of diffusion coefficients of chlorophenols in water by computer simulation. Fluid Phase Equilibria, 2015, 396, 9-19.	1.4	20
32	Liquid–vapour equilibrium of {xBF3 + (1 â^' x)n-butane} at 195.49 K. Fluid Phase Equilibria, 2003, 205, 163-170.	1.4	18
33	Solubility of xenon in n-hexane between 257 and 333 K. Fluid Phase Equilibria, 2002, 193, 41-51.	1.4	17
34	Vapor pressure and liquid density of fluorinated alcohols: Experimental, simulation and GC-SAFT-VR predictions. Fluid Phase Equilibria, 2016, 425, 297-304.	1.4	17
35	Preaggregation of Asphaltenes in the Presence of Natural Polymers by Molecular Dynamics Simulation. Energy & Simulation.	2.5	17
36	High-temperature vapour–liquid equilibrium for the water–alcohol systems and modeling with SAFT-VR: 1. Water–ethanol. Fluid Phase Equilibria, 2013, 341, 48-53.	1.4	16

#	Article	IF	CITATIONS
37	Perfluoropolyethers: Development of an All-Atom Force Field for Molecular Simulations and Validation with New Experimental Vapor Pressures and Liquid Densities. Journal of Physical Chemistry B, 2017, 121, 6588-6600.	1.2	16
38	From nano-seggregation to mesophases: probing the liquid structure of perfluoroalkylalkanes with ¹²⁹ Xe NMR spectroscopy. Physical Chemistry Chemical Physics, 2020, 22, 14736-14747.	1.3	16
39	Thermodynamics of liquid (nitrogen + ethane). Journal of Chemical Thermodynamics, 2002, 34, 669-678.	1.0	15
40	Liquid–liquid interfaces: Water–perfluoroalkanes and water–perfluoroalkylalkanes, experimental interfacial tensions and molecular simulation. Journal of Molecular Liquids, 2020, 312, 113385.	2.3	15
41	Evidence for Interaction with the Water Subphase As the Origin and Stabilization of Nano-Domain in Semi-Fluorinated Alkanes Monolayer at the Air/Water Interface. Langmuir, 2014, 30, 15193-15199.	1.6	14
42	Liquid mixtures involving cyclic molecules: (vapour + liquid) equilibria of (xenon + ethylene oxide). Journal of Chemical Thermodynamics, 1996, 28, 201-207.	1.0	11
43	Liquid Mixtures Involving Cyclic Molecules:Â Xenon + Cyclopropane. Journal of Physical Chemistry B, 1997, 101, 7135-7138.	1.2	11
44	High-temperature vapour–liquid equilibrium for the (water+alcohol) systems and modelling with SAFT-VR: 2. Water-1-propanol. Journal of Chemical Thermodynamics, 2013, 60, 15-18.	1.0	11
45	Crystalline-like structures and multilayering in Langmuir films of ionic liquids at the air–water interface. Chemical Communications, 2016, 52, 5585-5588.	2.2	10
46	Solubility of water in n-alkanes: New experimental measurements and molecular dynamics simulations. Fluid Phase Equilibria, 2020, 503, 112322.	1.4	10
47	Liquid Mixtures Involving Cyclic Molecules. 2:Â Xenon + Cyclobutane. Journal of Physical Chemistry B, 2001, 105, 10936-10941.	1.2	9
48	Fluorinated surfactants in solution: Diffusion coefficients of fluorinated alcohols in water. Fluid Phase Equilibria, 2016, 407, 322-333.	1.4	9
49	Evidence of lying molecules in the structure of the most condensed phase of semi-fluorinated alkane monolayers. Nanoscale, 2018, 10, 2310-2316.	2.8	9
50	Sorption/Diffusion Contributions to the Gas Permeation Properties of Bi-Soft Segment Polyurethane/Polycaprolactone Membranes for Membrane Blood Oxygenators. Membranes, 2020, 10, 8.	1.4	9
51	Shape Effects in Molecular Liquids:Â Phase Equilibria of Binary Mixtures Involving Cyclic Molecules. Journal of Physical Chemistry B, 1997, 101, 11243-11248.	1.2	8
52	Liquid Mixtures of Xenon with Fluorinated Species:Â Xenon + Sulfur Hexafluoride. Journal of Physical Chemistry B, 2007, 111, 5284-5289.	1.2	8
53	Detailed surface characterization of highly fluorinated liquid alcohols: Experimental surface tensions, molecular simulations and soft-SAFT theory. Journal of Molecular Liquids, 2020, 300, 112294.	2.3	8
54	Breaking the Structure of Liquid Hydrogenated Alcohols Using Perfluorinated <i>tert</i> Butanol: A Multitechnique Approach (Infrared, Raman, and X-ray Scattering) Analyzed by DFT and Molecular Dynamics Calculations. Journal of Physical Chemistry B, 2022, 126, 1992-2004.	1,2	8

#	Article	IF	CITATIONS
55	Thermodynamic studies of triangular molecules: liquid mixtures of xenon and the boron halides, BF3 and BCl3. Journal of the Chemical Society, Faraday Transactions, 1996, 92, 215.	1.7	7
56	Excess Thermodynamic Properties of Mixtures Involving Xenon and Light Alkanes: A Study of Their Temperature Dependence by Computer Simulation. Journal of Physical Chemistry B, 2011, 115, 9745-9765.	1.2	7
57	Structure of Langmuir Monolayers of Perfluorinated Fatty Acids: Evidence of a New 2D Smectic C Phase. Molecules, 2019, 24, 3590.	1.7	7
58	Towards Aqueous – Fluorous – Hydrogenous emulsions: Phase equilibria and liquid structure of (waterÂ+ 1H,1H-PerfluorobutanolÂ+ 1-butanol) ternary mixture. Fluid Phase Equilibria, 2020, 522, 112737.	1.4	7
59	Liquid mixtures involving triangular molecules: (vapour + liquid) equilibria of (xenon +) Tj ETQq1 1 0.784314 rgBT	/9.yerlock	10 Tf 50 58
60	Surface crystallization of ionic liquid crystals. Physical Chemistry Chemical Physics, 2019, 21, 17792-17800.	1.3	6
61	On the Behavior of Solutions of Xenon in Liquid <i>n</i> -Alkanes: Solubility of Xenon in <i>n</i> -Pentane and <i>n</i> -Hexane. Journal of Physical Chemistry B, 2010, 114, 15897-15904.	1.2	5
62	Langmuir Films of Perfluorinated Fatty Alcohols: Evidence of Spontaneous Formation of Solid Aggregates at Zero Surface Pressure and Very Low Surface Density. Nanomaterials, 2020, 10, 2257.	1.9	5
63	Thermodynamics of Liquid (Xenon + Diborane). Journal of Physical Chemistry B, 2002, 106, 1741-1745.	1.2	4
64	High-temperature vapour–liquid equilibrium for ethanol–1-propanol mixtures and modeling with SAFT-VR. Fluid Phase Equilibria, 2015, 398, 5-9.	1.4	4
65	Solubility of water in perfluoroalkylalkanes surfactants: Evidence of specific interaction between water and the surfactant molecule. Fluid Phase Equilibria, 2020, 522, 112754.	1.4	4
66	Modeling the Fluid-Phase Equilibria of Semifluorinated Alkanes and Mixtures of (<i>n</i> -Alkanes +) Tj ETQq0 0 0 r & amp; Engineering Data, 2020, 65, 5909-5919.	rgBT /Overl 1.0	lock 10 Tf 5
67	The Stabilization of Asphaltenes in Different Crude Fractions: A Molecular Approach. Journal of the Brazilian Chemical Society, 0, , .	0.6	4
68	Gaseous hetero dimers of perfluoro tert-butyl alcohol with hydrogenated alcohols by infrared spectroscopy and quantum DFT calculations. Chemical Physics, 2021, 544, 111110.	0.9	4
69	Thermodynamics of liquid propane + cyclopropane. Fluid Phase Equilibria, 1997, 135, 249-257.	1.4	3
70	The vapour pressure of liquid cyclopropane. Journal of Chemical Thermodynamics, 1997, 29, 1435-1438.	1.0	3
71	The structure of liquid perfluoro Tert-Butanol using Infrared, Raman and X-Ray scattering analyzed by quantum DFT calculations and molecular Dynamics. Chemical Physics Letters, 2021, 779, 138844.	1.2	3
72	Optimized all-atom force field for alkynes within the OPLS-AA framework. Fluid Phase Equilibria, 2022, 554, 113314.	1.4	3

#	Article	IF	CITATIONS
73	Integrated Modeling of Mixture Fluid Phase Equilibrium Experiments Using SAFT-VR Applied to Xenon + Diborane, Xenon + Cyclopropane, Xenon + Boron Trifluoride. Industrial & Diborane; Engineering Chemistry Research, 2009, 48, 2188-2198.	1.8	2
74	On the behaviour of solutions of xenon in liquid cycloalkanes: Solubility of xenon in cyclopentane. Fluid Phase Equilibria, 2011, 303, 193-200.	1.4	2
75	Modelling the thermodynamic properties and fluid-phase equilibria of $\langle i \rangle n \langle i \rangle$ -perfluoroalkanes and their binary mixtures with the SAFT- $\langle i \rangle \hat{I}^3 \langle i \rangle$ Mie group contribution equation of state. Molecular Physics, 2020, 118, e1722270.	0.8	2
76	Polyurethane urea membranes for membrane blood oxygenators: synthesis and gas permeation properties. , $2019, , .$		1
77	Solubility of water in mixtures of (n-alkanes + n-perfluoroalkanes) and in n-perfluoroalkylalkanes: experiments and modelling with the SAFT- \hat{I}^3 Mie group-contribution approach. Molecular Physics, 2021, 119, .	0.8	1
78	Solubility of xenon in liquid n-alkanes and cycloalkanes by computer simulation. Towards the perfect anaesthetic. Journal of Molecular Liquids, 2021, 340, 117272.	2.3	0