

luigi Di Pino

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/9308690/luigi-di-pino-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

30
papers

794
citations

12
h-index

28
g-index

30
ext. papers

859
ext. citations

3.3
avg, IF

2.78
L-index

#	Paper	IF	Citations
30	Fabry Disease: The Utility of a Multidisciplinary Screening Approach. <i>Life</i> , 2022 , 12, 623	3	0
29	Prevalence and morphological changes of carotid kinking and coiling in growth: an echo-color Doppler study of 2856 subjects between aged 0 to 96 years. <i>International Journal of Cardiovascular Imaging</i> , 2021 , 37, 479-484	2.5	0
28	Impact of direct oral anticoagulants on evolution of post-thrombotic syndrome. <i>Thrombosis Research</i> , 2021 , 207, 10-15	8.2	0
27	COVID-19 PNEUMONIA: THE POINT OF VIEW OF VASCULAR SPECIALIST. <i>Ulyanovsk Medico-biological Journal</i> , 2020 , 21-27	0.2	1
26	SYNTAX Score II predicts carotid disease in a multivessel coronary disease population. <i>International Journal of Cardiology</i> , 2015 , 196, 145-8	3.2	3
25	Carotid thin fluttering bands: A new element of arterial wall remodelling? An ultrasound study. <i>International Journal of Cardiovascular Imaging</i> , 2015 , 31, 1393-400	2.5	1
24	Prevalence of asymptomatic lower limb venous thrombosis in infertile women with thrombophilic disorders. <i>Phlebology</i> , 2015 , 30, 449-54	2	0
23	Early cardiovascular remodelling in Fabry disease. <i>Journal of Inherited Metabolic Disease</i> , 2014 , 37, 109-116	6.4	10
22	The SYNTAX score does not predict presence of carotid disease in a multivessel coronary disease population. <i>Catheterization and Cardiovascular Interventions</i> , 2014 , 83, 1169-75	2.7	8
21	Cognitive impairment and "invisible symptoms" are not associated with CCSVI in MS. <i>BMC Neurology</i> , 2013 , 13, 97	3.1	4
20	Arterial erectile dysfunction: reliability of penile Doppler evaluation integrated with serum concentrations of late endothelial progenitor cells and endothelial microparticles. <i>Journal of Andrology</i> , 2012 , 33, 412-9	3.1	19
19	Arterial erectile dysfunction and peripheral arterial disease: reliability of a new phenotype of endothelial progenitor cells and endothelial microparticles. <i>Journal of Andrology</i> , 2012 , 33, 1268-75	3.1	12
18	Multiple sclerosis and CCSVI: a population-based case control study. <i>PLoS ONE</i> , 2012 , 7, e41227	3.7	21
17	Arterial stiffness is increased in patients with inflammatory bowel disease. <i>Journal of Hypertension</i> , 2012 , 30, 1775-81	1.9	71
16	Association of high alpha2-Heremans-Schmid glycoprotein/fetuin concentration in serum and intima-media thickness in patients with atherosclerotic vascular disease and low bone mass. <i>Atherosclerosis</i> , 2007 , 195, 110-5	3.1	67
15	Propionyl-L-carnitine therapy: effects on endothelin-1 and homocysteine levels in patients with peripheral arterial disease and end-stage renal disease. <i>Kidney and Blood Pressure Research</i> , 2006 , 29, 100-7	3.1	17
14	A randomised, controlled clinical trial evaluating changes in therapeutic efficacy and oxidative parameters after treatment with propionyl L-carnitine in patients with peripheral arterial disease requiring haemodialysis. <i>Drugs and Aging</i> , 2006 , 23, 263-70	4.7	27

13	Behaviour of some indicators of oxidative stress in postmenopausal and fertile women. <i>Maturitas</i> , 2006 , 53, 77-82	5	100
12	Peak systolic velocity in patients with arterial erectile dysfunction and peripheral arterial disease. <i>International Journal of Impotence Research</i> , 2006 , 18, 175-9	2.3	10
11	Early carotid atherosclerosis in women: results of an ultrasonographic study measuring carotid artery intima-media thickness. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2005 , 14, 162-6	2.8	6
10	Incidence of extragenital vascular disease in patients with erectile dysfunction of arterial origin. <i>International Journal of Impotence Research</i> , 2005 , 17, 277-82	2.3	7
9	Plasma levels and zymographic activities of matrix metalloproteinases 2 and 9 in type II diabetics with peripheral arterial disease. <i>Vascular Medicine</i> , 2005 , 10, 1-6	3.3	97
8	Low bone density and abnormal bone turnover in patients with atherosclerosis of peripheral vessels. <i>Osteoporosis International</i> , 2004 , 15, 389-95	5.3	134
7	Ultrasound diagnosis of carotid artery lesions in a population of asymptomatic subjects presenting atherosclerosis risk factors. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2004 , 13, 95-8	2.8	6
6	Correlation between some metabolic markers of vascular risk and carotid artery intima-media thickness in postmenopausal women. <i>Maturitas</i> , 2004 , 49, 134-9	5	
5	High circulating levels of cytokines (IL-6 and TNFalpha), adhesion molecules (VCAM-1 and ICAM-1) and selectins in patients with peripheral arterial disease at rest and after a treadmill test. <i>Vascular Medicine</i> , 2003 , 8, 15-9	3.3	116
4	Effects of ischaemic stress on leukocyte activation processes in patients with chronic peripheral occlusive arterial disease: role of L-propionyl carnitine administration. <i>Pharmacological Research</i> , 2001 , 44, 305-9	10.2	15
3	Duration of menopause and behavior of malondialdehyde, lipids, lipoproteins and carotid wall artery intima-media thickness. <i>Maturitas</i> , 2001 , 39, 39-42	5	28
2	Behaviour of the carotid wall in menopausal women with and without arterial hypertension. <i>Maturitas</i> , 2000 , 35, 39-43	5	3
1	Three-month therapy with calcium-heparin in comparison with ticlopidine in patients with peripheral arterial occlusive disease at Leriche-Fontaine IIb class. <i>Angiology</i> , 1993 , 44, 307-13	2.1	11