

# Jean-Luc Teillaud

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/9308798/jean-luc-teillaud-publications-by-year.pdf>

**Version:** 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

65  
papers

2,644  
citations

27  
h-index

50  
g-index

95  
ext. papers

3,097  
ext. citations

5.6  
avg. IF

4.39  
L-index

#	Paper	IF	Citations
65	BMFPs, a versatile therapeutic tool for redirecting a preexisting Epstein-Barr virus antibody response toward defined target cells.. <i>Science Advances</i> , <b>2022</b> , 8, eabl4363	14.3	0
64	SAR442085, a novel anti-CD38 antibody with enhanced antitumor activity against multiple myeloma.. <i>Blood</i> , <b>2022</b> , 139, 1160-1176	2.2	0
63	Tertiary Lymphoid Structure-B Cells Narrow Regulatory T Cells Impact in Lung Cancer Patients. <i>Frontiers in Immunology</i> , <b>2021</b> , 12, 626776	8.4	9
62	Tumor-Associated Tertiary Lymphoid Structures: From Basic and Clinical Knowledge to Therapeutic Manipulation. <i>Frontiers in Immunology</i> , <b>2021</b> , 12, 698604	8.4	7
61	A rationally-engineered IL-2 improves the antitumor effect of anti-CD20 therapy. <i>Oncotmunology</i> , <b>2020</b> , 9, 1770565	7.2	1
60	Presence of T cells directed against CD20-derived peptides in healthy individuals and lymphoma patients. <i>Cancer Immunology, Immunotherapy</i> , <b>2019</b> , 68, 1561-1572	7.4	3
59	Tertiary Lymphoid Structures: An Anti-tumor School for Adaptive Immune Cells and an Antibody Factory to Fight Cancer?. <i>Frontiers in Immunology</i> , <b>2017</b> , 8, 830	8.4	35
58	Impact of Depleting Therapeutic Monoclonal Antibodies on the Host Adaptive Immunity: A Bonus or a Malus?. <i>Frontiers in Immunology</i> , <b>2017</b> , 8, 950	8.4	8
57	Inhibitory IgG Receptor-Expressing Cells: The Must-Have Accessory for Anti-CD40 Immunomodulatory mAb Efficacy. <i>Cancer Cell</i> , <b>2016</b> , 29, 771-773	24.3	2
56	Presence of B cells in tertiary lymphoid structures is associated with a protective immunity in patients with lung cancer. <i>American Journal of Respiratory and Critical Care Medicine</i> , <b>2014</b> , 189, 832-44	10.2	34 <sup>0</sup>
55	Single-domain antibody-based and linker-free bispecific antibodies targeting Fc $\beta$ III induce potent antitumor activity without recruiting regulatory T cells. <i>Molecular Cancer Therapeutics</i> , <b>2013</b> , 12, 1481-91	6.1	4 <sup>8</sup>
54	High lipid content of irradiated human melanoma cells does not affect cytokine-matured dendritic cell function. <i>Cancer Immunology, Immunotherapy</i> , <b>2013</b> , 62, 3-15	7.4	4
53	Effect of zinc on human IgG1 and its Fc $\beta$ interactions. <i>Immunology Letters</i> , <b>2012</b> , 143, 60-9	4.1	9
52	Human macrophages and dendritic cells can equally present MART-1 antigen to CD8(+) T cells after phagocytosis of gamma-irradiated melanoma cells. <i>PLoS ONE</i> , <b>2012</b> , 7, e40311	3.7	3 <sup>6</sup>
51	The ultimate goal of curative anti-cancer therapies: inducing an adaptive anti-tumor immune response. <i>Frontiers in Immunology</i> , <b>2011</b> , 2, 66	8.4	7
50	A differential concentration-dependent effect of IVIg on neutrophil functions: relevance for anti-microbial and anti-inflammatory mechanisms. <i>PLoS ONE</i> , <b>2011</b> , 6, e26469	3.7	2 <sup>8</sup>
49	Modulation of tumor immunity by therapeutic monoclonal antibodies. <i>Cancer and Metastasis Reviews</i> , <b>2011</b> , 30, 111-24	9.6	2 <sup>1</sup>

48	Report of the ECCO pathogenesis workshop on anti-TNF therapy failures in inflammatory bowel diseases: definitions, frequency and pharmacological aspects. <i>Journal of Crohnts and Colitis</i> , <b>2010</b> , 4, 355-68	1.5	227
47	Impact of Glycosylation on Effector Functions of Therapeutic IgG. <i>Pharmaceuticals</i> , <b>2010</b> , 3, 146-157	5.2	93
46	Long-lasting antitumor protection by anti-CD20 antibody through cellular immune response. <i>Blood</i> , <b>2010</b> , 116, 926-34	2.2	152
45	Llama single-domain antibodies directed against nonconventional epitopes of tumor-associated carcinoembryonic antigen absent from nonspecific cross-reacting antigen. <i>FEBS Journal</i> , <b>2009</b> , 276, 3881-393	5.93	39
44	Activating and inhibitory Fcgamma receptors in immunotherapy: being the actor or being the target. <i>Expert Review of Clinical Immunology</i> , <b>2009</b> , 5, 735-47	5.1	14
43	Chronic lymphocytic leukaemia cells are efficiently killed by an anti-CD20 monoclonal antibody selected for improved engagement of FcgammaRIIIA/CD16. <i>British Journal of Haematology</i> , <b>2008</b> , 140, 635-43	4.5	89
42	A human anti-D monoclonal antibody selected for enhanced FcgammaRIII engagement clears RhD+ autologous red cells in human volunteers as efficiently as polyclonal anti-D antibodies. <i>British Journal of Haematology</i> , <b>2008</b> , 141, 109-19	4.5	40
41	A novel subset of NK cells expressing high levels of inhibitory FcgammaRIIB modulating antibody-dependent function. <i>Journal of Leukocyte Biology</i> , <b>2008</b> , 84, 1511-20	6.5	32
40	Activation of human peripheral IgM+ B cells is transiently inhibited by BCR-independent aggregation of Fc gammaRIIB. <i>Journal of Immunology</i> , <b>2008</b> , 181, 5350-9	5.3	12
39	R603: A New Low Dose Efficient Anti-CD20 Immunotherapy for CLL Patients ?. <i>Blood</i> , <b>2008</b> , 112, 4155-4155	1.5	15
38	FcgammaR: The key to optimize therapeutic antibodies?. <i>Critical Reviews in Oncology/Hematology</i> , <b>2007</b> , 62, 26-33	7	75
37	Can NK Cells Play a Role in Anti-CD20 Immunotherapy for CLL Patients?.. <i>Blood</i> , <b>2007</b> , 110, 3103-3103	2.2	15
36	Molecular aspects of human FcgammaR interactions with IgG: functional and therapeutic consequences. <i>Immunology Letters</i> , <b>2006</b> , 106, 111-8	4.1	38
35	Selection of a human anti-RhD monoclonal antibody for therapeutic use: impact of IgG glycosylation on activating and inhibitory Fc gamma R functions. <i>Clinical Immunology</i> , <b>2006</b> , 118, 170-9	9	59
34	Tumor-infiltrating B cell immunoglobulin variable region gene usage in invasive ductal breast carcinoma. <i>Pathology and Oncology Research</i> , <b>2005</b> , 11, 92-7	2.6	21
33	Novel ganglioside antigen identified by B cells in human medullary breast carcinomas: the proof of principle concerning the tumor-infiltrating B lymphocytes. <i>Journal of Immunology</i> , <b>2005</b> , 175, 2278-85	5.3	67
32	Combining IR spectroscopy with fluorescence imaging in a single microscope: Biomedical applications using a synchrotron infrared source (invited). <i>Review of Scientific Instruments</i> , <b>2002</b> , 73, 1357-1360	7.360	35
31	Regulated expression and inhibitory function of Fcgamma RIIB in human monocytic cells. <i>Journal of Biological Chemistry</i> , <b>2002</b> , 277, 5082-9	5.4	113

30	Cytokine production and T-cell activation by macrophage-dendritic cells generated for therapeutic use. <i>British Journal of Haematology</i> , <b>2001</b> , 114, 671-80	4.5	4
29	Differential modulation of stimulatory and inhibitory Fc gamma receptors on human monocytes by Th1 and Th2 cytokines. <i>Journal of Immunology</i> , <b>2001</b> , 166, 531-7	5.3	200
28	The Fc receptor for IgG expressed in the villus endothelium of human placenta is Fc gamma RIIb2. <i>Journal of Immunology</i> , <b>2001</b> , 166, 3882-9	5.3	67
27	Selective PCR amplification of functional immunoglobulin light chain from hybridoma containing the aberrant MOPC 21-derived V kappa by PNA-mediated PCR clamping. <i>BioTechniques</i> , <b>1999</b> , 26, 818-20, 822	2.5	30
26	Immunoglobulin variable regions usage by B-lymphocytes infiltrating a human breast medullary carcinoma. <i>Immunology Letters</i> , <b>1999</b> , 65, 143-51	4.1	21
25	Restoration of transcriptional activity of p53 mutants in human tumour cells by intracellular expression of anti-p53 single chain Fv fragments. <i>Oncogene</i> , <b>1999</b> , 18, 551-7	9.2	74
24	A tumor specific single chain antibody dependent gene expression system. <i>Oncogene</i> , <b>1999</b> , 18, 559-64	9.2	7
23	Generation of phagocytic MAK and MAC-DC for therapeutic use: characterization and in vitro functional properties. <i>Experimental Hematology</i> , <b>1999</b> , 27, 751-61	3.1	27
22	In vivo induction of functional Fc gammaRI (CD64) on neutrophils and modulation of blood cytokine mRNA levels in cancer patients treated with G-CSF (rMetHuG-CSF). <i>British Journal of Haematology</i> , <b>1998</b> , 100, 550-6	4.5	23
21	Soluble Fc gamma receptor, Fc gammaRIIa2, is present in two forms in human serum and is increased in patients: with stage C chronic lymphocytic leukemia. <i>Leukemia and Lymphoma</i> , <b>1997</b> , 26, 317-26	1.9	8
20	A new set of monoclonal antibodies against human Fc gamma RII (CD32) and Fc gamma RIII (CD16): characterization and use in various assays. <i>Hybridoma</i> , <b>1997</b> , 16, 519-28		31
19	Epitope mapping and tight-binding inhibition with monoclonal antibodies directed against Escherichia coli glucosamine 6-phosphate synthase. <i>Archives of Biochemistry and Biophysics</i> , <b>1995</b> , 324, 391-400	4.1	2
18	Detection and quantification of secreted soluble Fc gamma RIIA in human sera by an enzyme-linked immunosorbent assay. <i>Journal of Immunological Methods</i> , <b>1993</b> , 166, 1-10	2.5	24
17	Possibilities of interference with the immune system of tumor bearers by non-lymphoid Fc gamma RII expressing tumor cells. <i>Immunobiology</i> , <b>1992</b> , 185, 415-25	3.4	11
16	Structural bases of Fc gamma receptor functions. <i>Immunological Reviews</i> , <b>1992</b> , 125, 49-76	11.3	127
15	In vitro inhibition of tumor B cell growth by IgG-BF-producing Fc gamma RII+ T cell hybridoma and by immunoglobulin G-binding factors. <i>Immunologic Research</i> , <b>1992</b> , 11, 296-304	4.3	2
14	Evaluation of circulating tumor necrosis factor-alpha in patients with gynecological malignancies. <i>International Journal of Cancer</i> , <b>1991</b> , 48, 375-8	7.5	14
13	Regulation of IgG production by suppressor Fc gamma RII+ T hybridomas. <i>European Journal of Immunology</i> , <b>1990</b> , 20, 55-61	6.1	13

12	Recombinant interleukin 2-activated natural killer cells regulate IgG2a production. <i>European Journal of Immunology</i> , <b>1990</b> , 20, 1781-7	6.1	20
11	Involvement of FcR+ T cells and of IgG-BF in the control of myeloma cells. <i>Molecular Immunology</i> , <b>1990</b> , 27, 1209-17	4.3	13
10	Some cellular and molecular characteristics of high and low tumorigenicity variants of polyoma-virus transformed cells. <i>Molecular Immunology</i> , <b>1990</b> , 27, 1219-28	4.3	4
9	Fc gamma RII expression in resting and activated B lymphocytes. <i>European Journal of Immunology</i> , <b>1989</b> , 19, 1379-85	6.1	73
8	Regulatory effects of IgG-BF on hybridoma B cells. molecular characterization of variant cell lines. <i>Molecular Immunology</i> , <b>1988</b> , 25, 1133-42	4.3	7
7	Molecular heterogeneity of murine IgG-BF. <i>Molecular Immunology</i> , <b>1986</b> , 23, 1183-91	4.3	9
6	Molecular characterization of two Ia-like antigens in marmoset. <i>Immunogenetics</i> , <b>1984</b> , 19, 155-61	3.2	2
5	The identification of monoclonal class switch variants by sib selection and an ELISA assay. <i>Journal of Immunological Methods</i> , <b>1984</b> , 74, 307-15	2.5	73
4	Involvement of human membrane-associated complement components in the rosette formation between marmoset red blood cells and human leukocytes. <i>Cellular Immunology</i> , <b>1982</b> , 66, 254-68	4.4	2
3	Analysis of DR-like molecules on a marmoset Epstein-Barr virus-induced cell line using a monomorphic anti-human HLA-DR monoclonal antibody. <i>European Journal of Immunology</i> , <b>1982</b> , 12, 446-8	6.1	6
2	Monoclonal antibodies as a tool for phylogenetic studies of major histocompatibility antigens and beta 2-microglobulin. <i>Immunogenetics</i> , <b>1982</b> , 15, 377-84	3.2	45
1	Fc gamma R expressed on T-cell hybrids: specificity, behavior and relationship with Ia antigens. <i>Cellular Immunology</i> , <b>1981</b> , 63, 349-61	4.4	9