

Shengbo Zhang

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/9309182/shengbo-zhang-publications-by-year.pdf>

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

176
papers

7,490
citations

51
h-index

80
g-index

191
ext. papers

9,300
ext. citations

9.2
avg, IF

6.32
L-index

#	Paper	IF	Citations
176	hcp-phased Ni nanoparticles with generic catalytic hydrogenation activities toward different functional groups. <i>Science China Materials</i> , 2022 , 65, 1252	7.1	1
175	Atomic Tuning of Single-Atom Fe-N-C Catalysts with Phosphorus for Robust Electrochemical CO Reduction.. <i>Nano Letters</i> , 2022 ,	11.5	10
174	Hollow carbon sphere encapsulated nickel nanoreactor for aqueous-phase hydrogenation-rearrangement tandem reaction with enhanced catalytic performance. <i>Applied Catalysis B: Environmental</i> , 2022 , 306, 121140	21.8	1
173	Bacterial cellulose hybrid membrane grafted with high ratio of adipic dihydrazide for highly efficient and selective recovery of gold from e-waste. <i>Separation and Purification Technology</i> , 2022 , 121021	8.3	1
172	Facile synthesis of N, P co-doped carbon encapsulated Ni catalyst for green production of cyclopentanone from biomass derivative furfural. <i>Fuel</i> , 2022 , 319, 123815	7.1	0
171	growth of MOFs on Ni(OH) for efficient electrocatalytic oxidation of 5-hydroxymethylfurfural. <i>Chemical Communications</i> , 2021 , 57, 11358-11361	5.8	0
170	Hierarchical Porous Iron Metal-Organic Gel/Bacterial Cellulose Aerogel: Ultrafast, Scalable, Room-Temperature Aqueous Synthesis, and Efficient Arsenate Removal. <i>ACS Applied Materials & Interfaces</i> , 2021 , 13, 47684-47695	9.5	3
169	Pseudocapacitive desalination via valence engineering with spindle-like manganese oxide/carbon composites. <i>Nano Research</i> , 2021 , 14, 4878	10	2
168	Highly selective capacitive deionization of copper ions in FeS ₂ @N, S co-doped carbon electrode from wastewater. <i>Separation and Purification Technology</i> , 2021 , 262, 118336	8.3	9
167	In Situ Growth of Ultrathin Ni(OH) Nanosheets as Catalyst for Electrocatalytic Oxidation Reactions. <i>ChemSusChem</i> , 2021 , 14, 2935-2942	8.3	11
166	Integration of Fe ₂ O ₃ -based photoanode and atomically dispersed cobalt cathode for efficient photoelectrochemical NH ₃ synthesis. <i>Chinese Chemical Letters</i> , 2021 , 32, 805-810	8.1	7
165	Robust enhanced hydrogen production at acidic conditions over molybdenum oxides-stabilized ultrafine palladium electrocatalysts. <i>Nano Research</i> , 2021 , 14, 268-274	10	6
164	Tunable synthesis of imines and secondary-amines from tandem hydrogenation-coupling of aromatic nitro and aldehyde over NiCo ₅ bi-metallic catalyst. <i>Applied Catalysis B: Environmental</i> , 2021 , 280, 119448	21.8	10
163	A fluidized electrocatalysis approach for ammonia synthesis using oxygen vacancy-rich Co ₃ O ₄ nanoparticles. <i>Inorganic Chemistry Frontiers</i> , 2021 , 8, 4026-4034	6.8	1
162	Efficient electrocatalytic nitrogen reduction to ammonia with aqueous silver nanodots. <i>Communications Chemistry</i> , 2021 , 4,	6.3	9
161	In situ transformation of Fe-doped Ni ₁₂ P ₅ into low-crystallized NiFe ₂ O ₄ with high-spin Fe ⁴⁺ for efficient electrocatalytic water oxidation. <i>Journal of Materials Chemistry A</i> , 2021 , 9, 10289-10296	13	6
160	A universal route to fabricate bacterial cellulose-based composite membranes for simultaneous removal of multiple pollutants. <i>Chemical Communications</i> , 2021 , 57, 8592-8595	5.8	4

159	Metal (Co/Mo)N bond anchor-doped N in porous carbon for electrochemical nitrogen reduction. <i>Inorganic Chemistry Frontiers</i> , 2021 , 8, 1476-1481	6.8	3
158	Converting Co ²⁺ -impregnated g-C ₃ N ₄ into N-doped CNTs-confined Co nanoparticles for efficient hydrogenation rearrangement reactions of furanic aldehydes. <i>Nano Research</i> , 2021 , 14, 2846-2852	10	4
157	Intrinsic Pseudocapacitive Affinity in Manganese Spinel Ferrite Nanospheres for High-Performance Selective Capacitive Removal of Ca and Mg. <i>ACS Applied Materials & Interfaces</i> , 2021 , 13, 38886-38896	9.5	2
156	Crystal plane effect of ceria on supported copper catalyst for liquid-phase hydrogenation of unsaturated aldehyde. <i>Journal of Colloid and Interface Science</i> , 2021 , 596, 34-43	9.3	1
155	Synchronous removal of tetracycline and water hardness ions by capacitive deionization. <i>Journal of Cleaner Production</i> , 2021 , 316, 128251	10.3	2
154	Hierarchically porous poly(amidoxime)/bacterial cellulose composite aerogel for highly efficient scavenging of heavy metals. <i>Journal of Colloid and Interface Science</i> , 2021 , 600, 752-763	9.3	8
153	Encapsulated Ni-Co alloy nanoparticles as efficient catalyst for hydrodeoxygenation of biomass derivatives in water. <i>Chinese Journal of Catalysis</i> , 2021 , 42, 2027-2037	11.3	7
152	Selective electrocatalytic hydrogenation of nitrobenzene over copper-platinum alloying catalysts: Experimental and theoretical studies. <i>Applied Catalysis B: Environmental</i> , 2021 , 298, 120545	21.8	8
151	An oxygen-coordinated molybdenum single atom catalyst for efficient electrosynthesis of ammonia. <i>Chemical Communications</i> , 2021 , 57, 5410-5413	5.8	2
150	Cobalt single atom catalysts for the efficient electrosynthesis of hydrogen peroxide. <i>Inorganic Chemistry Frontiers</i> , 2021 , 8, 2829-2834	6.8	7
149	Electrocatalytically Active Fe-(O-C) Single-Atom Sites for Efficient Reduction of Nitrogen to Ammonia. <i>Angewandte Chemie - International Edition</i> , 2020 , 59, 13423-13429	16.4	71
148	Highly dispersed nickel anchored on a N-doped carbon molecular sieve derived from metal-organic frameworks for efficient hydrodeoxygenation in the aqueous phase. <i>Chemical Communications</i> , 2020 , 56, 6696-6699	5.8	5
147	Electrocatalytically Active Fe-(O-C) ₂ Single-Atom Sites for Efficient Reduction of Nitrogen to Ammonia. <i>Angewandte Chemie</i> , 2020 , 132, 13525-13531	3.6	14
146	Lignosulfonate functionalized g-C ₃ N ₄ /carbonized wood sponge for highly efficient heavy metal ion scavenging. <i>Journal of Materials Chemistry A</i> , 2020 , 8, 12687-12698	13	29
145	Ethanol introduced synthesis of ultrastable 1T-MoS ₂ for removal of Cr(VI). <i>Journal of Hazardous Materials</i> , 2020 , 394, 122525	12.8	29
144	Laser Irradiation in Liquid to Release Cobalt Single-Atom Sites for Efficient Electrocatalytic N ₂ Reduction. <i>ACS Applied Energy Materials</i> , 2020 , 3, 6079-6086	6.1	9
143	Efficient electrochemical N ₂ fixation by doped-oxygen-induced phosphorus vacancy defects on copper phosphide nanosheets. <i>Journal of Materials Chemistry A</i> , 2020 , 8, 5936-5942	13	22
142	Formation of B ₂ N ₂ C Coordination to Stabilize the Exposed Active Nitrogen Atoms in g-C ₃ N ₄ for Dramatically Enhanced Photocatalytic Ammonia Synthesis Performance. <i>Small</i> , 2020 , 16, e1906880	11	43

141	MoS ₂ Nanodots Anchored on Reduced Graphene Oxide for Efficient N ₂ Fixation to NH ₃ . <i>ACS Sustainable Chemistry and Engineering</i> , 2020 , 8, 2320-2326	8.3	29
140	Fabrication of hierarchically porous NH ₂ -MIL-53/wood-carbon hybrid membrane for highly effective and selective sequestration of Pb ²⁺ . <i>Chemical Engineering Journal</i> , 2020 , 387, 124141	14.7	25
139	Sustainable 2,5-furandicarboxylic synthesis by a direct 5-hydroxymethylfurfural fuel cell based on a bifunctional PtNiS catalyst. <i>Chemical Communications</i> , 2020 , 56, 13611-13614	5.8	4
138	CoO _x @Co Nanoparticle-based Catalyst for Efficient Selective Transfer Hydrogenation of α -Unsaturated Aldehydes. <i>ChemCatChem</i> , 2020 , 12, 1019-1024	5.2	3
137	Electrodeposition of hierarchically amorphous FeOOH nanosheets on carbonized bamboo as an efficient filter membrane for As(III) removal. <i>Chemical Engineering Journal</i> , 2020 , 392, 123773	14.7	18
136	Fe-Co Alloyed Nanoparticles Catalyzing Efficient Hydrogenation of Cinnamaldehyde to Cinnamyl Alcohol in Water. <i>Angewandte Chemie</i> , 2020 , 132, 23727-23732	3.6	1
135	Copper nanocrystals anchored on an O-rich carbonized corn gel for nitrogen electroreduction to ammonia. <i>Inorganic Chemistry Frontiers</i> , 2020 , 7, 3555-3560	6.8	3
134	Selective Growth of High-Density Anatase {101} Twin Boundaries on High-Energy {001} Facets. <i>Small Structures</i> , 2020 , 1, 2000025	8.7	10
133	Rational Design of Cobalt-Platinum Alloy Decorated Cobalt Nanoparticles for One-Pot Synthesis of Imines from Nitroarenes and Aldehydes. <i>ChemCatChem</i> , 2020 , 12, 5948-5958	5.2	4
132	Fe-Co Alloyed Nanoparticles Catalyzing Efficient Hydrogenation of Cinnamaldehyde to Cinnamyl Alcohol in Water. <i>Angewandte Chemie - International Edition</i> , 2020 , 59, 23521-23526	16.4	36
131	Selective Pseudocapacitive Deionization of Calcium Ions in Copper Hexacyanoferrate. <i>ACS Applied Materials & Interfaces</i> , 2020 , 12, 41437-41445	9.5	17
130	Porous carbon nanosheets functionalized with Fe ₃ O ₄ nanoparticles for capacitive removal of heavy metal ions from water. <i>Environmental Science: Water Research and Technology</i> , 2020 , 6, 331-340	4.2	17
129	Potassium-Ion-Assisted Regeneration of Active Cyano Groups in Carbon Nitride Nanoribbons: Visible-Light-Driven Photocatalytic Nitrogen Reduction. <i>Angewandte Chemie</i> , 2019 , 131, 16797-16803	3.6	16
128	Potassium-Ion-Assisted Regeneration of Active Cyano Groups in Carbon Nitride Nanoribbons: Visible-Light-Driven Photocatalytic Nitrogen Reduction. <i>Angewandte Chemie - International Edition</i> , 2019 , 58, 16644-16650	16.4	180
127	A sulfonate group functionalized active carbon-based Cu catalyst for electrochemical ammonia synthesis under ambient conditions. <i>Inorganic Chemistry Frontiers</i> , 2019 , 6, 2832-2836	6.8	12
126	The electrochemical corrosion of an air thermally-treated carbon fiber cloth electrocatalyst with outstanding oxygen evolution activity under alkaline conditions. <i>Chemical Communications</i> , 2019 , 55, 2344-2347	5.8	8
125	Nitrogen-Doped Carbon Nanotube Confined Co-N Sites for Selective Hydrogenation of Biomass-Derived Compounds. <i>Advanced Materials</i> , 2019 , 31, e1808341	24	83
124	Plasma-etching enhanced titanium oxynitride active phase with high oxygen content for ambient electrosynthesis of ammonia. <i>Electrochemistry Communications</i> , 2019 , 100, 90-95	5.1	26

123	Experimental and theoretical understanding on electrochemical activation and inactivation processes of Nb ₃ O ₇ (OH) for ambient electrosynthesis of NH ₃ . <i>Journal of Materials Chemistry A</i> , 2019 , 7, 16969-16978	13	28
122	A three-dimensional porous Co@C/carbon foam hybrid monolith for exceptional oil-water separation. <i>Nanoscale</i> , 2019 , 11, 12161-12168	7.7	23
121	A hierarchical hybrid monolith: MoS ₂ intercalated NiFe layered double hydroxide nanosheet arrays assembled on carbon foam for highly efficient heavy metal removal. <i>Journal of Materials Chemistry A</i> , 2019 , 7, 12869-12881	13	38
120	Converting eggplant biomass into multifunctional porous carbon electrodes for self-powered capacitive deionization. <i>Environmental Science: Water Research and Technology</i> , 2019 , 5, 1054-1063	4.2	10
119	Construction of Pd/BiOCl Catalyst for Highly-selective Synthesis of Benzoin Ethyl Ether by Chlorine Promoted Coupling Reaction. <i>ChemCatChem</i> , 2019 , 11, 2676-2682	5.2	3
118	Enhancement of the visible-light photocatalytic activity of CeO ₂ by chemisorbed oxygen in the selective oxidation of benzyl alcohol. <i>New Journal of Chemistry</i> , 2019 , 43, 7355-7362	3.6	17
117	Highly sensitive detection of nitrite by using gold nanoparticle-decorated Fe ₂ O ₃ nanorod arrays as self-supporting photo-electrodes. <i>Inorganic Chemistry Frontiers</i> , 2019 , 6, 1432-1441	6.8	12
116	Hierarchical Porous Carbon Materials Derived from Kelp for Superior Capacitive Applications. <i>ACS Sustainable Chemistry and Engineering</i> , 2019 , 7, 8735-8743	8.3	42
115	Ambient Electrosynthesis of Ammonia on a Core-Shell-Structured Au@CeO Catalyst: Contribution of Oxygen Vacancies in CeO. <i>Chemistry - A European Journal</i> , 2019 , 25, 5904-5911	4.8	44
114	Enhanced fluoride removal by hierarchically porous carbon foam monolith with high loading of UiO-66. <i>Journal of Colloid and Interface Science</i> , 2019 , 542, 269-280	9.3	29
113	Liberating N-CNTs Confined Highly Dispersed Co ₂ N Sites for Selective Hydrogenation of Quinolines. <i>Advanced Materials</i> , 2019 , 31, e1906051	24	40
112	Ambient Electrosynthesis of Ammonia Using Core-Shell Structured Au@C Catalyst Fabricated by One-Step Laser Ablation Technique. <i>ACS Applied Materials & Interfaces</i> , 2019 , 11, 44186-44195	9.5	27
111	Dramatically Enhanced Ambient Ammonia Electrosynthesis Performance by In-Operando Created Li ⁺ Interactions on MoS ₂ Electrocatalyst. <i>Advanced Energy Materials</i> , 2019 , 9, 1803935	21.8	149
110	Theoretical study of single transition metal atom modified MoP as a nitrogen reduction electrocatalyst. <i>Physical Chemistry Chemical Physics</i> , 2019 , 21, 5950-5955	3.6	35
109	Cu doping in CeO to form multiple oxygen vacancies for dramatically enhanced ambient N reduction performance. <i>Chemical Communications</i> , 2019 , 55, 2952-2955	5.8	96
108	A pyrolysis-phosphorization approach to fabricate carbon nanotubes with embedded CoP nanoparticles for ambient electrosynthesis of ammonia. <i>Chemical Communications</i> , 2019 , 55, 12376-12379	5.8	16
107	Ambient Electrosynthesis of Ammonia on a Biomass-Derived Nitrogen-Doped Porous Carbon Electrocatalyst: Contribution of Pyridinic Nitrogen. <i>ACS Energy Letters</i> , 2019 , 4, 377-383	20.1	93
106	Simultaneously high-rate furfural hydrogenation and oxidation upgrading on nanostructured transition metal phosphides through electrocatalytic conversion at ambient conditions. <i>Applied Catalysis B: Environmental</i> , 2019 , 244, 899-908	21.8	62

105	Facile fabrication of composition-tunable Fe/Mg bimetal-organic frameworks for exceptional arsenate removal. <i>Chemical Engineering Journal</i> , 2019 , 357, 579-588	14.7	65
104	Transformation of carbon-encapsulated metallic Co into ultrafine Co/CoO nanoparticles exposed on N-doped graphitic carbon for high-performance rechargeable zinc-air battery. <i>Applied Surface Science</i> , 2018 , 448, 369-379	6.7	19
103	NiFe-Layered Double Hydroxide Nanosheet Arrays Supported on Carbon Cloth for Highly Sensitive Detection of Nitrite. <i>ACS Applied Materials & Interfaces</i> , 2018 , 10, 6541-6551	9.5	92
102	Hierarchical MgFe-layered double hydroxide microsphere/graphene composite for simultaneous electrochemical determination of trace Pb(II) and Cd(II). <i>Chemical Engineering Journal</i> , 2018 , 347, 953-962	14.7	56
101	Sulfonate group modified Ni catalyst for highly efficient liquid-phase selective hydrogenation of bio-derived furfural. <i>Chinese Chemical Letters</i> , 2018 , 29, 1617-1620	8.1	11
100	Selective Determination of Cr(VI) by Glutaraldehyde Cross-Linked Chitosan Polymer Fluorophores. <i>ACS Sensors</i> , 2018 , 3, 792-798	9.2	36
99	Electrocatalytic oxidation of benzyl alcohol for simultaneously promoting H ₂ evolution by a Co _{0.83} Ni _{0.17} /activated carbon electrocatalyst. <i>New Journal of Chemistry</i> , 2018 , 42, 6381-6388	3.6	17
98	One-step synthesis of cobalt-doped MoS nanosheets as bifunctional electrocatalysts for overall water splitting under both acidic and alkaline conditions. <i>Chemical Communications</i> , 2018 , 54, 3859-3862	5.8	130
97	Efficiently electrocatalytic oxidation of benzyl alcohol for energy- saved zinc-air battery using a multifunctional nickel-cobalt alloy electrocatalyst. <i>Journal of Colloid and Interface Science</i> , 2018 , 532, 37-46	9.3	9
96	Highly Dispersed Copper Nanoparticles Supported on Activated Carbon as an Efficient Catalyst for Selective Reduction of Vanillin. <i>Small</i> , 2018 , 14, e1801953	11	33
95	An efficient and reusable bimetallic Ni ₃ Fe NPs@C catalyst for selective hydrogenation of biomass-derived levulinic acid to γ -valerolactone. <i>Chinese Journal of Catalysis</i> , 2018 , 39, 1599-1607	11.3	25
94	Spontaneous Redox Approach to the Self-Assembly Synthesis of Au/CeO Plasmonic Photocatalysts with Rich Oxygen Vacancies for Selective Photocatalytic Conversion of Alcohols. <i>ACS Applied Materials & Interfaces</i> , 2018 , 10, 31394-31403	9.5	48
93	Biomass-derived N-doped porous carbon as electrode materials for Zn-air battery powered capacitive deionization. <i>Chemical Engineering Journal</i> , 2018 , 334, 1270-1280	14.7	134
92	Vapor-phase hydrothermal growth of single crystalline NiS ₂ nanostructure film on carbon fiber cloth for electrocatalytic oxidation of alcohols to ketones and simultaneous H ₂ evolution. <i>Nano Research</i> , 2018 , 11, 1004-1017	10	37
91	The catalytic behaviour in aqueous-phase hydrogenation over a renewable Ni catalyst derived from a perovskite-type oxide. <i>Dalton Transactions</i> , 2018 , 47, 17276-17284	4.3	5
90	Zirconium metal organic frameworks-based DGT technique for in situ measurement of dissolved reactive phosphorus in waters. <i>Water Research</i> , 2018 , 147, 223-232	12.5	16
89	In Situ Synthesis of Highly Dispersed Cu ₂ O Bimetallic Nanoparticles for Tandem Hydrogenation/Rearrangement of Bioderived Furfural in Aqueous-Phase. <i>ACS Sustainable Chemistry and Engineering</i> , 2018 , 6, 14919-14925	8.3	28
88	Three-Dimensional N-doped Porous Carbon Derived from Monosodium Glutamate for Capacitive Deionization and the Oxygen Reduction Reaction. <i>ChemElectroChem</i> , 2018 , 5, 3873-3880	4.3	9

87	Highly dispersed Co and Ni nanoparticles encapsulated in N-doped carbon nanotubes as efficient catalysts for the reduction of unsaturated oxygen compounds in aqueous phase. <i>Catalysis Science and Technology</i> , 2018 , 8, 5506-5514	5.5	26
86	Vapor-phase hydrothermal transformation of a nanosheet array structure Ni(OH) ₂ into ultrathin Ni ₃ S ₂ nanosheets on nickel foam for high-efficiency overall water splitting. <i>Journal of Materials Chemistry A</i> , 2018 , 6, 19201-19209	13	38
85	Carbothermal Methods: Highly Dispersed Copper Nanoparticles Supported on Activated Carbon as an Efficient Catalyst for Selective Reduction of Vanillin (Small 36/2018). <i>Small</i> , 2018 , 14, 1870164	11	1
84	Nitrogen-free commercial carbon cloth with rich defects for electrocatalytic ammonia synthesis under ambient conditions. <i>Chemical Communications</i> , 2018 , 54, 11188-11191	5.8	59
83	Cobalt Covalent Doping in MoS to Induce Bifunctionality of Overall Water Splitting. <i>Advanced Materials</i> , 2018 , 30, e1801450	24	273
82	In situ growth of Fe ₂ O ₃ nanorod arrays on 3D carbon foam as an efficient binder-free electrode for highly sensitive and specific determination of nitrite. <i>Journal of Materials Chemistry A</i> , 2017 , 5, 4726-4736	13	68
81	Self-assembled Pd/CeO ₂ catalysts by a facile redox approach for high-efficiency hydrogenation of levulinic acid into gamma-valerolactone. <i>Catalysis Communications</i> , 2017 , 93, 10-14	3.2	27
80	Europium-based infinite coordination polymer nanospheres as an effective fluorescence probe for phosphate sensing. <i>RSC Advances</i> , 2017 , 7, 8661-8669	3.7	36
79	Efficient Synthesis of Furfuryl Alcohol from H ₂ -Hydrogenation/Transfer Hydrogenation of Furfural Using Sulfonate Group Modified Cu Catalyst. <i>ACS Sustainable Chemistry and Engineering</i> , 2017 , 5, 2172-2180	8.3	136
78	Two-dimensional CoNi nanoparticles@S,N-doped carbon composites derived from S,N-containing Co/Ni MOFs for high performance supercapacitors. <i>Journal of Materials Chemistry A</i> , 2017 , 5, 9873-9881	13	52
77	One-pot redox synthesis of Pt/Fe ₃ O ₄ catalyst for efficiently chemoselective hydrogenation of cinnamaldehyde. <i>RSC Advances</i> , 2017 , 7, 21107-21113	3.7	10
76	Carbon-embedded Ni nanocatalysts derived from MOFs by a sacrificial template method for efficient hydrogenation of furfural to tetrahydrofurfuryl alcohol. <i>Dalton Transactions</i> , 2017 , 46, 6358-6365	4.5	61
75	Carbon-encapsulated heazlewoodite nanoparticles as highly efficient and durable electrocatalysts for oxygen evolution reactions. <i>Nano Research</i> , 2017 , 10, 3522-3533	10	23
74	Electrochemical deposition of Pt on carbon fiber cloth utilizing Pt mesh counter electrode during hydrogen evolution reaction for electrocatalytic hydrogenation reduction of p-nitrophenol. <i>New Journal of Chemistry</i> , 2017 , 41, 7012-7019	3.6	8
73	FeOOH Nanorods/Carbon Foam-Based Hierarchically Porous Monolith for Highly Effective Arsenic Removal. <i>ACS Applied Materials & Interfaces</i> , 2017 , 9, 13480-13490	9.5	92
72	Co ₉ S ₈ @N,P-doped porous carbon electrocatalyst using biomass-derived carbon nanodots as a precursor for overall water splitting in alkaline media. <i>RSC Advances</i> , 2017 , 7, 19181-19188	3.7	54
71	S,N-Containing Co-MOF derived Co ₉ S ₈ @S,N-doped carbon materials as efficient oxygen electrocatalysts and supercapacitor electrode materials. <i>Inorganic Chemistry Frontiers</i> , 2017 , 4, 491-498	6.8	86
70	Highly selective liquid-phase hydrogenation of furfural over N-doped carbon supported metallic nickel catalyst under mild conditions. <i>Molecular Catalysis</i> , 2017 , 429, 51-59	3.3	57

69	Bifunctional NH ₂ -MIL-88(Fe) metal-organic framework nanooctahedra for highly sensitive detection and efficient removal of arsenate in aqueous media. <i>Journal of Materials Chemistry A</i> , 2017 , 5, 23794-23804	13	148
68	Efficient Synthesis of 2-Methylfuran from Bio-Derived Furfural over Supported Copper Catalyst: The Synergistic Effect of CuOx and Cu. <i>ChemistrySelect</i> , 2017 , 2, 9984-9991	1.8	11
67	Size Modulation of Zirconium-Based Metal Organic Frameworks for Highly Efficient Phosphate Remediation. <i>ACS Applied Materials & Interfaces</i> , 2017 , 9, 32151-32160	9.5	83
66	Vapour-phase hydrothermal synthesis of Ni ₂ P nanocrystallines on carbon fiber cloth for high-efficiency H ₂ production and simultaneous urea decomposition. <i>Electrochimica Acta</i> , 2017 , 254, 44-49	6.7	43
65	High-Efficiency Co/CoS@S,N-Codoped Porous Carbon Electrocatalysts Fabricated from Controllably Grown Sulfur- and Nitrogen-Including Cobalt-Based MOFs for Rechargeable Zinc-Air Batteries. <i>ACS Applied Materials & Interfaces</i> , 2017 , 9, 34269-34278	9.5	53
64	Highly efficient electrocatalytic oxidation of urea on a Mn-incorporated Ni(OH)/carbon fiber cloth for energy-saving rechargeable Zn-air batteries. <i>Chemical Communications</i> , 2017 , 53, 10711-10714	5.8	22
63	Macroscale cobalt-MOFs derived metallic Co nanoparticles embedded in N-doped porous carbon layers as efficient oxygen electrocatalysts. <i>Applied Surface Science</i> , 2017 , 392, 402-409	6.7	75
62	Fabrication of hierarchical iron-containing MnO ₂ hollow microspheres assembled by thickness-tunable nanosheets for efficient phosphate removal. <i>Journal of Materials Chemistry A</i> , 2016 , 4, 14814-14826	13	46
61	One-step solid phase synthesis of a highly efficient and robust cobalt pentlandite electrocatalyst for the oxygen evolution reaction. <i>Journal of Materials Chemistry A</i> , 2016 , 4, 18314-18321	13	80
60	The surface sulfur doping induced enhanced performance of cobalt catalysts in oxygen evolution reactions. <i>Chemical Communications</i> , 2016 , 52, 9450-3	5.8	34
59	Growth and in situ transformation of TiO ₂ and HTiOF ₃ crystals on chitosan-polyvinyl alcohol co-polymer substrates under vapor phase hydrothermal conditions. <i>Nano Research</i> , 2016 , 9, 745-754	10	16
58	Shrimp-shell derived carbon nanodots as carbon and nitrogen sources to fabricate three-dimensional N-doped porous carbon electrocatalysts for the oxygen reduction reaction. <i>Physical Chemistry Chemical Physics</i> , 2016 , 18, 4095-101	3.6	79
57	Enhanced photocatalytic activity of a hollow TiO ₂ @Au/TiO ₂ sandwich structured nanocomposite. <i>RSC Advances</i> , 2016 , 6, 18958-18964	3.7	11
56	Hollow mesoporous SiO ₂ sphere nanoarchitectures with encapsulated silver nanoparticles for catalytic reduction of 4-nitrophenol. <i>Inorganic Chemistry Frontiers</i> , 2016 , 3, 663-670	6.8	23
55	3D graphene/EMnO ₂ aerogels for highly efficient and reversible removal of heavy metal ions. <i>Journal of Materials Chemistry A</i> , 2016 , 4, 1970-1979	13	211
54	Highly Ordered Single Crystalline Nanowire Array Assembled Three-Dimensional Nb ₃ O ₇ (OH) and Nb ₂ O ₅ Superstructures for Energy Storage and Conversion Applications. <i>ACS Nano</i> , 2016 , 10, 507-14	16.7	65
53	A nanoparticulate liquid binding phase based DGT device for aquatic arsenic measurement. <i>Talanta</i> , 2016 , 160, 225-232	6.2	15
52	Oxoacetohydrazide-functionalized cellulose with enhanced adsorption performance. <i>Journal of Applied Polymer Science</i> , 2016 , 133, n/a-n/a	2.9	4

51	Strongly Coupled CoCr ₂ O ₄ /Carbon Nanosheets as High Performance Electrocatalysts for Oxygen Evolution Reaction. <i>Small</i> , 2016 , 12, 2866-71	11	76
50	Co/CoO nanoparticles immobilized on Co-N-doped carbon as trifunctional electrocatalysts for oxygen reduction, oxygen evolution and hydrogen evolution reactions. <i>Chemical Communications</i> , 2016 , 52, 5946-9	5.8	190
49	Fe/Fe ₂ O ₃ nanoparticles anchored on Fe-N-doped carbon nanosheets as bifunctional oxygen electrocatalysts for rechargeable zinc-air batteries. <i>Nano Research</i> , 2016 , 9, 2123-2137	10	90
48	Metal-organic framework derived nitrogen-doped porous carbon@graphene sandwich-like structured composites as bifunctional electrocatalysts for oxygen reduction and evolution reactions. <i>Carbon</i> , 2016 , 106, 74-83	10.4	164
47	Shrimp-shell derived carbon nanodots as precursors to fabricate Fe,N-doped porous graphitic carbon electrocatalysts for efficient oxygen reduction in zinc-air batteries. <i>Inorganic Chemistry Frontiers</i> , 2016 , 3, 910-918	6.8	20
46	Hierarchical iron containing MnO ₂ hollow microspheres: A facile one-step synthesis and effective removal of As(III) via oxidation and adsorption. <i>Chemical Engineering Journal</i> , 2016 , 301, 139-148	14.7	86
45	3D Fe ₃ O ₄ @Au@Ag nanoflowers assembled magnetoplasmonic chains for in situ SERS monitoring of plasmon-assisted catalytic reactions. <i>Journal of Materials Chemistry A</i> , 2016 , 4, 8866-8874	13	50
44	Co/Co ₉ S ₈ @S,N-doped porous graphene sheets derived from S, N dual organic ligands assembled Co-MOFs as superior electrocatalysts for full water splitting in alkaline media. <i>Nano Energy</i> , 2016 , 30, 93-102	17.1	216
43	Ultrafine nickel-cobalt alloy nanoparticles incorporated into three-dimensional porous graphitic carbon as an electrode material for supercapacitors. <i>Journal of Materials Chemistry A</i> , 2016 , 4, 17080-17086	13	37
42	An in situ vapour phase hydrothermal surface doping approach for fabrication of high performance Co ₃ O ₄ electrocatalysts with an exceptionally high S-doped active surface. <i>Chemical Communications</i> , 2015 , 51, 5695-7	5.8	41
41	Photoelectrochemical manifestation of intrinsic photoelectron transport properties of vertically aligned {001} faceted single crystal TiO ₂ nanosheet films. <i>RSC Advances</i> , 2015 , 5, 55438-55444	3.7	13
40	A fluorescent chitosan hydrogel detection platform for the sensitive and selective determination of trace mercury(II) in water. <i>Journal of Materials Chemistry A</i> , 2015 , 3, 19455-19460	13	53
39	Density Functional Studies of Stoichiometric Surfaces of Orthorhombic Hybrid Perovskite CH ₃ NH ₃ PbI ₃ . <i>Journal of Physical Chemistry C</i> , 2015 , 119, 1136-1145	3.8	64
38	Switching the photocatalytic activity of g-C ₃ N ₄ by homogenous surface chemical modification with nitrogen residues and vacancies. <i>RSC Advances</i> , 2015 , 5, 21430-21433	3.7	18
37	Enhanced visible-light-driven photocatalytic inactivation of Escherichia coli using g-C ₃ N ₄ /TiO ₂ hybrid photocatalyst synthesized using a hydrothermal-calcination approach. <i>Water Research</i> , 2015 , 86, 17-24	12.5	261
36	Adsorption and oxidation of oxalic acid on anatase TiO ₂ (001) surface: A density functional theory study. <i>Journal of Colloid and Interface Science</i> , 2015 , 454, 180-6	9.3	15
35	Photoelectrochemical determination of intrinsic kinetics of photoelectrocatalysis processes at {001} faceted anatase TiO ₂ photoanodes. <i>RSC Advances</i> , 2015 , 5, 12860-12865	3.7	16
34	Manipulating solar absorption and electron transport properties of rutile TiO ₂ photocatalysts via highly n-type F-doping. <i>Journal of Materials Chemistry A</i> , 2014 , 2, 3513	13	49

33	Precisely controlled heterogeneous nucleation sites for TiO ₂ crystal growth. <i>CrystEngComm</i> , 2014 , 16, 7502	3.3	8
32	Directly hydrothermal growth of ultrathin MoS ₂ nanostructured films as high performance counter electrodes for dye-sensitised solar cells. <i>RSC Advances</i> , 2014 , 4, 21277	3.7	70
31	Hydrothermal transformation of dried grass into graphitic carbon-based high performance electrocatalyst for oxygen reduction reaction. <i>Small</i> , 2014 , 10, 3371-8	11	122
30	A self-sponsored doping approach for controllable synthesis of S and N co-doped trimodal-porous structured graphitic carbon electrocatalysts. <i>Energy and Environmental Science</i> , 2014 , 7, 3720-3726	35.4	180
29	One-step synthesis of nitrogen-doped microporous carbon materials as metal-free electrocatalysts for oxygen reduction reaction. <i>Journal of Materials Chemistry A</i> , 2014 , 2, 11666-11671	13	70
28	Determination of Iodide via Direct Fluorescence Quenching at Nitrogen-Doped Carbon Quantum Dot Fluorophores. <i>Environmental Science and Technology Letters</i> , 2014 , 1, 87-91	11	65
27	Geometric structure of rutile titanium dioxide (111) surfaces. <i>Physical Review B</i> , 2014 , 90,	3.3	17
26	Anatase TiO ₂ mesocrystals with exposed (001) surface for enhanced photocatalytic decomposition capability toward gaseous styrene. <i>Catalysis Today</i> , 2014 , 224, 216-224	5.3	37
25	Vapor-phase hydrothermal synthesis of rutile TiO ₂ nanostructured film with exposed pyramid-shaped (111) surface and superiorly photoelectrocatalytic performance. <i>Journal of Colloid and Interface Science</i> , 2014 , 429, 53-61	9.3	21
24	Adenovirus inactivation by in situ photocatalytically and photoelectrocatalytically generated halogen viricides. <i>Chemical Engineering Journal</i> , 2014 , 253, 538-543	14.7	17
23	A highly crystalline Nb ₃ O ₇ F nanostructured photoelectrode: fabrication and photosensitisation. <i>Journal of Materials Chemistry A</i> , 2013 , 1, 6563	13	28
22	Surface hydrogen bonding can enhance photocatalytic H ₂ evolution efficiency. <i>Journal of Materials Chemistry A</i> , 2013 , 1, 14089	13	89
21	Nature of visible-light responsive fluorinated titanium dioxides. <i>Journal of Materials Chemistry A</i> , 2013 , 1, 12948	13	24
20	The morphology and optical properties of ZnO crystals fabricated by hydrothermal method under pulsed magnetic field. <i>Physica Status Solidi C: Current Topics in Solid State Physics</i> , 2013 , 10, 1276-1279		2
19	Rutile TiO ₂ films with 100% exposed pyramid-shaped (111) surface: photoelectron transport properties under UV and visible light irradiation. <i>Journal of Materials Chemistry A</i> , 2013 , 1, 2646	13	35
18	{001} facets dominated anatase TiO ₂ : Morphology, formation/etching mechanisms and performance. <i>Science China Chemistry</i> , 2013 , 56, 402-417	7.9	18
17	Engineering the band gap of bare titanium dioxide materials for visible-light activity: a theoretical prediction. <i>RSC Advances</i> , 2013 , 3, 8777	3.7	29
16	Instant inactivation and rapid decomposition of Escherichia coli using a high efficiency TiO ₂ nanotube array photoelectrode. <i>RSC Advances</i> , 2013 , 3, 20824	3.7	9

15	Directly hydrothermal growth of single crystal Nb ₃ O ₇ (OH) nanorod film for high performance dye-sensitized solar cells. <i>Advanced Materials</i> , 2012 , 24, 1598-603	24	74
14	Improved UV resistance in wood through the hydrothermal growth of highly ordered ZnO nanorod arrays. <i>Journal of Materials Science</i> , 2012 , 47, 4457-4462	4.3	29
13	Vertically aligned nanorod-like rutile TiO ₂ single crystal nanowire bundles with superior electron transport and photoelectrocatalytic properties. <i>Journal of Materials Chemistry</i> , 2012 , 22, 2465-2472		79
12	Vapor-phase hydrothermal transformation of HTiOF ₃ intermediates into {001} faceted anatase single-crystalline nanosheets. <i>Small</i> , 2012 , 8, 3664-73	11	51
11	Visible light active pure rutile TiO ₂ photoanodes with 100% exposed pyramid-shaped (111) surfaces. <i>Nano Research</i> , 2012 , 5, 762-769	10	46
10	Single crystal Fe ₂ O ₃ with exposed {104} facets for high performance gas sensor applications. <i>RSC Advances</i> , 2012 , 2, 6178	3.7	70
9	A new vapor-phase hydrothermal method to concurrently grow ZnO nanotube and nanorod array films on different sides of a zinc foil substrate. <i>Chemistry - A European Journal</i> , 2012 , 18, 5165-9	4.8	17
8	Anatase TiO ₂ crystal facet growth: mechanistic role of hydrofluoric acid and photoelectrocatalytic activity. <i>ACS Applied Materials & Interfaces</i> , 2011 , 3, 2472-8	9.5	95
7	Rutile TiO ₂ microspheres with exposed nano-acicular single crystals for dye-sensitized solar cells. <i>Nano Research</i> , 2011 , 4, 938-947	10	45
6	Facile fabrication of anatase TiO ₂ microspheres on solid substrates and surface crystal facet transformation from {001} to {101}. <i>Chemistry - A European Journal</i> , 2011 , 17, 5949-57	4.8	67
5	A facile vapor-phase hydrothermal method for direct growth of titanate nanotubes on a titanium substrate via a distinctive nanosheet roll-up mechanism. <i>Journal of the American Chemical Society</i> , 2011 , 133, 19032-5	16.4	90
4	Bacterial cellulose-regulated synthesis of metallic Ni catalysts for high-efficiency electrosynthesis of hydrogen peroxide. <i>Science China Materials</i> , 1	7.1	1
3	Electrochemical reduction of nitrate to ammonia in a fluidized electrocatalysis system with oxygen vacancy-rich CuOx nanoparticles. <i>Inorganic Chemistry Frontiers</i> ,	6.8	8
2	Synergistic catalysis of cluster and atomic copper induced by copper-silica interface in transfer-hydrogenation. <i>Nano Research</i> , 1	10	3
1	Copper-assisted growth of high-purity carbon nanofiber networks with controllably tunable wettabilities. <i>Journal of Materials Chemistry A</i> ,	13	1