
Hiroko Tani

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9309740/publications.pdf Version: 2024-02-01



ΗΙΡΟΚΟ ΤΑΝΙ

#	Article	IF	CITATIONS
1	Pharmacokinetics and Safety of Resveratrol Derivatives in Humans after Oral Administration of Melinjo (<i>Gnetum gnemon</i> L.) Seed Extract Powder. Journal of Agricultural and Food Chemistry, 2014, 62, 1999-2007.	5.2	50
2	Inhibitory activity of Brazilian green propolis components and their derivatives on the release of cys-leukotrienes. Bioorganic and Medicinal Chemistry, 2010, 18, 151-157.	3.0	47
3	Resveratrol derivativeâ€rich melinjo (<i>Gnetum gnemon</i> L.) seed extract suppresses multiple angiogenesisâ€related endothelial cell functions and tumor angiogenesis. Molecular Nutrition and Food Research, 2011, 55, 1730-1734.	3.3	37
4	Melinjo (<i>Gnetum gnemon</i> L.) Seed Extract Decreases Serum Uric Acid Levels in Nonobese Japanese Males: A Randomized Controlled Study. Evidence-based Complementary and Alternative Medicine, 2013, 2013, 1-9.	1.2	36
5	Resveratrol and its Related Polyphenols Contribute to the Maintenance of Genome Stability. Scientific Reports, 2020, 10, 5388.	3.3	24
6	Hypoallergenicity and Immunological Characterization of Enzyme-Treated Royal Jelly from <i>Apis mellifera</i> . Bioscience, Biotechnology and Biochemistry, 2013, 77, 789-795.	1.3	18
7	Resveratrol derivative-rich melinjo (<i>Gnetum gnemon</i> L.) seed extract improves obesity and survival of C57BL/6 mice fed a high-fat diet. Bioscience, Biotechnology and Biochemistry, 2015, 79, 2044-2049.	1.3	18
8	Metabolism and pharmacokinetics of medium chain fatty acids after oral administration of royal jelly to healthy subjects. RSC Advances, 2019, 9, 15392-15401.	3.6	16
9	Isolation, Identification, and Synthesis of a New Prenylated Cinnamic Acid Derivative from Brazilian Green Propolis and Simultaneous Quantification of Bioactive Components by LC-MS/MS. Journal of Agricultural and Food Chemistry, 2019, 67, 12303-12312.	5.2	13
10	Pharmacokinetics and metabolism of cinnamic acid derivatives and flavonoids after oral administration of Brazilian green propolis in humans. Food and Function, 2021, 12, 2520-2530.	4.6	6
11	Isolation of (E)-9,10-dihydroxy-2-decenoic acid from royal jelly and determination of the absolute configuration by chemical synthesis. Tetrahedron: Asymmetry, 2009, 20, 457-460.	1.8	5
12	Brazilian green propolis promotes TNFR2 expression on regulatory T cells. Food Science and Nutrition, 2021, 9, 3200-3208.	3.4	5
13	Structural Studies on Stilbene Oligomers Isolated from the Seeds of Melinjo (Gnetum gnemon L.). ACS Omega, 2020, 5, 12245-12250.	3.5	5
14	Acetylcholine and Royal Jelly Fatty Acid Combinations as Potential Dry Eye Treatment Components in Mice. Nutrients, 2021, 13, 2536.	4.1	3