
## Takashi Morikawa

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9310233/publications.pdf Version: 2024-02-01



TAKASHI MODIKAWA

#	Article	IF	CITATIONS
1	Effect of a SGLT2 inhibitor on the systemic and intrarenal renin–angiotensin system in subtotally nephrectomized rats. Journal of Pharmacological Sciences, 2018, 137, 220-223.	1.1	45
2	Sodium Sensitivity of Blood Pressure Appearing Before Hypertension and Related to Histological Damage in Immunoglobulin A Nephropathy. Hypertension, 2001, 38, 81-85.	1.3	44
3	Effects of Benidipine on Glomerular Hemodynamics and Proteinuria in Patients with Nondiabetic Nephropathy Hypertension Research, 2002, 25, 571-576.	1.5	24
4	Renal sympathetic nerve activity regulates cardiovascular energy expenditure in rats fed high salt. Hypertension Research, 2020, 43, 482-491.	1.5	23
5	Reversible posterior leukoencephalopathy syndrome: a possible manifestation of Wegener's granulomatosis-mediated endothelial injury. Modern Rheumatology, 2008, 18, 309-314.	0.9	18
6	Kidney biopsy guidebook 2020 in Japan. Clinical and Experimental Nephrology, 2021, 25, 325-364.	0.7	18
7	Regression of Glomerular and Tubulointerstitial Injuries by Dietary Salt Reduction with Combination Therapy of Angiotensin II Receptor Blocker and Calcium Channel Blocker in Dahl Salt-Sensitive Rats. PLoS ONE, 2014, 9, e107853.	1.1	16
8	Mast cell chymase in the ischemic kidney of severe unilateral renovascular hypertension. American Journal of Kidney Diseases, 2005, 45, e45-e50.	2.1	14
9	A nationwide survey on clinical practice patterns and bleeding complications of percutaneous native kidney biopsy in Japan. Clinical and Experimental Nephrology, 2020, 24, 389-401.	0.7	13
10	Detailed Localization of Augmented Angiotensinogen mRNA and Protein in Proximal Tubule Segments of Diabetic Kidneys in Rats and Humans. International Journal of Biological Sciences, 2014, 10, 530-542.	2.6	12
11	The angiotensin II receptor-neprilysin inhibitor LCZ696 attenuates the progression of proteinuria in type 2 diabetic rats. Journal of Pharmacological Sciences, 2020, 142, 124-126.	1.1	10
12	AP-VAS 2012 case report: a case of ANCA-negative pauci-immune crescentic glomerulonephritis associated with IL-6-producing adenosquamous cell carcinoma of the lung. CEN Case Reports, 2013, 2, 158-164.	0.5	9
13	Predictive Significance of Kidney Myeloid-Related Protein 8 Expression in Patients with Obesity- or Type 2 Diabetes-Associated Kidney Diseases. PLoS ONE, 2014, 9, e88942.	1.1	9
14	Failure to confirm a sodium–glucose cotransporterÂ2 inhibitorâ€induced hematopoietic effect in nonâ€diabetic rats with renal anemia. Journal of Diabetes Investigation, 2020, 11, 834-843.	1.1	4
15	Zebra bodies without Fabry disease or hydroxychloroquine. Clinical and Experimental Nephrology, 2021, 25, 94-96.	0.7	4
16	A case of Wegener's granulomatosis associated with progressive dysphagia owing to esophageal involvement. Modern Rheumatology, 2007, 17, 521-525.	0.9	3
17	Effects of molidustat, a hypoxia-inducible factor prolyl hydroxylase inhibitor, on sodium dynamics in hypertensive subtotally nephrectomized rats. Journal of Pharmacological Sciences, 2021, 146, 98-104.	1.1	1
18	Successful treatment of severe alcoholic hepatitis with plasma exchange and steroid therapy. Nihon Toseki Igakkai Zasshi, 2003, 36, 285-288.	0.2	1

#	Article	IF	CITATIONS
19	Obstructive Shock due to Reconstructed Gastric Tube Dilation. Internal Medicine, 2019, 58, 1519-1520.	0.3	0
20	Myelitis with zoster sine herpete in a hemodialysis patient. Nihon Toseki Igakkai Zasshi, 2016, 49, 297-303.	0.2	0