

# Takashi Morikawa

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/9310233/takashi-morikawa-publications-by-citations.pdf>

**Version:** 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

20  
papers

190  
citations

8  
h-index

13  
g-index

23  
ext. papers

225  
ext. citations

3.6  
avg, IF

2.1  
L-index

| #  | Paper  | IF   | Citations |
|----|--|------|-----------|
| 20 | Sodium sensitivity of blood pressure appearing before hypertension and related to histological damage in immunoglobulin a nephropathy. <i>Hypertension</i> , <b>2001</b> , 38, 81-5  | 8.5  | 39        |
| 19 | Effect of a SGLT2 inhibitor on the systemic and intrarenal renin-angiotensin system in subtotaly nephrectomized rats. <i>Journal of Pharmacological Sciences</i> , <b>2018</b> , 137, 220-223  | 3.7  | 30        |
| 18 | Effects of benidipine on glomerular hemodynamics and proteinuria in patients with nondiabetic nephropathy. <i>Hypertension Research</i> , <b>2002</b> , 25, 571-6  | 4.7  | 22        |
| 17 | Reversible posterior leukoencephalopathy syndrome: a possible manifestation of Wegener's granulomatosis-mediated endothelial injury. <i>Modern Rheumatology</i> , <b>2008</b> , 18, 309-314  | 3.3  | 15        |
| 16 | Mast cell chymase in the ischemic kidney of severe unilateral renovascular hypertension. <i>American Journal of Kidney Diseases</i> , <b>2005</b> , 45, e45-50   | 7.4  | 13        |
| 15 | Regression of glomerular and tubulointerstitial injuries by dietary salt reduction with combination therapy of angiotensin II receptor blocker and calcium channel blocker in Dahl salt-sensitive rats. <i>PLoS ONE</i> , <b>2014</b> , 9, e107853 | 3.7  | 12        |
| 14 | Detailed localization of augmented angiotensinogen mRNA and protein in proximal tubule segments of diabetic kidneys in rats and humans. <i>International Journal of Biological Sciences</i> , <b>2014</b> , 10, 530-42                             | 11.2 | 11        |
| 13 | Renal sympathetic nerve activity regulates cardiovascular energy expenditure in rats fed high salt. <i>Hypertension Research</i> , <b>2020</b> , 43, 482-491   | 4.7  | 10        |
| 12 | AP-VAS 2012 case report: a case of ANCA-negative pauci-immune crescentic glomerulonephritis associated with IL-6-producing adenocarcinoma of the lung. <i>CEN Case Reports</i> , <b>2013</b> , 2, 158-164  | 1    | 8         |
| 11 | A nationwide survey on clinical practice patterns and bleeding complications of percutaneous native kidney biopsy in Japan. <i>Clinical and Experimental Nephrology</i> , <b>2020</b> , 24, 389-401  | 2.5  | 7         |
| 10 | Predictive significance of kidney myeloid-related protein 8 expression in patients with obesity- or type 2 diabetes-associated kidney diseases. <i>PLoS ONE</i> , <b>2014</b> , 9, e88942  | 3.7  | 6         |
| 9  | The angiotensin II receptor-neprilysin inhibitor LCZ696 attenuates the progression of proteinuria in type 2 diabetic rats. <i>Journal of Pharmacological Sciences</i> , <b>2020</b> , 142, 124-126   | 3.7  | 5         |
| 8  | Kidney biopsy guidebook 2020 in Japan. <i>Clinical and Experimental Nephrology</i> , <b>2021</b> , 25, 325-364   | 2.5  | 5         |
| 7  | A case of Wegener's granulomatosis associated with progressive dysphagia owing to esophageal involvement. <i>Modern Rheumatology</i> , <b>2007</b> , 17, 521-525   | 3.3  | 2         |
| 6  | Failure to confirm a sodium-glucose cotransporter 2 inhibitor-induced hematopoietic effect in non-diabetic rats with renal anemia. <i>Journal of Diabetes Investigation</i> , <b>2020</b> , 11, 834-843  | 3.9  | 2         |
| 5  | Successful treatment of severe alcoholic hepatitis with plasma exchange and steroid therapy. <i>Nihon Toseki Igakkai Zasshi</i> , <b>2003</b> , 36, 285-288  | 0.3  | 1         |
| 4  | Zebra bodies without Fabry disease or hydroxychloroquine. <i>Clinical and Experimental Nephrology</i> , <b>2021</b> , 25, 94-96  | 2.5  | 0         |

- 3 Obstructive Shock due to Reconstructed Gastric Tube Dilation. *Internal Medicine*, **2019**, 58, 1519-1520 1.1
- 2 Myelitis with zoster sine herpette in a hemodialysis patient. *Nihon Toseki Igakkai Zasshi*, **2016**, 49, 297-303.3
- 1 Effects of molidustat, a hypoxia-inducible factor prolyl hydroxylase inhibitor, on sodium dynamics in hypertensive subtotaly nephrectomized rats. *Journal of Pharmacological Sciences*, **2021**, 146, 98-104 3.7