Hitoshi Minamiguchi

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9312137/publications.pdf

Version: 2024-02-01

40 papers

1,111 citations

15 h-index 395702 33 g-index

43 all docs 43 docs citations

times ranked

43

1414 citing authors

#	Article	IF	CITATIONS
1	An In Vivo Analysis of Hematopoietic Stem Cell Potential. Circulation Research, 2006, 98, 690-696.	4.5	157
2	Transplanted Human Cord Blood Cells Give Rise to Hepatocytes in Engrafted Mice. Annals of the New York Academy of Sciences, 2003, 996, 174-185.	3.8	126
3	Contribution of bone marrow hematopoietic stem cells to adult mouse inner ear: Mesenchymal cells and fibrocytes. Journal of Comparative Neurology, 2006, 496, 187-201.	1.6	119
4	Hematopoietic origins of fibroblasts: II. In vitro studies of fibroblasts, CFU-F, and fibrocytes. Experimental Hematology, 2006, 34, 219-229.	0.4	109
5	Very low frequencies of human normal CD34+ haematopoietic progenitor cells express the Wilms' tumour gene WT1 at levels similar to those in leukaemia cells. British Journal of Haematology, 2002, 116, 409-420.	2.5	99
6	Hematopoietic origins of fibroblasts: I. In vivo studies of fibroblasts associated with solid tumors. Experimental Hematology, 2006, 34, 208-218.	0.4	66
7	Human cord blood-derived primitive progenitors are enriched in CD34+c-kitâ° cells: correlation between long-term culture-initiating cells and telomerase expression. Leukemia, 1998, 12, 728-734.	7.2	50
8	Human cord blood long-term engrafting cells are CD34+ CD38â^. Leukemia, 2003, 17, 960-964.	7.2	50
9	Role of human interleukin-9 as a megakaryocyte potentiator in culture. Experimental Hematology, 2002, 30, 1373-1380.	0.4	32
10	Signal through gp130 Activated by Soluble Interleukin (IL)‐6 Receptor (R) and IL‐6 or IL‐6R/IL‐6 Fusion Protein Enhances Ex Vivo Expansion of Human Peripheral Blood‐Derived Hematopoietic Progenitors. Stem Cells, 2000, 18, 444-452.	3.2	30
11	Simultaneous signalling through c-mpl, c-kit and CXCR4 enhances the proliferation and differentiation of human megakaryocyte progenitors: possible roles of the PI3-K, PKC and MAPK pathways. British Journal of Haematology, 2001, 115, 175-185.	2.5	30
12	Clinical and pathological aspects of human immunodeficiency virus-associated plasmablastic lymphoma: analysis of 24 cases. International Journal of Hematology, 2016, 104, 669-681.	1.6	24
13	A Case of Interstitial Pneumonitis Associated with Natural α-Interferon Therapy for Myelofibrosis. Acta Haematologica, 1997, 97, 222-224.	1.4	19
14	Survival of a case of Bacillus cereus meningitis with brain abscess presenting as immune reconstitution syndrome after febrile neutropenia – a case report and literature review BMC Infectious Diseases, 2020, 20, 15.	2.9	18
15	Plasma presepsin level is an early diagnostic marker of severe febrile neutropenia in hematologic malignancy patients. BMC Infectious Diseases, 2017, 17, 27.	2.9	16
16	Infectious complications in adults undergoing intensive chemotherapy for acute myeloid leukemia in 2001–2005 using the Japan Adult Leukemia Study Group AML201 protocols. Supportive Care in Cancer, 2018, 26, 4187-4198.	2.2	15
17	Predictors of early death, serious hemorrhage, and differentiation syndrome in Japanese patients with acute promyelocytic leukemia. Annals of Hematology, 2020, 99, 2787-2800.	1.8	15
18	Dual Threat of Epstein-Barr Virus: an Autopsy Case Report of HIV-Positive Plasmablastic Lymphoma Complicating EBV-Associated Hemophagocytic Lymphohistiocytosis. Journal of Clinical Immunology, 2018, 38, 478-483.	3.8	13

#	Article	IF	CITATIONS
19	Interleukin 6 receptor expression by human cord blood- or peripheral blood-derived primitive haematopoietic progenitors implies acquisition of different functional properties. British Journal of Haematology, 2000, 110, 327-338.	2.5	11
20	Impaired stem cell function of CD34+ cells selected by two different immunomagnetic beads systems. Leukemia, 2004, 18, 566-574.	7.2	11
21	Granulocyte/Macrophage Origin of Glomerular Mesangial Cells. International Journal of Hematology, 2005, 82, 115-118.	1.6	11
22	Haematopoietic action of flt3 ligand on cord bloodâ€derived CD34â€positive cells expressing different levels of flt3 or câ€kit tyrosine kinase receptor: comparison with stem cell factor. European Journal of Haematology, 1998, 60, 297-306.	2.2	11
23	Management of infection during chemotherapy for acute leukemia in Japan: a nationwide questionnaire-based survey by the Japan Adult Leukemia Study Group. Supportive Care in Cancer, 2017, 25, 3515-3521.	2.2	10
24	Transplanted Human Cord Blood Cells Generate Amylase-Producing Pancreatic Acinar Cells in Engrafted Mice. Pancreas, 2008, 36, e30-e35.	1.1	8
25	Real-world management of infection during chemotherapy for acute leukemia in Japan: from the results of a nationwide questionnaire-based survey by the Japan Adult Leukemia Study Group. International Journal of Hematology, 2020, 112, 409-417.	1.6	8
26	Interleukin-11 (IL-11) enhances clonal proliferation of acute myelogenous leukemia cells with strong expression of the IL-11 receptor $\hat{l}\pm$ chain and signal transducing gp130. Leukemia, 1999, 13, 1018-1027.	7.2	7
27	Pyomyositis at the surgical site in a patient with chronic myeloid leukemia: a case report and literature review. World Journal of Surgical Oncology, 2016, 14, 116.	1.9	7
28	Chylous ascites, anti-interferon-gamma autoantibody, and angioimmunoblastic T-cell lymphoma: a rare but intriguing connection over Mycobacterium avium. Medical Microbiology and Immunology, 2019, 208, 33-37.	4.8	7
29	An Assay for Human Hematopoietic Stem Cells Based on Transplantation into Nonobese Diabetic Recombination Activating Gene-Null Perforin-Null Mice. Biology of Blood and Marrow Transplantation, 2005, 11 , 487-494.	2.0	6
30	Herpes folliculosebaceous ulcer in a patient with chronic lymphocytic leukaemia: an ulcerative variant of herpes folliculitis associated with herpesvirus invasion of folliculosebaceous units in immunocompromised hosts. Clinical and Experimental Dermatology, 2010, 35, 447-449.	1.3	6
31	<i>Mycobacterium shigaense</i> Causes Lymph Node and Cutaneous Lesions as Immune Reconstitution Syndrome in an AIDS Patient: The Third Case Report of a Novel Strain Non-tuberculous Mycobacterium. Internal Medicine, 2016, 55, 3375-3381.	0.7	6
32	Impact of CD56 Continuously Recognizable as Prognostic Value of Acute Promyelocytic Leukemia: Results of Multivariate Analyses in the Japan Adult Leukemia Study Group (JALSG)-APL204 Study and a Review of the Literature. Cancers, 2020, 12, 1444.	3.7	5
33	A novel mutation causing type 1 Gaucher disease found in a Japanese patient with gastric cancer. Medicine (United States), 2018, 97, e11361.	1.0	4
34	Indolent primary effusion lymphoma-like lymphoma in the pericardium: A case report and review of the literature. Journal of Cardiology Cases, 2019, 19, 148-152.	0.5	4
35	Hematopoietic Origin of Fibroblasts and Their Precursors Blood, 2004, 104, 672-672.	1.4	1
36	1018. Prevalence of Bacteremia/Fungemia and Pneumonia in Remission Induction Chemotherapy for Adult Acute Myeloid Leukemia From 1987 to 2005: Japan Adult Leukemia Study Group (JALSG). Open Forum Infectious Diseases, 2018, 5, S303-S304.	0.9	0

#	Article	IF	CITATIONS
37	Prevalence of organ symptoms in allo-HCT survivors and their impact on work and daily life. Journal of Illusion, 2021, 10, 172-182.	0.1	0
38	NOD-Rag1nullPrf1null Mice Support Long-Term Engraftment of Human Hematopoietic Stem Cells Blood, 2004, 104, 1184-1184.	1.4	0
39	Catastrophic gangrene caused by heat-insoluble cryoglobulins. European Journal of Dermatology, 2011, 21, 817-818.	0.6	0
40	Two cases of successful defibrotide treatment of sinusoidal obstruction syndrome after allogeneic hematopoietic stem cell transplantation. Journal of Illusion, 2022, 11, 134-139.	0.1	0