

Frank Lammert

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/9312466/frank-lammert-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

244
papers

9,404
citations

50
h-index

91
g-index

303
ext. papers

11,448
ext. citations

6
avg, IF

6.03
L-index

| # | Paper | IF | Citations |
|-----|---|------|-----------|
| 244 | Liver stiffness as surrogate parameter in emergency assessment for inpatient health care utilization.. <i>PLoS ONE</i> , 2022 , 17, e0266069 | 3.7 | |
| 243 | Global multi-stakeholder endorsement of the MAFLD definition.. <i>The Lancet Gastroenterology and Hepatology</i> , 2022 , | 18.8 | 18 |
| 242 | SARS-CoV-2 Vaccination Rate and SARS-CoV-2 Infection of Health Care Workers in Aerosol-Generating Medical Disciplines. <i>Journal of Clinical Medicine</i> , 2022 , 11, 2751 | 5.1 | 0 |
| 241 | Acute cholestatic liver injury following carbimazole treatment in a patient with VPS33B haploinsufficiency. <i>Clinics and Research in Hepatology and Gastroenterology</i> , 2021 , 46, 101803 | 2.4 | 0 |
| 240 | Environmental and Dietary Risk Factors for Colonic Diverticulosis and Diverticulitis. <i>Journal of Gastrointestinal and Liver Diseases</i> , 2021 , 30, 66-72 | 1.4 | 2 |
| 239 | Isolated bacterial infection without decompensation has no impact on survival of compensated patients with cirrhosis. <i>Liver International</i> , 2021 , 41, 1370-1378 | 7.9 | 5 |
| 238 | Direct cystic remnant ductoscopy. <i>Clinics and Research in Hepatology and Gastroenterology</i> , 2021 , 45, 101476 | 2.4 | |
| 237 | Gibt es eine genetische Prädisposition für eine COVID-19-Cholangiopathie?. <i>Gastro-News</i> , 2021 , 8, 6-7 | 0 | |
| 236 | Increased B-cell activity with consumption of activated monocytes in severe COVID-19 patients. <i>European Journal of Immunology</i> , 2021 , 51, 1449-1460 | 6.1 | 3 |
| 235 | Small Bowel Polypoid Lesions: Similar But Different!. <i>Gastroenterology</i> , 2021 , 160, 1481-1482 | 13.3 | |
| 234 | Deep learning-based detection of eosinophilic esophagitis. <i>Endoscopy</i> , 2021 , | 3.4 | 4 |
| 233 | Combined analysis of gut microbiota, diet and PNPLA3 polymorphism in biopsy-proven non-alcoholic fatty liver disease. <i>Liver International</i> , 2021 , 41, 1576-1591 | 7.9 | 2 |
| 232 | Cholesterol crystals in biliary cast syndrome related to sclerosing cholangitis in critically ill patients. <i>Clinics and Research in Hepatology and Gastroenterology</i> , 2021 , 45, 101485 | 2.4 | |
| 231 | Excess Body Weight and Gallstone Disease. <i>Visceral Medicine</i> , 2021 , 37, 254-260 | 2.4 | 0 |
| 230 | Fibroblast Growth Factor 21 Response in a Preclinical Alcohol Model of Acute-on-Chronic Liver Injury. <i>International Journal of Molecular Sciences</i> , 2021 , 22, | 6.3 | 1 |
| 229 | Measurement of liver and spleen stiffness as complementary methods for assessment of liver fibrosis in autoimmune hepatitis. <i>Liver International</i> , 2021 , 41, 348-356 | 7.9 | 7 |
| 228 | Visualising and quantifying intestinal permeability -where do we stand. <i>Annals of Hepatology</i> , 2021 , 23, 100266 | 3.1 | 1 |

| | | |
|-----|--|---------|
| 227 | Genetic insight into COVID-19 related liver injury: A note on MBOAT7. <i>Liver International</i> , 2021 , 41, 1157-1159 | 1 |
| 226 | rs641738C>T near MBOAT7 is associated with liver fat, ALT and fibrosis in NAFLD: A meta-analysis. <i>Journal of Hepatology</i> , 2021 , 74, 20-30 | 13.4 24 |
| 225 | Gallensteine 2021 , 424-429 | |
| 224 | Genetics of Polygenic Metabolic Liver Disease 2021 , 409-419 | |
| 223 | Hepatobiliary phenotypes of adults with alpha-1 antitrypsin deficiency. <i>Gut</i> , 2021 , | 19.2 5 |
| 222 | Amiodarone and hypothyroidism. <i>Lancet, The</i> , 2021 , 397, 704 | 40 0 |
| 221 | Epithelia-Sensory Neuron Cross Talk Underlies Cholestatic Itch Induced by Lysophosphatidylcholine. <i>Gastroenterology</i> , 2021 , 161, 301-317.e16 | 13.3 18 |
| 220 | Protective Effects of Statin Therapy in Cirrhosis Are Limited by a Common SLCO1B1 Transporter Variant. <i>Hepatology Communications</i> , 2021 , 5, 1755-1766 | 6 0 |
| 219 | Population screening for liver fibrosis: Toward early diagnosis and intervention for chronic liver diseases. <i>Hepatology</i> , 2021 , | 11.2 8 |
| 218 | Effects of blocking chemokine receptor CCR1 with BX471 in two models of fibrosis prevention and rescue in mice. <i>Biochemistry and Biophysics Reports</i> , 2021 , 27, 101077 | 2.2 |
| 217 | Hypophosphatasia: An Underappreciated Cause of Atraumatic Stress Fractures. <i>American Journal of Medicine</i> , 2021 , | 2.4 1 |
| 216 | Intrahepatic cholestasis of pregnancy in conjunction with a frameshift deletion in FGFR4. <i>Clinics and Research in Hepatology and Gastroenterology</i> , 2021 , 46, 101800 | 2.4 1 |
| 215 | Distinct Patterns of Blood Cytokines Beyond a Cytokine Storm Predict Mortality in COVID-19. <i>Journal of Inflammation Research</i> , 2021 , 14, 4651-4667 | 4.8 5 |
| 214 | Low accuracy of FIB-4 and NAFLD fibrosis scores for screening for liver fibrosis in the population.. <i>Clinical Gastroenterology and Hepatology</i> , 2021 , | 6.9 5 |
| 213 | MARC1 p.A165T variant is associated with decreased markers of liver injury and enhanced antioxidant capacity in autoimmune hepatitis.. <i>Scientific Reports</i> , 2021 , 11, 24407 | 4.9 1 |
| 212 | Noninvasive monitoring of liver fat during treatment with GLP-1 analogues and SGLT-2 inhibitors in a real-world setting. <i>Endocrinology, Diabetes and Metabolism</i> , 2020 , 3, e00131 | 2.7 3 |
| 211 | COVID-19: Focus on the lungs but do not forget the gastrointestinal tract. <i>European Journal of Clinical Investigation</i> , 2020 , 50, e13276 | 4.6 29 |
| 210 | Liver Phenotypes of European Adults Heterozygous or Homozygous for Pi*Z Variant of AAT (Pi*MZ vs Pi*ZZ genotype) and Noncarriers. <i>Gastroenterology</i> , 2020 , 159, 534-548.e11 | 13.3 29 |

| | | | |
|-----|--|------|----|
| 209 | Prediction of advanced fibrosis in non-alcoholic fatty liver disease using gut microbiota-based approaches compared with simple non-invasive tools. <i>Scientific Reports</i> , 2020 , 10, 9385 | 4.9 | 6 |
| 208 | German Endoscopy Unit Preparations for the Coronavirus Disease 2019 Pandemic: A Nationwide Survey. <i>Gastroenterology</i> , 2020 , 159, 778-780.e3 | 13.3 | 8 |
| 207 | Hepatic consequences of COVID-19 infection. Lapping or biting?. <i>European Journal of Internal Medicine</i> , 2020 , 77, 18-24 | 3.9 | 53 |
| 206 | Patients with Cholangiocarcinoma Present Specific RNA Profiles in Serum and Urine Extracellular Vesicles Mirroring the Tumor Expression: Novel Liquid Biopsy Biomarkers for Disease Diagnosis. <i>Cells</i> , 2020 , 9, | 7.9 | 34 |
| 205 | Periampullary choledochal diverticulum. <i>Clinics and Research in Hepatology and Gastroenterology</i> , 2020 , 44, 628-629 | 2.4 | 0 |
| 204 | COVID-19 and non-alcoholic fatty liver disease: Two intersecting pandemics. <i>European Journal of Clinical Investigation</i> , 2020 , 50, e13338 | 4.6 | 56 |
| 203 | Synergistic effects of extracellular vesicle phenotyping and AFP in hepatobiliary cancer differentiation. <i>Liver International</i> , 2020 , 40, 3103-3116 | 7.9 | 10 |
| 202 | Clinical Genomics of NAFLD 2020 , 509-520 | | 1 |
| 201 | Common variation in FAM155A is associated with diverticulitis but not diverticulosis. <i>Scientific Reports</i> , 2020 , 10, 1658 | 4.9 | 4 |
| 200 | Toward Genetic Prediction of Nonalcoholic Fatty Liver Disease Trajectories: PNPLA3 and Beyond. <i>Gastroenterology</i> , 2020 , 158, 1865-1880.e1 | 13.3 | 42 |
| 199 | Childhood obesity, cardiovascular and liver health: a growing epidemic with age. <i>World Journal of Pediatrics</i> , 2020 , 16, 438-445 | 4.6 | 13 |
| 198 | Phenotyping non-alcoholic fatty liver disease by the gut microbiota: Ready for prime time?. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2020 , 35, 1969-1977 | 4 | 11 |
| 197 | Gastrointestinal endoscopy during extracorporeal membrane oxygenation (ECMO) for COVID-19. <i>Journal of Gastrointestinal and Liver Diseases</i> , 2020 , 29, 471-473 | 1.4 | 1 |
| 196 | Potential utility of dedicated non-magnified endoscopy for identification of open pit pattern in sessile serrated adenoma/polyp. <i>Gastroenterologia Y Hepatologia</i> , 2020 , 43, 207-208 | 0.9 | |
| 195 | Fat droplets on direct cholangioscopy. <i>Journal of Gastrointestinal and Liver Diseases</i> , 2020 , 29, 269-270 | 1.4 | |
| 194 | Risk of chemotherapy-associated liver injury (CALI) in PNPLA3 p.148M allele carriers: Preliminary results of a transient elastography-based study. <i>Digestive and Liver Disease</i> , 2020 , 52, 102-106 | 3.3 | 1 |
| 193 | Vitamin D in Preclinical Models of Fatty Liver Disease. <i>Anticancer Research</i> , 2020 , 40, 527-534 | 2.3 | 4 |
| 192 | Common diseases alter the physiological age-related blood microRNA profile. <i>Nature Communications</i> , 2020 , 11, 5958 | 17.4 | 16 |

| | | | |
|-----|--|------|----|
| 191 | The Fatty Liver Assessment in Germany (FLAG) cohort study identifies large heterogeneity in NAFLD care. <i>JHEP Reports</i> , 2020 , 2, 100168 | 10.3 | 7 |
| 190 | Ten-year follow-up of a randomized controlled clinical trial in chronic hepatitis delta. <i>Journal of Viral Hepatitis</i> , 2020 , 27, 1359-1368 | 3.4 | 14 |
| 189 | Prolonged Course of COVID-19-Associated Pneumonia in a B-Cell Depleted Patient After Rituximab. <i>Frontiers in Oncology</i> , 2020 , 10, 1578 | 5.3 | 26 |
| 188 | Secondary Sclerosing Cholangitis in Critically Ill Patients Alters the Gut-Liver Axis: A Case Control Study. <i>Nutrients</i> , 2020 , 12, | 6.7 | 1 |
| 187 | Open pit pattern identifies sessile serrated adenoma/polyp on non-magnified acetic acid-enhanced colonoscopy. <i>Clinics and Research in Hepatology and Gastroenterology</i> , 2020 , 44, 119-120 | 2.4 | 1 |
| 186 | High Protein Intake Is Associated With Histological Disease Activity in Patients With NAFLD. <i>Hepatology Communications</i> , 2020 , 4, 681-695 | 6 | 16 |
| 185 | Transient elastography for screening of liver fibrosis: Cost-effectiveness analysis from six prospective cohorts in Europe and Asia. <i>Journal of Hepatology</i> , 2019 , 71, 1141-1151 | 13.4 | 51 |
| 184 | Four-Week Omega-3 Supplementation in Carriers of the Prosteatotic PNPLA3 p.I148M Genetic Variant: An Open-Label Study. <i>Lifestyle Genomics</i> , 2019 , 12, 10-17 | 2 | 1 |
| 183 | Genome-wide association analysis of diverticular disease points towards neuromuscular, connective tissue and epithelial pathomechanisms. <i>Gut</i> , 2019 , 68, 854-865 | 19.2 | 39 |
| 182 | Increased Circulating VAP-1 Levels Are Associated with Liver Fibrosis in Chronic Hepatitis C Infection. <i>Journal of Clinical Medicine</i> , 2019 , 8, | 5.1 | 6 |
| 181 | Non-Alcoholic Fatty Liver Disease in Non-Obese Individuals: Prevalence, Pathogenesis and Treatment. <i>Clinics and Research in Hepatology and Gastroenterology</i> , 2019 , 43, 638-645 | 2.4 | 23 |
| 180 | PS-177-HSD17B13 rs72613567 TA is associated with a reduced risk for developing hepatocellular carcinoma in patients with alcohol-related cirrhosis. <i>Journal of Hepatology</i> , 2019 , 70, e109-e110 | 13.4 | 4 |
| 179 | Serum 25-hydroxyvitamin D levels and mortality risk in patients with liver cirrhosis: a protocol for a systematic review and meta-analysis of observational studies. <i>Systematic Reviews</i> , 2019 , 8, 73 | 3 | |
| 178 | and Gene Variants in Liver Fibrosis and Cirrhosis. <i>International Journal of Molecular Sciences</i> , 2019 , 20, | 6.3 | 22 |
| 177 | Molecular perturbations in cholangiocarcinoma: Is it time for precision medicine?. <i>Liver International</i> , 2019 , 39 Suppl 1, 32-42 | 7.9 | 13 |
| 176 | Double ligation-assisted endoscopic submucosal resection for wider-margin resection of nonmuscularis propria subepithelial esophageal lesions. <i>Endoscopy</i> , 2019 , 51, E127-E129 | 3.4 | |
| 175 | Genetics of gallstone disease revisited: updated inventory of human lithogenic genes. <i>Current Opinion in Gastroenterology</i> , 2019 , 35, 82-87 | 3 | 6 |
| 174 | Heterozygous carriage of the alpha1-antitrypsin Pi*Z variant increases the risk to develop liver cirrhosis. <i>Gut</i> , 2019 , 68, 1099-1107 | 19.2 | 62 |

| | | | |
|-----|--|------|----|
| 173 | Bile Microinfarcts in Cholestasis Are Initiated by Rupture of the Apical Hepatocyte Membrane and Cause Shunting of Bile to Sinusoidal Blood. <i>Hepatology</i> , 2019 , 69, 666-683 | 11.2 | 46 |
| 172 | miR-873-5p targets mitochondrial GNMT-Complex II interface contributing to non-alcoholic fatty liver disease. <i>Molecular Metabolism</i> , 2019 , 29, 40-54 | 8.8 | 17 |
| 171 | Liver Fibrosis and Metabolic Alterations in Adults With alpha-1-antitrypsin Deficiency Caused by the Pi*ZZ Mutation. <i>Gastroenterology</i> , 2019 , 157, 705-719.e18 | 13.3 | 50 |
| 170 | Hepatic steatosis in patients with acromegaly. <i>Endocrinology, Diabetes and Metabolism</i> , 2019 , 2, e00090 | 2.7 | 5 |
| 169 | The ATG16L1 gene variant rs2241880 (p.T300A) is associated with susceptibility to HCC in patients with cirrhosis. <i>Liver International</i> , 2019 , 39, 2360-2367 | 7.9 | 5 |
| 168 | Weissbuch Gastroenterologie 2020/2021 2019 , | | 4 |
| 167 | SERPINA1 and HSD17B13 Gene Variants in Patients with Liver Fibrosis and Cirrhosis. <i>Journal of Gastrointestinal and Liver Diseases</i> , 2019 , 28, 297-302 | 1.4 | 7 |
| 166 | Short-term Dietary Interventions for the Management of Nonalcoholic Fatty Liver. <i>Current Medicinal Chemistry</i> , 2019 , 26, 3483-3496 | 4.3 | 2 |
| 165 | The Role of Diet in the Pathogenesis of Cholesterol Gallstones. <i>Current Medicinal Chemistry</i> , 2019 , 26, 3620-3638 | 4.3 | 22 |
| 164 | Gallensteinerkrankungen. <i>Gastroenterologie Up2date</i> , 2019 , 15, 235-255 | 0.1 | |
| 163 | Ureterosigmoidostomy. <i>Digestive and Liver Disease</i> , 2019 , 51, 1618 | 3.3 | |
| 162 | Zollinger-Ellison syndrome. <i>Cmaj</i> , 2019 , 191, E1358 | 3.5 | 1 |
| 161 | Common NOD2 Risk Variants as Major Susceptibility Factors for Bacterial Infections in Compensated Cirrhosis. <i>Clinical and Translational Gastroenterology</i> , 2019 , 10, e00002 | 4.2 | 7 |
| 160 | Effect of alcohol on the interleukin 6-mediated inflammatory response in a new mouse model of acute-on-chronic liver injury. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2019 , 1865, 298-307 | 6.9 | 11 |
| 159 | Effects of Gene Variants Controlling Vitamin D Metabolism and Serum Levels on Hepatic Steatosis. <i>Digestion</i> , 2018 , 97, 298-308 | 3.6 | 5 |
| 158 | Could inherited predisposition drive non-obese fatty liver disease? Results from German tertiary referral centers. <i>Journal of Human Genetics</i> , 2018 , 63, 621-626 | 4.3 | 25 |
| 157 | Whither systems medicine?. <i>Experimental and Molecular Medicine</i> , 2018 , 50, e453 | 12.8 | 37 |
| 156 | Genetics of gallstone disease. <i>European Journal of Clinical Investigation</i> , 2018 , 48, e12935 | 4.6 | 18 |

| | | | |
|-----|--|------|----|
| 155 | A Flat Tire in the Colon. <i>Gastroenterology</i> , 2018 , 154, e8-e9 | 13.3 | 0 |
| 154 | Phenotypic spectrum and diagnostic pitfalls of ABCB4 deficiency depending on age of onset. <i>Hepatology Communications</i> , 2018 , 2, 504-514 | 6 | 37 |
| 153 | Genetic variants in PNPLA3 and TM6SF2 predispose to the development of hepatocellular carcinoma in individuals with alcohol-related cirrhosis. <i>American Journal of Gastroenterology</i> , 2018 , 113, 1475-1483 | 0.7 | 50 |
| 152 | A Variant of COL3A1 (rs3134646) Is Associated With Risk of Developing Diverticulosis in White Men. <i>Diseases of the Colon and Rectum</i> , 2018 , 61, 604-611 | 3.1 | 19 |
| 151 | Proteomic Characterization of Primary Mouse Hepatocytes in Collagen Monolayer and Sandwich Culture. <i>Journal of Cellular Biochemistry</i> , 2018 , 119, 447-454 | 4.7 | 1 |
| 150 | Genetic determinants of cholangiopathies: Molecular and systems genetics. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2018 , 1864, 1484-1490 | 6.9 | 16 |
| 149 | Response of fibroblast growth factor 19 and bile acid synthesis after a body weight-adjusted oral fat tolerance test in overweight and obese NAFLD patients: a non-randomized controlled pilot trial. <i>BMC Gastroenterology</i> , 2018 , 18, 76 | 3 | 24 |
| 148 | EUS-guided reconstruction of the biliary system in a patient post right hemihepatectomy. <i>Digestive and Liver Disease</i> , 2018 , 50, 863-864 | 3.3 | |
| 147 | Renal Failure in Patients with Liver Cirrhosis: Novel Classifications, Biomarkers, Treatment. <i>Visceral Medicine</i> , 2018 , 34, 246-252 | 2.4 | 5 |
| 146 | Analytical Methods for Quantification of Vitamin D and Implications for Research and Clinical Practice. <i>Anticancer Research</i> , 2018 , 38, 1137-1144 | 2.3 | 16 |
| 145 | Molecular and Genetics-Based Diagnostics 2018 , 127-135.e2 | | |
| 144 | Benign recurrent intrahepatic cholestasis (BRIC)-like episode associated with ATP8B1 variation underlying protracted cholestatic course of acute hepatitis E virus infection. <i>Digestive and Liver Disease</i> , 2018 , 50, 206-207 | 3.3 | 2 |
| 143 | Three of a (Peptic) Kind!. <i>American Journal of Medicine</i> , 2018 , 131, e139-e140 | 2.4 | |
| 142 | ABCB4 Gene Aberrations in Human Liver Disease: An Evolving Spectrum. <i>Seminars in Liver Disease</i> , 2018 , 38, 299-307 | 7.3 | 36 |
| 141 | Antidepressant effects of direct-acting antivirals against hepatitis C virus-Results from a pilot study. <i>European Journal of Clinical Investigation</i> , 2018 , 48, e13024 | 4.6 | 10 |
| 140 | PNPLA3 p.I148M and TM6SF2 p.E167K variants do not predispose to liver injury in cholestatic liver diseases: A prospective analysis of 178 patients with PSC. <i>PLoS ONE</i> , 2018 , 13, e0202942 | 3.7 | 3 |
| 139 | Genetics in liver diseases: From diagnostics to precise therapy. <i>Clinical Liver Disease</i> , 2017 , 9, 1-4 | 2.2 | 2 |
| 138 | Cancer-associated circulating large extracellular vesicles in cholangiocarcinoma and hepatocellular carcinoma. <i>Journal of Hepatology</i> , 2017 , 67, 282-292 | 13.4 | 85 |

| | | | |
|-----|--|------|-----|
| 137 | The ABCB4 p.T175A variant as potential modulator of hepatic fibrosis in patients with chronic liver diseases: Looking beyond the cholestatic realm. <i>Hepatology</i> , 2017 , 66, 666-667 | 11.2 | 3 |
| 136 | A "tandem approach" using sequential diagnostic (ultraslim) and therapeutic (standard size) direct freehand cholangioscopy to guide mechanical lithotripsy of a giant cystic duct remnant stone. <i>Endoscopy</i> , 2017 , 49, E160-E162 | 3.4 | 2 |
| 135 | Gallstone Disease: Scientific Understanding and Future Treatment 2017 , 229-241 | | 2 |
| 134 | Large-scale computational models of liver metabolism: How far from the clinics?. <i>Hepatology</i> , 2017 , 66, 1323-1334 | 11.2 | 17 |
| 133 | Serum extracellular vesicles contain protein biomarkers for primary sclerosing cholangitis and cholangiocarcinoma. <i>Hepatology</i> , 2017 , 66, 1125-1143 | 11.2 | 148 |
| 132 | Novel through-the-scope technique for biliary plastic stent removal/exchange. <i>Digestive and Liver Disease</i> , 2017 , 49, 574 | 3.3 | |
| 131 | Systems Genetics of Liver Fibrosis. <i>Methods in Molecular Biology</i> , 2017 , 1488, 455-466 | 1.4 | 3 |
| 130 | Looking Into the Crystal Ball: Predicting Non-response to Ursodeoxycholic Acid in Primary Biliary Cholangitis. <i>EBioMedicine</i> , 2017 , 15, 10-11 | 8.8 | 1 |
| 129 | Panel of three novel serum markers predicts liver stiffness and fibrosis stages in patients with chronic liver disease. <i>PLoS ONE</i> , 2017 , 12, e0173506 | 3.7 | 13 |
| 128 | Design and validation of a German version of the GSRS-IBS - an analysis of its psychometric quality and factorial structure. <i>BMC Gastroenterology</i> , 2017 , 17, 139 | 3 | 3 |
| 127 | Reply to: "Diagnostic and prognostic role of circulating microparticles in hepatocellular carcinoma". <i>Journal of Hepatology</i> , 2017 , | 13.4 | |
| 126 | Does transient elastography correlate with liver fibrosis in patients with PSC? Laennec score-based analysis of explanted livers. <i>Scandinavian Journal of Gastroenterology</i> , 2017 , 52, 1407-1412 | 2.4 | 11 |
| 125 | Persisting hyperbilirubinemia in patients with paroxysmal nocturnal hemoglobinuria (PNH) chronically treated with eculizumab: The role of hepatocanalicular transporter variants. <i>European Journal of Haematology</i> , 2017 , 99, 350-356 | 3.8 | 1 |
| 124 | Gallstone disease: Optimal timing of treatment. <i>Journal of Hepatology</i> , 2017 , 67, 645-647 | 13.4 | 5 |
| 123 | "Turning the outside in": Bariatric gastroplication. <i>Digestive and Liver Disease</i> , 2017 , 49, 1163 | 3.3 | |
| 122 | NOD2 gene variants confer risk for secondary sclerosing cholangitis in critically ill patients. <i>Scientific Reports</i> , 2017 , 7, 7026 | 4.9 | 7 |
| 121 | Combined effects of the PNPLA3 rs738409, TM6SF2 rs58542926, and MBOAT7 rs641738 variants on NAFLD severity: a multicenter biopsy-based study. <i>Journal of Lipid Research</i> , 2017 , 58, 247-255 | 6.3 | 108 |
| 120 | The progenitor cell dilemma: Cellular and functional heterogeneity in assistance or escalation of liver injury. <i>Journal of Hepatology</i> , 2017 , 66, 619-630 | 13.4 | 28 |

| | | | |
|-----|---|------|-----|
| 119 | Search for Genetic Modifiers of PSC: Time to Increase the Number of Needles in the Haystack. <i>Annals of Hepatology</i> , 2017 , 16, 830-831 | 3.1 | 3 |
| 118 | Vitamin D and Its Analogues Decrease Amyloid- β Formation and Increase A β Degradation. <i>International Journal of Molecular Sciences</i> , 2017 , 18, | 6.3 | 37 |
| 117 | CcpA Affects Infectivity of in a Hyperglycemic Environment. <i>Frontiers in Cellular and Infection Microbiology</i> , 2017 , 7, 172 | 5.9 | 13 |
| 116 | Effects of Liver Fibrosis Progression on Tissue Relaxation Times in Different Mouse Models Assessed by Ultrahigh Field Magnetic Resonance Imaging. <i>BioMed Research International</i> , 2017 , 2017, 8720367 | 3 | 10 |
| 115 | PNPLA3 and RNF7 Gene Variants are Associated with the Risk of Developing Liver Fibrosis and Cirrhosis in an Eastern European Population. <i>Journal of Gastrointestinal and Liver Diseases</i> , 2017 , 26, 37-43 | 1.4 | 10 |
| 114 | The long non-coding RNA suppresses carcinogenesis and chemoresistance in hepatocellular carcinoma. <i>Cell Stress</i> , 2017 , 1, 37-54 | 5.5 | 31 |
| 113 | Predictive Serum Markers of Gallstone Disease: Gazing Into a Crystal Ball. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2017 , 64, 337-338 | 2.8 | 1 |
| 112 | The "two-devices-in-one-channel technique" for biliary through-the-scope stent removal. <i>Journal of Gastrointestinal and Liver Diseases</i> , 2017 , 26, 204-205 | 1.4 | |
| 111 | The common PNPLA3 variant p.I148M is associated with liver fat contents as quantified by controlled attenuation parameter (CAP). <i>Liver International</i> , 2016 , 36, 418-26 | 7.9 | 20 |
| 110 | Gallstones. <i>Nature Reviews Disease Primers</i> , 2016 , 2, 16024 | 51.1 | 214 |
| 109 | Serum Autotaxin is a Marker of the Severity of Liver Injury and Overall Survival in Patients with Cholestatic Liver Diseases. <i>Scientific Reports</i> , 2016 , 6, 30847 | 4.9 | 32 |
| 108 | Benigne Gallenwegserkrankungen. <i>Gastroenterologe</i> , 2016 , 11, 253-254 | 0.1 | |
| 107 | Exploring multiple quantitative trait loci models of hepatic fibrosis in a mouse intercross. <i>Mammalian Genome</i> , 2016 , 27, 70-80 | 3.2 | 4 |
| 106 | NOD2 Risk Variants and Pathological Bacterial Translocation in Decompensated Cirrhosis. <i>Digestive Diseases and Sciences</i> , 2016 , 61, 2142-4 | 4 | 2 |
| 105 | The prognostic significance of bacterial DNA in patients with decompensated cirrhosis and suspected infection. <i>Liver International</i> , 2016 , 36, 1133-42 | 7.9 | 24 |
| 104 | Reduction of Caloric Intake Might Override the Prosteatotic Effects of the PNPLA3 p.I148M and TM6SF2 p.E167K Variants in Patients with Fatty Liver: Ultrasound-Based Prospective Study. <i>Digestion</i> , 2016 , 93, 139-48 | 3.6 | 16 |
| 103 | A variant in the nuclear dot protein 52kDa gene increases the risk for spontaneous bacterial peritonitis in patients with alcoholic liver cirrhosis. <i>Digestive and Liver Disease</i> , 2016 , 48, 62-8 | 3.3 | 11 |
| 102 | Tumour-associated circulating microparticles: A novel liquid biopsy tool for screening and therapy monitoring of colorectal carcinoma and other epithelial neoplasia. <i>Oncotarget</i> , 2016 , 7, 30867-75 | 3.3 | 27 |

| | | | |
|-----|--|------|-----|
| 101 | Heterozygous Inactivation of the Nuclear Receptor PXR/NR1I2 in a Patient With Anabolic Steroid-Induced Intrahepatic Cholestasis. <i>Hepatitis Monthly</i> , 2016 , 16, e35953 | 1.8 | 5 |
| 100 | Vitamin D supplementation: less controversy, more guidance needed. <i>F1000Research</i> , 2016 , 5, | 3.6 | 17 |
| 99 | TLR4 Deficiency Protects against Hepatic Fibrosis and Diethylnitrosamine-Induced Pre-Carcinogenic Liver Injury in Fibrotic Liver. <i>PLoS ONE</i> , 2016 , 11, e0158819 | 3.7 | 12 |
| 98 | PNPLA3 p.I148M variant is associated with greater reduction of liver fat content after bariatric surgery. <i>Surgery for Obesity and Related Diseases</i> , 2016 , 12, 1838-1846 | 3 | 44 |
| 97 | Short-Term Hypocaloric High-Fiber and High-Protein Diet Improves Hepatic Steatosis Assessed by Controlled Attenuation Parameter. <i>Clinical and Translational Gastroenterology</i> , 2016 , 7, e176 | 4.2 | 23 |
| 96 | Screening for liver fibrosis in the general population: a call for action. <i>The Lancet Gastroenterology and Hepatology</i> , 2016 , 1, 256-260 | 18.8 | 81 |
| 95 | Podoplanin discriminates distinct stromal cell populations and a novel progenitor subset in the liver. <i>American Journal of Physiology - Renal Physiology</i> , 2016 , 310, G1-12 | 5.1 | 13 |
| 94 | Delta-Like Ligand 4 Modulates Liver Damage by Down-Regulating Chemokine Expression. <i>American Journal of Pathology</i> , 2016 , 186, 1874-1889 | 5.8 | 23 |
| 93 | Genetics in Common Liver Diseases: From Pathophysiology to Precise Treatment. <i>Digestive Diseases</i> , 2016 , 34, 391-5 | 3.2 | 2 |
| 92 | Acute Bacterial Cholangitis. <i>Visceral Medicine</i> , 2015 , 31, 166-72 | 2.4 | 19 |
| 91 | Endoscopic appearance of diffuse cavernous hemangioma of the rectosigmoid. <i>Clinics and Research in Hepatology and Gastroenterology</i> , 2015 , 39, 538-40 | 2.4 | 1 |
| 90 | Genetics of liver disease: From pathophysiology to clinical practice. <i>Journal of Hepatology</i> , 2015 , 62, S6-S14 | 3.4 | 58 |
| 89 | The INCA trial (Impact of NOD2 genotype-guided antibiotic prevention on survival in patients with liver Cirrhosis and Ascites): study protocol for a randomized controlled trial. <i>Trials</i> , 2015 , 16, 83 | 2.8 | 10 |
| 88 | A genome-wide association study confirms PNPLA3 and identifies TM6SF2 and MBOAT7 as risk loci for alcohol-related cirrhosis. <i>Nature Genetics</i> , 2015 , 47, 1443-8 | 36.3 | 303 |
| 87 | Gallensteinerkrankungen [Update 2015. <i>Gastroenterologie Up2date</i> , 2015 , 11, 261-281 | 0.1 | |
| 86 | Identification of eQTLs for hepatic Xbp1s and Socs3 gene expression in mice fed a high-fat, high-caloric diet. <i>G3: Genes, Genomes, Genetics</i> , 2015 , 5, 487-96 | 3.2 | 2 |
| 85 | The Frequent Adiponutrin (PNPLA3) Variant p.Ile148Met Is Associated with Early Liver Injury: Analysis of a German Pediatric Cohort. <i>Gastroenterology Research and Practice</i> , 2015 , 2015, 205079 | 2 | 7 |
| 84 | The genetic epidemiology of diverticulosis and diverticular disease: Emerging evidence. <i>United European Gastroenterology Journal</i> , 2015 , 3, 409-18 | 5.3 | 28 |

| | | | |
|----|---|------|-----|
| 83 | HCC and liver disease risks in homozygous PNPLA3 p.I148M carriers approach monogenic inheritance. <i>Journal of Hepatology</i> , 2015 , 62, 980-1 | 13.4 | 30 |
| 82 | Submassive hepatic necrosis distinguishes HBV-associated acute on chronic liver failure from cirrhotic patients with acute decompensation. <i>Journal of Hepatology</i> , 2015 , 63, 50-9 | 13.4 | 57 |
| 81 | Persisting Hyperbilirubinemia in Patients with Paroxysmal Nocturnal Hemoglobinuria (PNH) Chronically Treated with Eculizumab: The Role of Hepatocanicular Transport Variants. <i>Blood</i> , 2015 , 126, 940-940 | 2.2 | |
| 80 | Bacterial infections in cirrhosis: a position statement based on the EASL Special Conference 2013. <i>Journal of Hepatology</i> , 2014 , 60, 1310-24 | 13.4 | 535 |
| 79 | A farnesoid X receptor polymorphism predisposes to spontaneous bacterial peritonitis. <i>Digestive and Liver Disease</i> , 2014 , 46, 1047-50 | 3.3 | 20 |
| 78 | A comprehensive analysis of common genetic variation around six candidate loci for intrahepatic cholestasis of pregnancy. <i>American Journal of Gastroenterology</i> , 2014 , 109, 76-84 | 0.7 | 84 |
| 77 | Proinflammatory progranulin antibodies in inflammatory bowel diseases. <i>Digestive Diseases and Sciences</i> , 2014 , 59, 1733-42 | 4 | 34 |
| 76 | Vitamin D modulates biliary fibrosis in ABCB4-deficient mice. <i>Hepatology International</i> , 2014 , 8, 443-52 | 8.8 | 26 |
| 75 | Ursodeoxycholic acid and diets higher in fat prevent gallbladder stones during weight loss: a meta-analysis of randomized controlled trials. <i>Clinical Gastroenterology and Hepatology</i> , 2014 , 12, 1090-1100.e2; quiz e61 | 6.9 | 54 |
| 74 | Role of genetics in diagnosis and therapy of acquired liver disease. <i>Molecular Aspects of Medicine</i> , 2014 , 37, 15-34 | 16.7 | 5 |
| 73 | Variant adiponutrin confers genetic protection against cholestatic itch. <i>Scientific Reports</i> , 2014 , 4, 6374 | 4.9 | 6 |
| 72 | Extensive dabigatran-induced exfoliative esophagitis harboring squamous cell carcinoma. <i>Endoscopy</i> , 2014 , 46 Suppl 1 UCTN, E273-4 | 3.4 | 7 |
| 71 | Systems genetics of liver fibrosis: identification of fibrogenic and expression quantitative trait loci in the BXD murine reference population. <i>PLoS ONE</i> , 2014 , 9, e89279 | 3.7 | 18 |
| 70 | The genetics of complex cholestatic disorders. <i>Gastroenterology</i> , 2013 , 144, 1357-74 | 13.3 | 111 |
| 69 | Genetics of biliary lithiasis from an ethnic perspective. <i>Clinics and Research in Hepatology and Gastroenterology</i> , 2013 , 37, 119-25 | 2.4 | 15 |
| 68 | Non-selective betablocker therapy decreases intestinal permeability and serum levels of LBP and IL-6 in patients with cirrhosis. <i>Journal of Hepatology</i> , 2013 , 58, 911-21 | 13.4 | 211 |
| 67 | Modeling hepatic osteodystrophy in Abcb4 deficient mice. <i>Bone</i> , 2013 , 55, 501-11 | 4.7 | 13 |
| 66 | Macrophage stimulating protein variation enhances the risk of sporadic extrahepatic cholangiocarcinoma. <i>Digestive and Liver Disease</i> , 2013 , 45, 612-5 | 3.3 | 8 |

| | | | |
|----|--|------|-----|
| 65 | Systems genetics of hepatocellular damage in vivo and in vitro: identification of a critical network on chromosome 11 in mouse. <i>Physiological Genomics</i> , 2013 , 45, 931-9 | 3.6 | 4 |
| 64 | Identification of combined genetic determinants of liver stiffness within the SREBP1c-PNPLA3 pathway. <i>International Journal of Molecular Sciences</i> , 2013 , 14, 21153-66 | 6.3 | 13 |
| 63 | Genetics and treatment of bile duct stones: new approaches. <i>Current Opinion in Gastroenterology</i> , 2013 , 29, 329-35 | 3 | 8 |
| 62 | PNPLA3-associated steatohepatitis: toward a gene-based classification of fatty liver disease. <i>Seminars in Liver Disease</i> , 2013 , 33, 369-79 | 7.3 | 69 |
| 61 | Vitamin D in chronic liver disease. <i>Liver International</i> , 2013 , 33, 338-52 | 7.9 | 101 |
| 60 | Gallstone disease in Swedish twins is associated with the Gilbert variant of UGT1A1. <i>Liver International</i> , 2013 , 33, 904-8 | 7.9 | 8 |
| 59 | Genetic and functional identification of the likely causative variant for cholesterol gallstone disease at the ABCG5/8 lithogenic locus. <i>Hepatology</i> , 2013 , 57, 2407-17 | 11.2 | 61 |
| 58 | The hepatic phosphatidylcholine transporter ABCB4 as modulator of glucose homeostasis. <i>FASEB Journal</i> , 2012 , 26, 5081-91 | 0.9 | 19 |
| 57 | Common genetic variation in vitamin D metabolism is associated with liver stiffness. <i>Hepatology</i> , 2012 , 56, 1883-91 | 11.2 | 44 |
| 56 | A frequent variant in the human bile salt export pump gene ABCB11 is associated with hepatitis C virus infection, but not liver stiffness in a German population. <i>BMC Gastroenterology</i> , 2012 , 12, 63 | 3 | 8 |
| 55 | Phytosterol and cholesterol precursor levels indicate increased cholesterol excretion and biosynthesis in gallstone disease. <i>Hepatology</i> , 2012 , 55, 1507-17 | 11.2 | 36 |
| 54 | Transporters in cholelithiasis. <i>Biological Chemistry</i> , 2012 , 393, 3-10 | 4.5 | 8 |
| 53 | Gallstones: environment, lifestyle and genes. <i>Digestive Diseases</i> , 2011 , 29, 191-201 | 3.2 | 55 |
| 52 | Variant adiponutrin (PNPLA3) represents a common fibrosis risk gene: non-invasive elastography-based study in chronic liver disease. <i>Journal of Hepatology</i> , 2011 , 55, 299-306 | 13.4 | 66 |
| 51 | Genetics in liver disease: new concepts. <i>Current Opinion in Gastroenterology</i> , 2011 , 27, 231-9 | 3 | 15 |
| 50 | Genetics of liver injury and fibrosis. <i>Alcoholism: Clinical and Experimental Research</i> , 2011 , 35, 800-3 | 3.7 | 5 |
| 49 | Effects of SLC10A2 variant rs9514089 on gallstone risk and serum cholesterol levels- meta-analysis of three independent cohorts. <i>BMC Medical Genetics</i> , 2011 , 12, 149 | 2.1 | 10 |
| 48 | Genetic variation in the PNPLA3 gene is associated with alcoholic liver injury in caucasians. <i>Hepatology</i> , 2011 , 53, 86-95 | 11.2 | 202 |

| | | | |
|----|---|------|-----|
| 47 | Genetics and epigenetics in the fibrogenic evolution of chronic liver diseases. <i>Baillieres Best Practice and Research in Clinical Gastroenterology</i> , 2011 , 25, 269-80 | 2.5 | 31 |
| 46 | Dissecting the genetic heterogeneity of gallbladder stone formation. <i>Seminars in Liver Disease</i> , 2011 , 31, 157-72 | 7.3 | 46 |
| 45 | The PNPLA3 rs738409 148M/M genotype is a risk factor for liver cancer in alcoholic cirrhosis but shows no or weak association in hepatitis C cirrhosis. <i>PLoS ONE</i> , 2011 , 6, e27087 | 3.7 | 91 |
| 44 | Transgenic overexpression of Abcb11 enhances biliary bile salt outputs, but does not affect cholesterol cholelithogenesis in mice. <i>European Journal of Clinical Investigation</i> , 2010 , 40, 541-51 | 4.6 | 14 |
| 43 | Genome-wide association studies and genetic risk assessment of liver diseases. <i>Nature Reviews Gastroenterology and Hepatology</i> , 2010 , 7, 669-81 | 24.2 | 61 |
| 42 | Cystic fibrosis-associated liver disease. <i>Baillieres Best Practice and Research in Clinical Gastroenterology</i> , 2010 , 24, 585-92 | 2.5 | 67 |
| 41 | Nucleotide-binding oligomerization domain containing 2 (NOD2) variants are genetic risk factors for death and spontaneous bacterial peritonitis in liver cirrhosis. <i>Hepatology</i> , 2010 , 51, 1327-33 | 11.2 | 98 |
| 40 | Hereditary liver diseases. Preface. <i>Baillieres Best Practice and Research in Clinical Gastroenterology</i> , 2010 , 24, 529 | 2.5 | 1 |
| 39 | Common variants of ABCB4 and ABCB11 and plasma lipid levels: a study in sib pairs with gallstones, and controls. <i>Lipids</i> , 2009 , 44, 521-6 | 1.6 | 26 |
| 38 | Combined functional variants of hepatobiliary transporters and FXR aggravate intrahepatic cholestasis of pregnancy. <i>Liver International</i> , 2009 , 29, 1286-8 | 7.9 | 24 |
| 37 | Antifibrotic effects of CXCL9 and its receptor CXCR3 in livers of mice and humans. <i>Gastroenterology</i> , 2009 , 137, 309-19, 319.e1-3 | 13.3 | 124 |
| 36 | A variant of the SLC10A2 gene encoding the apical sodium-dependent bile acid transporter is a risk factor for gallstone disease. <i>PLoS ONE</i> , 2009 , 4, e7321 | 3.7 | 31 |
| 35 | Ezetimibe prevents cholesterol gallstone formation in mice. <i>Liver International</i> , 2008 , 28, 935-47 | 7.9 | 52 |
| 34 | Variation of the gene encoding the nuclear bile salt receptor FXR and gallstone susceptibility in mice and humans. <i>Journal of Hepatology</i> , 2008 , 48, 116-24 | 13.4 | 68 |
| 33 | Gallstone disease: from genes to evidence-based therapy. <i>Journal of Hepatology</i> , 2008 , 48 Suppl 1, S124-34 | 13.4 | 68 |
| 32 | Genetic determinants in hepatic fibrosis: from experimental models to fibrogenic gene signatures in humans. <i>Clinics in Liver Disease</i> , 2008 , 12, 747-57, vii | 4.6 | 28 |
| 31 | Elevated soluble tumor necrosis factor receptor 75 concentrations identify patients with liver cirrhosis at risk of death. <i>Clinical Gastroenterology and Hepatology</i> , 2008 , 6, 1255-62 | 6.9 | 11 |
| 30 | Functional variants of the central bile acid sensor FXR identified in intrahepatic cholestasis of pregnancy. <i>Gastroenterology</i> , 2007 , 133, 507-16 | 13.3 | 187 |

| | | | |
|----|--|------|-----|
| 29 | Increased gallstone risk in humans conferred by common variant of hepatic ATP-binding cassette transporter for cholesterol. <i>Hepatology</i> , 2007 , 46, 793-801 | 11.2 | 126 |
| 28 | Genetic predisposition to gallbladder stones. <i>Seminars in Liver Disease</i> , 2007 , 27, 109-21 | 7.3 | 44 |
| 27 | Genetic evidence that apolipoprotein E4 is not a relevant susceptibility factor for cholelithiasis in two high-risk populations. <i>Journal of Lipid Research</i> , 2007 , 48, 1378-85 | 6.3 | 23 |
| 26 | A genome-wide association scan identifies the hepatic cholesterol transporter ABCG8 as a susceptibility factor for human gallstone disease. <i>Nature Genetics</i> , 2007 , 39, 995-9 | 36.3 | 259 |
| 25 | Coinheritance of Gilbert syndrome-associated UGT1A1 mutation increases gallstone risk in cystic fibrosis. <i>Hepatology</i> , 2006 , 43, 738-41 | 11.2 | 50 |
| 24 | Investigation of the Lith1 candidate genes ABCB11 and LXRA in human gallstone disease. <i>Hepatology</i> , 2006 , 44, 650-7 | 11.2 | 28 |
| 23 | Are plasma lipid levels related to ABCG5/ABCG8 polymorphisms? A preliminary study in siblings with gallstones. <i>European Journal of Internal Medicine</i> , 2006 , 17, 490-4 | 3.9 | 49 |
| 22 | Quantitative trait loci analysis of mice administered the methionine-choline deficient dietary model of experimental steatohepatitis. <i>Liver International</i> , 2006 , 26, 1000-5 | 7.9 | 29 |
| 21 | New insights into the genetic regulation of intestinal cholesterol absorption. <i>Gastroenterology</i> , 2005 , 129, 718-34 | 13.3 | 111 |
| 20 | Mechanisms of disease: the genetic epidemiology of gallbladder stones. <i>Nature Reviews Gastroenterology & Hepatology</i> , 2005 , 2, 423-33 | | 109 |
| 19 | Patients with acute on chronic liver failure display "sepsis-like" immune paralysis. <i>Journal of Hepatology</i> , 2005 , 42, 195-201 | 13.4 | 390 |
| 18 | New Insights Into the Genetic Regulation of Intestinal Cholesterol Absorption. <i>Gastroenterology</i> , 2005 , 129, 718-734 | 13.3 | 94 |
| 17 | Complement factor 5 is a quantitative trait gene that modifies liver fibrogenesis in mice and humans. <i>Nature Genetics</i> , 2005 , 37, 835-43 | 36.3 | 214 |
| 16 | Genetic and environmental influences on symptomatic gallstone disease: a Swedish study of 43,141 twin pairs. <i>Hepatology</i> , 2005 , 41, 1138-43 | 11.2 | 179 |
| 15 | The genetic background of cholesterol gallstone formation: an inventory of human lithogenic genes. <i>Current Drug Targets Immune, Endocrine and Metabolic Disorders</i> , 2005 , 5, 163-70 | | 24 |
| 14 | Hepatic overexpression of murine Abcb11 increases hepatobiliary lipid secretion and reduces hepatic steatosis. <i>Journal of Biological Chemistry</i> , 2004 , 279, 2790-9 | 5.4 | 75 |
| 13 | The Collaborative Cross, a community resource for the genetic analysis of complex traits. <i>Nature Genetics</i> , 2004 , 36, 1133-7 | 36.3 | 822 |
| 12 | Spontaneous cholecysto- and hepatolithiasis in Mdr2 ^{-/-} mice: a model for low phospholipid-associated cholelithiasis. <i>Hepatology</i> , 2004 , 39, 117-28 | 11.2 | 127 |

| | | | |
|----|--|------|-----|
| 11 | Regurgitation of bile acids from leaky bile ducts causes sclerosing cholangitis in Mdr2 (Abcb4) knockout mice. <i>Gastroenterology</i> , 2004 , 127, 261-74 | 13.3 | 456 |
| 10 | Intrahepatic Cholestasis of Pregnancy. <i>Current Treatment Options in Gastroenterology</i> , 2003 , 6, 123-132 | 2.5 | 37 |
| 9 | Lith genes control mucin accumulation, cholesterol crystallization, and gallstone formation in A/J and AKR/J inbred mice. <i>Hepatology</i> , 2002 , 36, 1145-54 | 11.2 | 44 |
| 8 | Genome-wide analysis of hepatic fibrosis in inbred mice identifies the susceptibility locus Hfib1 on chromosome 15. <i>Gastroenterology</i> , 2002 , 123, 2041-51 | 13.3 | 88 |
| 7 | Chromosomal organization of candidate genes involved in cholesterol gallstone formation: a murine gallstone map. <i>Gastroenterology</i> , 2001 , 120, 221-38 | 13.3 | 123 |
| 6 | Quantitative trait loci mapping for cholesterol gallstones in AKR/J and C57L/J strains of mice. <i>Physiological Genomics</i> , 2000 , 4, 59-65 | 3.6 | 69 |
| 5 | Genetics of Gallstone Disease1-5 | | |
| 4 | Clinical Genetics of Cholangiopathies1-8 | | |
| 3 | rs641738C>T near MBOAT7 is positively associated with liver fat, ALT, and histological severity of NAFLD: a meta-analysis | | 3 |
| 2 | Autoantibodies against Progranulin and IL-1 receptor antagonist in critically ill COVID-19 | | 1 |
| 1 | Health-care workers in gastrointestinal endoscopy are at higher risk for SARS-CoV-2 infection compared to other aerosol-generating disciplines | | 1 |