

List of Publications by Citations

Source: <https://exaly.com/author-pdf/9312968/chao-xie-publications-by-citations.pdf>
Version: 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

76 papers	4,933 citations	37 h-index	70 g-index
79 ext. papers	5,818 ext. citations	8.8 avg, IF	6.06 L-index

#	Paper	IF	Citations
76	Photodetectors Based on Two-Dimensional Layered Materials Beyond Graphene. <i>Advanced Functional Materials</i> , 2017 , 27, 1603886	15.6	406
75	Monolayer graphene/germanium Schottky junction as high-performance self-driven infrared light photodetector. <i>ACS Applied Materials & Interfaces</i> , 2013 , 5, 9362-6	9.5	280
74	Monolayer graphene film on ZnO nanorod array for high-performance Schottky junction ultraviolet photodetectors. <i>Small</i> , 2013 , 9, 2872-9	11	236
73	Core-shell heterojunction of silicon nanowire arrays and carbon quantum dots for photovoltaic devices and self-driven photodetectors. <i>ACS Nano</i> , 2014 , 8, 4015-22	16.7	216
72	Fast, Self-Driven, Air-Stable, and Broadband Photodetector Based on Vertically Aligned PtSe ₂ /GaAs Heterojunction. <i>Advanced Functional Materials</i> , 2018 , 28, 1705970	15.6	207
71	Ultrasensitive broadband phototransistors based on perovskite/organic-semiconductor vertical heterojunctions. <i>Light: Science and Applications</i> , 2017 , 6, e17023	16.7	203
70	Recent Progress in Solar-Blind Deep-Ultraviolet Photodetectors Based on Inorganic Ultrawide Bandgap Semiconductors. <i>Advanced Functional Materials</i> , 2019 , 29, 1806006	15.6	189
69	Controlled Synthesis of 2D Palladium Diselenide for Sensitive Photodetector Applications. <i>Advanced Functional Materials</i> , 2019 , 29, 1806878	15.6	187
68	Flexible Photodetectors Based on Novel Functional Materials. <i>Small</i> , 2017 , 13, 1701822	11	185
67	Ultrathin and flexible perovskite solar cells with graphene transparent electrodes. <i>Nano Energy</i> , 2016 , 28, 151-157	17.1	158
66	Perovskite-Based Phototransistors and Hybrid Photodetectors. <i>Advanced Functional Materials</i> , 2020 , 30, 1903907	15.6	127
65	Graphene/Semiconductor Hybrid Heterostructures for Optoelectronic Device Applications. <i>Nano Today</i> , 2018 , 19, 41-83	17.9	124
64	Ultrafast, Self-Driven, and Air-Stable Photodetectors Based on Multilayer PtSe/Perovskite Heterojunctions. <i>Journal of Physical Chemistry Letters</i> , 2018 , 9, 1185-1194	6.4	119
63	Light trapping and surface plasmon enhanced high-performance NIR photodetector. <i>Scientific Reports</i> , 2014 , 4, 3914	4.9	115
62	Surface passivation and band engineering: a way toward high efficiency graphene/planar Si solar cells. <i>Journal of Materials Chemistry A</i> , 2013 , 1, 8567	13	108
61	High-efficiency graphene/Si nanowire Schottky junction solar cells via surface modification and graphene doping. <i>Journal of Materials Chemistry A</i> , 2013 , 1, 6593	13	107
60	Monolayer graphene film/silicon nanowire array Schottky junction solar cells. <i>Applied Physics Letters</i> , 2011 , 99, 133113	3.4	107

59	Sensitive Deep Ultraviolet Photodetector and Image Sensor Composed of Inorganic Lead-Free CsCuI Perovskite with Wide Bandgap. <i>Journal of Physical Chemistry Letters</i> , 2019 , 10, 5343-5350	6.4	99
58	Perovskite/Poly(3-hexylthiophene)/Graphene Multiheterojunction Phototransistors with Ultrahigh Gain in Broadband Wavelength Region. <i>ACS Applied Materials & Interfaces</i> , 2017 , 9, 1569-1576	9.5	88
57	Graphene Transparent Conductive Electrodes for Highly Efficient Silicon Nanostructures-Based Hybrid Heterojunction Solar Cells. <i>Journal of Physical Chemistry C</i> , 2013 , 117, 11968-11976	3.8	85
56	High-efficiency, air stable graphene/Si micro-hole array Schottky junction solar cells. <i>Journal of Materials Chemistry A</i> , 2013 , 1, 15348	13	74
55	Surface induced negative photoconductivity in p-type ZnSe : Bi nanowires and their nano-optoelectronic applications. <i>Journal of Materials Chemistry</i> , 2011 , 21, 6736		73
54	Surface plasmon resonance enhanced highly efficient planar silicon solar cell. <i>Nano Energy</i> , 2014 , 9, 112-120	12.0	69
53	Aluminium-doped n-type ZnS nanowires as high-performance UV and humidity sensors. <i>Journal of Materials Chemistry</i> , 2012 , 22, 6856		69
52	PdSe ₂ Multilayer on Germanium Nanocones Array with Light Trapping Effect for Sensitive Infrared Photodetector and Image Sensing Application. <i>Advanced Functional Materials</i> , 2019 , 29, 1900849	15.6	66
51	High-gain visible-blind UV photodetectors based on chlorine-doped n-type ZnS nanoribbons with tunable optoelectronic properties. <i>Journal of Materials Chemistry</i> , 2011 , 21, 12632		62
50	Recent advances in the fabrication of graphene/ZnO heterojunctions for optoelectronic device applications. <i>Journal of Materials Chemistry C</i> , 2018 , 6, 3815-3833	7.1	61
49	High-performance broadband heterojunction photodetectors based on multilayered PtSe directly grown on a Si substrate. <i>Nanoscale</i> , 2018 , 10, 15285-15293	7.7	61
48	Schottky solar cells based on graphene nanoribbon/multiple silicon nanowires junctions. <i>Applied Physics Letters</i> , 2012 , 100, 193103	3.4	59
47	One-dimensional CuO nanowire: synthesis, electrical, and optoelectronic devices application. <i>Nanoscale Research Letters</i> , 2014 , 9, 637	5	51
46	TiO ₂ Nanotube Array/Monolayer Graphene Film Schottky Junction Ultraviolet Light Photodetectors. <i>Particle and Particle Systems Characterization</i> , 2013 , 30, 630-636	3.1	49
45	Ferroelectric-Driven Performance Enhancement of Graphene Field-Effect Transistors Based on Vertical Tunneling Heterostructures. <i>Advanced Materials</i> , 2016 , 28, 10048-10054	24	45
44	Tuning the electrical transport properties of n-type CdS nanowires via Ga doping and their nano-optoelectronic applications. <i>Physical Chemistry Chemical Physics</i> , 2011 , 13, 14663-7	3.6	44
43	Enhanced performance of perovskite/organic-semiconductor hybrid heterojunction photodetectors with the electron trapping effects. <i>Journal of Materials Chemistry C</i> , 2018 , 6, 1338-1342	7.1	43
42	Silicon/Perovskite Core-Shell Heterojunctions with Light-Trapping Effect for Sensitive Self-Driven Near-Infrared Photodetectors. <i>ACS Applied Materials & Interfaces</i> , 2018 , 10, 27850-27857	9.5	39

41	Amplified Spontaneous Emission from Organic/Inorganic Hybrid Lead Iodide Perovskite Single Crystals under Direct Multiphoton Excitation. <i>Advanced Optical Materials</i> , 2016 , 4, 1053-1059	8.1	39
40	A high-performance near-infrared light photovoltaic detector based on a multilayered PtSe ₂ /Ge heterojunction. <i>Journal of Materials Chemistry C</i> , 2019 , 7, 5019-5027	7.1	38
39	The effect of plasmonic nanoparticles on the optoelectronic characteristics of CdTe nanowires. <i>Small</i> , 2014 , 10, 2645-52	11	37
38	p-CdTe nanoribbon/n-silicon nanowires array heterojunctions: photovoltaic devices and zero-power photodetectors. <i>CrystEngComm</i> , 2012 , 14, 7222	3.3	36
37	Inorganic CsBiI ₃ perovskite/silicon heterojunctions for sensitive, self-driven and air-stable NIR photodetectors. <i>Journal of Materials Chemistry C</i> , 2019 , 7, 863-870	7.1	34
36	Ultrahigh Mobility of p-Type CdS Nanowires: Surface Charge Transfer Doping and Photovoltaic Devices. <i>Advanced Energy Materials</i> , 2013 , 3, 579-583	21.8	34
35	Bilayer graphene based surface passivation enhanced nano structured self-powered near-infrared photodetector. <i>Optics Express</i> , 2015 , 23, 4839-46	3.3	33
34	Graphene-Assisted Growth of Patterned Perovskite Films for Sensitive Light Detector and Optical Image Sensor Application. <i>Small</i> , 2019 , 15, e1900730	11	31
33	Nano-Schottky barrier diodes based on Sb-doped ZnS nanoribbons with controlled p-type conductivity. <i>Applied Physics Letters</i> , 2011 , 98, 123117	3.4	31
32	Polymeric Carbon Nitride Nanosheets/Graphene Hybrid Phototransistors with High Responsivity. <i>Advanced Optical Materials</i> , 2016 , 4, 555-561	8.1	28
31	Patterned growth of BiGa ₂ O ₃ thin films for solar-blind deep-ultraviolet photodetectors array and optical imaging application. <i>Journal of Materials Science and Technology</i> , 2021 , 72, 189-196	9.1	28
30	Asymmetric Contact-Induced Self-Driven Perovskite-Microwire-Array Photodetectors. <i>Advanced Electronic Materials</i> , 2019 , 5, 1900135	6.4	27
29	ZnSe nanoribbon/Si nanowire p-n heterojunction arrays and their photovoltaic application with graphene transparent electrodes. <i>Journal of Materials Chemistry</i> , 2012 , 22, 22873		26
28	A Highly Sensitive Perovskite/Organic Semiconductor Heterojunction Phototransistor and Its Device Optimization Utilizing the Selective Electron Trapping Effect. <i>Advanced Optical Materials</i> , 2019 , 7, 1900272	8.1	25
27	Doping dependent crystal structures and optoelectronic properties of n-type CdSe:Ga nanowires. <i>Nanoscale</i> , 2011 , 3, 4798-803	7.7	24
26	Surface charge transfer induced p-CdS nanoribbon/n-Si heterojunctions as fast-speed self-driven photodetectors. <i>Journal of Materials Chemistry C</i> , 2015 , 3, 6307-6313	7.1	22
25	Catalyst-Free Vapor-Solid Deposition Growth of BiGa ₂ O ₃ Nanowires for DUV Photodetector and Image Sensor Application. <i>Advanced Optical Materials</i> , 2019 , 7, 1901257	8.1	21
24	Defect-induced broadband photodetection of layered Bi ₂ Se ₃ nanofilm and its application in near infrared image sensors. <i>Journal of Materials Chemistry C</i> , 2019 , 7, 11532-11539	7.1	20

23	Lasing Characteristics of CH ₃ NH ₃ PbCl ₃ Single-Crystal Microcavities under Multiphoton Excitation. <i>Advanced Optical Materials</i> , 2018 , 6, 1700992	8.1	18
22	Self-Powered Filterless Narrow-Band p-n Heterojunction Photodetector for Low Background Limited Near-Infrared Image Sensor Application. <i>ACS Applied Materials & Interfaces</i> , 2020 , 12, 21845-21853	9.5	18
21	Highly Sensitive Narrowband Si Photodetector With Peak Response at Around 1060 nm. <i>IEEE Transactions on Electron Devices</i> , 2020 , 67, 3211-3214	2.9	15
20	High-performance nonvolatile Al/AlO(x)/CdTe:Sb nanowire memory device. <i>Nanotechnology</i> , 2013 , 24, 355203	3.4	15
19	Chlorine-Doped ZnSe Nanoribbons with Tunable n-Type Conductivity as High-Gain and Flexible Blue/UV Photodetectors. <i>ChemPlusChem</i> , 2012 , 77, 470-475	2.8	15
18	Opening the Band Gap of Graphene via Fluorination for High-Performance Dual-Mode Photodetector Application. <i>ACS Applied Materials & Interfaces</i> , 2019 , 11, 21702-21710	9.5	14
17	A SERS stamp: Multiscale coupling effect of silver nanoparticles and highly ordered nano-micro hierarchical substrates for ultrasensitive explosive detection. <i>Sensors and Actuators B: Chemical</i> , 2020 , 321, 128543	8.5	13
16	Fabrication of Addressable Perovskite Film Arrays for High-Performance Photodetection and Real-Time Image Sensing Application. <i>Journal of Physical Chemistry Letters</i> , 2021 , 12, 2930-2936	6.4	11
15	High-Performance Blue-Light Photodetectors Based on Single-Crystal ZnSe Nanoribbons with Controlled Gallium Doping. <i>Science of Advanced Materials</i> , 2012 , 4, 332-336	2.3	9
14	Photodetectors: Controlled Synthesis of 2D Palladium Diselenide for Sensitive Photodetector Applications (Adv. Funct. Mater. 1/2019). <i>Advanced Functional Materials</i> , 2019 , 29, 1970005	15.6	9
13	Construction of PtSe/Ge heterostructure-based short-wavelength infrared photodetector array for image sensing and optical communication applications. <i>Nanoscale</i> , 2021 , 13, 7606-7612	7.7	8
12	Characterization of structural transitions and lattice dynamics of hybrid organic/inorganic perovskite CH ₃ NH ₃ PbI ₃ . <i>Chinese Physics B</i> , 2019 , 28, 076102	1.2	7
11	Controlled synthesis of GaSe microbelts for high-gain photodetectors induced by the electron trapping effect. <i>Journal of Materials Chemistry C</i> , 2020 , 8, 5375-5379	7.1	5
10	Dual-plasmonic Au/graphene/Au-enhanced ultrafast, broadband, self-driven silicon Schottky photodetector. <i>Nanotechnology</i> , 2018 , 29, 505203	3.4	5
9	Multilayered PtSe ₂ /pyramid-Si heterostructure array with light confinement effect for high-performance photodetection, image sensing and light trajectory tracking applications. <i>Journal of Materials Chemistry C</i> , 2021 , 9, 2823-2832	7.1	5
8	Multilayered PdTe ₂ /GaN Heterostructures for Visible-Blind Deep-Ultraviolet Photodetection. <i>IEEE Electron Device Letters</i> , 2021 , 42, 1192-1195	4.4	4
7	High-performance light trajectory tracking and image sensing devices based on a In ₂ Se ₃ /GaAs heterostructure. <i>Journal of Materials Chemistry C</i> , 2020 , 8, 13762-13769	7.1	3
6	Enhanced Light Trapping in Conformal CuO/Si Microholes Array Heterojunction for Self-Powered Broadband Photodetection. <i>IEEE Electron Device Letters</i> , 2021 , 42, 883-886	4.4	3

- 5 Ultrawide-Bandgap Semiconductors: Recent Progress in Solar-Blind Deep-Ultraviolet Photodetectors Based on Inorganic Ultrawide Bandgap Semiconductors (Adv. Funct. Mater. 9/2019). *Advanced Functional Materials*, **2019**, 29, 1970057 15.6 2
- 4 Photodetectors: Fast, Self-Driven, Air-Stable, and Broadband Photodetector Based on Vertically Aligned PtSe₂/GaAs Heterojunction (Adv. Funct. Mater. 16/2018). *Advanced Functional Materials*, **2018**, 28, 1870106 15.6 2
- 3 Distinguishing wavelength using two parallelly stacking graphene/thin Si/graphene heterojunctions. *Journal of Materials Chemistry C*, 7.1 2
- 2 Ti₃C₂T_x MXene/Ge 2D/3D van der Waals heterostructures as highly efficient and fast response near-infrared photodetectors. *Applied Physics Letters*, **2022**, 120, 141103 3.4 2
- 1 Fabrication of a In₂Se₃/Si heterostructure phototransistor for heart rate detection. *Journal of Materials Chemistry C*, 7.1