Arturo Espinosa

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/9313106/arturo-espinosa-publications-by-year.pdf

Version: 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

155
papers

4,254
citations

h-index

57
g-index

163
ext. papers

4,564
ext. citations

4,6
avg, IF

L-index

#	Paper	IF	Citations
155	CHNO isomers and derivatives 🗈 computational overview. New Journal of Chemistry, 2022 , 46, 5771-57	78 .6	1
154	1,2BB-Oxaphosphetanes and Their P-Chalcogenides Combined Experimental and Theoretical Study. <i>Molecules</i> , 2022 , 27, 3345	4.8	
153	M/X Phosphinidenoid Metal Complex Chemistry. <i>Accounts of Chemical Research</i> , 2021 , 54, 1754-1765	24.3	4
152	Analysis of Non-innocence of Phosphaquinodimethane Ligands when Charge and Aromaticity Come into Play. <i>Chemistry - A European Journal</i> , 2021 , 27, 9350-9359	4.8	О
151	Chemistry of oxaphosphirane complexes. <i>Coordination Chemistry Reviews</i> , 2021 , 437, 213818	23.2	1
150	A case study on the conversion of Li/Cl phosphinidenoid into phosphinidene complexes. <i>Dalton Transactions</i> , 2021 , 50, 739-745	4.3	5
149	Toward a 1,4-Diphosphinine-Based Molecular CPS-Ternary Compound. <i>Inorganic Chemistry</i> , 2021 , 60, 13029-13040	5.1	1
148	Azaphosphiridines: challenges and perspectives. <i>Dalton Transactions</i> , 2021 , 50, 7324-7336	4.3	0
147	Electronic structure and bridge geometric distortion in pushBull imine-bridged triads. A theoretical study. <i>New Journal of Chemistry</i> , 2021 , 45, 4472-4480	3.6	1
146	Synthesis of the First Oxaphosphirane Iron Complexes. <i>European Journal of Inorganic Chemistry</i> , 2021 , 2021, 252-257	2.3	3
145	Between Oxirane and Phosphirane: The Spring-loaded Oxaphosphirane Ring. <i>European Journal of Inorganic Chemistry</i> , 2021 , 2021, 348-353	2.3	2
144	1,2-Insertion reactions of alkynes into Ge-C bonds of arylbromogermylene. <i>Dalton Transactions</i> , 2020 , 49, 7189-7196	4.3	3
143	Benchmarking the inversion barriers in BB-phosphorus compounds: a computational study. <i>New Journal of Chemistry</i> , 2020 , 44, 8763-8770	3.6	8
142	A synthetic equivalent for unknown 1,3-zwitterions? - A K/OR phosphinidenoid complex with an additional Si-Cl function. <i>Chemical Communications</i> , 2020 , 56, 3899-3902	5.8	4
141	1,2-Thiaphosphetanes: The Quest for Wittig-Type Ring Cleavage, Rearrangement, and Sulfur Atom Transfer. <i>Inorganic Chemistry</i> , 2020 , 59, 3110-3117	5.1	5
140	P-Functionalized tetrathiafulvalenes from 1,3-dithiole-2-thiones?. <i>New Journal of Chemistry</i> , 2020 , 44, 17122-17128	3.6	4
139	Terminal Phosphinidene Complex Adducts with Neutral and Anionic O-Donors and Halides and the Search for a Differentiating Bonding Descriptor. <i>Inorganic Chemistry</i> , 2020 , 59, 12829-12841	5.1	16

138	Accurate Ring Strain Energy Calculations on Saturated Three-Membered Heterocycles with One Group 13-16 Element. <i>Inorganic Chemistry</i> , 2020 , 59, 11503-11513	5.1	5
137	Rigid Extended Boron Difluoride Complex with Mega-Stokes Shift for Bioimaging. <i>Organic Letters</i> , 2020 , 22, 3356-3360	6.2	21
136	N-Heterocyclic Carbene-Stabilized Germanium and Tin Analogues of Heavier Nitriles: Synthesis, Reactivity, and Catalytic Application. <i>Journal of the American Chemical Society</i> , 2019 , 141, 14576-14580	16.4	24
135	Synthesis of free and ligated 1,2-thiaphosphetanes - expanding the pool of strained P-ligands. <i>Chemical Communications</i> , 2019 , 55, 1615-1618	5.8	6
134	Competitive or sequential reaction of an electrophilic terminal phosphinidene metal(0) complex with allyl halides? [2+1]-cycloaddition vs. C-X bond insertion. <i>Chemical Communications</i> , 2019 , 55, 9987-9	9 9 90	3
133	Access to 1,1?-Bifunctional Phosphane Iron(0) Complexes via PN Bond-Forming Reactions and Selective P-Functionalizations. <i>European Journal of Inorganic Chemistry</i> , 2019 , 2019, 1604-1611	2.3	2
132	Access and unprecedented reaction pathways of Li/Cl phosphinidenoid iron(0) complexes. <i>Dalton Transactions</i> , 2018 , 48, 339-345	4.3	8
131	Epoxide-like Chemistry: 1,2-Bifunctional P-Ligands via Stereo- and Regioselective Ring Opening of an Oxaphosphirane Complex. <i>Organometallics</i> , 2018 , 37, 1331-1336	3.8	9
130	"Low-coordinate" 1,2-oxaphosphetanes - a new opportunity in coordination and main group chemistry. <i>Chemical Communications</i> , 2018 , 54, 7123-7126	5.8	12
129	On the Mechanism of Trimethylphosphine-Mediated Reductive Dimerization of Ketones. <i>Inorganic Chemistry</i> , 2018 , 57, 8058-8064	5.1	15
128	Unconventional ionic ring-deconstruction pathways of a three-membered heterocycle. <i>Chemical Communications</i> , 2018 , 54, 14013-14016	5.8	5
127	Quantum Chemical Calculations on CHOP Derivatives-Spanning the Chemical Space of Phosphinidenes, Phosphaketenes, Oxaphosphirenes, and COP Isomers. <i>Molecules</i> , 2018 , 23,	4.8	11
126	Effects of diminished steric protection at phosphorus on stability and reactivity of oxaphosphirane complexes. <i>Dalton Transactions</i> , 2018 , 47, 9347-9354	4.3	9
125	Fulvenization as characteristic geometric distortion in electron deficient ferrocenes. <i>Tetrahedron</i> , 2017 , 73, 952-956	2.4	3
124	Coordination of N and Other Small Molecules to the Phosphorus Centre of RPW(CO): A Theoretical Study on the Janus Facets of the Stabilization/Activation Problem. <i>Chemistry - A European Journal</i> , 2017 , 23, 8632-8643	4.8	10
123	The structure of Cu(II) and Hg(II) complexes of bispyrenyl azine revisited. <i>Journal of Molecular Modeling</i> , 2017 , 23, 124	2	
122	Cubane-like tetranuclear Cu(ii) complexes bearing a CuO core: crystal structure, magnetic properties, DFT calculations and phenoxazinone synthase like activity. <i>Dalton Transactions</i> , 2017 , 46, 1249-1259	4.3	53
121	A Computational Study on the Stability of Oxaphosphirane Rings towards Closed-Shell Valence Isomerization. <i>European Journal of Inorganic Chemistry</i> , 2017 , 2017, 2707-2712	2.3	6

120	C i -Symmetry, [2 I2] grid, square copper complex with the N4,N5-bis(4-fluorophenyl)-1H-imidazole-4,5-dicarboxamide ligand: structure, catecholase activity, magnetic properties and DFT calculations. <i>New Journal of Chemistry</i> , 2017 , 41, 11750-11758	3.6	4
119	Comparative Computational Study on the Reaction of Chloroacetone with Trimethylphosphite: Perkow versus Michaelis-Arbuzov Reaction Paths. <i>Journal of Physical Chemistry A</i> , 2017 , 121, 6517-6522	2.8	8
118	Mexican Sign Language Alphanumerical Gestures Recognition using 3D Haar-like Features. <i>IEEE Latin America Transactions</i> , 2017 , 15, 2000-2005	0.7	7
117	Coordination chemistry of a low-coordinate non-metal element: the case of electrophilic terminal phosphinidene complexes. <i>Dalton Transactions</i> , 2016 , 45, 13951-6	4.3	8
116	Cycloaddition of P-C Single Bonds: Stereoselective Formation of Benzo-1,3,6,2-trioxaphosphepine Complexes via a Ditopic van der Waals Complex. <i>Angewandte Chemie - International Edition</i> , 2016 , 55, 12693-7	16.4	8
115	Reaction of a Stable Digermyne with Acetylenes: Synthesis of a 1,2-Digermabenzene and a 1,4-Digermabarrelene. <i>Bulletin of the Chemical Society of Japan</i> , 2016 , 89, 1375-1384	5.1	44
114	Thiaphosphiranes and Their Complexes: Systematic Study on Ring Strain and Ring Cleavage Reactions. <i>Inorganic Chemistry</i> , 2016 , 55, 9611-9619	5.1	16
113	Kinetic energy density per electron as quick insight into ring strain energies. <i>Tetrahedron Letters</i> , 2016 , 57, 5616-5619	2	11
112	Reactions of Li/Cl Phosphinidenoid Complexes with 1,3,4,5-Tetramethylimidazol-2-ylidene: A New Route to N-Heterocyclic Carbene Adducts of Terminal Phosphinidene Complexes and an Unprecedented Transformation of an Oxaphosphirane Complex. European Journal of Inorganic	2.3	17
111	Chemistry, 2016 , 2016, 685-690 Single Heteroatom Fine-Tuning of the Emissive Properties in Organoboron Complexes with 7-(Azaheteroaryl)indole Systems. <i>Journal of Organic Chemistry</i> , 2016 , 81, 3296-302	4.2	27
110	Rearrangement and deoxygenation of 3,3-bis(2-pyridyl)oxaphosphirane complexes. <i>Dalton Transactions</i> , 2016 , 45, 2085-94	4.3	16
109	CPh3 as a functional group in P-heterocyclic chemistry: elimination of HCPh3 in the reaction of P-CPh3 substituted Li/Cl phosphinidenoid complexes with Ph2C=O. <i>Dalton Transactions</i> , 2016 , 45, 2378	-853	14
108	Synthesis, crystal structure and DFT calculations of bis(1,3-diazinane-2-thione-B)dicyanido disilver(I), [{Ag(Diaz)2}{Ag(CN)2}]. <i>Polyhedron</i> , 2016 , 110, 299-304	2.7	7
107	Cycloaddition von P-C-Einfachbindungen: Stereoselektive Bildung von Benzo-1,3,6,2-trioxaphosphepinkomplexen Ber einen ditopischen Van-der-Waals-Komplex. <i>Angewandte Chemie</i> , 2016 , 128, 12885-12889	3.6	3
106	Synthesis, crystal structure, theoretical calculations and antimicrobial properties of [Pt(tetramethylthiourea)4] [Pt(CN)4][4H2O. <i>Journal of Molecular Structure</i> , 2015 , 1085, 155-161	3.4	6
105	Pyrene-based dyad and triad leading to a reversible chemical and redox optical and magnetic switch. <i>Chemistry - A European Journal</i> , 2015 , 21, 5504-9	4.8	5
104	Formation of Transient and Stable 1,3-Dipole Complexes with P,S,C and S,P,C Ligand Skeletons. <i>Organometallics</i> , 2015 , 34, 3103-3106	3.8	11
103	Going for strain: synthesis of the first 3-imino-azaphosphiridine complexes and their conversion into oxaphosphirane complex valence isomers. <i>Chemical Communications</i> , 2015 , 51, 3878-81	5.8	16

(2014-2015)

102	Electrochemical and Fluorescent Ferrocene-Imidazole-Based Dyads as Ion-Pair Receptors for Divalent Metal Cations and Oxoanions. <i>Inorganic Chemistry</i> , 2015 , 54, 7461-73	5.1	31
101	Evidence for Terminal Phosphinidene Oxide Complexes in O,P,C-Cage Complex Formation: Rearrangement of Oxaphosphirane Complexes. <i>Organometallics</i> , 2015 , 34, 2676-2682	3.8	15
100	Synthesis, crystal structure, theoretical calculations, and electrochemical and biological studies of polymeric (N,N,N?,N?-tetramethylethylenediamine)bis(thiocyanato-Ŋ)copper(II), [Cu(tmeda)(NCS)2]n. <i>Polyhedron</i> , 2015 , 90, 252-257	2.7	16
99	Novel C,N-Cyclometalated Benzimidazole Ruthenium(II) and Iridium(III) Complexes as Antitumor and Antiangiogenic Agents: A Structure-Activity Relationship Study. <i>Journal of Medicinal Chemistry</i> , 2015 , 58, 7310-27	8.3	92
98	Tris(triazole) tripodal receptors as selective probes for citrate anion recognition and multichannel transition and heavy metal cation sensing. <i>Organic and Biomolecular Chemistry</i> , 2015 , 13, 1429-38	3.9	20
97	Synthesis, theoretical calculations and antimicrobial studies of copper(I) complexes of cysteamine, cysteine and 2-mercaptonicotinic acid. <i>Polyhedron</i> , 2015 , 85, 239-245	2.7	11
96	Stimuli-Responsive Frustrated Lewis-Pair-Type Reactivity of a Tungsten Iminoazaphosphiridine Complex. <i>Chemistry - A European Journal</i> , 2015 , 21, 9650-5	4.8	15
95	Unusual Mechanism for the Reaction of a Niobocene Hydride Complex with Activated Alkynes. Experimental and DFT Studies. <i>Organometallics</i> , 2015 , 34, 2695-2698	3.8	6
94	Unprecedented ring-ring interconversion of N,P,C-cage ligands. <i>Chemistry - A European Journal</i> , 2015 , 21, 3727-35	4.8	15
93	Heteroleptic Ru(II) complexes containing aroyl hydrazone and 2,2?-bipyridyl: Synthesis, X-ray crystal structures, electrochemical and DFT studies. <i>Polyhedron</i> , 2014 , 72, 115-121	2.7	10
92	A novel N,P,C cage complex formed by rearrangement of a tricyclic phosphirane complex: on the importance of non-covalent interactions. <i>Chemistry - A European Journal</i> , 2014 , 20, 7010-6	4.8	17
91	FerroceneTriazole P yrene Triads as Multichannel Heteroditopic Recognition Receptors for Anions, Cations and Ion Pairs. <i>Organometallics</i> , 2014 , 33, 2837-2852	3.8	31
90	Ligand hierarchy on driving the crystal packing. Effect of supramolecular interactions on solid-state conformations adopted by saccharinate Pd(II) complexes. <i>CrystEngComm</i> , 2014 , 16, 7124	3.3	2
89	Oxaphosphirane-borane complexes: ring strain and migratory insertion/ring-opening reactions. <i>Inorganic Chemistry</i> , 2014 , 53, 6132-40	5.1	18
88	Nitrogen-rich multinuclear ferrocenophanes as multichannel chemosensor molecules for transition and heavy-metal cations. <i>Sensors</i> , 2014 , 14, 14339-55	3.8	12
87	Multifunctional Benzothiadiazole-Based Small Molecules Displaying Solvatochromism and Sensing Properties toward Nitroarenes, Anions, and Cations. <i>ChemistryOpen</i> , 2014 , 3, 242-9	2.3	19
86	The 3-Acetyloxaphosphirane/1,3,2-Dioxaphosphol-4-ene Rearrangement. <i>European Journal of Inorganic Chemistry</i> , 2014 , 2014, 1727-1734	2.3	11
85	Theoretical Study on Novel Mixed Valence, P-H Functional P-Ligands, and Their Tautomerization. <i>Heteroatom Chemistry</i> , 2014 , 25, 651-657	1.2	2

84	Reaction of Li/Cl phosphinidenoid complexes with a phosphite substituted ketone: access to complexes with a novel mixed-valence polycyclic P,C-ligand system. <i>Dalton Transactions</i> , 2013 , 42, 1051	o ⁴ 4³	7
83	Synthesis and DFT calculations of spirooxaphosphirane complexes. <i>Dalton Transactions</i> , 2013 , 42, 8897-	940€	23
82	Coordination of CO to low-valent phosphorus centres and other related Pt bonding situations. A theoretical case study. <i>Chemical Science</i> , 2013 , 4, 4309	9.4	24
81	Bis(carbazolyl)ureas as selective receptors for the recognition of hydrogenpyrophosphate in aqueous media. <i>Journal of Organic Chemistry</i> , 2013 , 78, 9725-37	4.2	28
80	The azaphosphiridine to terminal phosphinidene complex rearrangementlooking for non-covalent interactions of a highly reactive species. <i>Chemical Communications</i> , 2013 , 49, 9648-50	5.8	24
79	A densely decorated disubstituted ferrocene as an ion-pair recognition receptor. <i>Chemical Communications</i> , 2013 , 49, 9633-5	5.8	19
78	New steroidal 7-azaindole platinum(II) antitumor complexes. <i>Journal of Inorganic Biochemistry</i> , 2013 , 128, 48-56	4.2	20
77	Synthesis, X-ray Crystal Structures, and Spectroscopic, Electrochemical, and Theoretical Studies of MnIII Complexes of Pyridoxal Schiff Bases with Two Diamines. <i>European Journal of Inorganic Chemistry</i> , 2013 , 2013, 3249-3260	2.3	8
76	A Multidimensional Undergraduate Experiment for Easy Solution and Surface Sensing of Mercury(II) and Copper(II) Metal Cations. <i>Journal of Chemical Education</i> , 2013 , 90, 1057-1060	2.4	13
75	Isomeric carbazolocarbazoles: synthesis, characterization and comparative study in Organic Field Effect Transistors. <i>Journal of Materials Chemistry C</i> , 2013 , 1, 1959	7.1	32
74	Synthesis and reactions of the first room temperature stable Li/Cl phosphinidenoid complex. <i>Inorganic Chemistry</i> , 2012 , 51, 12343-9	5.1	45
73	Ion pair recognition receptor based on an unsymmetrically 1,1Pdisubstituted ferrocene-triazole derivative. <i>Journal of Organic Chemistry</i> , 2012 , 77, 10083-92	4.2	48
72	Reactivity of terminal phosphinidene versus Li-Cl phosphinidenoid complexes in cycloaddition chemistry. <i>Chemical Communications</i> , 2012 , 48, 5986-8	5.8	26
71	Deoxygenation of carbon dioxide by electrophilic terminal phosphinidene complexes. <i>Chemical Science</i> , 2012 , 3, 3526	9.4	22
7º	Synthesis, Structural Characterization, and Sensing Properties of Clickable Unsymmetrical 1,1?-Disubstituted Ferrocenellriazole Derivatives. <i>Organometallics</i> , 2012 , 31, 2085-2096	3.8	50
69	Single electron transfer-mediated selective endo- and exocyclic bond cleavage processes in azaphosphiridine chromium(0) complexes: a computational study. <i>Inorganic Chemistry</i> , 2012 , 51, 7250-6	5.1	22
68	Indolocarbazole-based ligands for ladder-type four-coordinate boron complexes. <i>Organic Letters</i> , 2012 , 14, 3360-3	6.2	59
67	Exocyclic bond cleavage in oxaphosphirane complexes?. Chemistry - A European Journal, 2012 , 18, 13405	54.8	16

(2010-2012)

66	Highly selective mercury(II) cations detection in mixed-aqueous media by a ferrocene-based fluorescent receptor. <i>Dalton Transactions</i> , 2012 , 41, 4437-44	4.3	27	
65	Multichannel recognition of hydrogen sulphate anion by a Zn(II)Eriazolepyridine complex bearing a ferrocenyl pendant. <i>Supramolecular Chemistry</i> , 2012 , 24, 826-832	1.8	7	
64	Multichannel HSO4- recognition promoted by a bound cation within a ferrocene-based ion pair receptor. <i>Chemical Communications</i> , 2012 , 48, 6848-50	5.8	47	
63	Novel C,N-chelate rhodium(III) and iridium(III) antitumor complexes incorporating a lipophilic steroidal conjugate and their interaction with DNA. <i>Dalton Transactions</i> , 2012 , 41, 12847-56	4.3	74	
62	Synthesis and antiproliferative activity of a C,N-cycloplatinated(II) complex with a potentially intercalative anthraquinone pendant. <i>Inorganic Chemistry</i> , 2011 , 50, 2151-8	5.1	46	
61	A potent ruthenium(II) antitumor complex bearing a lipophilic levonorgestrel group. <i>Inorganic Chemistry</i> , 2011 , 50, 9164-71	5.1	65	
60	Synthesis, structural charaterization, and electrochemical and optical properties of ferrocene-triazole-pyridine triads. <i>Inorganic Chemistry</i> , 2011 , 50, 8214-24	5.1	58	
59	A simple but effective dual redox and fluorescent ion pair receptor based on a ferrocene-imidazopyrene dyad. <i>Organic Letters</i> , 2011 , 13, 2078-81	6.2	76	
58	Computational studies on azaphosphiridines, or how to effect ring-opening processes through selective bond activation. <i>Chemistry - A European Journal</i> , 2011 , 17, 3166-78	4.8	40	
57	Selective picomolar detection of mercury(II) using optical sensors. <i>Chemical Communications</i> , 2011 , 47, 1842-4	5.8	43	
56	Aldimines generated from aza-Wittig reaction between bis(iminophosphoranes) derived from 1,1Pdiazidoferrocene and aromatic or heteroaromatic aldehydes: electrochemical and optical behaviour towards metal cations. <i>Dalton Transactions</i> , 2011 , 40, 12548-59	4.3	19	
55	Novel C,N-chelate platinum(II) antitumor complexes bearing a lipophilic ethisterone pendant. <i>Journal of Inorganic Biochemistry</i> , 2011 , 105, 525-31	4.2	45	
54	Conformationally modulated intramolecular electron transfer process in a diaza[2,2]ferrocenophane. <i>Inorganic Chemistry</i> , 2010 , 49, 3183-91	5.1	22	
53	Unexpected transalkylation on 3-alkyl-2-alkylthio-1,3,4-thiadiazolium-5-thiolates: a computational and experimental mechanistic study. <i>Organic and Biomolecular Chemistry</i> , 2010 , 8, 1623-8	3.9	7	
52	New 7-azaindole palladium and platinum complexes: crystal structures and theoretical calculations. In vitro anticancer activity of the platinum compounds. <i>Dalton Transactions</i> , 2010 , 39, 3290-301	4.3	62	
51	A multifaceted ferrocene-benzobisimidazole derivative: fluorogenic probe for Pb(2+) and Zn(2+) cations and unconventional fluorescence behaviour towards Cu(2+) metal cations. <i>Dalton Transactions</i> , 2010 , 39, 5429-31	4.3	27	
50	A Selective Chromogenic and Fluorescent Molecular Probe for YbIII Based on a Bichromophoric Azadiene. <i>European Journal of Inorganic Chemistry</i> , 2010 , 2010, 697-703	2.3	10	
49	Selective metal-cation recognition by [2.2] ferrocenophanes: the cases of zinc- and lithium-sensing. <i>Chemistry - A European Journal</i> , 2010 , 16, 1532-42	4.8	37	

48	Solid state conformational preferences of the $\{M(EXPX)\}\$ 2 core $(X = O, S)$ in transition metal complexes. <i>Journal of Molecular Structure</i> , 2010 , 968, 52-58	3.4	3
47	A new bis(pyrenyl)azadiene-based probe for the colorimetric and fluorescent sensing of Cu(II) and Hg(II). <i>Tetrahedron</i> , 2010 , 66, 3662-3667	2.4	74
46	Strong Evidence for an Unprecedented Borderline Case of Dissociation and Cycloaddition in Open-Shell 1,3-Dipole Chemistry: Transient Nitrilium Phosphane-Ylide Complex Radical Cations. <i>European Journal of Inorganic Chemistry</i> , 2009 , 2009, 3226-3237	2.3	25
45	A selective redox and chromogenic probe for Hg(II) in aqueous environment based on a ferrocene-azaquinoxaline dyad. <i>Inorganic Chemistry</i> , 2009 , 48, 11566-75	5.1	50
44	Mononuclear ferrocenophane structural motifs with two thiourea arms acting as a dual binding site for anions and cations. <i>Inorganic Chemistry</i> , 2009 , 48, 1566-76	5.1	48
43	A new open benzodipyrrole-based chemosensor for hydrogenpyrophosphate anion in aqueous environment. <i>Chemical Communications</i> , 2009 , 7539-41	5.8	31
42	A multiresponsive two-arm ferrocene-based chemosensor molecule for selective detection of mercury. <i>Dalton Transactions</i> , 2009 , 2121-9	4.3	37
41	A redox-fluorescent molecular switch based on a heterobimetallic Ir(iii) complex with a ferrocenyl azaheterocycle as ancillary ligand. <i>Dalton Transactions</i> , 2009 , 3900-2	4.3	20
40	N1-coordination in palladium(II) and platinum(II) complexes with 9-methylhypoxanthine: crystal structures and theoretical calculations. <i>Dalton Transactions</i> , 2009 , 9637-44	4.3	7
39	Orthogonal non-covalent binding forces in solid state supramolecular herringbone-shaped "interlocked dimers". Pseudopolymorphism in [(ppy)Pd(mu-pz)](2) (ppy = 2-(2-pyridyl)phenyl, pz = pyrazol-1-yl) complex. <i>Dalton Transactions</i> , 2009 , 9625-36	4.3	28
38	Imidazole-annelated ferrocene derivatives as highly selective and sensitive multichannel chemical probes for Pb(II) cations. <i>Journal of Organic Chemistry</i> , 2009 , 74, 4787-96	4.2	89
37	Ferrocene-based small molecules for dual-channel sensing of heavy- and transition-metal cations. Journal of Organic Chemistry, 2008 , 73, 5489-97	4.2	62
36	Triple channel sensing of Pb(II) ions by a simple multiresponsive ferrocene receptor having a 1-deazapurine backbone. <i>Organic Letters</i> , 2008 , 10, 41-4	6.2	87
35	Cation coordination induced modulation of the anion sensing properties of a ferrocene-imidazophenanthroline dyad: multichannel recognition from phosphate-related to chloride anions. <i>Journal of Organic Chemistry</i> , 2008 , 73, 4034-44	4.2	157
34	Crystal Packing in Di-(EDH)-ortho-palladated Complexes IA DFT Insight into the Molecular Structure and Solid-State Interactions. <i>European Journal of Inorganic Chemistry</i> , 2008 , 2008, 3687-3697	2.3	6
33	Bis(indolyl)methane derivatives as highly selective colourimetric and ratiometric fluorescent molecular chemosensors for Cu2+ cations. <i>Tetrahedron</i> , 2008 , 64, 2184-2191	2.4	118
32	Synthesis, electrochemical, and optical properties of linear homo- and heterometallocene triads. Journal of Organic Chemistry, 2007 , 72, 6924-37	4.2	21
31	A simple but effective ferrocene derivative as a redox, colorimetric, and fluorescent receptor for highly selective recognition of Zn2+ ions. <i>Organic Letters</i> , 2007 , 9, 2385-8	6.2	80

(2004-2007)

30	electroactive thiazole derivatives capped with ferrocenyl units showing charge-transfer transition and selective ion-sensing properties: a combined experimental and theoretical study. <i>Inorganic Chemistry</i> , 2007 , 46, 825-38	5.1	68
29	[3.3]Ferrocenophanes with guanidine bridging units as multisignalling receptor molecules for selective recognition of anions, cations, and amino acids. <i>Chemistry - A European Journal</i> , 2007 , 13, 574.	2- \$ 2	74
28	Evidence for Ligand-Centered Reactivity of a 17e Radical Cationic 2H-Azaphosphirene Complex. <i>European Journal of Inorganic Chemistry</i> , 2007 , 2007, 4669-4678	2.3	15
27	Multifunctional ferrocene-ruthenocene dyads linked by single or double aza-containing bridges displaying metal-metal interactions and cation recognition properties. <i>Journal of Organic Chemistry</i> , 2007 , 72, 1161-73	4.2	22
26	Synthesis of Multifunctional Aza-Substituted Ruthenocene Derivatives Displaying Charge-Transfer Transitions and Selective Zn(II) Ions Sensing Properties. <i>Organometallics</i> , 2007 , 26, 6234-6242	3.8	24
25	Ferrocene-based ureas as multisignaling receptors for anions. <i>Journal of Organic Chemistry</i> , 2006 , 71, 4590-8	4.2	102
24	Heteroditopic ferrocene-based ureas as receptors for anions and cations. <i>Dalton Transactions</i> , 2006 , 3685-92	4.3	56
23	2-Aza-1,3-butadiene derivatives featuring an anthracene or pyrene unit: highly selective colorimetric and fluorescent signaling of Cu2+ cation. <i>Organic Letters</i> , 2006 , 8, 3235-8	6.2	195
22	Multifunctional linear triferrocene derivatives linked by oxidizable bridges: optical, electronic, and cation sensing properties. <i>Organic Letters</i> , 2005 , 7, 3171-4	6.2	32
21	Preparation, structure, and anion sensing properties of 1,n-diaza[n]ferrocenophanes. <i>Journal of Organic Chemistry</i> , 2005 , 70, 6603-8	4.2	37
20	New Hg2+ and Cu2+ selective chromo- and fluoroionophore based on a bichromophoric azine. <i>Organic Letters</i> , 2005 , 7, 5869-72	6.2	219
19	Synthesis and Characterization of Radical Cations Derived from Mono- and Biferrocenyl-Substituted 2-Aza-1,3-butadienes: A Study of the Influence of an Asymmetric and Oxidizable Bridge on Intramolecular Electron Transfer. <i>European Journal of Inorganic Chemistry</i> , 2005 , 2005, 2436-2450	2.3	46
18	An electroactive nitrogen-rich [4.4]ferrocenophane displaying redox-switchable behavior: selective sensing, complexation, and decomplexation of Mg2+ ions. <i>Angewandte Chemie - International Edition</i> , 2005 , 44, 1977-81	16.4	38
17	An Electroactive Nitrogen-Rich [4.4]Ferrocenophane Displaying Redox-Switchable Behavior: Selective Sensing, Complexation, and Decomplexation of Mg2+ ions. <i>Angewandte Chemie</i> , 2005 , 117, 2013-2017	3.6	7
16	Electrophilic behaviour of 3-methyl-2-methylthio-1,3,4-thiadiazolium salts: A multimodal theoretical approach. <i>Arkivoc</i> , 2005 , 2005, 415-437	0.9	17
15	A new multifunctional ferrocenyl-substituted ferrocenophane derivative: optical and electronic properties and selective recognition of Mg2+ ions. <i>Chemistry - A European Journal</i> , 2004 , 10, 1815-26	4.8	50
14	A nitrate-selective electrode based on a tris(2-aminoethyl)amine triamide derivative receptor. <i>Analytica Chimica Acta</i> , 2004 , 525, 231-237	6.6	22
13	A new fluoride selective electrochemical and fluorescent chemosensor based on a ferrocene-naphthalene dyad. <i>Chemical Communications</i> , 2004 , 1658-9	5.8	71

12	Selective fluorescence sensing of Li+ in an aqueous environment by a ferrocene-anthracene-linked dyad. <i>Organic Letters</i> , 2004 , 6, 4599-602	6.2	51
11	Synthesis and properties of a new class of nitrogen-rich multinuclear[m.n] ferrocenophanes. <i>Chemical Communications</i> , 2004 , 458-9	5.8	33
10	Solid state conformational and theoretical study of complexes containing the (CxN)Pd moiety (CxN = 2-(phenylazo)phenyl-C,N and its derivatives). <i>New Journal of Chemistry</i> , 2003 , 27, 1490-1496	3.6	29
9	A new insight into the problem of stabilisation of Earbocationic centres in the ferrocene series. <i>Tetrahedron Letters</i> , 2002 , 43, 4717-4720	2	8
8	Unexpected triphenylphosphane-promoted conversion of 2-azido-3-vinyl-l, 4-naphthoquinones into 2-amino-3-acyl-l, 4-naphthoquinones. <i>Liebigs Annalen Der Chemie</i> , 1994 , 1994, 223-224		4
7	Syntheses of Bile Pigments. Part 18. Synthesis and conformational studies of oxa- and thia-deaza-biliverdin analogues. <i>Helvetica Chimica Acta</i> , 1994 , 77, 1837-1850	2	6
6	Synthesis of a Novel Class of Macrocyclic Compounds Containing 1,3,4-Thiadiazole Rings as Subunits. <i>Journal of Organic Chemistry</i> , 1994 , 59, 3665-3669	4.2	18
65		4.2 0.8	18
	Subunits. Journal of Organic Chemistry, 1994, 59, 3665-3669 Preparation of a Novel Type of Ligands Incorporating Two or Three 1,3,4-Thiadiazole Units. Heterocycles, 1993, 36, 1263 Methyl 2-methyldithiocarbazate in heterocyclic synthesis: preparation of 2,5-disubstituted 1,3,4-thiadiazoles, bis(1,3,4-thiadiazolium) salts and macrocycles containing 1,3,4-thiadiazole subunits. X-Ray crystal structure of	·	
5	Subunits. <i>Journal of Organic Chemistry</i> , 1994 , 59, 3665-3669 Preparation of a Novel Type of Ligands Incorporating Two or Three 1,3,4-Thiadiazole Units. <i>Heterocycles</i> , 1993 , 36, 1263 Methyl 2-methyldithiocarbazate in heterocyclic synthesis: preparation of 2,5-disubstituted 1,3,4-thiadiazoles, bis(1,3,4-thiadiazolium) salts and macrocycles containing 1,3,4-thiadiazole	·	3
5 4	Preparation of a Novel Type of Ligands Incorporating Two or Three 1,3,4-Thiadiazole Units. Heterocycles, 1993, 36, 1263 Methyl 2-methyldithiocarbazate in heterocyclic synthesis: preparation of 2,5-disubstituted 1,3,4-thiadiazoles, bis(1,3,4-thiadiazolium) salts and macrocycles containing 1,3,4-thiadiazole subunits. X-Ray crystal structure of 2,2?-bis[4,5-dihydro-5-(2-hydroxyethylimino)-4-methyl-1,3,4-thiadiazole]. Journal of the Chemical Synthesis of 1,2,4-Triazole and 1,3,4-Thiadiazole Derivatives from Methyl 2-Methyldithiocarbazate	0.8	7