
Michela Cinquini

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9313549/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Risk of infections using anti-TNF agents in rheumatoid arthritis, psoriatic arthritis, and ankylosing spondylitis: a systematic review and meta-analysis. Expert Opinion on Drug Safety, 2016, 15, 11-34.	2.4	235
2	The revised Cochrane risk of bias tool for randomized trials (RoB 2) showed low interrater reliability and challenges in its application. Journal of Clinical Epidemiology, 2020, 126, 37-44.	5.0	139
3	Follow-up strategies for women treated for early breast cancer. The Cochrane Library, 2016, 2016, CD001768.	2.8	138
4	Accuracy of molecular biology techniques for the diagnosis of Strongyloides stercoralis infection—A systematic review and meta-analysis. PLoS Neglected Tropical Diseases, 2018, 12, e0006229.	3.0	104
5	Temporary ovarian suppression during chemotherapy to preserve ovarian function and fertility in breast cancer patients: A GRADE approach for evidence evaluation and recommendations by the Italian Association of Medical Oncology. European Journal of Cancer, 2017, 71, 25-33.	2.8	79
6	Quality assessment versus risk of bias in systematic reviews: AMSTARÂand ROBIS had similar reliability but differed in theirÂconstruct and applicability. Journal of Clinical Epidemiology, 2018, 99, 24-32.	5.0	63
7	Risk of malignancies using anti-TNF agents in rheumatoid arthritis, psoriatic arthritis, and ankylosing spondylitis: a systematic review and meta-analysis. Expert Opinion on Drug Safety, 2016, 15, 35-54.	2.4	62
8	Maintenance or consolidation therapy in small-cell lung cancer: A systematic review and meta-analysis. Lung Cancer, 2010, 70, 119-128.	2.0	58
9	The Zinc Finger Gene <i>ZIC2</i> Has Features of an Oncogene and Its Overexpression Correlates Strongly with the Clinical Course of Epithelial Ovarian Cancer. Clinical Cancer Research, 2012, 18, 4313-4324.	7.0	53
10	Speed of updating online evidence based point of care summaries: prospective cohort analysis. BMJ: British Medical Journal, 2011, 343, d5856-d5856.	2.3	52
11	Is there evidence for different effects among EGFR-TKIs? Systematic review and meta-analysis of EGFR tyrosine kinase inhibitors (TKIs) versus chemotherapy as first-line treatment for patients harboring EGFR mutations. Critical Reviews in Oncology/Hematology, 2015, 94, 213-227.	4.4	51
12	Anticonvulsants for cocaine dependence. , 2015, , CD006754.		47
13	Analysis of Gene Expression in Early-Stage Ovarian Cancer. Clinical Cancer Research, 2008, 14, 7850-7860.	7.0	43
14	Sorafenib does not improve efficacy of chemotherapy in advanced pancreatic cancer: A GISCAD randomized phase II study. Digestive and Liver Disease, 2014, 46, 182-186.	0.9	40
15	The value of lactate dehydrogenase serum levels as a prognostic and predictive factor for advanced pancreatic cancer patients receiving sorafenib. Oncotarget, 2015, 6, 35087-35094.	1.8	40
16	Risk/benefit profile of bevacizumab in metastatic colon cancer: A systematic review and meta-analysis. Digestive and Liver Disease, 2011, 43, 286-294.	0.9	39
17	Aortic Augmentation Index in Patients With Peripheral Arterial Disease. Journal of Clinical Hypertension, 2014, 16, 782-787.	2.0	25
18	Increased Aortic Stiffness and Related Factors in Patients With Peripheral Arterial Disease. Journal of Clinical Hypertension, 2013, 15, 712-716.	2.0	24

#	Article	IF	CITATIONS
19	Inclusion of Platinum Agents in Neoadjuvant Chemotherapy Regimens for Triple-Negative Breast Cancer Patients: Development of GRADE (Grades of Recommendation, Assessment, Development and) Tj ETQq1 1137.	1	4.rgBT /Over
20	Risk of bias in nonrandomized studies of interventions showed low inter-rater reliability and challenges in its application. Journal of Clinical Epidemiology, 2019, 112, 28-35.	5.0	19
21	AGREE II appraisals of clinical practice guidelines in rehabilitation showed poor reporting and moderate variability in quality ratings when users apply different cuff-offs: a methodological study. Journal of Clinical Epidemiology, 2021, 139, 222-231.	5.0	19
22	Clinical evidence continuous medical education: a randomised educational trial of an open access e-learning program for transferring evidence-based information – ICEKUBE (Italian Clinical Evidence) Tj ETQq0 C) Œr <mark>g</mark> BT /C	vædock 10 T
23	Implementing an evidence-based computerized decision support system linked to electronic health records to improve care for cancer patients: the ONCO-CODES study protocol for a randomized controlled trial. Implementation Science, 2016, 11, 153.	6.9	16
24	IMRT versus 2D/3D conformal RT in oropharyngeal cancer: A review of the literature and metaâ€analysis. Oral Diseases, 2021, 27, 1644-1653.	3.0	16
25	Non-Operative Management Versus Total Mesorectal Excision for Locally Advanced Rectal Cancer with Clinical Complete Response After Neoadjuvant Chemoradiotherapy: a GRADE Approach by the Rectal Cancer Guidelines Writing Group of the Italian Association of Medical Oncology (AIOM). Journal of Gastrointestinal Surgery, 2020, 24, 2150-2159.	1.7	15
26	Epidemiologic evidence of slow growing, nonprogressive or regressive breast cancer: A systematic review. International Journal of Cancer, 2016, 139, 554-573.	5.1	14
27	Reply to Arterial Stiffness in Patients With Peripheral Arterial Disease. Journal of Clinical Hypertension, 2013, 15, 939-939.	2.0	12
28	Management of patients with early-stage colon cancer: guidelines of the Italian Medical Oncology Association. ESMO Open, 2020, 5, e001001.	4.5	11
29	Adjuvant endocrine therapy in premenopausal patients with hormone receptor-positive early breast cancer: Evidence evaluation and GRADE recommendations by the Italian Association of Medical Oncology (AIOM). European Journal of Cancer, 2018, 99, 9-19.	2.8	10
30	Effects of goalâ€oriented care for adults with multimorbidity: A systematic review and metaâ€analysis. Journal of Evaluation in Clinical Practice, 2022, 28, 371-381.	1.8	9
31	Introduction and methods of the evidence-based guidelines for the diagnosis and management of autism spectrum disorder by the Italian National Institute of Health. Health and Quality of Life Outcomes, 2020, 18, 81.	2.4	7
32	A mono-institutional prospective study on the effectiveness of a specialist psychotherapeutic intervention (POI) started at the diagnosis of cancer. Supportive Care in Cancer, 2012, 20, 475-481.	2.2	6
33	Insufficient uptake of systematic search methods in oncological clinical practice guideline: a systematic review. BMC Medical Research Methodology, 2019, 19, 180.	3.1	4
34	Male Breast Cancer: Clinical Features and Multimodal Treatment in a Retrospective Survey Analysis at Italian Centers. Tumori, 2013, 99, 596-600.	1.1	3
35	Do We Really Need Another Epidermal Growth Factor Receptor Tyrosine Kinase Inhibitor in First-Line Treatment for Patients With Non–Small-Cell Lung Cancer andEGFRMutations?. Journal of Clinical Oncology, 2014, 32, 859-863.	1.6	3
36	Chemotherapy versus erlotinib as second-line treatment in patients with advanced non-small cell lung cancer and wild-type epidermal growth factor receptor: an individual patient data (IPD) analysis. ESMO Open, 2018, 3, e000327.	4.5	2

MICHELA CINQUINI

#	Article	IF	Citations
37	Kappa and AC1/2 statistics: beyond the paradox. Journal of Clinical Epidemiology, 2022, 142, 328-329.	5.0	2
38	Male breast cancer: clinical features and multimodal treatment in a retrospective survey analysis at Italian centers. Tumori, 2013, 99, 596-600.	1.1	2
39	Waiting for Godot: Predictive factors for adjuvant treatment of patients with luminal breast cancer. Breast, 2016, 27, 187-188.	2.2	1
40	Treatment-associated mortality in head and neck cancer receiving chemotherapy and radiation: Meta-analysis of published trials Journal of Clinical Oncology, 2015, 33, 6062-6062.	1.6	1
41	Individual patients data analysis (IPD) of three randomized studies comparing erlotinib (E) with chemotherapy (CT) in patients with advanced wild-type epidermal growth factor receptor (wtEGFR) non-small cell lung cancer (NSCLC) Journal of Clinical Oncology, 2015, 33, 8048-8048.	1.6	1
42	More than one third of clinical practice guidelines on low back pain overlap in AGREE II appraisals. Research wasted?. BMC Medical Research Methodology, 2022, 22, .	3.1	1
43	Heated tobacco and politics in Italy. BMJ: British Medical Journal, 2019, 365, 14189.	2.3	Ο
44	GRADE Notes 2: Criteria for searching non-randomized or indirect evidence should be defined early in the guideline production process. Journal of Clinical Epidemiology, 2021, 139, 210-213.	5.0	0