

Carlos Ezquer-Garin

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9315863/publications.pdf>

Version: 2024-02-01

10
papers

85
citations

1477746

6
h-index

1473754

9
g-index

10
all docs

10
docs citations

10
times ranked

154
citing authors

#	ARTICLE	IF	CITATIONS
1	Optimizing ceftolozane-tazobactam dosage in critically ill patients during continuous venovenous hemodiafiltration. <i>Critical Care</i> , 2019, 23, 145.	2.5	21
2	Dosing of caspofungin based on a pharmacokinetic/pharmacodynamic index for the treatment of invasive fungal infections in critically ill patients on continuous venovenous haemodiafiltration. <i>International Journal of Antimicrobial Agents</i> , 2018, 51, 115-121.	1.1	17
3	Validated HPLC-UV detection method for the simultaneous determination of ceftolozane and tazobactam in human plasma. <i>Bioanalysis</i> , 2018, 10, 461-473.	0.6	10
4	Stability of tacrolimus ophthalmic solution. <i>American Journal of Health-System Pharmacy</i> , 2017, 74, 1002-1006.	0.5	9
5	Plasma concentrations of caspofungin in a critically ill patient with morbid obesity. <i>Critical Care</i> , 2017, 21, 200.	2.5	8
6	Ceftolozane Pharmacokinetics in a Septic Critically Ill Patient under Different Extracorporeal Replacement Therapies. <i>Antimicrobial Agents and Chemotherapy</i> , 2019, 64, .	1.4	7
7	Pharmacokinetic/Pharmacodynamic Analysis of Voriconazole Against <i>Candida</i> spp. and <i>Aspergillus</i> spp. in Allogeneic Stem Cell Transplant Recipients. <i>Therapeutic Drug Monitoring</i> , 2019, 41, 740-747.	1.0	5
8	Stability of tedizolid phosphate-sodium rifampicin and tedizolid phosphate-meropenem admixtures in intravenous infusion bags stored at different temperatures. <i>Die Pharmazie</i> , 2020, 75, 172-176.	0.3	4
9	Optimizing ceftolozane-tazobactam dosage during continuous renal replacement therapy: some nuances. <i>Critical Care</i> , 2020, 24, 11.	2.5	3
10	Stability of mycophenolate mofetil in polypropylene 5% dextrose infusion bags and chemical compatibility associated with the use of the Equashield [®] closed-system transfer device. <i>Biomedical Chromatography</i> , 2019, 33, e4529.	0.8	1