

Marilia Brito Gomes

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9316131/publications.pdf>

Version: 2024-02-01

133
papers

3,511
citations

147726

31
h-index

168321

53
g-index

139
all docs

139
docs citations

139
times ranked

4968
citing authors

#	ARTICLE	IF	CITATIONS
1	Metformin: an old but still the best treatment for type 2 diabetes. <i>Diabetology and Metabolic Syndrome</i> , 2013, 5, 6.	1.2	408
2	Therapeutic inertia in the treatment of hyperglycaemia in patients with type 2 diabetes: A systematic review. <i>Diabetes, Obesity and Metabolism</i> , 2018, 20, 427-437.	2.2	247
3	Alpha-lipoic acid as a pleiotropic compound with potential therapeutic use in diabetes and other chronic diseases. <i>Diabetology and Metabolic Syndrome</i> , 2014, 6, 80.	1.2	193
4	Vascular complications in patients with type 2 diabetes: prevalence and associated factors in 38 countries (the DISCOVER study program). <i>Cardiovascular Diabetology</i> , 2018, 17, 150.	2.7	149
5	Adverse pregnancy outcomes in women with diabetes. <i>Diabetology and Metabolic Syndrome</i> , 2012, 4, 41.	1.2	140
6	The Costs of Type 2 Diabetes Mellitus Outpatient Care in the Brazilian Public Health System. <i>Value in Health</i> , 2011, 14, S137-S140.	0.1	105
7	Endothelial function in patients with type 1 diabetes evaluated by skin capillary recruitment. <i>Microvascular Research</i> , 2007, 73, 107-112.	1.1	66
8	Low birth weight: causes and consequences. <i>Diabetology and Metabolic Syndrome</i> , 2013, 5, 49.	1.2	66
9	Prevalence of thyroid dysfunction in patients with diabetes mellitus. <i>Diabetology and Metabolic Syndrome</i> , 2013, 5, 58.	1.2	65
10	Prevalence of adults with type 1 diabetes who meet the goals of care in daily clinical practice: A nationwide multicenter study in Brazil. <i>Diabetes Research and Clinical Practice</i> , 2012, 97, 63-70.	1.1	63
11	Treatment of type 2 diabetes mellitus worldwide: Baseline patient characteristics in the global DISCOVER study. <i>Diabetes Research and Clinical Practice</i> , 2019, 151, 20-32.	1.1	63
12	Baseline characteristics and risk factors for ulcer, amputation and severe neuropathy in diabetic foot at risk: the BRAZUPA study. <i>Diabetology and Metabolic Syndrome</i> , 2016, 8, 25.	1.2	61
13	Adherence to insulin therapeutic regimens in patients with type 1 diabetes. A nationwide survey in Brazil. <i>Diabetes Research and Clinical Practice</i> , 2016, 120, 47-55.	1.1	55
14	Acute-phase proteins among patients with type 1 diabetes. <i>Diabetes and Metabolism</i> , 2003, 29, 405-411.	1.4	54
15	Glargine vs. NPH insulin therapy in pregnancies complicated by diabetes: An observational cohort study. <i>Diabetes Research and Clinical Practice</i> , 2010, 89, 46-51.	1.1	53
16	Interventions to improve patients' compliance with therapies aimed at lowering glycated hemoglobin (HbA1c) in type 1 diabetes: systematic review and meta-analyses of randomized controlled clinical trials of psychological, telecare, and educational interventions. <i>Trials</i> , 2016, 17, 94.	0.7	52
17	Evaluation of microvascular endothelial function in patients with type 1 diabetes using laser-Doppler perfusion monitoring: Which method to choose?. <i>Microvascular Research</i> , 2008, 76, 132-133.	1.1	49
18	Temporal trends in incidence of Type 1 diabetes between 1986 and 2006 in Brazil. <i>Journal of Endocrinological Investigation</i> , 2010, 33, 373-377.	1.8	47

#	ARTICLE	IF	CITATIONS
19	Assessment of cognitive status in patients with type 2 diabetes through the mini-mental status examination: a cross-sectional study. <i>Diabetology and Metabolic Syndrome</i> , 2010, 2, 10.	1.2	46
20	Towards an improved global understanding of treatment and outcomes in people with type 2 diabetes: Rationale and methods of the DISCOVER observational study program. <i>Journal of Diabetes and Its Complications</i> , 2017, 31, 1188-1196.	1.2	46
21	The cost of type 1 diabetes: a nationwide multicentre study in Brazil. <i>Bulletin of the World Health Organization</i> , 2013, 91, 434-440.	1.5	45
22	Assessment of psychosocial variables by parents of youth with type 1 diabetes mellitus. <i>Diabetology and Metabolic Syndrome</i> , 2012, 4, 48.	1.2	43
23	Economic status and clinical care in young type 1 diabetes patients: a nationwide multicenter study in Brazil. <i>Acta Diabetologica</i> , 2013, 50, 743-752.	1.2	40
24	Antihypertensive Treatment Improves Microvascular Rarefaction and Reactivity in Low-Risk Hypertensive Individuals. <i>Microcirculation</i> , 2013, 20, 703-716.	1.0	38
25	Patterns of glycaemic control in patients with type 2 diabetes mellitus initiating second-line therapy after metformin monotherapy: retrospective data for 10,256 individuals from the United Kingdom and Germany. <i>Diabetes, Obesity and Metabolism</i> , 2018, 20, 389-399.	2.2	38
26	Relationship between adherence to diet, glycemic control and cardiovascular risk factors in patients with type 1 diabetes: a nationwide survey in Brazil. <i>Nutrition Journal</i> , 2014, 13, 19.	1.5	37
27	Treatment patterns and associated factors in 14 668 people with type 2 diabetes initiating a second-line therapy: Results from the global DISCOVER study programme. <i>Diabetes, Obesity and Metabolism</i> , 2019, 21, 2474-2485.	2.2	36
28	Increasing incidence of type 1 diabetes between 1986 and 2015 in Bauru, Brazil. <i>Diabetes Research and Clinical Practice</i> , 2017, 127, 198-204.	1.1	35
29	Glucose levels observed in daily clinical practice induce endothelial dysfunction in the rabbit macro- and microcirculation. <i>Fundamental and Clinical Pharmacology</i> , 2004, 18, 339-346.	1.0	34
30	Acute-phase proteins and microalbuminuria among patients with type 2 diabetes. <i>Diabetes Research and Clinical Practice</i> , 2004, 66, 31-39.	1.1	31
31	Assessment of efficacy and tolerability of once-daily extended release metformin in patients with type 2 diabetes mellitus. <i>Diabetology and Metabolic Syndrome</i> , 2010, 2, 16.	1.2	31
32	Uric acid levels are associated with microvascular endothelial dysfunction in patients with Type 1 diabetes. <i>Diabetic Medicine</i> , 2011, 28, 1188-1193.	1.2	31
33	Regional differences in clinical care among patients with type 1 diabetes in Brazil: Brazilian Type 1 Diabetes Study Group. <i>Diabetology and Metabolic Syndrome</i> , 2012, 4, 44.	1.2	29
34	Self-reported color-race and genomic ancestry in an admixed population: A contribution of a nationwide survey in patients with type 1 diabetes in Brazil. <i>Diabetes Research and Clinical Practice</i> , 2018, 140, 245-252.	1.1	29
35	Heterogeneous behavior of lipids according to HbA1c levels undermines the plausibility of metabolic syndrome in type 1 diabetes: data from a nationwide multicenter survey. <i>Cardiovascular Diabetology</i> , 2012, 11, 156.	2.7	28
36	Comparison between binocular indirect ophthalmoscopy and digital retinography for diabetic retinopathy screening: the multicenter Brazilian Type 1 Diabetes Study. <i>Diabetology and Metabolic Syndrome</i> , 2015, 7, 116.	1.2	27

#	ARTICLE	IF	CITATIONS
37	Historical facts of screening and diagnosing diabetes in pregnancy. <i>Diabetology and Metabolic Syndrome</i> , 2013, 5, 22.	1.2	26
38	Could Fasting Plasma Glucose Be Used for Screening High-Risk Outpatients for Gestational Diabetes Mellitus?. <i>Diabetes Care</i> , 2001, 24, 954-955.	4.3	24
39	Assessment of microvascular endothelial function in type 1 diabetes using laser speckle contrast imaging. <i>Journal of Diabetes and Its Complications</i> , 2017, 31, 753-757.	1.2	24
40	Current epidemiology of diabetic retinopathy in patients with type 1 diabetes: a national multicenter study in Brazil. <i>BMC Public Health</i> , 2018, 18, 989.	1.2	24
41	Early alterations of blood pressure in normotensive and normoalbuminuric Type 1 diabetic patients. <i>Diabetes Research and Clinical Practice</i> , 2001, 53, 85-90.	1.1	23
42	Is there a physiological variability for albumin excretion rate?. <i>Clinica Chimica Acta</i> , 2001, 304, 117-123.	0.5	23
43	Temporal changes in the diagnosis of type 1 diabetes by diabetic ketoacidosis in Brazil: A nationwide survey. <i>Diabetic Medicine</i> , 2012, 29, 1142-1147.	1.2	21
44	Should thyroid-stimulating hormone goals be reviewed in patients with Type 1 diabetes mellitus? Results from The Brazilian Type 1 Diabetes Study Group. <i>Diabetic Medicine</i> , 2014, 31, 1665-1672.	1.2	21
45	Health-related quality of life in people with type 1 Diabetes Mellitus: data from the Brazilian Type 1 Diabetes Study Group. <i>Health and Quality of Life Outcomes</i> , 2015, 13, 204.	1.0	21
46	Overweight/obesity in adolescents with type 1 diabetes belonging to an admixed population. A Brazilian multicenter study. <i>Diabetology and Metabolic Syndrome</i> , 2022, 14, 1.	1.2	21
47	Glycaemic control in patients with type 2 diabetes initiating second-line therapy: Results from the global DISCOVER study programme. <i>Diabetes, Obesity and Metabolism</i> , 2020, 22, 66-78.	2.2	20
48	Impairment of Skin Capillary Recruitment Precedes Chronic Complications in Patients with Type 1 Diabetes. <i>Review of Diabetic Studies</i> , 2007, 4, 85-88.	0.5	20
49	Plasma PAF-acetylhydrolase activity, inflammatory markers and susceptibility of LDL to in vitro oxidation in patients with type 1 diabetes mellitus. <i>Diabetes Research and Clinical Practice</i> , 2009, 85, 61-68.	1.1	19
50	Dysglycemias in pregnancy: from diagnosis to treatment. Brazilian consensus statement. <i>Diabetology and Metabolic Syndrome</i> , 2010, 2, 27.	1.2	19
51	The impact of ethnicity, educational and economic status on the prescription of insulin therapeutic regimens and on glycemic control in patients with type 1 diabetes. A nationwide study in Brazil. <i>Diabetes Research and Clinical Practice</i> , 2017, 134, 44-52.	1.1	18
52	Type 1 Diabetes and Non-Alcoholic Fatty Liver Disease: When Should We Be Concerned? A Nationwide Study in Brazil. <i>Nutrients</i> , 2017, 9, 878.	1.7	18
53	Preperitoneal fat as a non-invasive marker of increased risk of severe non-alcoholic fatty liver disease in patients with type 2 diabetes. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2018, 33, 511-517.	1.4	18
54	Insulin analogues in the treatment of diabetes in pregnancy. <i>Arquivos Brasileiros De Endocrinologia E Metabologia</i> , 2012, 56, 405-414.	1.3	17

#	ARTICLE	IF	CITATIONS
55	Double-diabetes in a real-world sample of 2711 individuals: associated with insulin treatment or part of the heterogeneity of type 1 diabetes?. <i>Diabetology and Metabolic Syndrome</i> , 2016, 8, 28.	1.2	16
56	Does knowledge on diabetes management influence glycemic control? A nationwide study in patients with type 1 diabetes in Brazil. <i>Patient Preference and Adherence</i> , 2018, Volume 12, 53-62.	0.8	15
57	Relationship between inflammatory markers, glycated hemoglobin and placental weight on fetal outcomes in women with gestational diabetes. <i>Archives of Endocrinology and Metabolism</i> , 2019, 63, 22-29.	0.3	15
58	Algorithm for the treatment of type 2 diabetes: a position statement of Brazilian Diabetes Society. <i>Diabetology and Metabolic Syndrome</i> , 2010, 2, 35.	1.2	14
59	Post-operative endothelial dysfunction assessment using laser Doppler perfusion measurement in cardiac surgery patients. <i>Acta Anaesthesiologica Scandinavica</i> , 2014, 58, 468-477.	0.7	14
60	HLA class II genotyping of admixed Brazilian patients with type 1 diabetes according to self-reported color/race in a nationwide study. <i>Scientific Reports</i> , 2020, 10, 6628.	1.6	14
61	Determinants of self-monitoring of blood glucose in patients with Type 1 diabetes: a multicentre study in Brazil. <i>Diabetic Medicine</i> , 2013, 30, 1255-1262.	1.2	13
62	Postpartum follow up of gestational diabetes in a Tertiary Care Center. <i>Diabetology and Metabolic Syndrome</i> , 2018, 10, 2.	1.2	13
63	Health literacy skills in type 2 diabetes mellitus outpatients from an university-affiliated hospital in Rio de Janeiro, Brazil. <i>Diabetology and Metabolic Syndrome</i> , 2014, 6, 126.	1.2	12
64	Retirement due to disabilities in patients with type 1 diabetes a nationwide multicenter survey in Brazil. <i>BMC Public Health</i> , 2015, 15, 486.	1.2	12
65	Microvascular Complications in Type 1 Diabetes: A Comparative Analysis of Patients Treated with Autologous Nonmyeloablative Hematopoietic Stem-Cell Transplantation and Conventional Medical Therapy. <i>Frontiers in Endocrinology</i> , 2017, 8, 331.	1.5	12
66	Microalbuminuria and associated clinical features among Brazilians with insulin dependent diabetes mellitus. <i>Diabetes Research and Clinical Practice</i> , 1997, 35, 143-147.	1.1	11
67	Metformin prevents the impairment of endothelium-dependent vascular relaxation induced by high glucose challenge in rabbit isolated perfused kidneys. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 2005, 372, 24-30.	1.4	11
68	Early age at menarche: A risk factor for overweight or obesity in patients with type 1 diabetes living in urban areas?. <i>Diabetes Research and Clinical Practice</i> , 2015, 107, 23-30.	1.1	11
69	Diabetic Retinopathy May Indicate an Increased Risk of Cardiovascular Disease in Patients With Type 1 Diabetes—A Nested Case-Control Study in Brazil. <i>Frontiers in Endocrinology</i> , 2019, 10, 689.	1.5	11
70	Global patterns of comprehensive cardiovascular risk factor control in patients with type 2 diabetes mellitus: Insights from the DISCOVER study. <i>Diabetes, Obesity and Metabolism</i> , 2021, 23, 39-48.	2.2	11
71	Cause-specific mortality in a cohort of Brazilian patients with type 1 diabetes. <i>Acta Diabetologica</i> , 2017, 54, 535-542.	1.2	10
72	Relationship between health care insurance status, social determinants and prevalence of diabetes-related microvascular complications in patients with type 1 diabetes: a nationwide survey in Brazil. <i>Acta Diabetologica</i> , 2019, 56, 697-705.	1.2	10

#	ARTICLE	IF	CITATIONS
73	Health literacy and glycemic control in patients with diabetes: a tertiary care center study in Brazil. <i>Diabetology and Metabolic Syndrome</i> , 2020, 12, 11.	1.2	10
74	Repeatability of the evaluation of systemic microvascular endothelial function using laser doppler perfusion monitoring: clinical and statistical implications. <i>Clinics</i> , 2011, 66, 599-605.	0.6	10
75	The C-peptide response to a standard mixed meal in a group of Brazilian type 1 diabetic patients. <i>Brazilian Journal of Medical and Biological Research</i> , 1997, 30, 1169-1174.	0.7	9
76	Increased functional and structural skin capillary density in type 1 diabetes patients with vascular complications. <i>Diabetology and Metabolic Syndrome</i> , 2009, 1, 24.	1.2	9
77	Self-Reported Periodontitis and Complications in Type 1 Diabetes Patients: A Brazilian Nationwide Survey. <i>Brazilian Dental Journal</i> , 2016, 27, 599-603.	0.5	9
78	Serum uric acid and renal function in patients with type 1 diabetes: a nationwide study in Brazil. <i>Diabetology and Metabolic Syndrome</i> , 2018, 10, 22.	1.2	9
79	Prevalence of non-alcoholic fatty liver disease and its associated factors in individuals with type 1 diabetes: a cross-sectional study in a tertiary care center in Brazil. <i>Diabetology and Metabolic Syndrome</i> , 2021, 13, 33.	1.2	9
80	Impact of micro- and macrovascular complications of type 2 diabetes on quality of life: Insights from the DISCOVER prospective cohort study. <i>Endocrinology, Diabetes and Metabolism</i> , 2022, 5, e00321.	1.0	9
81	Allergic reaction related to ramipril use: a case report. <i>Diabetology and Metabolic Syndrome</i> , 2010, 2, 4.	1.2	8
82	Assessment of Vascular Function in HIV-Infected Patients. <i>HIV Clinical Trials</i> , 2011, 12, 215-221.	2.0	8
83	Determinants of intensive insulin therapeutic regimens in patients with type 1 diabetes: data from a nationwide multicenter survey in Brazil. <i>Diabetology and Metabolic Syndrome</i> , 2014, 6, 67.	1.2	8
84	Health-related quality of life in patients with type 1 diabetes mellitus in the different geographical regions of Brazil: data from the Brazilian Type 1 Diabetes Study Group. <i>Diabetology and Metabolic Syndrome</i> , 2015, 7, 87.	1.2	8
85	Sensibility and specificity of laser speckle contrast imaging according to Endo-PAT index in type 1 diabetes. <i>Microvascular Research</i> , 2018, 117, 10-15.	1.1	8
86	Prevalence and progression of chronic kidney disease among patients with type 2 diabetes: Insights from the DISCOVER study. <i>Diabetes, Obesity and Metabolism</i> , 2021, 23, 1956-1960.	2.2	8
87	Exercise training protects the renal circulation against high glucose challenge. <i>Fundamental and Clinical Pharmacology</i> , 2005, 19, 537-543.	1.0	7
88	Progression to microalbuminuria in patients with type 1 diabetes: a seven-year prospective study. <i>Diabetology and Metabolic Syndrome</i> , 2011, 3, 21.	1.2	7
89	Associations between second-line glucose-lowering combination therapies with metformin and HbA1c, body weight, quality of life, hypoglycaemic events and glucose-lowering treatment intensification: The DISCOVER study. <i>Diabetes, Obesity and Metabolism</i> , 2021, 23, 1823-1833.	2.2	7
90	Coronary artery disease, microalbuminuria and lipid profile in patients with non-insulin dependent diabetes mellitus. <i>Arquivos Brasileiros De Cardiologia</i> , 1999, 73, 17-22.	0.3	6

#	ARTICLE	IF	CITATIONS
91	Ambulatory blood pressure monitoring and microalbuminuria in normotensive subjects with insulin-dependent diabetes mellitus. <i>Arquivos Brasileiros De Cardiologia</i> , 2000, 75, 200-204.	0.3	6
92	Gliclazide and bedtime insulin are more efficient than insulin alone for type 2 diabetic patients with sulfonylurea secondary failure. <i>Brazilian Journal of Medical and Biological Research</i> , 2001, 34, 49-56.	0.7	6
93	Relationship Between Glycated Hemoglobin and Metabolic Syndrome of Type 1 and Type 2 Diabetes. <i>Diabetes Care</i> , 2010, 33, e80-e80.	4.3	6
94	Early aggressive macrovascular disease and type 1 diabetes mellitus without chronic complications: a case report. <i>BMC Research Notes</i> , 2013, 6, 222.	0.6	6
95	Prevalence and risk factors for referable diabetic retinopathy in patients with type 1 diabetes: a nationwide study in Brazil. <i>Acta Ophthalmologica</i> , 2018, 96, e1032-e1033.	0.6	6
96	Genomic ancestry as a risk factor for diabetic retinopathy in patients with type 1 diabetes from an admixed population: a nested case-control study in Brazil. <i>Acta Diabetologica</i> , 2020, 57, 937-945.	1.2	6
97	What are the factors associated with long-term glycaemic control in patients with type 2 diabetes and elevated glycated haemoglobin (≥7.0%) at initiation of second-line therapy? Results from the DISCOVER study. <i>Diabetes, Obesity and Metabolism</i> , 2021, 23, 2336-2343.	2.2	6
98	Influence of first morning urine volume, fasting blood glucose and glycosylated hemoglobin on first morning urinary albumin concentration. <i>Brazilian Journal of Medical and Biological Research</i> , 1997, 30, 191-196.	0.7	5
99	Discriminative capacity of fasting C-peptide levels in a functional test according to different criteria of response to a stimulus. <i>Acta Diabetologica</i> , 1997, 34, 42-45.	1.2	5
100	Microalbuminuria, High Blood Pressure Burden, and Nondipper Phenomenon: An interaction in normotensive type 1 diabetic patients. <i>Diabetes Care</i> , 2001, 24, 790-791.	4.3	5
101	Vascular or chronological age: which is the better marker to estimate the cardiovascular risk in patients with type 1 diabetes?. <i>Acta Diabetologica</i> , 2016, 53, 925-933.	1.2	5
102	Regional differences in the prevalence of diabetic retinopathy: a multi center study in Brazil. <i>Diabetology and Metabolic Syndrome</i> , 2018, 10, 17.	1.2	5
103	Prevalence of chronic kidney disease in an admixed population of patients with type 1 diabetes. A multicenter study in Brazil. <i>Diabetes Research and Clinical Practice</i> , 2020, 170, 108490.	1.1	5
104	Glomerular filtration rate estimated by the Chronic Kidney Disease Epidemiology Collaboration (CKD-EPI) equation in type 1 diabetes based on genomic ancestry. <i>Diabetology and Metabolic Syndrome</i> , 2020, 12, 71.	1.2	5
105	Genomic ancestry and glycemic control in adolescents with type 1 diabetes: A multicenter study in Brazil. <i>Pediatric Diabetes</i> , 2020, 21, 727-734.	1.2	5
106	Prospective study of development of microalbuminuria and retinopathy in Brazilian IDDM patients. <i>Acta Diabetologica</i> , 2000, 37, 19-25.	1.2	4
107	Residual β -cell function and microvascular complications in type 1 diabetic patients. <i>Brazilian Journal of Medical and Biological Research</i> , 2000, 33, 211-216.	0.7	4
108	Heterogeneity in the costs of type 1 diabetes in a developing country: what are the determining factors?. <i>Diabetology and Metabolic Syndrome</i> , 2013, 5, 83.	1.2	4

#	ARTICLE	IF	CITATIONS
109	Prevalence, Awareness, and Treatment of Hypertension in Patients with Type 1 Diabetes: A Nationwide Multicenter Study in Brazil. <i>International Journal of Hypertension</i> , 2013, 2013, 1-8.	0.5	4
110	Vascular Age as a Cardiovascular Risk Marker in Asymptomatic Patients with Type 2 Diabetes, Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy, 2020, Volume 13, 2505-2514.	1.1	4
111	Socioeconomic factors associated with hypoglycaemia in patients starting second-line glucose-lowering therapy: The DISCOVER study. <i>Diabetes Research and Clinical Practice</i> , 2020, 165, 108250.	1.1	4
112	Genomic ancestry and metabolic syndrome in individuals with type 1 diabetes from an admixed population: a multicentre, cross-sectional study in Brazil. <i>Diabetic Medicine</i> , 2021, 38, e14400.	1.2	4
113	Does parity worsen diabetes-related chronic complications in women with type 1 diabetes?. <i>World Journal of Diabetes</i> , 2016, 7, 252.	1.3	4
114	Albumin Concentration is Underestimated in Frozen Urine. <i>Annals of Clinical Biochemistry</i> , 1998, 35, 434-435.	0.8	3
115	Assessment of arterial stiffness in type 1 diabetes using digital pulse contour analysis: Is it a reliable method?. <i>Acta Diabetologica</i> , 2016, 53, 477-482.	1.2	3
116	The influence of demographic, social-educational determinants and diabetes management on agreement between glucometer and logbook and its impact on glycemic control in patients with type 1 diabetes: a follow-up study. <i>Diabetology and Metabolic Syndrome</i> , 2019, 11, 46.	1.2	3
117	Metformin discontinuation in patients beginning second-line glucose-lowering therapy: results from the global observational DISCOVER study programme. <i>BMJ Open</i> , 2020, 10, e034613.	0.8	3
118	Alterations of the Kidney Cortex Proteome in Response to Exercise Training in Normoglycemic and Hyperglycemic Conditions. <i>Current Topics in Medicinal Chemistry</i> , 2014, 14, 450-461.	1.0	3
119	Relationship among health-related quality of life and global ancestry, clinical and socioeconomic factors in type 1 diabetes in an admixed Brazilian population. <i>Scientific Reports</i> , 2022, 12, .	1.6	3
120	Does ancestry influence health-related quality of life in type 1 diabetes patients? A nationwide study in Brazil. <i>Acta Diabetologica</i> , 2018, 55, 377-385.	1.2	2
121	Influence of genomic ancestry and self-reported color-race in CKD in a nationwide admixed sample of Brazilian patients with type 1 diabetes. <i>Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy</i> , 2019, Volume 12, 1831-1840.	1.1	2
122	Lower Insulin-Dose Adjusted A1c (IDAA1c) Is Associated With Less Complications in Individuals With Type 1 Diabetes Treated With Hematopoietic Stem-Cell Transplantation and Conventional Therapy. <i>Frontiers in Endocrinology</i> , 2019, 10, 747.	1.5	2
123	Novel Mutation in the Hemojuvelin Gene (HJV) in a Patient with Juvenile Hemochromatosis Presenting with Insulin-dependent Diabetes Mellitus, Secondary Hypothyroidism and Hypogonadism. <i>American Journal of Case Reports</i> , 2020, 21, e923108.	0.3	2
124	Relationship between Proliferative Diabetic Retinopathy and Inflammatory Markers in Patients with Type 1 Diabetes in Brazil: A Nested Case Control Study. <i>Ophthalmologica</i> , 2020, 243, 471-478.	1.0	2
125	Human Leukocyte Antigens class II (HLA II) gene profile from an admixed population of patients with type 1 diabetes with severe diabetic retinopathy: a nested case-control study in Brazil. <i>Diabetology and Metabolic Syndrome</i> , 2021, 13, 83.	1.2	2
126	420-P: Micro- and Macrovascular Events in Patients with T2D—Results from the Global DISCOVER Study. <i>Diabetes</i> , 2019, 68, .	0.3	2

#	ARTICLE	IF	CITATIONS
127	Absence of increased liver-related inflammatory markers in type 1 diabetes with metabolic syndrome: a nested case-control study from Brazil. <i>European Cytokine Network</i> , 2020, 31, 147-153.	1.1	2
128	IL18 Gene Polymorphism Influences Age of Onset of DM1 in African Ancestry Brazilians. <i>Journal of Pediatric Genetics</i> , 2019, 08, 038-040.	0.3	1
129	Diabetes-related chronic complications in Brazilian adolescents with type 1 diabetes. A multicenter cross-sectional study. <i>Diabetes Research and Clinical Practice</i> , 2021, 177, 108895.	1.1	1
130	Response to comment on Gomes et al. Adherence to insulin therapeutic regimens in patients with type 1 diabetes. A nationwide survey in Brazil. <i>Diabetes Res Clin Pract.</i> 2016;120:47-55. <i>Diabetes Research and Clinical Practice</i> , 2017, 134, 208-209.	1.1	0
131	Pituitary neuroendocrine tumors and differentiated thyroid cancer: do metabolic and inflammatory risk factors play roles?. <i>Journal of Endocrinological Investigation</i> , 2021, 44, 735-744.	1.8	0
132	Early Markers of Cardiovascular Disease Associated with Clinical Data and Autosomal Ancestry in Patients with Type 1 Diabetes: A Cross-Sectional Study in an Admixed Brazilian Population. <i>Genes</i> , 2022, 13, 389.	1.0	0
133	Factors associated with weight loss in people with overweight or obesity living with type 2 diabetes mellitus: Insights from the global <i>DISCOVER</i> study. <i>Diabetes, Obesity and Metabolism</i> , 2022, 24, 1734-1740.	2.2	0