

# Erika Adriana Eksioglu

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/9316249/erika-adriana-eksioglu-publications-by-year.pdf>

**Version:** 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

40  
papers

1,338  
citations

20  
h-index

36  
g-index

42  
ext. papers

1,653  
ext. citations

5  
avg, IF

3.76  
L-index

#	Paper	IF	Citations
40	Constitutively Activated DAP12 Induces Functional Anti-Tumor Activation and Maturation of Human Monocyte-Derived DC. <i>International Journal of Molecular Sciences</i> , <b>2021</b> , 22,	6.3	1
39	MicroRNA-155 governs SHIP-1 expression and localization in NK cells and regulates subsequent infiltration into murine AT3 mammary carcinoma. <i>PLoS ONE</i> , <b>2020</b> , 15, e0225820	3.7	2
38	TP53 mutations in myelodysplastic syndromes and secondary AML confer an immunosuppressive phenotype. <i>Blood</i> , <b>2020</b> , 136, 2812-2823	2.2	49
37	Immune evasion by TGFβ-induced miR-183 repression of MICA/B expression in human lung tumor cells. <i>Oncot Immunology</i> , <b>2019</b> , 8, e1557372	7.2	17
36	S100A9-induced overexpression of PD-1/PD-L1 contributes to ineffective hematopoiesis in myelodysplastic syndromes. <i>Leukemia</i> , <b>2019</b> , 33, 2034-2046	10.7	35
35	S100A9 Contributes to T Cell Dysfunction through Its Interaction with RAGE in MDS. <i>Blood</i> , <b>2019</b> , 134, 4228-4228	2.2	1
34	Dysregulation of Splicing Patterns in MDS Induced By the S100A9/Fto Axis. <i>Blood</i> , <b>2019</b> , 134, 4215-4215	2.2	
33	Assessment of ASC specks as a putative biomarker of pyroptosis in myelodysplastic syndromes: an observational cohort study. <i>Lancet Haematology</i> , <b>2018</b> , 5, e393-e402	14.6	26
32	Genomic-DNA Exposed By Somatic Gene Mutations Engages the cGAS/STING Axis to License the NLRP3 Inflammasome in Myelodysplastic Syndromes. <i>Blood</i> , <b>2018</b> , 132, 3075-3075	2.2	2
31	Oxidized Mitochondrial DNA Is a Catalyst and Biomarker of Pyroptotic Cell Death in Myelodysplastic Syndromes. <i>Blood</i> , <b>2018</b> , 132, 3076-3076	2.2	
30	Novel therapeutic approach to improve hematopoiesis in low risk MDS by targeting MDSCs with the Fc-engineered CD33 antibody BI 836858. <i>Leukemia</i> , <b>2017</b> , 31, 2172-2180	10.7	35
29	Therapeutic targeting of myeloid-derived suppressor cells involves a novel mechanism mediated by clusterin. <i>Scientific Reports</i> , <b>2016</b> , 6, 29521	4.9	23
28	The NLRP3 inflammasome functions as a driver of the myelodysplastic syndrome phenotype. <i>Blood</i> , <b>2016</b> , 128, 2960-2975	2.2	162
27	HMGB1 induction of clusterin creates a chemoresistant niche in human prostate tumor cells. <i>Scientific Reports</i> , <b>2015</b> , 5, 15085	4.9	29
26	The inflammatory microenvironment in MDS. <i>Cellular and Molecular Life Sciences</i> , <b>2015</b> , 72, 1959-66	10.3	43
25	Inflammation-Associated Metabolic Alterations Foster Development of the MDS Genotype. <i>Blood</i> , <b>2015</b> , 126, 144-144	2.2	5
24	Inactivation of DAP12 in PMN inhibits TREM1-mediated activation in rheumatoid arthritis. <i>PLoS ONE</i> , <b>2015</b> , 10, e0115116	3.7	10

23	TGF-β-inducible microRNA-183 silences tumor-associated natural killer cells. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2014</b> , 111, 4203-8	11.5	136
22	Novel Therapeutic Approach to Improve Hematopoiesis By Targeting Myeloid Derived Suppressor Cells with a Humanized Anti-CD33 Antibody. <i>Blood</i> , <b>2014</b> , 124, 4597-4597	2.2	
21	Lenalidomide promotes p53 degradation by inhibiting MDM2 auto-ubiquitination in myelodysplastic syndrome with chromosome 5q deletion. <i>Oncogene</i> , <b>2013</b> , 32, 1110-20	9.2	68
20	Icariside II induces apoptosis of melanoma cells through the downregulation of survival pathways. <i>Nutrition and Cancer</i> , <b>2013</b> , 65, 110-7	2.8	22
19	hTERT deficiency in naïve T cells affects lymphocyte homeostasis in myelodysplastic syndrome patients. <i>Onc Immunology</i> , <b>2013</b> , 2, e26329	7.2	4
18	Induction of myelodysplasia by myeloid-derived suppressor cells. <i>Journal of Clinical Investigation</i> , <b>2013</b> , 123, 4595-611	15.9	187
17	Lenalidomide and Arsenic Trioxide Have Independent Non-Interfering Effects When Used in Combination on Myeloma Cell Lines in <i>in vitro</i> . <i>Journal of Cancer Therapy</i> , <b>2013</b> , 04, 787-796	9.2	1
16	Attenuation of LPS-induced inflammation by ICT, a derivative of icariin, via inhibition of the CD14/TLR4 signaling pathway in human monocytes. <i>International Immunopharmacology</i> , <b>2012</b> , 12, 74-9	5.8	34
15	Hepatitis C virus initial encounters: mechanisms of innate immunity. <i>Frontiers in Bioscience - Landmark</i> , <b>2012</b> , 17, 281-99	2.8	1
14	Granulocyte-macrophage colony-stimulating factor increases the proportion of circulating dendritic cells after autologous but not after allogeneic hematopoietic stem cell transplantation. <i>Cytotherapy</i> , <b>2011</b> , 13, 888-96	4.8	5
13	Icariin and its derivative, ICT, exert anti-inflammatory, anti-tumor effects, and modulate myeloid derived suppressive cells (MDSCs) functions. <i>International Immunopharmacology</i> , <b>2011</b> , 11, 890-8	5.8	103
12	Characterization of HCV interactions with Toll-like receptors and RIG-I in liver cells. <i>PLoS ONE</i> , <b>2011</b> , 6, e21186	3.7	27
11	Biological effects of <i>Byrsocarpus coccineus</i> in vitro. <i>Pharmaceutical Biology</i> , <b>2011</b> , 49, 152-60	3.8	6
10	Microenvironment Induced Myelodysplastic Syndrome (MDS) in S100A9 Transgenic Mice Caused by Myeloid-Derived Suppressor Cells (MDSC). <i>Blood</i> , <b>2011</b> , 118, 788-788	2.2	5
9	Bone marrow mononuclear cells up-regulate toll-like receptor expression and produce inflammatory mediators in response to cigarette smoke extract. <i>PLoS ONE</i> , <b>2011</b> , 6, e21173	3.7	14
8	Influence of serum and soluble CD25 (sCD25) on regulatory and effector T-cell function in hepatocellular carcinoma. <i>Scandinavian Journal of Immunology</i> , <b>2010</b> , 72, 293-301	3.4	28
7	Characterization of Anti-HCV Antibodies in IL-10-Treated Patients. <i>Viral Immunology</i> , <b>2010</b> , 23, 359-68	1.7	4
6	Dendritic cells as therapeutic agents against cancer. <i>Frontiers in Bioscience - Landmark</i> , <b>2010</b> , 15, 321-47	2.8	12

5	Grassystatins A-C from marine cyanobacteria, potent cathepsin E inhibitors that reduce antigen presentation. <i>Journal of Medicinal Chemistry</i> , <b>2009</b> , 52, 5732-47	8.3	77
4	Hepatitis C virus triggers apoptosis of a newly developed hepatoma cell line through antiviral defense system. <i>Gastroenterology</i> , <b>2007</b> , 133, 1649-59	13.3	93
3	GM-CSF promotes differentiation of human dendritic cells and T lymphocytes toward a predominantly type 1 proinflammatory response. <i>Experimental Hematology</i> , <b>2007</b> , 35, 1163-71	3.1	30
2	Interleukin 12 is associated with reduced relapse without increased incidence of graft-versus-host disease after allogeneic hematopoietic stem cell transplantation. <i>Biology of Blood and Marrow Transplantation</i> , <b>2005</b> , 11, 1014-21	4.7	39
1	High Levels of Interleukin-12 Are Associated with Reduced Incidence of Relapse and Death without Increasing Acute Graft-Versus-Host Disease (AGVHD) after Allogeneic Stem Cell Transplantation (SCT).. <i>Blood</i> , <b>2004</b> , 104, 295-295	2.2	