Geeske M E E Peeters Ba

List of Publications by Citations

 $\textbf{Source:} \ \text{https://exaly.com/author-pdf/9317205/geeske-m-e-e-peeters-ba-publications-by-citations.pdf} \\$

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

98 papers

3,013 citations

27 h-index

53 g-index

105 ext. papers

3,815 ext. citations

4.3 avg, IF

5.4 L-index

#	Paper	IF	Citations
98	The World report on ageing and health: a policy framework for healthy ageing. <i>Lancet, The</i> , 2016 , 387, 2145-2154	40	839
97	ActiGraph GT3X+ cut-points for identifying sedentary behaviour in older adults in free-living environments. <i>Journal of Science and Medicine in Sport</i> , 2014 , 17, 293-9	4.4	226
96	High long-term cortisol levels, measured in scalp hair, are associated with a history of cardiovascular disease. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2013 , 98, 2078-83	5.6	132
95	Sitting-time and 9-year all-cause mortality in older women. <i>British Journal of Sports Medicine</i> , 2015 , 49, 95-9	10.3	100
94	ASPIRIN FOR THE PREVENTION OF FRACTURES IN OLDER ADULTS REVIEW OF THE LITERATURE. <i>Innovation in Aging</i> , 2017 , 1, 55-56	0.1	78
93	FALL RISK FACTORS IN MID-AGE WOMEN: RESULTS FROM THE AUSTRALIAN LONGITUDINAL STUDY ON WOMEN HEALTH. Innovation in Aging, 2017 , 1, 522-522	0.1	78
92	ANTI-PLATELET AGENT USE; FALL RISK VERSUS CARDIOVASCULAR RISK IN OLDER WOMEN. <i>Innovation in Aging</i> , 2017 , 1, 56-56	0.1	78
91	Relationships between cortisol level, mortality and chronic diseases in older persons. <i>Clinical Endocrinology</i> , 2009 , 71, 779-86	3.4	70
90	Multifactorial intervention to reduce falls in older people at high risk of recurrent falls: a randomized controlled trial. <i>Archives of Internal Medicine</i> , 2010 , 170, 1110-7		66
89	Does frailty predict increased risk of falls and fractures? A prospective population-based study. <i>Osteoporosis International</i> , 2013 , 24, 2397-403	5.3	61
88	The relationship between cortisol, muscle mass and muscle strength in older persons and the role of genetic variations in the glucocorticoid receptor. <i>Clinical Endocrinology</i> , 2008 , 69, 673-82	3.4	54
87	Dysregulation of the hypothalamic pituitary adrenal (HPA) axis and physical performance at older ages: an individual participant meta-analysis. <i>Psychoneuroendocrinology</i> , 2013 , 38, 40-9	5	52
86	Sitting-time, physical activity, and depressive symptoms in mid-aged women. <i>American Journal of Preventive Medicine</i> , 2013 , 45, 276-81	6.1	52
85	A life-course perspective on physical functioning in women. <i>Bulletin of the World Health Organization</i> , 2013 , 91, 661-70	8.2	49
84	Fall risk: the clinical relevance of falls and how to integrate fall risk with fracture risk. <i>Best Practice and Research in Clinical Rheumatology</i> , 2009 , 23, 797-804	5.3	48
83	The effect of dose and type of proton pump inhibitor use on risk of fractures and osteoporosis treatment in older Australian women: A prospective cohort study. <i>Bone</i> , 2015 , 81, 675-682	4.7	45
82	Validity of self-report methods for measuring sedentary behaviour in older adults. <i>Journal of Science and Medicine in Sport</i> , 2015 , 18, 662-6	4.4	40

(2019-2011)

81	existing data from five European population-based cohorts on aging. <i>BMC Musculoskeletal Disorders</i> , 2011 , 12, 272	2.8	40	
80	Is the pain of activity log-books worth the gain in precision when distinguishing wear and non-wear time for tri-axial accelerometers?. <i>Journal of Science and Medicine in Sport</i> , 2013 , 16, 515-9	4.4	38	
79	The elimination half-life of benzodiazepines and fall risk: two prospective observational studies. <i>Age and Ageing</i> , 2013 , 42, 764-70	3	38	
78	Relationship between cortisol and physical performance in older persons. <i>Clinical Endocrinology</i> , 2007 , 67, 398-406	3.4	33	
77	The Risk of Community-Acquired Enteric Infection in Proton Pump Inhibitor Therapy: Systematic Review and Meta-analysis. <i>Annals of Pharmacotherapy</i> , 2018 , 52, 613-622	2.9	30	
76	Diagnostic accuracy of self-reported arthritis in the general adult population is acceptable. <i>Journal of Clinical Epidemiology</i> , 2015 , 68, 452-9	5.7	28	
75	Desk-based occupational sitting patterns: weight-related health outcomes. <i>American Journal of Preventive Medicine</i> , 2013 , 45, 448-52	6.1	28	
74	Does vigorous physical activity provide additional benefits beyond those of moderate?. <i>Medicine and Science in Sports and Exercise</i> , 2013 , 45, 1948-55	1.2	28	
73	Associations between sitting time and a range of symptoms in mid-age women. <i>Preventive Medicine</i> , 2013 , 56, 135-41	4.3	27	
72	Is there a U-shaped association between physical activity and falling in older persons?. <i>Osteoporosis International</i> , 2010 , 21, 1189-95	5.3	27	
71	Should prevention of falls start earlier? Co-ordinated analyses of harmonised data on falls in middle-aged adults across four population-based cohort studies. <i>PLoS ONE</i> , 2018 , 13, e0201989	3.7	26	
70	Which types of activities are associated with risk of recurrent falling in older persons?. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2010 , 65, 743-50	6.4	26	
69	Prevention of fall incidents in patients with a high risk of falling: design of a randomised controlled trial with an economic evaluation of the effect of multidisciplinary transmural care. <i>BMC Geriatrics</i> , 2007 , 7, 15	4.1	25	
68	Adjustment for physical activity in studies of sedentary behaviour. <i>Emerging Themes in Epidemiology</i> , 2015 , 12, 10	3.9	23	
67	Contribution of house and garden work to the association between physical activity and well-being in young, mid-aged and older women. <i>British Journal of Sports Medicine</i> , 2014 , 48, 996-1001	10.3	21	
66	Multifactorial evaluation and treatment of persons with a high risk of recurrent falling was not cost-effective. Osteoporosis International, 2011, 22, 2187-96	5.3	21	
65	Fall Risk Factors in Mid-Age Women: The Australian Longitudinal Study on Women's Health. <i>American Journal of Preventive Medicine</i> , 2018 , 54, 51-63	6.1	19	
64	Comparing ActiGraph equations for estimating energy expenditure in older adults. <i>Journal of Sports Sciences</i> , 2019 , 37, 188-195	3.6	19	

63	Health care costs associated with prolonged sitting and inactivity. <i>American Journal of Preventive Medicine</i> , 2014 , 46, 265-72	6.1	19
62	Nine year changes in sitting time in young and mid-aged Australian women: findings from the Australian Longitudinal Study for Women's Health. <i>Preventive Medicine</i> , 2014 , 64, 1-7	4.3	18
61	Validity of self-reported osteoporosis in mid-age and older women. <i>Osteoporosis International</i> , 2013 , 24, 917-27	5.3	18
60	Osteoporosis medication dispensing for older Australian women from 2002 to 2010: influences of publications, guidelines, marketing activities and policy. <i>Pharmacoepidemiology and Drug Safety</i> , 2014 , 23, 1303-11	2.6	18
59	Validation of the LASA fall risk profile for recurrent falling in older recent fallers. <i>Journal of Clinical Epidemiology</i> , 2010 , 63, 1242-8	5.7	18
58	New-Onset Diabetes After Statin Exposure in Elderly Women: The Australian Longitudinal Study on Women's Health. <i>Drugs and Aging</i> , 2017 , 34, 203-209	4.7	17
57	Psychosocial factors associated with increased physical activity in insufficiently active adults with arthritis. <i>Journal of Science and Medicine in Sport</i> , 2015 , 18, 558-64	4.4	17
56	Determinants of physical activity in a cohort of young adult women. Who is at risk of inactive behaviour?. <i>Journal of Science and Medicine in Sport</i> , 2015 , 18, 49-55	4.4	16
55	Exploring patient-reported outcomes following percutaneous coronary intervention: A qualitative study. <i>Health Expectations</i> , 2018 , 21, 457-465	3.7	15
54	A comprehensive assessment of risk factors for falls in middle-aged adults: co-ordinated analyses of cohort studies in four countries. <i>Osteoporosis International</i> , 2019 , 30, 2099-2117	5.3	14
53	Is Fear of Falling Associated With Decline in Global Cognitive Functioning in Older Adults: Findings From the Irish Longitudinal Study on Ageing. <i>Journal of the American Medical Directors Association</i> , 2018 , 19, 248-254.e3	5.9	14
52	Effect of diagnosis with a chronic disease on physical activity behavior in middle-aged women. <i>Preventive Medicine</i> , 2016 , 83, 56-62	4.3	14
51	A new pre-employment functional capacity evaluation predicts longer-term risk of musculoskeletal injury in healthy workers: a prospective cohort study. <i>Spine</i> , 2013 , 38, 2208-15	3.3	14
50	Long-term Consequences of Noninjurious and Injurious Falls on Well-being in Older Women. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2015 , 70, 1519-25	6.4	13
49	Is statin use associated with new joint-related symptoms, physical function, and quality of life? Results from two population-based cohorts of women. <i>Arthritis Care and Research</i> , 2015 , 67, 13-20	4.7	12
48	A scoping review of the use and impact of telehealth medication reviews. <i>Research in Social and Administrative Pharmacy</i> , 2020 , 16, 1140-1153	2.9	12
47	Interventions involving a major dietary component improve cognitive function in cognitively healthy adults: a systematic review and meta-analysis. <i>Nutrition Research</i> , 2019 , 66, 1-12	4	11
46	Late life education and cognitive function in older adults. <i>International Journal of Geriatric Psychiatry</i> , 2020 , 35, 633-639	3.9	11

(2018-2018)

45	The relationship between physical activity, and physical performance and psycho-cognitive functioning in older adults living in residential aged care facilities. <i>Journal of Science and Medicine in Sport</i> , 2018 , 21, 173-178	4.4	11	
44	Associations of Guideline Recommended Medications for Acute Coronary Syndromes With Fall-Related Hospitalizations and Cardiovascular Events in Older Women With Ischemic Heart Disease. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2017 , 72, 259-265	6.4	11	
43	Interventions to Optimise Prescribing in Older People with Dementia: A Systematic Review. <i>Drugs and Aging</i> , 2019 , 36, 247-267	4.7	11	
42	Associations between physical activity, medical costs and hospitalisations in older Australian women: Results from the Australian Longitudinal Study on Women's Health. <i>Journal of Science and Medicine in Sport</i> , 2018 , 21, 604-608	4.4	10	
41	Fear of falling: A manifestation of executive dysfunction?. <i>International Journal of Geriatric Psychiatry</i> , 2019 , 34, 1275-1282	3.9	9	
40	The influence of long-term exposure and timing of physical activity on new joint pain and stiffness in mid-age women. <i>Osteoarthritis and Cartilage</i> , 2015 , 23, 34-40	6.2	8	
39	Impact of a brief exercise program on the physical and psychosocial health of prostate cancer survivors: A pilot study. <i>Asia-Pacific Journal of Clinical Oncology</i> , 2016 , 12, 225-34	1.9	8	
38	Aspirin and fracture risk: a systematic review and exploratory meta-analysis of observational studies. <i>BMJ Open</i> , 2020 , 10, e026876	3	7	
37	Changes in physical functioning over 6 years in older women: effects of sitting time and physical activity. <i>European Journal of Ageing</i> , 2014 , 11, 205-212	3.6	7	
36	Improvements in physical function and pain sustained for up to 10 years after knee or hip arthroplasty irrespective of mental health status before surgery. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2017 , 88, 158-165	4.3	7	
35	Understanding the aetiology of fear of falling from the perspective of a fear-avoidance model - A narrative review. <i>Clinical Psychology Review</i> , 2020 , 79, 101862	10.8	7	
34	Long-term Effects of Physical Activity Level on Changes in Healthy Body Mass Index Over 12 Years in Young Adult Women. <i>Mayo Clinic Proceedings</i> , 2016 , 91, 735-44	6.4	7	
33	Effects of self-reported osteoarthritis on physical performance: a longitudinal study with a 10-year follow-up. <i>Aging Clinical and Experimental Research</i> , 2013 , 25, 561-9	4.8	6	
32	Contemporaneous severity of symptoms and functioning reflected by variations in reporting doctor-diagnosed osteoarthritis. <i>Arthritis Care and Research</i> , 2013 , 65, 945-53	4.7	6	
31	Associations Between Statin Use and Physical Function in Older Adults from The Netherlands and Australia: Longitudinal Aging Study Amsterdam and Australian Longitudinal Study on Women's Health. <i>Drugs and Aging</i> , 2016 , 33, 437-45	4.7	6	
30	Metabolic Equivalent Values of Common Daily Activities in Middle-Age and Older Adults in Free-Living Environments: A Pilot Study. <i>Journal of Physical Activity and Health</i> , 2019 , 16, 222-229	2.5	5	
29	Should physical activity intervention efforts take a whole population, high-risk or middle road strategy?. <i>Journal of Physical Activity and Health</i> , 2014 , 11, 966-70	2.5	5	
28	A Daily Cup of Tea or Coffee May Keep You Moving: Association between Tea and Coffee Consumption and Physical Activity. <i>International Journal of Environmental Research and Public</i> <i>Health</i> , 2018 , 15,	4.6	5	

27	Balance between uptake by the udder and secretion in the milk for vitamin B12 in the cow. <i>Zeitschrift Fur Tierphysiologie, Tierernahrung Und Futtermittelkunde</i> , 2009 , 54, 152-156		4
26	Aviation Rescue Firefighters physical fitness and predictors of task performance. <i>Journal of Science and Medicine in Sport</i> , 2020 , 23, 1228-1233	4.4	4
25	Longitudinal associations between lifestyle, socio-economic position and physical functioning in women at different life stages. <i>European Journal of Ageing</i> , 2019 , 16, 167-179	3.6	4
24	Potential Effect Modifiers of the Association Between Physical Activity Patterns and Joint Symptoms in Middle-Aged Women. <i>Arthritis Care and Research</i> , 2018 , 70, 1012-1021	4.7	4
23	Actions following adverse drug events - how do these influence uptake and utilisation of newer and/or similar medications?. <i>BMC Health Services Research</i> , 2015 , 15, 498	2.9	3
22	Incident osteoarthritis associated with increased allied health services use in 'baby boomer' Australian women. <i>Australian and New Zealand Journal of Public Health</i> , 2016 , 40, 356-61	2.3	3
21	Symptoms and feelings valued by patients after a percutaneous coronary intervention: a discrete-choice experiment to inform development of a new patient-reported outcome. <i>BMJ Open</i> , 2018 , 8, e023141	3	3
20	Do patients have a say? A narrative review of the development of patient-reported outcome measures used in elective procedures for coronary revascularisation. <i>Quality of Life Research</i> , 2018 , 27, 1369-1380	3.7	2
19	Physical activity context preferences in people with arthritis and osteoporosis. <i>Journal of Physical Activity and Health</i> , 2014 , 11, 536-42	2.5	2
18	Associations between depression and cognition, mild cognitive impairment and dementia in persons with diabetes mellitus: a systematic review and meta-analysis <i>Diabetes Research and Clinical Practice</i> , 2022 , 109227	7.4	2
17	Computerized Cognitive Training in Cognitively Healthy Older Adults: A Systematic Review and Network Meta-Analysis		2
16	Risk Factors for Incident Dementia Among Older Cubans. Frontiers in Public Health, 2020 , 8, 481	6	2
15	The psychosocial adaptability of independently living older adults to COVID-19 related social isolation in the Netherlands: A qualitative study. <i>Health and Social Care in the Community</i> , 2022 , 30, e67-	e74	2
14	Changes in the Relationships Between Body Mass Index and Health Outcomes Across Middle Age and Older Adulthood. <i>Mayo Clinic Proceedings</i> , 2015 , 90, 903-10	6.4	1
13	The characteristics of inactive men working in a regional area of Queensland, Australia. <i>Journal of Science and Medicine in Sport</i> , 2014 , 17, 56-60	4.4	1
12	Self-reported loss of consciousness after head trauma does not predispose to hypopituitarism in an older population. <i>Journal of Head Trauma Rehabilitation</i> , 2011 , 26, 90-7	3	1
11	Association between clusters of back and joint pain with opioid use in middle-aged community-based women: a prospective cohort study. <i>BMC Musculoskeletal Disorders</i> , 2021 , 22, 863	2.8	1
10	SF-36 normative values according to level of functioning in older women. <i>Quality of Life Research</i> , 2019 , 28, 979-989	3.7	O

LIST OF PUBLICATIONS

9	Behaviour Change Techniques in Computerized Cognitive Training for Cognitively Healthy Older Adults: A Systematic Review <i>Neuropsychology Review</i> , 2022 , 1	7.7	О
8	Risk factors for dementia in Cuban older adults. <i>Alzheimerjs and Dementia</i> , 2020 , 16, e038314	1.2	
7	Response. Medicine and Science in Sports and Exercise, 2014, 46, 1054	1.2	
6	FRI0421 Longitudinal variations in reporting doctor-diagnosed arthritis reflect contemporaneous severity of symptoms and disability. <i>Annals of the Rheumatic Diseases</i> , 2013 , 71, 456.2-456	2.4	
5	Lack of Evaluation of the Effects of Single Preventive Measures for FallingReply. <i>Archives of Internal Medicine</i> , 2011 , 171, 181		
4	Preventie van valincidenten. <i>Tijdschrift Voor Verpleeghuisgeneeskunde</i> , 2008 , 33, 162-166		
3	Clustering of Behavioral Changes and Their Associations With Cognitive Decline in Older Adults. <i>Journal of the American Medical Directors Association</i> , 2020 , 21, 1689-1695.e1	5.9	
2	P1-594: COMPARING FIVE APPROACHES TO ANALYZE DIFFERENCES BETWEEN GROUPS IN CHANGE IN COGNITIVE FUNCTION OVER TIME 2018 , 14, P564-P565		

F3-04-03: LATE LIFE EDUCATION IS ASSOCIATED WITH BETTER COGNITIVE FUNCTIONING IN OLDER ADULTS WITH LOW LEVELS OF EDUCATION **2018**, 14, P1003-P1004