

Hapizah M Nawawi

List of Publications by Citations

Source: <https://exaly.com/author-pdf/9318211/hapizah-m-nawawi-publications-by-citations.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

61
papers

3,169
citations

20
h-index

56
g-index

97
ext. papers

3,937
ext. citations

4.1
avg, IF

4.19
L-index

#	Paper	IF	Citations
61	Prevalence, awareness, treatment, and control of hypertension in rural and urban communities in high-, middle-, and low-income countries. <i>JAMA - Journal of the American Medical Association</i> , 2013 , 310, 959-68	27.4	992
60	Use of secondary prevention drugs for cardiovascular disease in the community in high-income, middle-income, and low-income countries (the PURE Study): a prospective epidemiological survey. <i>Lancet, The</i> , 2011 , 378, 1231-43	40	627
59	The Prospective Urban Rural Epidemiology (PURE) study: examining the impact of societal influences on chronic noncommunicable diseases in low-, middle-, and high-income countries. <i>American Heart Journal</i> , 2009 , 158, 1-7.e1	4.9	396
58	Prevalence of a healthy lifestyle among individuals with cardiovascular disease in high-, middle- and low-income countries: The Prospective Urban Rural Epidemiology (PURE) study. <i>JAMA - Journal of the American Medical Association</i> , 2013 , 309, 1613-21	27.4	190
57	Overview of the current status of familial hypercholesterolaemia care in over 60 countries - The EAS Familial Hypercholesterolaemia Studies Collaboration (FHSC). <i>Atherosclerosis</i> , 2018 , 277, 234-255	3.1	93
56	Prospective Urban Rural Epidemiology (PURE) study: Baseline characteristics of the household sample and comparative analyses with national data in 17 countries. <i>American Heart Journal</i> , 2013 , 166, 636-646.e4	4.9	87
55	Obesity in Malaysia. <i>Obesity Reviews</i> , 2002 , 3, 203-8	10.6	84
54	Soluble intercellular adhesion molecule-1 and interleukin-6 levels reflect endothelial dysfunction in patients with primary hypercholesterolaemia treated with atorvastatin. <i>Atherosclerosis</i> , 2003 , 169, 283-91 ¹	3.1	75
53	Pooling and expanding registries of familial hypercholesterolaemia to assess gaps in care and improve disease management and outcomes: Rationale and design of the global EAS Familial Hypercholesterolaemia Studies Collaboration. <i>Atherosclerosis Supplements</i> , 2016 , 22, 1-32	1.7	60
52	Prevalence, awareness, treatment, control and socio demographic determinants of hypertension in Malaysian adults. <i>BMC Public Health</i> , 2016 , 16, 351	4.1	42
51	Reduction in serum levels of adhesion molecules, interleukin-6 and C-reactive protein following short-term low-dose atorvastatin treatment in patients with non-familial hypercholesterolemia. <i>Hormone and Metabolic Research</i> , 2003 , 35, 479-85	3.1	42
50	JIS definition identified more Malaysian adults with metabolic syndrome compared to the NCEP-ATP III and IDF criteria. <i>BioMed Research International</i> , 2013 , 2013, 760963	3	37
49	Bone health in urban midlife Malaysian women: risk factors and prevention. <i>Osteoporosis International</i> , 2005 , 16, 2069-79	5.3	35
48	Comparison of serum cardiac troponin T and creatine kinase MB isoenzyme mass concentrations in asphyxiated term infants during the first 48 h of life. <i>Journal of Paediatrics and Child Health</i> , 2005 , 41, 331-7	1.3	29
47	Translational Research for Improving the Care of Familial Hypercholesterolemia: The "Ten Countries Study" and Beyond. <i>Journal of Atherosclerosis and Thrombosis</i> , 2016 , 23, 891-900	4	29
46	Biochemical bone markers in patients with multiple myeloma. <i>Clinica Chimica Acta</i> , 1996 , 253, 61-77	6.2	25
45	An enquiry based on a standardised questionnaire into knowledge, awareness and preferences concerning the care of familial hypercholesterolaemia among primary care physicians in the Asia-Pacific region: the "Ten Countries Study". <i>BMJ Open</i> , 2017 , 7, e017817	3	23

44	Orbital fluid shear stress promotes osteoblast metabolism, proliferation and alkaline phosphates activity in vitro. <i>Experimental Cell Research</i> , 2015 , 337, 87-93	4.2	22
43	Enhanced status of inflammation and endothelial activation in subjects with familial hypercholesterolaemia and their related unaffected family members: a case control study. <i>Lipids in Health and Disease</i> , 2017 , 16, 81	4.4	21
42	Health literacy in familial hypercholesterolemia: A cross-national study. <i>European Journal of Preventive Cardiology</i> , 2018 , 25, 936-943	3.9	20
41	Comparative aspects of the care of familial hypercholesterolemia in the "Ten Countries Study". <i>Journal of Clinical Lipidology</i> , 2019 , 13, 287-300	4.9	18
40	Delta- and gamma-tocotrienol isomers are potent in inhibiting inflammation and endothelial activation in stimulated human endothelial cells. <i>Food and Nutrition Research</i> , 2016 , 60, 31526	3.1	16
39	Low serum high density lipoprotein cholesterol concentration is an independent predictor for enhanced inflammation and endothelial activation. <i>PLoS ONE</i> , 2015 , 10, e0116867	3.7	14
38	Global perspective of familial hypercholesterolaemia: a cross-sectional study from the EAS Familial Hypercholesterolaemia Studies Collaboration (FHSC). <i>Lancet, The</i> , 2021 , 398, 1713-1725	4.0	14
37	Short-term moderate hypothermia stimulates alkaline phosphatase activity and osteocalcin expression in osteoblasts by upregulating Runx2 and osterix in vitro. <i>Experimental Cell Research</i> , 2014 , 326, 46-56	4.2	13
36	Effect of ambient temperature on analytical and clinical performance of a blood glucose monitoring system: Omnitest Sensor glucose meter. <i>Annals of Clinical Biochemistry</i> , 2001 , 38, 676-83	2.2	11
35	Applications of drone in disaster management: A scoping review.. <i>Science and Justice - Journal of the Forensic Science Society</i> , 2022 , 62, 30-42	2	11
34	Effects of space mission factors on the morphology and function of endothelial cells. <i>Bulletin of Experimental Biology and Medicine</i> , 2013 , 154, 796-801	0.8	10
33	Current status of coronary risk factors among rural Malays in Malaysia. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2002 , 9, 17-23		10
32	Type of diabetes and waist-hip ratio are important determinants of serum lipoprotein (a) levels in diabetic patients. <i>Diabetes Research and Clinical Practice</i> , 2002 , 56, 221-7	7.4	10
31	Effects of medication, treatment, and behavioral beliefs on intentions to take medication in patients with familial hypercholesterolemia. <i>Atherosclerosis</i> , 2018 , 277, 493-501	3.1	10
30	. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2002 , 9, 17-23		9
29	Predicting intention to participate in self-management behaviors in patients with Familial Hypercholesterolemia: A cross-national study. <i>Social Science and Medicine</i> , 2019 , 242, 112591	5.1	8
28	The brave new world of genetic testing in the management of the dyslipidaemias. <i>Current Opinion in Cardiology</i> , 2020 , 35, 226-233	2.1	7
27	Diagnostic performance of various familial hypercholesterolaemia diagnostic criteria compared to Dutch lipid clinic criteria in an Asian population. <i>BMC Cardiovascular Disorders</i> , 2017 , 17, 264	2.3	7

26	Heterozygous familial hypercholesterolaemia in a pair of identical twins: a case report and updated review. <i>BMC Pediatrics</i> , 2019 , 19, 106	2.6	6
25	Effects of ranibizumab on the extracellular matrix production by human Tenon's fibroblast. <i>Experimental Eye Research</i> , 2014 , 127, 236-42	3.7	6
24	Morphological and phenotypical characteristics of human osteoblasts after short-term space mission. <i>Bulletin of Experimental Biology and Medicine</i> , 2014 , 156, 393-8	0.8	6
23	Knowledge, awareness and practice regarding familial hypercholesterolaemia among primary care physicians in Malaysia: The importance of professional training. <i>Atherosclerosis</i> , 2018 , 277, 508-516	3.1	6
22	The EMPOWER-SUSTAIN e-Health Intervention to improve patient activation and self-management behaviours among individuals with Metabolic Syndrome in primary care: study protocol for a pilot randomised controlled trial. <i>Trials</i> , 2020 , 21, 311	2.8	5
21	Worldwide experience of homozygous familial hypercholesterolaemia: retrospective cohort study.. <i>Lancet, The</i> , 2022 ,	4.0	4
20	Atheroprotective effects of pure tocotrienol supplementation in the treatment of rabbits with experimentally induced early and established atherosclerosis. <i>Food and Nutrition Research</i> , 2016 , 60, 31525	3.1	4
19	Correlation and assessment of coronary artery luminal stenosis: Post-mortem computed tomography angiogram versus histopathology. <i>Forensic Science International</i> , 2020 , 308, 110171	2.6	3
18	Ficus deltoidea suppresses endothelial activation, inflammation, monocytes adhesion and oxidative stress via NF- κ B and eNOS pathways in stimulated human coronary artery endothelial cells. <i>BMC Complementary Medicine and Therapies</i> , 2020 , 20, 56	2.9	3
17	Menses and Stress Related Changes in Female Medical Students. <i>Procedia, Social and Behavioral Sciences</i> , 2012 , 36, 123-127		3
16	Familial Hypercholesterolaemia in the Malaysian Community: Prevalence, Under-Detection and Under-Treatment. <i>Journal of Atherosclerosis and Thrombosis</i> , 2021 , 28, 1095-1107	4	3
15	Acute effects of acarbose on post-prandial glucose and triglycerides in type 2 diabetics following intake of different Malaysian foods. <i>Asia Pacific Journal of Clinical Nutrition</i> , 2000 , 9, 41-5	1	2
14	Manifestation of Coronary Atherosclerosis in Klang Valley, Malaysia: An Autopsy Study. <i>Journal of Atherosclerosis and Thrombosis</i> , 2018 , 25, 405-409	4	2
13	Effects of prolonged isolation in a confined space on status of oxidative stress and prothrombogenesis: In preparation for possible future manned space expedition to Mars. <i>Malaysian Journal of Pathology</i> , 2019 , 41, 283-292	1.7	2
12	Increased serum levels of soluble ICAM-1 and IL-6 reflect endothelial dysfunction in statin-treated patients with hypercholesterolaemia. <i>Atherosclerosis</i> , 2004 , 174, 191-192	3.1	1
11	Secondary prevention and referral of elderly patients to a cardiovascular lipid service. <i>Archives of Gerontology and Geriatrics</i> , 1999 , 29, 1-11	4	1
10	Validity and reliability of an adapted questionnaire measuring knowledge, awareness and practice regarding familial hypercholesterolaemia among primary care physicians in Malaysia. <i>BMC Cardiovascular Disorders</i> , 2021 , 21, 39	2.3	1
9	Observational study of the status of coronary risk biomarkers among Negritos with metabolic syndrome in the east coast of Malaysia. <i>BMJ Open</i> , 2018 , 8, e021580	3	1

8	Comparable Enhanced Prothrombogenesis in Simple Central Obesity and Metabolic Syndrome. <i>Journal of Obesity</i> , 2018 , 2018, 8508549	3.7	1
7	Tocotrienols and Atherosclerosis 2012 , 163-184		0
6	Identification of cardiovascular risk factors among urban and rural Malaysian youths.. <i>BMC Cardiovascular Disorders</i> , 2022 , 22, 70	2.3	0
5	PS 11-61 STATUS OF INFLAMMATION AND ENDOTHELIAL ACTIVATION AMONG NATIVE GROUPS WITH METABOLIC SYNDROME IN MALAYSIA. <i>Journal of Hypertension</i> , 2016 , 34, e350	1.9	
4	Development of an Optimized Tetra-Amplification Refractory Mutation System PCR for Detection of 12 Pathogenic Familial Hypercholesterolemia Variants in the Asian Population.. <i>Journal of Molecular Diagnostics</i> , 2022 , 24, 120-130	5.1	
3	The 2019 Universiti Teknologi MARA, Malaysia Staff Survey: Determining the Level and Predictors of Quality of Life. <i>Frontiers in Psychiatry</i> , 2021 , 12, 705018	5	
2	A successful pregnancy outcome of homozygous familial hypercholesterolaemia patient on statin therapy. <i>Malaysian Journal of Pathology</i> , 2021 , 43, 87-93	1.7	
1	PREVENTIVE EFFECTS OF TOCOTRIENOL-ENRICHED MIXED FRACTION ON PLAQUE FORMATION AND STABILITY IN EARLY AND ESTABLISHED ATHEROSCLEROSIS 2022 , 51, 21-28		