

Adlio R Gaspar

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/931924/adelio-r-gaspar-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

76
papers

2,172
citations

24
h-index

45
g-index

77
ext. papers

2,561
ext. citations

6.5
avg, IF

5.35
L-index

#	Paper	IF	Citations
76	Barriers on Establishing Passive Strategies in Office Spaces: A Case Study in a Historic University Building. <i>Sustainability</i> , 2021 , 13, 4563	3.6	
75	Lessons from unsuccessful energy and buildings sustainability actions in university campus operations. <i>Journal of Cleaner Production</i> , 2021 , 297, 126665	10.3	2
74	Analysis of Specific Energy Consumption of Wastewater Treatment Plants in the North of Portugal 2021 , 361-369		
73	A review of the energy implications of passive building design and active measures under climate change in the Middle East. <i>Journal of Cleaner Production</i> , 2021 , 305, 127152	10.3	11
72	Daylighting simulation of a heritage building by comparing matrix methods and solar models. <i>Solar Energy</i> , 2021 , 224, 685-696	6.8	0
71	Energy performance factors in wastewater treatment plants: A review. <i>Journal of Cleaner Production</i> , 2021 , 322, 129107	10.3	4
70	Energy Audits and Energy Efficiency in Small Wastewater Treatment Plants: A Case Study 2020 , 766-777		1
69	Can movable PCM-filled TES units be used to improve the performance of PV panels? Overview and experimental case-study. <i>Energy and Buildings</i> , 2020 , 210, 109743	7	10
68	The contribution of ventilation on the energy performance of small residential buildings in the Mediterranean region. <i>Energy</i> , 2020 , 191, 116577	7.9	7
67	A review of empirical data of sustainability initiatives in university campus operations. <i>Journal of Cleaner Production</i> , 2020 , 250, 119558	10.3	31
66	Globe Temperature and Its Measurement: Requirements and Limitations. <i>Annals of Work Exposures and Health</i> , 2019 , 63, 743-758	2.4	7
65	Numerical recipes for successfully modeling the phase transitions in thermal energy storage adsorption systems. <i>Energy Storage</i> , 2019 , 1, e42	2.8	1
64	Thermal transmittance effect on energy consumption of Mediterranean buildings with different thermal mass. <i>Applied Energy</i> , 2019 , 252, 113437	10.7	26
63	Performance-based design of multi-story buildings for a sustainable urban environment: A case study. <i>Renewable and Sustainable Energy Reviews</i> , 2019 , 113, 109243	16.2	13
62	The importance of long-term hygrothermal assessment of museum spaces: method and application in a permanent exhibition in a historical building. <i>Conservar Património</i> , 2019 , 30, 91-105	0.4	1
61	The impact of thermal transmittance variation on building design in the Mediterranean region. <i>Applied Energy</i> , 2019 , 239, 581-597	10.7	17
60	Performance Analysis of a Solar DHW System with Adsorption Module Operating in Different World Locations. <i>Applied Sciences (Switzerland)</i> , 2019 , 9, 5480	2.6	0

59	An integrated energy performance-driven generative design methodology to foster modular lightweight steel framed dwellings in hot climates. <i>Energy for Sustainable Development</i> , 2018 , 44, 21-36	5.4	25
58	Optimization of a thermal energy storage system provided with an adsorption module [A GenOpt application in a TRNSYS/MATLAB model. <i>Energy Conversion and Management</i> , 2018 , 162, 90-97	10.6	6
57	Estimation of renewable energy and built environment-related variables using neural networks [A review. <i>Renewable and Sustainable Energy Reviews</i> , 2018 , 94, 959-988	16.2	28
56	Assessment of thermal environments: working conditions in the portuguese glass industry. <i>Industrial Health</i> , 2018 , 56, 62-77	2.5	5
55	The potential impact of low thermal transmittance construction on the European design guidelines of residential buildings. <i>Energy and Buildings</i> , 2018 , 178, 379-390	7	10
54	Review on performance aspects of nearly zero-energy districts. <i>Sustainable Cities and Society</i> , 2018 , 43, 406-420	10.1	56
53	An approach for energy performance and indoor climate assessment in a Portuguese school building. <i>Sustainable Cities and Society</i> , 2017 , 30, 184-194	10.1	22
52	A review on current advances in the energy and environmental performance of buildings towards a more sustainable built environment. <i>Renewable and Sustainable Energy Reviews</i> , 2017 , 77, 845-860	16.2	119
51	Clustering of architectural floor plans: A comparison of shape representations. <i>Automation in Construction</i> , 2017 , 80, 48-65	9.6	7
50	Simulation of Occupancy and CO2-based Demand-controlled Mechanical Ventilation Strategies in an Office Room Using EnergyPlus. <i>Energy Procedia</i> , 2017 , 113, 51-57	2.3	7
49	An application of a multi-criteria decision support system to assess energy performance of school buildings. <i>Energy Procedia</i> , 2017 , 122, 667-672	2.3	6
48	Refrigerants used in the Portuguese food industry: Current status. <i>International Journal of Refrigeration</i> , 2017 , 83, 60-74	3.8	15
47	Assessment of the indoor environmental conditions of a baroque library in Portugal. <i>Energy Procedia</i> , 2017 , 133, 257-267	2.3	9
46	A thermal energy storage system provided with an adsorption module [Dynamic modeling and viability study. <i>Energy Conversion and Management</i> , 2016 , 126, 548-560	10.6	13
45	A thermal performance parametric study of window type, orientation, size and shadowing effect. <i>Sustainable Cities and Society</i> , 2016 , 26, 456-465	10.1	32
44	Experimental evaluation of the heat transfer through small PCM-based thermal energy storage units for building applications. <i>Energy and Buildings</i> , 2016 , 116, 18-34	7	32
43	Modeling and parametric analysis of an adsorber unit for thermal energy storage. <i>Energy</i> , 2016 , 102, 83-94	7.9	12
42	Control criteria of electrochromic glasses for energy savings in mediterranean buildings refurbishment. <i>Solar Energy</i> , 2016 , 134, 236-250	6.8	46

41	Indoor climate assessment: A case study at a business incubation centre. <i>Sustainable Cities and Society</i> , 2016 , 26, 466-475	10.1	2
40	How reliable are geometry-based building indices as thermal performance indicators?. <i>Energy Conversion and Management</i> , 2015 , 101, 561-578	10.6	21
39	Thermal conditions in freezing chambers and prediction of the thermophysiological responses of workers. <i>International Journal of Biometeorology</i> , 2015 , 59, 1623-32	3.7	3
38	Assessment of thermal environments: Working conditions in the Portuguese ceramic industry in 1994 and 2012. <i>Work</i> , 2015 , 51, 457-70	1.6	6
37	On the measurement of globe temperatures: analysis of the influence of different parameters. <i>Extreme Physiology and Medicine</i> , 2015 , 4,		6
36	An Approach to Urban Quarter Design Using Building Generative Design and Thermal Performance Optimization. <i>Energy Procedia</i> , 2015 , 78, 2899-2904	2.3	8
35	Numerical evaluation of a radiant panel system for heating a high-ceiling room. <i>Extreme Physiology and Medicine</i> , 2015 , 4, A156		78
34	Increasing the efficiency of high temperature furnaces through a topping cycle cogeneration case study. <i>Energy Efficiency</i> , 2015 , 8, 85-95	3	2
33	Experimental study of the heat transfer through a vertical stack of rectangular cavities filled with phase change materials. <i>Applied Energy</i> , 2015 , 142, 192-205	10.7	26
32	Crowdsourced Clustering of Computer Generated Floor Plans. <i>Lecture Notes in Computer Science</i> , 2015 , 142-151	0.9	4
31	Development, calibration and validation of a mathematical model for the low-pressure-vaporization of the water in porous media. <i>International Journal of Heat and Mass Transfer</i> , 2014 , 73, 574-585	4.9	1
30	Multi-dimensional optimization of the incorporation of PCM-drywalls in lightweight steel-framed residential buildings in different climates. <i>Energy and Buildings</i> , 2014 , 70, 411-421	7	98
29	Exergetic analysis of a desiccant cooling system: searching for performance improvement opportunities. <i>International Journal of Energy Research</i> , 2014 , 38, 714-727	4.5	20
28	Analysis of natural and forced convection heat losses from a thermal manikin: Comparative assessment of the static and dynamic postures. <i>Journal of Wind Engineering and Industrial Aerodynamics</i> , 2014 , 132, 66-76	3.7	28
27	Automated approach for design generation and thermal assessment of alternative floor plans. <i>Energy and Buildings</i> , 2014 , 81, 170-181	7	23
26	Improving thermal performance of automatically generated floor plans using a geometric variable sequential optimization procedure. <i>Applied Energy</i> , 2014 , 132, 200-215	10.7	17
25	Wind tunnel measurements and numerical simulations of water evaporation in forced convection airflow. <i>International Journal of Thermal Sciences</i> , 2014 , 86, 28-40	4.1	44
24	Review and future trends of solar adsorption refrigeration systems. <i>Renewable and Sustainable Energy Reviews</i> , 2014 , 39, 102-123	16.2	85

23	Physical and experimental calibration of a mathematical model of the low-pressure-vaporization of free water. <i>Journal of Food Engineering</i> , 2014 , 138, 23-34	6	4
22	Subjective analysis of cold thermal environments. <i>Applied Ergonomics</i> , 2014 , 45, 534-43	4.2	13
21	Low-pressure-vaporization of free water [Characterization of the boiling regimes. <i>International Journal of Thermal Sciences</i> , 2014 , 77, 19-26	4.1	15
20	Evaluation of occupational cold environments: field measurements and subjective analysis. <i>Industrial Health</i> , 2014 , 52, 262-74	2.5	9
19	Calculation of view factors for complex geometries using Stokes's theorem. <i>Journal of Building Performance Simulation</i> , 2014 , 7, 203-216	2.8	12
18	Evaluation of electrochromic windows impact in the energy performance of buildings in Mediterranean climates. <i>Energy Policy</i> , 2014 , 67, 68-81	7.2	71
17	Crawler excavator track repair: Track fastening noise characterization and personal protection 2014 , 531-536		4
16	An evolutionary strategy enhanced with a local search technique for the space allocation problem in architecture, Part 1: Methodology. <i>CAD Computer Aided Design</i> , 2013 , 45, 887-897	2.9	41
15	Comparative energy and exergy performance assessments of a microgenerator unit in different electricity mix scenarios. <i>Energy Conversion and Management</i> , 2013 , 73, 195-206	10.6	19
14	Experimental study of the low-pressure-vaporization of water in different porous media. <i>International Journal of Heat and Mass Transfer</i> , 2013 , 65, 561-571	4.9	7
13	An approach to the multi-level space allocation problem in architecture using a hybrid evolutionary technique. <i>Automation in Construction</i> , 2013 , 35, 482-498	9.6	38
12	Comparative energy and exergy performance of heating options in buildings under different climatic conditions. <i>Energy and Buildings</i> , 2013 , 61, 288-297	7	24
11	An evolutionary strategy enhanced with a local search technique for the space allocation problem in architecture, Part 2: Validation and performance tests. <i>CAD Computer Aided Design</i> , 2013 , 45, 898-910	2.9	33
10	Review of passive PCM latent heat thermal energy storage systems towards buildings energy efficiency. <i>Energy and Buildings</i> , 2013 , 59, 82-103	7	610
9	Convective heat transfer from a nude body under calm conditions: assessment of the effects of walking with a thermal manikin. <i>International Journal of Biometeorology</i> , 2012 , 56, 319-32	3.7	22
8	A mathematical model describing the two stages of low-pressure-vaporization of free water. <i>Journal of Food Engineering</i> , 2012 , 112, 274-281	6	16
7	Energy and exergy-based indicators for the energy performance assessment of a hotel building. <i>Energy and Buildings</i> , 2012 , 52, 181-188	7	23
6	Development and validation of a computer program for simulation of the human body thermophysiological response 2012 ,		1

5	Dynamic clothing insulation. Measurements with a thermal manikin operating under the thermal comfort regulation mode. <i>Applied Ergonomics</i> , 2011 , 42, 890-9	4.2	32
4	Physical modelling of globe and natural wet bulb temperatures to predict WBGT heat stress index in outdoor environments. <i>International Journal of Biometeorology</i> , 2009 , 53, 221-30	3.7	37
3	Occupational exposure to cold thermal environments: a field study in Portugal. <i>European Journal of Applied Physiology</i> , 2008 , 104, 207-14	3.4	12
2	Measurements of clothing insulation with a thermal manikin operating under the thermal comfort regulation mode: comparative analysis of the calculation methods. <i>European Journal of Applied Physiology</i> , 2008 , 104, 679-88	3.4	35
1	Analysis of sensible heat exchanges from a thermal manikin. <i>European Journal of Applied Physiology</i> , 2004 , 92, 663-8	3.4	41