Caroline Stokke

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9319699/publications.pdf

Version: 2024-02-01

623734 552781 32 709 14 26 citations g-index h-index papers 33 33 33 794 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Evaluation of semi-quantitative measures of 18F-flutemetamol PET for the clinical diagnosis of Alzheimer's disease. Quantitative Imaging in Medicine and Surgery, 2022, 12, 493-509.	2.0	6
2	EANM dosimetry committee recommendations for dosimetry of 177Lu-labelled somatostatin-receptorand PSMA-targeting ligands. European Journal of Nuclear Medicine and Molecular Imaging, 2022, 49, 1778-1809.	6.4	70
3	FDG PET/CT and Dosimetric Studies of 177Lu-Lilotomab Satetraxetan in a First-in-Human Trial for Relapsed Indolent non-Hodgkin Lymphoma—Are We Hitting the Target?. Molecular Imaging and Biology, 2022, 24, 807-817.	2.6	3
4	Comparison of [18F]fluciclovine and [18F]FDG PET/CT in Newly Diagnosed Multiple Myeloma Patients. Molecular Imaging and Biology, 2022, 24, 842-851.	2.6	12
5	FDG PET/CT parameters and correlations with tumor-absorbed doses in a phase 1 trial of 177Lu-lilotomab satetraxetan for treatment of relapsed non-Hodgkin lymphoma. European Journal of Nuclear Medicine and Molecular Imaging, 2021, 48, 1902-1914.	6.4	6
6	Left ventricular regional glucose metabolism in combination with septal scar extent identifies CRT responders. European Journal of Nuclear Medicine and Molecular Imaging, 2021, 48, 2437-2446.	6.4	1
7	Myelosuppression in patients treated with $\langle \sup 177 \langle \sup \rangle$ Lutetium-lilotomab satetraxetan can be predicted with absorbed dose to the red marrow as the only variable. Acta Oncológica, 2021, 60, 1481-1488.	1.8	5
8	Is Amyloid Burden Measured by 18F-Flutemetamol PET Associated with Progression in Clinical Alzheimer's Disease?. Journal of Alzheimer's Disease, 2021, , 1-9.	2.6	2
9	EANM dosimetry committee series on standard operational procedures: a unified methodology for 99mTc-MAA pre- and 90Y peri-therapy dosimetry in liver radioembolization with 90Y microspheres. EJNMMI Physics, 2021, 8, 77.	2.7	61
	EJIVIVIIVII PRIVSICS, 2021, 6, 77.		
10	New Targets for PET Imaging of Myeloma. Hemato, 2021, 2, 727-738.	0.6	3
10		0.6	3
	New Targets for PET Imaging of Myeloma. Hemato, 2021, 2, 727-738. Regional myocardial work by cardiac magnetic resonance and non-invasive left ventricular pressure: a feasibility study in left bundle branch block. European Heart Journal Cardiovascular Imaging, 2020, 21,		
11	New Targets for PET Imaging of Myeloma. Hemato, 2021, 2, 727-738. Regional myocardial work by cardiac magnetic resonance and non-invasive left ventricular pressure: a feasibility study in left bundle branch block. European Heart Journal Cardiovascular Imaging, 2020, 21, 143-153. Phase 1/2a study of 177Lu-lilotomab satetraxetan in relapsed/refractory indolent non-Hodgkin	1.2	10
11 12	New Targets for PET Imaging of Myeloma. Hemato, 2021, 2, 727-738. Regional myocardial work by cardiac magnetic resonance and non-invasive left ventricular pressure: a feasibility study in left bundle branch block. European Heart Journal Cardiovascular Imaging, 2020, 21, 143-153. Phase 1/2a study of 177Lu-lilotomab satetraxetan in relapsed/refractory indolent non-Hodgkin lymphoma. Blood Advances, 2020, 4, 4091-4101. EANM Dosimetry Committee series on standard operational procedures for internal dosimetry for 1311	1.2 5.2	10 33
11 12 13	New Targets for PET Imaging of Myeloma. Hemato, 2021, 2, 727-738. Regional myocardial work by cardiac magnetic resonance and non-invasive left ventricular pressure: a feasibility study in left bundle branch block. European Heart Journal Cardiovascular Imaging, 2020, 21, 143-153. Phase 1/2a study of 177Lu-lilotomab satetraxetan in relapsed/refractory indolent non-Hodgkin lymphoma. Blood Advances, 2020, 4, 4091-4101. EANM Dosimetry Committee series on standard operational procedures for internal dosimetry for 1311 mIBG treatment of neuroendocrine tumours. EJNMMI Physics, 2020, 7, 15. Amyloid-β PETâ€"Correlation with cerebrospinal fluid biomarkers and prediction of AlzheimerÂ′s disease	1.2 5.2 2.7	10 33 44
11 12 13	New Targets for PET Imaging of Myeloma. Hemato, 2021, 2, 727-738. Regional myocardial work by cardiac magnetic resonance and non-invasive left ventricular pressure: a feasibility study in left bundle branch block. European Heart Journal Cardiovascular Imaging, 2020, 21, 143-153. Phase 1/2a study of 177Lu-lilotomab satetraxetan in relapsed/refractory indolent non-Hodgkin lymphoma. Blood Advances, 2020, 4, 4091-4101. EANM Dosimetry Committee series on standard operational procedures for internal dosimetry for 1311 mlBG treatment of neuroendocrine tumours. EJNMMI Physics, 2020, 7, 15. Amyloid-β PETâ€"Correlation with cerebrospinal fluid biomarkers and prediction of AlzheimerÂ's disease diagnosis in a memory clinic. PLoS ONE, 2019, 14, e0221365. The Effect of New Formulas for Lean Body Mass on Lean-Body-Massâ€"Normalized SUV in Oncologic	1.2 5.2 2.7 2.5	10 33 44 37
11 12 13 14	New Targets for PET Imaging of Myeloma. Hemato, 2021, 2, 727-738. Regional myocardial work by cardiac magnetic resonance and non-invasive left ventricular pressure: a feasibility study in left bundle branch block. European Heart Journal Cardiovascular Imaging, 2020, 21, 143-153. Phase 1/2a study of 177Lu-lilotomab satetraxetan in relapsed/refractory indolent non-Hodgkin lymphoma. Blood Advances, 2020, 4, 4091-4101. EANM Dosimetry Committee series on standard operational procedures for internal dosimetry for 131I mlBG treatment of neuroendocrine tumours. EJNMMI Physics, 2020, 7, 15. Amyloid-β PETâ€"Correlation with cerebrospinal fluid biomarkers and prediction of AlzheimerÂ's disease diagnosis in a memory clinic. PLoS ONE, 2019, 14, e0221365. The Effect of New Formulas for Lean Body Mass on Lean-Body-Massâ€"Normalized SUV in Oncologic ⟨sup>18 ⟨sup>F-FDG PET/CT. Journal of Nuclear Medicine Technology, 2018, 46, 253-259. Pre-dosing with lilotomab prior to therapy with 177Lu-lilotomab satetraxetan significantly increases the ratio of tumor to red marrow absorbed dose in non-Hodgkin lymphoma patients. European Journal	1.2 5.2 2.7 2.5	10 33 44 37 5

#	Article	IF	CITATIONS
19	Combining radioiodine and external beam radiation therapy: the potential of integrated treatment planning for differentiated thyroid cancer. Acta Oncol \tilde{A}^3 gica, 2017, 56, 894-897.	1.8	3
20	Tumor-Absorbed Dose for Non-Hodgkin Lymphoma Patients Treated with the Anti-CD37 Antibody Radionuclide Conjugate ¹⁷⁷ Lu-Lilotomab Satetraxetan. Journal of Nuclear Medicine, 2017, 58, 48-54.	5.0	29
21	Red Marrow–Absorbed Dose for Non-Hodgkin Lymphoma Patients Treated with ¹⁷⁷ Lu-Lilotomab Satetraxetan, a Novel Anti-CD37 Antibody–Radionuclide Conjugate. Journal of Nuclear Medicine, 2017, 58, 55-61.	5.0	22
22	Variations in the practice of molecular radiotherapy and implementation of dosimetry: results from a European survey. EJNMMI Physics, 2017, 4, 28.	2.7	65
23	Dosimetry-based treatment planning for molecular radiotherapy: a summary of the 2017 report from the Internal Dosimetry Task Force. EJNMMI Physics, 2017, 4, 27.	2.7	71
24	Short-course PET based simultaneous integrated boost for locally advanced cervical cancer. Radiation Oncology, 2016, $11,39$.	2.7	14
25	177lu-Satetraxetan-Lilotomab in the Treatment of Patients with Indolent Non-Hodgkin B-Cell Lymphoma (NHL), Phase 1/2 Safety and Efficacy Data from Four Different Pre-Dosing Regimens. Blood, 2016, 128, 1780-1780.	1.4	2
26	New distinct compartments in the G $<$ sub $>$ 2 $<$ /sub $>$ phase of the cell cycle defined by the levels of $^{\hat{1}3}$ H2AX Cell Cycle, 2015, 14, 3261-3269.	2.6	7
27	Efficacy and Safety Results of a Phase 1 Study of 177 lu-DOTA-HH1 (Betalutin \hat{A}°) with and without HH1 Pre-Dosing for Patients with Relapsed CD37+ Non-Hodgkin B Cell Lymphoma (NHL). Blood, 2015, 126, 5118-5118.	1.4	O
28	Escherichia coli SeqA Structures Relocalize Abruptly upon Termination of Origin Sequestration during Multifork DNA Replication. PLoS ONE, 2014, 9, e110575.	2.5	9
29	How to measure CT image quality: Variations in CT-numbers, uniformity and low contrast resolution for a CT quality assurance phantom. Physica Medica, 2014, 30, 521-526.	0.7	51
30	A Phase I Study of 177 lu-DOTA-HH1 (Betalutin) Radioimmunotherapy for Patients with Relapsed CD37+Non-Hodgkin's B Cell Lymphoma. Blood, 2014, 124, 3094-3094.	1.4	3
31	An Easy-To-Use Simulation Program Demonstrates Variations in Bacterial Cell Cycle Parameters Depending on Medium and Temperature. PLoS ONE, 2012, 7, e30981.	2.5	50

Replication patterns and organization of replication forks in Vibrio cholerae. Microbiology (United) Tj ETQq0 0 0 rgBT/Overlock 10 Tf 50