

Hariharan Ramakrishnan

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/9319992/hariharan-ramakrishnan-publications-by-year.pdf>

Version: 2024-04-29

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

13
papers

15
citations

2
h-index

3
g-index

20
ext. papers

24
ext. citations

0.9
avg, IF

0.79
L-index

#	Paper	IF	Citations
13	Mandibular implant overdenture - treatment modalities and maintenance - an integrative overview. <i>Daehan Chikgwa Ibig</i> , 2022 , 41, 1-14	0	
12	Retention force dynamics of two different soft liners over ball abutments for mandibular implant overdentures. <i>Daehan Chikgwa Ibig</i> , 2021 , 40, 23-34	0	
11	Comparative evaluation of the microbial leakage at two different implant-abutment interfaces using a new sealant. <i>Daehan Chikgwa Ibig</i> , 2021 , 40, 35-47	0	0
10	Evaluation of the wear characteristics of three different materials used for provisional implant-supported restorations. <i>Daehan Chikgwa Ibig</i> , 2021 , 40, 97-106	0	
9	Evaluation of rotational resistance, and rotational and vertical discrepancy of three different elastomeric impression materials with open tray implant level impressions on a special model. <i>Daehan Chikgwa Ibig</i> , 2021 , 40, 66-75	0	
8	Orofacial manifestations of COVID-19. <i>Journal of Oral Health and Craniofacial Science</i> , 2021 , 6, 006-007	0	
7	Comparative evaluation of the wear resistance of two different implant abutment materials after cyclic loading - An in vitro study. <i>Contemporary Clinical Dentistry</i> , 2020 , 11, 229-236	0.6	1
6	Evaluation of the Bioactivity of Surface Modified Polyetheretherketone (PEEK) as an Implant Material: An Study. <i>Contemporary Clinical Dentistry</i> , 2020 , 11, 356-366	0.6	1
5	Surface Characteristics and Bioactivity of Zirconia (Y-TZP) with Different Surface Treatments. <i>Journal of Pharmacy and Bioallied Sciences</i> , 2020 , 12, S114-S123	1.1	1
4	Comparative evaluation of wear resistance of CAD-CAM zirconia and cast cobalt chromium alloy for indirect restorations against human enamel - An study. <i>Indian Journal of Dental Research</i> , 2020 , 31, 537-545	0.8	1
3	Comparative Evaluation of the Masking Ability of Lithium Disilicate Ceramic with Different Core Thickness on the Shade Match of Indirect Restorations over Metallic Substrate: An Study. <i>Contemporary Clinical Dentistry</i> , 2019 , 10, 56-63	0.6	2
2	Comparative evaluation of the effect of electrolyzed oxidizing water on surface detail reproduction, dimensional stability and Surface texture of poly vinyl siloxane impressions. <i>Journal of Indian Prosthodontic Society, The</i> , 2019 , 19, 33-41	1.2	4
1	Three-dimensional finite element analysis of the stress distribution pattern in the design modifications of U-shaped palatal major connector. <i>Indian Journal of Dental Research</i> , 2010 , 21, 506-11	0.8	5