Claudia Agnoli

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/9322651/claudia-agnoli-publications-by-year.pdf

Version: 2024-04-18

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

164
papers7,367
citations52
h-index78
g-index174
ext. papers8,759
ext. citations6
avg, IF4.82
L-index

#	Paper	IF	Citations
164	Inflammatory potential of diet and pancreatic cancer risk in the EPIC study <i>European Journal of Nutrition</i> , 2022 , 1	5.2	O
163	Dietary intake of animal and plant proteins and risk of all cause and cause-specific mortality: The Epic-Italy cohort. <i>Nutrition and Healthy Aging</i> , 2022 , 1-12	1.3	
162	Excess body fatness during early to mid-adulthood and survival from colorectal and breast cancer: a pooled analysis of five international cohort studies. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2021 ,	4	1
161	Co-benefits from sustainable dietary shifts for population and environmental health: an assessment from a large European cohort study. <i>Lancet Planetary Health, The</i> , 2021 , 5, e786-e796	9.8	7
160	Metabolic signatures of greater body size and their associations with risk of colorectal and endometrial cancers in the European Prospective Investigation into Cancer and Nutrition. <i>BMC Medicine</i> , 2021 , 19, 101	11.4	6
159	Dietary intake and plasma phospholipid concentrations of saturated, monounsaturated and trans fatty acids and colorectal cancer risk in the European Prospective Investigation into Cancer and Nutrition cohort. <i>International Journal of Cancer</i> , 2021 , 149, 865	7.5	8
158	Breast Cancer Risk Factors and Circulating Anti-Mllerian Hormone Concentration in Healthy Premenopausal Women. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2021 , 106, e4542-e4553	5.6	
157	Macronutrient composition of the diet and long-term changes in weight and waist circumference in the EPIC-Italy cohort. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2021 , 31, 67-75	4.5	1
156	Association between anthropometry and lifestyle factors and risk of B-cell lymphoma: An exposome-wide analysis. <i>International Journal of Cancer</i> , 2021 , 148, 2115-2128	7.5	3
155	Body size and weight change over adulthood and risk of breast cancer by menopausal and hormone receptor status: a pooled analysis of 20 prospective cohort studies. <i>European Journal of Epidemiology</i> , 2021 , 36, 37-55	12.1	5
154	Prospective Identification of Elevated Circulating CDCP1 in Patients Years before Onset of Lung Cancer. <i>Cancer Research</i> , 2021 , 81, 3738-3748	10.1	5
153	Prospective analysis of circulating metabolites and endometrial cancer risk. <i>Gynecologic Oncology</i> , 2021 , 162, 475-481	4.9	4
152	A New Pipeline for the Normalization and Pooling of Metabolomics Data. <i>Metabolites</i> , 2021 , 11,	5.6	1
151	Antibody Responses to and Risk of Developing Colorectal Cancer in a European Cohort. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2020 , 29, 1475-1481	4	7
150	Glycemic index, glycemic load, and risk of coronary heart disease: a pan-European cohort study. <i>American Journal of Clinical Nutrition</i> , 2020 , 112, 631-643	7	10
149	Lifestyle factors and risk of multimorbidity of cancer and cardiometabolic diseases: a multinational cohort study. <i>BMC Medicine</i> , 2020 , 18, 5	11.4	43
148	Serologic markers of Chlamydia trachomatis and other sexually transmitted infections and subsequent ovarian cancer risk: Results from the EPIC cohort. <i>International Journal of Cancer</i> , 2020 , 147, 2042-2052	7.5	8

(2019-2020)

147	Circulating Levels of Insulin-like Growth Factor 1 and Insulin-like Growth Factor Binding Protein 3 Associate With Risk of Colorectal Cancer Based on Serologic and Mendelian Randomization Analyses. <i>Gastroenterology</i> , 2020 , 158, 1300-1312.e20	13.3	45	
146	Alcohol, smoking and rectal cancer risk in a Mediterranean cohort of adults: the European Prospective Investigation into Cancer and Nutrition (EPIC)-Italy cohort. <i>European Journal of Gastroenterology and Hepatology</i> , 2020 , 32, 475-483	2.2	4	
145	Association between nutritional profiles of foods underlying Nutri-Score front-of-pack labels and mortality: EPIC cohort study in 10 European countries. <i>BMJ, The</i> , 2020 , 370, m3173	5.9	23	
144	Inflammatory potential of diet and risk of lymphoma in the European Prospective Investigation into Cancer and Nutrition. <i>European Journal of Nutrition</i> , 2020 , 59, 813-823	5.2	3	
143	Prediagnostic Plasma Bile Acid Levels and Colon Cancer Risk: A Prospective Study. <i>Journal of the National Cancer Institute</i> , 2020 , 112, 516-524	9.7	28	
142	Association Between Soft Drink Consumption and Mortality in 10 European Countries. <i>JAMA Internal Medicine</i> , 2019 , 179, 1479-1490	11.5	7 ²	
141	Syringol metabolites as new biomarkers for smoked meat intake. <i>American Journal of Clinical Nutrition</i> , 2019 , 110, 1424-1433	7	9	
140	Generalizability of a Diabetes-Associated Country-Specific Exploratory Dietary Pattern Is Feasible Across European Populations. <i>Journal of Nutrition</i> , 2019 , 149, 1047-1055	4.1	3	
139	Breast cancer risk prediction in women aged 35-50 years: impact of including sex hormone concentrations in the Gail model. <i>Breast Cancer Research</i> , 2019 , 21, 42	8.3	16	
138	Epigenome-wide association study for lifetime estrogen exposure identifies an epigenetic signature associated with breast cancer risk. <i>Clinical Epigenetics</i> , 2019 , 11, 66	7.7	12	
137	Association of Selenoprotein and Selenium Pathway Genotypes with Risk of Colorectal Cancer and Interaction with Selenium Status. <i>Nutrients</i> , 2019 , 11,	6.7	12	
136	Circulating Vitamin D and Colorectal Cancer Risk: An International Pooling Project of 17 Cohorts. Journal of the National Cancer Institute, 2019 , 111, 158-169	9.7	131	
135	Associations of dairy product consumption with mortality in the European Prospective Investigation into Cancer and Nutrition (EPIC)-Italy cohort. <i>American Journal of Clinical Nutrition</i> , 2019 , 110, 1220-1230	7	17	
134	Reproductive and Lifestyle Factors and Circulating sRANKL and OPG Concentrations in Women: Results from the EPIC Cohort. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2019 , 28, 1746-1754	4	5	
133	Adherence to the World Cancer Research Fund/American Institute for Cancer Research cancer prevention recommendations and risk of in situ breast cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. <i>BMC Medicine</i> , 2019 , 17, 221	11.4	7	
132	Adherence to the mediterranean diet and lymphoma risk in the european prospective investigation into cancer and nutrition. <i>International Journal of Cancer</i> , 2019 , 145, 122-131	7.5	5	
131	Dietary Pattern Analysis 2019 , 75-101		3	
130	Dietary cadmium and risk of breast cancer subtypes defined by hormone receptor status: A prospective cohort study. <i>International Journal of Cancer</i> , 2019 , 144, 2153-2160	7.5	31	

129	Prospective evaluation of antibody response to Streptococcus gallolyticus and risk of colorectal cancer. <i>International Journal of Cancer</i> , 2018 , 143, 245-252	7.5	18
128	Circulating anti-Mllerian hormone and breast cancer risk: A study in ten prospective cohorts. <i>International Journal of Cancer</i> , 2018 , 142, 2215-2226	7.5	20
127	Adherence to a Mediterranean diet and long-term changes in weight and waist circumference in the EPIC-Italy cohort. <i>Nutrition and Diabetes</i> , 2018 , 8, 22	4.7	58
126	Nut intake and 5-year changes in body weight and obesity risk in adults: results from the EPIC-PANACEA study. <i>European Journal of Nutrition</i> , 2018 , 57, 2399-2408	5.2	42
125	A new food-composition database for 437 polyphenols in 19,899 raw and prepared foods used to estimate polyphenol intakes in adults from 10 European countries. <i>American Journal of Clinical Nutrition</i> , 2018 , 108, 517-524	7	32
124	Perturbation of metabolic pathways mediates the association of air pollutants with asthma and cardiovascular diseases. <i>Environment International</i> , 2018 , 119, 334-345	12.9	49
123	Assessment of Lung Cancer Risk on the Basis of a Biomarker Panel of Circulating Proteins. <i>JAMA Oncology</i> , 2018 , 4, e182078	13.4	55
122	Are the dietary habits of treated individuals with celiac disease adherent to a Mediterranean diet?. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2018 , 28, 1148-1154	4.5	14
121	Circulating plasma phospholipid fatty acids and risk of pancreatic cancer in a large European cohort. <i>International Journal of Cancer</i> , 2018 , 143, 2437-2448	7.5	17
120	Interaction of Dietary and Genetic Factors Influencing Body Iron Status and Risk of Type 2 Diabetes Within the EPIC-InterAct Study. <i>Diabetes Care</i> , 2018 , 41, 277-285	14.6	11
119	Adipokines and inflammation markers and risk of differentiated thyroid carcinoma: The EPIC study. <i>International Journal of Cancer</i> , 2018 , 142, 1332-1342	7.5	32
118	Oxidative stress and inflammation mediate the effect of air pollution on cardio- and cerebrovascular disease: A prospective study in nonsmokers. <i>Environmental and Molecular Mutagenesis</i> , 2018 , 59, 234-246	3.2	61
117	Circulating concentrations of vitamin D in relation to pancreatic cancer risk in European populations. <i>International Journal of Cancer</i> , 2018 , 142, 1189-1201	7.5	12
116	Separate and combined associations of obesity and metabolic health with coronary heart disease: a pan-European case-cohort analysis. <i>European Heart Journal</i> , 2018 , 39, 397-406	9.5	146
115	Receptor activator of nuclear factor kB ligand, osteoprotegerin, and risk of death following a breast cancer diagnosis: results from the EPIC cohort. <i>BMC Cancer</i> , 2018 , 18, 1010	4.8	6
114	Alcohol intake in relation to non-fatal and fatal coronary heart disease and stroke: EPIC-CVD case-cohort study. <i>BMJ, The</i> , 2018 , 361, k934	5.9	44
113	Pre-diagnostic circulating insulin-like growth factor-I and bladder cancer risk in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2018 , 143, 2351-235	5 <mark>8</mark> 5	11
112	Glycaemic index, glycaemic load and risk of cutaneous melanoma in a population-based, case-control study. <i>British Journal of Nutrition</i> , 2017 , 117, 432-438	3.6	8

(2016-2017)

111	DNA methylome analysis identifies accelerated epigenetic ageing associated with postmenopausal breast cancer susceptibility. <i>European Journal of Cancer</i> , 2017 , 75, 299-307	7.5	104
110	Mediterranean diet and risk of pancreatic cancer in the European Prospective Investigation into Cancer and Nutrition cohort. <i>British Journal of Cancer</i> , 2017 , 116, 811-820	8.7	21
109	The Premenopausal Breast Cancer Collaboration: A Pooling Project of Studies Participating in the National Cancer Institute Cohort Consortium. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2017 , 26, 1360-1369	4	16
108	Metabolic Mediators of the Association Between Adult Weight Gain and Colorectal Cancer: Data From the European Prospective Investigation into Cancer and Nutrition (EPIC) Cohort. <i>American Journal of Epidemiology</i> , 2017 , 185, 751-764	3.8	14
107	Dietary flavonoid intake and colorectal cancer risk in the European prospective investigation into cancer and nutrition (EPIC) cohort. <i>International Journal of Cancer</i> , 2017 , 140, 1836-1844	7.5	45
106	Endometrial cancer risk prediction including serum-based biomarkers: results from the EPIC cohort. <i>International Journal of Cancer</i> , 2017 , 140, 1317-1323	7.5	17
105	Physical activity, mediating factors and risk of colon cancer: insights into adiposity and circulating biomarkers from the EPIC cohort. <i>International Journal of Epidemiology</i> , 2017 , 46, 1823-1835	7.8	13
104	Biomarkers of inflammation and breast cancer risk: a case-control study nested in the EPIC-Varese cohort. <i>Scientific Reports</i> , 2017 , 7, 12708	4.9	40
103	Pre-diagnostic metabolite concentrations and prostate cancer risk in 1077 cases and 1077 matched controls in the European Prospective Investigation into Cancer and Nutrition. <i>BMC Medicine</i> , 2017 , 15, 122	11.4	34
102	Dietary glycemic index, glycemic load, and cancer risk: results from the EPIC-Italy study. <i>Scientific Reports</i> , 2017 , 7, 9757	4.9	46
101	Blood Metabolic Signatures of Body Mass Index: A Targeted Metabolomics Study in the EPIC Cohort. <i>Journal of Proteome Research</i> , 2017 , 16, 3137-3146	5.6	37
100	Position paper on vegetarian diets from the working group of the Italian Society of Human Nutrition. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2017 , 27, 1037-1052	4.5	109
99	Impact of preventable risk factors on stroke in the EPICOR study: does gender matter?. <i>International Journal of Public Health</i> , 2017 , 62, 775-786	4	3
98	Up to one-third of breast cancer cases in post-menopausal Mediterranean women might be avoided by modifying lifestyle habits: the EPIC Italy study. <i>Breast Cancer Research and Treatment</i> , 2017 , 161, 311	- 32 0	14
97	Dietary polyphenol intake in Europe: the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>European Journal of Nutrition</i> , 2016 , 55, 1359-75	5.2	238
96	A novel approach to breast cancer prevention: reducing excessive ovarian androgen production in elderly women. <i>Breast Cancer Research and Treatment</i> , 2016 , 158, 553-61	4.4	8
95	A treelet transform analysis to relate nutrient patterns to the risk of hormonal receptor-defined breast cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Public Health Nutrition</i> , 2016 , 19, 242-54	3.3	21
94	Diet Quality Scores and Prediction of All-Cause, Cardiovascular and Cancer Mortality in a Pan-European Cohort Study. <i>PLoS ONE</i> , 2016 , 11, e0159025	3.7	58

93	Alteration of amino acid and biogenic amine metabolism in hepatobiliary cancers: Findings from a prospective cohort study. <i>International Journal of Cancer</i> , 2016 , 138, 348-60	7.5	58
92	Cellular immune activity biomarker neopterin is associated hyperlipidemia: results from a large population-based study. <i>Immunity and Ageing</i> , 2016 , 13, 5	9.7	9
91	Plasma Riboflavin and Vitamin B-6, but Not Homocysteine, Folate, or Vitamin B-12, Are Inversely Associated with Breast Cancer Risk in the European Prospective Investigation into Cancer and Nutrition-Varese Cohort. <i>Journal of Nutrition</i> , 2016 , 146, 1227-34	4.1	21
90	An epidemiologic risk prediction model for ovarian cancer in Europe: the EPIC study. <i>British Journal of Cancer</i> , 2015 , 112, 1257-65	8.7	28
89	Association of CRP genetic variants with blood concentrations of C-reactive protein and colorectal cancer risk. <i>International Journal of Cancer</i> , 2015 , 136, 1181-92	7.5	53
88	Lag times between lymphoproliferative disorder and clinical diagnosis of chronic lymphocytic leukemia: a prospective analysis using plasma soluble CD23. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2015 , 24, 538-45	4	9
87	Diet Quality and Risk of Melanoma in an Italian Population. <i>Journal of Nutrition</i> , 2015 , 145, 1800-7	4.1	31
86	Differentially methylated microRNAs in prediagnostic samples of subjects who developed breast cancer in the European Prospective Investigation into Nutrition and Cancer (EPIC-Italy) cohort. <i>Carcinogenesis</i> , 2015 , 36, 1144-53	4.6	26
85	Coffee and tea consumption and risk of pre- and postmenopausal breast cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort study. <i>Breast Cancer Research</i> , 2015 , 17, 15	8.3	39
84	Meat and fish consumption and the risk of renal cell carcinoma in the European prospective investigation into cancer and nutrition. <i>International Journal of Cancer</i> , 2015 , 136, E423-31	7.5	15
83	Circulating Tissue Factor Levels and Risk of Stroke: Findings From the EPICOR Study. <i>Stroke</i> , 2015 , 46, 1501-7	6.7	6
82	Life-course socioeconomic status and DNA methylation of genes regulating inflammation. <i>International Journal of Epidemiology</i> , 2015 , 44, 1320-30	7.8	96
81	Dietary glycemic index and glycemic load and risk of colorectal cancer: results from the EPIC-Italy study. <i>International Journal of Cancer</i> , 2015 , 136, 2923-31	7.5	43
80	Toenail selenium and risk of type 2 diabetes: the ORDET cohort study. <i>Journal of Trace Elements in Medicine and Biology</i> , 2015 , 29, 145-50	4.1	27
79	Fish consumption and mortality in the European Prospective Investigation into Cancer and Nutrition cohort. <i>European Journal of Epidemiology</i> , 2015 , 30, 57-70	12.1	33
78	Epigenome-wide association study reveals decreased average methylation levels years before breast cancer diagnosis. <i>Clinical Epigenetics</i> , 2015 , 7, 67	7.7	78
77	Gene-specific DNA methylation profiles and LINE-1 hypomethylation are associated with myocardial infarction risk. <i>Clinical Epigenetics</i> , 2015 , 7, 133	7.7	45
76	Micronutrients Involved in One-Carbon Metabolism and Risk of Breast Cancer Subtypes. <i>PLoS ONE</i> , 2015 , 10, e0138318	3.7	19

(2014-2015)

75	Dietary Total Antioxidant Capacity and Colorectal Cancer in the Italian EPIC Cohort. <i>PLoS ONE</i> , 2015 , 10, e0142995	3.7	36
74	Reproductive and hormone-related risk factors for epithelial ovarian cancer by histologic pathways, invasiveness and histologic subtypes: Results from the EPIC cohort. <i>International Journal of Cancer</i> , 2015 , 137, 1196-208	7.5	45
73	Isocaloric substitution of carbohydrates with protein: the association with weight change and mortality among patients with type 2 diabetes. <i>Cardiovascular Diabetology</i> , 2015 , 14, 39	8.7	16
72	Variation at ABO histo-blood group and FUT loci and diffuse and intestinal gastric cancer risk in a European population. <i>International Journal of Cancer</i> , 2015 , 136, 880-93	7.5	22
71	Reproductive factors and epithelial ovarian cancer survival in the EPIC cohort study. <i>British Journal of Cancer</i> , 2015 , 113, 1622-31	8.7	20
70	Espresso coffee consumption and risk of coronary heart disease in a large Italian cohort. <i>PLoS ONE</i> , 2015 , 10, e0126550	3.7	26
69	Metabolic syndrome and breast cancer risk: a case-cohort study nested in a multicentre italian cohort. <i>PLoS ONE</i> , 2015 , 10, e0128891	3.7	44
68	Weight change in middle adulthood and breast cancer risk in the EPIC-PANACEA study. <i>International Journal of Cancer</i> , 2014 , 135, 2887-99	7.5	47
67	Thyroid-stimulating hormone, thyroglobulin, and thyroid hormones and risk of differentiated thyroid carcinoma: the EPIC study. <i>Journal of the National Cancer Institute</i> , 2014 , 106, dju097	9.7	64
66	Adiposity, mediating biomarkers and risk of colon cancer in the European prospective investigation into cancer and nutrition study. <i>International Journal of Cancer</i> , 2014 , 134, 612-21	7.5	31
65	Dietary fat intake and development of specific breast cancer subtypes. <i>Journal of the National Cancer Institute</i> , 2014 , 106,	9.7	71
64	Biomarker patterns of inflammatory and metabolic pathways are associated with risk of colorectal cancer: results from the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>European Journal of Epidemiology</i> , 2014 , 29, 261-75	12.1	50
63	Colorectal cancer risk and dyslipidemia: a case-cohort study nested in an Italian multicentre cohort. <i>Cancer Epidemiology</i> , 2014 , 38, 144-51	2.8	34
62	Lifetime alcohol use and overall and cause-specific mortality in the European Prospective Investigation into Cancer and nutrition (EPIC) study. <i>BMJ Open</i> , 2014 , 4, e005245	3	68
61	Elevated levels of D-dimers increase the risk of ischaemic and haemorrhagic stroke. Findings from the EPICOR Study. <i>Thrombosis and Haemostasis</i> , 2014 , 112, 941-6	7	28
60	Gene-lifestyle interaction and type 2 diabetes: the EPIC interact case-cohort study. <i>PLoS Medicine</i> , 2014 , 11, e1001647	11.6	149
59	Inflammatory and metabolic biomarkers and risk of liver and biliary tract cancer. <i>Hepatology</i> , 2014 , 60, 858-71	11.2	137
58	Adherence to the Mediterranean diet and risk of bladder cancer in the EPIC cohort study. International Journal of Cancer, 2014, 134, 2504-11	7.5	29

57	Circulating biomarkers of tryptophan and the kynurenine pathway and lung cancer risk. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2014 , 23, 461-8	4	50
56	Prolactin determinants in healthy women: A large cross-sectional study within the EPIC cohort. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2014 , 23, 2532-42	4	8
55	Polymorphisms of Helicobacter pylori signaling pathway genes and gastric cancer risk in the European Prospective Investigation into Cancer-Eurgast cohort. <i>International Journal of Cancer</i> , 2014 , 134, 92-101	7.5	30
54	Adherence to predefined dietary patterns and incident type 2 diabetes in European populations: EPIC-InterAct Study. <i>Diabetologia</i> , 2014 , 57, 321-33	10.3	59
53	Dietary acrylamide intake of adults in the European Prospective Investigation into Cancer and Nutrition differs greatly according to geographical region. <i>European Journal of Nutrition</i> , 2013 , 52, 1369	9 - 86	38
52	Mediterranean diet and colorectal cancer risk: results from a European cohort. <i>European Journal of Epidemiology</i> , 2013 , 28, 317-28	12.1	111
51	Endogenous sex steroids in premenopausal women and risk of breast cancer: the ORDET cohort. Breast Cancer Research, 2013 , 15, R46	8.3	26
50	Adherence to the mediterranean diet and risk of breast cancer in the European prospective investigation into cancer and nutrition cohort study. <i>International Journal of Cancer</i> , 2013 , 132, 2918-27	7.5	142
49	High glycemic diet and breast cancer occurrence in the Italian EPIC cohort. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2013 , 23, 628-34	4.5	31
48	Italian Mediterranean Index and risk of colorectal cancer in the Italian section of the EPIC cohort. International Journal of Cancer, 2013, 132, 1404-11	7.5	74
47	Type 1 plasminogen activator inhibitor as a common risk factor for cancer and ischaemic vascular disease: the EPICOR study. <i>BMJ Open</i> , 2013 , 3, e003725	3	23
46	Prediagnostic body fat and risk of death from amyotrophic lateral sclerosis: the EPIC cohort. <i>Neurology</i> , 2013 , 80, 829-38	6.5	103
45	Plasma 25-hydroxyvitamin D concentration and lymphoma risk: results of the European Prospective Investigation into Cancer and Nutrition. <i>American Journal of Clinical Nutrition</i> , 2013 , 98, 827-38	7	29
44	Dietary flavonoid, lignan and antioxidant capacity and risk of hepatocellular carcinoma in the European prospective investigation into cancer and nutrition study. <i>International Journal of Cancer</i> , 2013 , 133, 2429-43	7.5	54
43	Hormonal, metabolic, and inflammatory profiles and endometrial cancer risk within the EPIC cohorta factor analysis. <i>American Journal of Epidemiology</i> , 2013 , 177, 787-99	3.8	91
42	Dietary glycemic load and glycemic index and risk of cerebrovascular disease in the EPICOR cohort. <i>PLoS ONE</i> , 2013 , 8, e62625	3.7	29
41	Prospective study on the role of glucose metabolism in breast cancer occurrence. <i>International Journal of Cancer</i> , 2012 , 130, 921-9	7.5	67
40	Dietary flavonoid and lignan intake and gastric adenocarcinoma risk in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>American Journal of Clinical Nutrition</i> , 2012 , 96, 139	98-408	71

Untersuchung der Arbeitsged©htnisleistung als Aspekt exekutiver Funktionen vor und unter CPAP-Therapie. <i>Somnologie</i> , 2012 , 16, 177-182	2	
Combined impact of lifestyle factors on prospective change in body weight and waist circumference in participants of the EPIC-PANACEA study. <i>PLoS ONE</i> , 2012 , 7, e50712	3.7	22
Olive oil intake and breast cancer risk in the Mediterranean countries of the European Prospective Investigation into Cancer and Nutrition study. <i>International Journal of Cancer</i> , 2012 , 131, 2465-9	7.5	33
Body size and risk of differentiated thyroid carcinomas: findings from the EPIC study. <i>International Journal of Cancer</i> , 2012 , 131, E1004-14	7.5	84
Physical activity reduces the risk of incident type 2 diabetes in general and in abdominally lean and obese men and women: the EPIC-InterAct Study. <i>Diabetologia</i> , 2012 , 55, 1944-52	10.3	61
Alcohol consumption and mortality in individuals with diabetes mellitus. <i>British Journal of Nutrition</i> , 2012 , 108, 1307-15	3.6	7
The amount and type of dairy product intake and incident type 2 diabetes: results from the EPIC-InterAct Study. <i>American Journal of Clinical Nutrition</i> , 2012 , 96, 382-90	7	156
Total and high-molecular weight adiponectin and risk of colorectal cancer: the European Prospective Investigation into Cancer and Nutrition Study. <i>Carcinogenesis</i> , 2012 , 33, 1211-8	4.6	65
The association of education with long-term weight change in the EPIC-PANACEA cohort. <i>European Journal of Clinical Nutrition</i> , 2012 , 66, 957-63	5.2	13
Sources of pre-analytical variations in yield of DNA extracted from blood samples: analysis of 50,000 DNA samples in EPIC. <i>PLoS ONE</i> , 2012 , 7, e39821	3.7	26
Variation in genes coding for AMP-activated protein kinase (AMPK) and breast cancer risk in the European Prospective Investigation on Cancer (EPIC). <i>Breast Cancer Research and Treatment</i> , 2011 , 127, 761-7	4.4	10
The association of education with body mass index and waist circumference in the EPIC-PANACEA study. <i>BMC Public Health</i> , 2011 , 11, 169	4.1	56
Yogurt consumption and risk of colorectal cancer in the Italian European prospective investigation into cancer and nutrition cohort. <i>International Journal of Cancer</i> , 2011 , 129, 2712-9	7.5	119
A priori-defined dietary patterns are associated with reduced risk of stroke in a large Italian cohort. <i>Journal of Nutrition</i> , 2011 , 141, 1552-8	4.1	121
Endogenous sex steroids and risk of cervical carcinoma: results from the EPIC study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2011 , 20, 2532-40	4	27
Fruit, vegetables, and olive oil and risk of coronary heart disease in Italian women: the EPICOR Study. <i>American Journal of Clinical Nutrition</i> , 2011 , 93, 275-83	7	129
Single-nucleotide polymorphisms (5p15.33, 15q25.1, 6p22.1, 6q27 and 7p15.3) and lung cancer survival in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Mutagenesis</i> , 2011 , 26, 657-66	2.8	19
Metabolic syndrome and risks of colon and rectal cancer: the European prospective investigation into cancer and nutrition study. <i>Cancer Prevention Research</i> , 2011 , 4, 1873-83	3.2	103
	CPAP-Therapie. Somnologie, 2012, 16, 177-182 Combined impact of lifestyle factors on prospective change in body weight and waist circumference in participants of the EPIC-PANACEA study. PLoS ONE, 2012, 7, e50712 Olive oil intake and breast cancer risk in the Mediterranean countries of the European Prospective Investigation into Cancer and Nutrition study. International Journal of Cancer, 2012, 131, 2465-9 Body size and risk of differentiated thyroid carcinomas: findings from the EPIC study. International Journal of Cancer, 2012, 131, E1004-14 Physical activity reduces the risk of incident type 2 diabetes in general and in abdominally lean and obese men and women: the EPIC-InterAct Study. Diabetologia, 2012, 55, 1944-52 Alcohol consumption and mortality in individuals with diabetes mellitus. British Journal of Nutrition, 2012, 108, 1307-15 The amount and type of dairy product intake and incident type 2 diabetes: results from the EPIC-InterAct Study. American Journal of Clinical Nutrition, 2012, 96, 382-90 Total and high-molecular weight adiponectin and risk of colorectal cancer: the European Prospective Investigation into Cancer and Nutrition Study. Carcinogenesis, 2012, 33, 1211-8 The association of education with long-term weight change in the EPIC-PANACEA cohort. European Journal of Clinical Nutrition, 2012, 66, 957-63 Sources of pre-analytical variations in yield of DNA extracted from blood samples: analysis of 50,000 DNA samples in EPIC. PLos ONE, 2012, 7, e39821 Variation in genes coding for AMP-activated protein kinase (AMPK) and breast cancer risk in the European Prospective Investigation on Cancer (EPIC). Breast Cancer Research and Treatment, 2011, 127, 761-7 The association of education with body mass index and waist circumference in the EPIC-PANACEA study. BMC Public Health, 2011, 11, 169 Yogurt consumption and risk of colorectal cancer in the Italian European prospective investigation into cancer and nutrition cohort. International Journal of Cancer, 2011, 129, 2712-9 A priori-defined di	Combined impact of lifestyle factors on prospective change in body weight and waist circumference in participants of the EPIC-PANACEA study. PLos ONE, 2012, 7, e,50712 Olive oil Intake and breast cancer risk in the Mediterranean countries of the European Prospective Investigation into Cancer and Nutrition study. International Journal of Cancer, 2012, 131, 2465-9 Body size and risk of differentiated thyroid carcinomas: findings from the EPIC study. International Journal of Cancer, 2012, 131, E1004-14 Physical activity reduces the risk of incident type 2 diabetes in general and in abdominally lean and obese men and women: the EPIC-interAct Study. Diabetologia, 2012, 55, 1944-52 Alcohol consumption and mortality in individuals with diabetes mellitus. British Journal of Nutrition, 2012, 108, 1307-15 The amount and type of dairy product intake and incident type 2 diabetes: results from the EPIC-interAct Study. American Journal of Clinical Nutrition, 2012, 96, 382-90 Total and high-molecular weight adiponectin and risk of colorectal cancer: the European Prospective Investigation into Cancer and Nutrition Study. Carcinogenesis, 2012, 33, 1211-8 The association of education with long-term weight change in the EPIC-PANACEA cohort. European Journal of Clinical Nutrition, 2012, 66, 957-63 Sources of pre-analytical variations in yield of DNA extracted from blood samples: analysis of 5,000 DNA samples in EPIC. PLoS ONE, 2012, 7, e39821 Variation in genes coding for AMP-activated protein kinase (AMPK) and breast cancer risk in the European Prospective Investigation on Cancer (EPIC). Breast Cancer Research and Treatment, 2011, 127, 761-7 The association of education with body mass index and waist circumference in the EPIC-PANACEA study. BMC Public Health, 2011, 11, 169 Yogurt consumption and risk of colorectal cancer in the Italian European prospective investigation into cancer and nutrition chort. International Journal of Cancer, 2011, 129, 2712-9 A priori-defined dietary patterns are associated with reduced risk

21	Total antioxidant capacity of the diet is associated with lower risk of ischemic stroke in a large Italian cohort. <i>Journal of Nutrition</i> , 2011 , 141, 118-23	4.1	78
20	Anthropometric measures, physical activity, and risk of glioma and meningioma in a large prospective cohort study. <i>Cancer Prevention Research</i> , 2011 , 4, 1385-92	3.2	48
19	Reproductive factors and exogenous hormone use in relation to risk of glioma and meningioma in a large European cohort study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2010 , 19, 2562-9	4	94
18	Meat consumption and prospective weight change in participants of the EPIC-PANACEA study. <i>American Journal of Clinical Nutrition</i> , 2010 , 92, 398-407	7	150
17	Nutrition and cancer: from prevention to nutritional support, 8th October 2010, Milan. <i>Ecancermedicalscience</i> , 2010 , 4, 205	2.7	1
16	Mediterranean dietary patterns and prospective weight change in participants of the EPIC-PANACEA project. <i>American Journal of Clinical Nutrition</i> , 2010 , 92, 912-21	7	163
15	Metabolic syndrome and postmenopausal breast cancer in the ORDET cohort: a nested case-control study. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2010 , 20, 41-8	4.5	130
14	Dietary glycemic load and index and risk of coronary heart disease in a large italian cohort: the EPICOR study. <i>Archives of Internal Medicine</i> , 2010 , 170, 640-7		101
13	Serum levels of IGF-I, IGFBP-3 and colorectal cancer risk: results from the EPIC cohort, plus a meta-analysis of prospective studies. <i>International Journal of Cancer</i> , 2010 , 126, 1702-15	7.5	146
12	Persistent infection by HCV and EBV in peripheral blood mononuclear cells and risk of non-Hodgkin's lymphoma. <i>Cancer Epidemiology</i> , 2010 , 34, 709-12	2.8	13
11	Physical activity and ovarian cancer risk: the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2009 , 18, 351-4	4	36
10	Anthropometry and esophageal cancer risk in the European prospective investigation into cancer and nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2009 , 18, 2079-89	4	98
9	Adherence to the Mediterranean diet is associated with lower abdominal adiposity in European men and women. <i>Journal of Nutrition</i> , 2009 , 139, 1728-37	4.1	117
8	Meat, eggs, dairy products, and risk of breast cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. <i>American Journal of Clinical Nutrition</i> , 2009 , 90, 602-12	7	85
7	Total dietary carbohydrate, sugar, starch and fibre intakes in the European Prospective Investigation into Cancer and Nutrition. <i>European Journal of Clinical Nutrition</i> , 2009 , 63 Suppl 4, S37-60	5.2	75
6	Dietary fat intake in the European Prospective Investigation into Cancer and Nutrition: results from the 24-h dietary recalls. <i>European Journal of Clinical Nutrition</i> , 2009 , 63 Suppl 4, S61-80	5.2	83
5	Variation in intakes of calcium, phosphorus, magnesium, iron and potassium in 10 countries in the European Prospective Investigation into Cancer and Nutrition study. <i>European Journal of Clinical Nutrition</i> , 2009 , 63 Suppl 4, S101-21	5.2	73
4	A cross-sectional analysis of physical activity and obesity indicators in European participants of the EPIC-PANACEA study. <i>International Journal of Obesity</i> , 2009 , 33, 497-506	5.5	63

LIST OF PUBLICATIONS

3	Smoking and body fatness measurements: a cross-sectional analysis in the EPIC-PANACEA study. <i>Preventive Medicine</i> , 2009 , 49, 365-73	4.3	22
2	Fatty acid composition of plasma phospholipids and risk of prostate cancer in a case-control analysis nested within the European Prospective Investigation into Cancer and Nutrition. <i>American Journal of Clinical Nutrition</i> , 2008 , 88, 1353-63	7	109
1	No association of consumption of animal foods with risk of ovarian cancer. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2007 , 16, 852-5	4	22