

Zhiqiang Liang

List of Publications by Citations

Source: <https://exaly.com/author-pdf/9323479/zhiqiang-liang-publications-by-citations.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

81
papers

2,513
citations

31
h-index

47
g-index

90
ext. papers

2,910
ext. citations

5.4
avg, IF

5.23
L-index

#	Paper	IF	Citations
81	Supersensitive detection of explosives by recyclable AIE luminogen-functionalized mesoporous materials. <i>Chemical Communications</i> , 2012 , 48, 7167-9	5.8	196
80	A luminescent cadmium metal-organic framework for sensing of nitroaromatic explosives. <i>Dalton Transactions</i> , 2015 , 44, 230-6	4.3	115
79	A novel (3,3,6)-connected luminescent metal-organic framework for sensing of nitroaromatic explosives. <i>Dalton Transactions</i> , 2013 , 42, 5508-13	4.3	105
78	A microporous lanthanum metal-organic framework as a bi-functional chemosensor for the detection of picric acid and Fe(3+) ions. <i>Dalton Transactions</i> , 2015 , 44, 13340-6	4.3	103
77	A novel photo- and hydrochromic europium metal-organic framework with good anion sensing properties. <i>Journal of Materials Chemistry C</i> , 2017 , 5, 8999-9004	7.1	96
76	Nitrogen-Doped Hierarchical Porous Carbon Nanowhisker Ensembles on Carbon Nanofiber for High-Performance Supercapacitors. <i>ACS Sustainable Chemistry and Engineering</i> , 2014 , 2, 1525-1533	8.3	91
75	A 4 + 4 strategy for synthesis of zeolitic metal-organic frameworks: an indium-MOF with SOD topology as a light-harvesting antenna. <i>Chemical Communications</i> , 2013 , 49, 11155-7	5.8	89
74	Luminescent microporous organic polymers containing the 1,3,5-tri(4-ethenylphenyl)benzene unit constructed by Heck coupling reaction. <i>Polymer Chemistry</i> , 2013 , 4, 1932	4.9	79
73	Multifunctional Zinc Metal-Organic Framework Based on Designed H4TCPP Ligand with Aggregation-Induced Emission Effect: CO ₂ Adsorption, Luminescence, and Sensing Property. <i>Crystal Growth and Design</i> , 2017 , 17, 2090-2096	3.5	71
72	Metal-organic frameworks based on bipyridinium carboxylate: photochromism and selective vapochromism. <i>Journal of Materials Chemistry C</i> , 2017 , 5, 2084-2089	7.1	60
71	A one-pot synthetic strategy via tandem Suzuki-Miyaura reactions for the construction of luminescent microporous organic polymers. <i>Polymer Chemistry</i> , 2014 , 5, 471-478	4.9	59
70	A multifunctional Zr(IV)-based metal-organic framework for highly efficient elimination of Cr(VI) from the aqueous phase. <i>Journal of Materials Chemistry A</i> , 2019 , 7, 16833-16841	13	58
69	A Zwitterionic Ligand-Based Cationic Metal-Organic Framework for Rapidly Selective Dye Capture and Highly Efficient Cr O Removal. <i>Chemistry - A European Journal</i> , 2018 , 24, 2718-2724	4.8	57
68	One-step carbonization synthesis of hollow carbon nanococoons with multimodal pores and their enhanced electrochemical performance for supercapacitors. <i>ACS Applied Materials & Interfaces</i> , 2014 , 6, 2192-8	9.5	52
67	Novel photo- and/or thermochromic MOFs derived from bipyridinium carboxylate ligands. <i>Inorganic Chemistry Frontiers</i> , 2016 , 3, 814-820	6.8	48
66	Post-cationic Modification of a Pyrimidine-Based Conjugated Microporous Polymer for Enhancing the Removal Performance of Anionic Dyes in Water. <i>Chemistry - A European Journal</i> , 2018 , 24, 7480-7488	4.8	47
65	Conformational Supramolecular Isomerism in Two-Dimensional Fluorescent Coordination Polymers Based on Flexible Tetracarboxylate Ligand. <i>Crystal Growth and Design</i> , 2013 , 13, 4092-4099	3.5	45

64	Octavinylsilsesquioxane-based luminescent nanoporous inorganic-organic hybrid polymers constructed by the Heck coupling reaction. <i>Polymer Chemistry</i> , 2015 , 6, 917-924	4.9	44
63	Design and synthesis of a multifunctional porous N-rich polymer containing s-triazine and Tröger's base for CO ₂ adsorption, catalysis and sensing. <i>Polymer Chemistry</i> , 2018 , 9, 2643-2649	4.9	44
62	Structures and properties of lanthanide metal-organic frameworks based on a 1,2,3-triazole-containing tetracarboxylate ligand. <i>Dalton Transactions</i> , 2012 , 41, 12790-6	4.3	44
61	Palladium-catalyzed double annulations to construct multisubstituted benzodifurans. <i>Journal of Organic Chemistry</i> , 2007 , 72, 9219-24	4.2	44
60	A facile strategy for fabricating Ag@MIL-53(Fe) composites: superior interfacial contact and enhanced visible light photocatalytic performance. <i>New Journal of Chemistry</i> , 2018 , 42, 3799-3807	3.6	39
59	Design and synthesis of two porous metal-organic frameworks with nbo and agw topologies showing high CO ₂ adsorption capacity. <i>Inorganic Chemistry</i> , 2013 , 52, 10720-2	5.1	39
58	Synthesis, Structure, and Gas Sorption Studies of a Three-Dimensional Metal-Organic Framework with NbO Topology. <i>Crystal Growth and Design</i> , 2010 , 10, 3405-3409	3.5	39
57	CO ₂ adsorption and catalytic application of imidazole ionic liquid functionalized porous organic polymers. <i>Polymer Chemistry</i> , 2017 , 8, 1833-1839	4.9	36
56	Enhancing Gas Sorption and Separation Performance via Bisbenzimidazole Functionalization of Highly Porous Covalent Triazine Frameworks. <i>ACS Applied Materials & Interfaces</i> , 2018 , 10, 26678-26686	4.5	36
55	AIE luminogen bridged hollow hydroxyapatite nanocapsules for drug delivery. <i>Dalton Transactions</i> , 2013 , 42, 9877-83	4.3	36
54	Multifunctional conjugated microporous polymers with pyridine unit for efficient iodine sequestration, exceptional tetracycline sensing and removal. <i>Journal of Hazardous Materials</i> , 2020 , 387, 121949	12.8	33
53	Ultrahigh volatile iodine capture by conjugated microporous polymer based on N,N,N',N'-tetraphenyl-1,4-phenylenediamine. <i>Polymer Chemistry</i> , 2019 , 10, 2608-2615	4.9	31
52	Alendronate functionalized mesoporous hydroxyapatite nanoparticles for drug delivery. <i>Materials Research Bulletin</i> , 2013 , 48, 2201-2204	5.1	31
51	[Zn(HPO ₃)(C ₁₁ N ₂ O ₂ H ₁₂)] and [Zn ₃ (H ₂ O)(PO ₄)(HPO ₄)(C ₆ H ₉ N ₃ O ₂)(₂)(C ₆ H ₈ N ₃ O ₂)]: homochiral zinc phosphite/phosphate networks with biofunctional amino acids. <i>Dalton Transactions</i> , 2010 , 39, 5439-45	4.3	31
50	Water Stable Metal-Organic Framework Based on Phosphono-containing Ligand as Highly Sensitive Luminescent Sensor toward Metal Ions. <i>Crystal Growth and Design</i> , 2018 , 18, 7683-7689	3.5	31
49	Lanthanide metal-organic frameworks based on a 1,2,3-triazole-containing tricarboxylic acid ligand for luminescence sensing of metal ions and nitroaromatic compounds. <i>RSC Advances</i> , 2016 , 6, 57828-57834	3.7	30
48	Conjugated microporous polymers based on biphenylene for CO ₂ adsorption and luminescence detection of nitroaromatic compounds. <i>New Journal of Chemistry</i> , 2018 , 42, 9482-9487	3.6	29
47	A new lanthanide metal-organic framework with (3,6)-connected topology based on novel tricarboxylate ligand. <i>Inorganic Chemistry Communication</i> , 2011 , 14, 978-981	3.1	29

46	Highly selective synthesis of bicyclic quinolizidine alkaloids and their analogues via double RCM reaction of N-alkynyl-N-(1,omega)-alkadienyl acrylamides. <i>Journal of Organic Chemistry</i> , 2004 , 69, 6305-9 ^{4.2}	29
45	Multifunctional porous Tröger's base polymers with tetraphenylethene units: CO ₂ adsorption, luminescence and sensing properties. <i>Polymer Chemistry</i> , 2017 , 8, 4842-4848	4.9 27
44	Solvent-induced construction of two zinc metal-organic frameworks for highly selective detection of nitroaromatic explosives. <i>CrystEngComm</i> , 2016 , 18, 4102-4108	3.3 23
43	Different Co ₃ O ₄ mesostructures synthesised by templating with KIT-6 and SBA-15 via nanocasting route and their sensitivities toward ethanol. <i>Sensors and Actuators B: Chemical</i> , 2016 , 235, 39-45	8.5 22
42	Double annulations of dihydroxy- and diacetoxy-dialkynylbenzenes. An efficient construction of benzodifurans. <i>Tetrahedron</i> , 2007 , 63, 12877-12882	2.4 20
41	Enhancing CO Adsorption and Separation Properties of Aluminophosphate Zeolites by Isomorphous Heteroatom Substitutions. <i>ACS Applied Materials & Interfaces</i> , 2018 , 10, 43570-43577	9.5 20
40	A hexanuclear cluster based metal-organic framework for Fe ³⁺ sensing. <i>Inorganic Chemistry Communication</i> , 2018 , 91, 108-111	3.1 19
39	Different nanostructured tungsten oxides synthesized by facile solvothermal route for chlorine gas sensing. <i>Sensors and Actuators B: Chemical</i> , 2018 , 275, 306-311	8.5 19
38	Under-liquid dual superlyophobic nanofibrous polymer membranes achieved by coating thin-film composites: a design principle. <i>Chemical Science</i> , 2019 , 10, 6382-6389	9.4 18
37	Fabrication of AgI/MIL-53(Fe) Composites with Enhanced Photocatalytic Activity for Rhodamine B Degradation under Visible Light Irradiation. <i>Applied Organometallic Chemistry</i> , 2018 , 32, e4325	3.1 17
36	A Porous Organic Polymer Nanotrap for Efficient Extraction of Palladium. <i>Angewandte Chemie - International Edition</i> , 2020 , 59, 19618-19622	16.4 16
35	Indium oxide-black phosphorus composites for ultrasensitive nitrogen dioxide sensing at room temperature. <i>Sensors and Actuators B: Chemical</i> , 2020 , 308, 127650	8.5 16
34	Two zinc metal-organic framework isomers based on pyrazine tetracarboxylic acid and dipyrindinylbenzene for adsorption and separation of CO and light hydrocarbons. <i>Dalton Transactions</i> , 2020 , 49, 1135-1142	4.3 16
33	A lithium-organic framework as a fluorescent sensor for detecting aluminum (III) ion. <i>Applied Organometallic Chemistry</i> , 2019 , 33, e5044	3.1 15
32	Silsesquioxane-Carbazole-Corballed Hybrid Porous Polymers with Flexible Nanopores for Efficient CO ₂ Conversion and Luminescence Sensing. <i>ACS Applied Polymer Materials</i> , 2020 , 2, 189-197	4.3 15
31	Molecular Expansion for Constructing Porous Organic Polymers with High Surface Areas and Well-Defined Nanopores. <i>Angewandte Chemie - International Edition</i> , 2020 , 59, 19487-19493	16.4 14
30	A novel decanuclear Co(II) cluster with adamantane-like metallic skeleton supported by 8-hydroxyquinoline and in situ formed CO ₃ (²⁻) anions. <i>Dalton Transactions</i> , 2012 , 41, 6242-6	4.3 14
29	Preparation of benzodiazole-containing covalent triazine frameworks for enhanced selective CO ₂ capture and separation. <i>Microporous and Mesoporous Materials</i> , 2019 , 276, 213-222	5.3 13

28	Novel D-EA conjugated microporous polymer as visible light-driven oxidase mimic for efficient colorimetric detection of glutathione. <i>Sensors and Actuators B: Chemical</i> , 2021 , 326, 128808	8.5	13
27	Photo-responsive oxidase mimic of conjugated microporous polymer for constructing a pH-sensitive fluorescent sensor for bio-enzyme sensing. <i>Sensors and Actuators B: Chemical</i> , 2020 , 316, 128157	8.5	11
26	Four-connected metal-organic frameworks constructed by tetracarboxylate acid-based ligands. <i>Inorganic Chemistry Frontiers</i> , 2014 , 1, 478	6.8	10
25	Synthesis and characterization of chiral zeolite ITQ-37 by using achiral organic structure-directing agent. <i>Microporous and Mesoporous Materials</i> , 2012 , 164, 88-92	5.3	10
24	An efficient synthesis of fused tricycles with a benzene core via intramolecular double ring-closing enyne metathesis. <i>Tetrahedron</i> , 2007 , 63, 977-985	2.4	10
23	A zwitterionic ligand-based water-stable metal-organic framework showing photochromic and Cr(vi) removal properties. <i>Dalton Transactions</i> , 2020 , 49, 10613-10620	4.3	10
22	A new porous 2D copper(II) metal-organic framework for selective adsorption of CO ₂ over N ₂ . <i>Inorganic Chemistry Communication</i> , 2013 , 38, 104-107	3.1	9
21	A stable pillared metal-organic framework constructed by H4TCPP ligand as luminescent sensor for selective detection of TNP and Fe ³⁺ ions. <i>Applied Organometallic Chemistry</i> , 2019 , 33, e5243	3.1	9
20	Nickel Nanoparticles Encapsulated in Microporous Graphenelike Carbon () as Catalysts for CO ₂ Methanation. <i>Industrial & Engineering Chemistry Research</i> , 2019 , 58, 20536-20542	3.9	8
19	Synthesis of organic-functionalized SAPO-5 with variable content and type of organic Si in the H ₂ O/C ₂ H ₅ OH system. <i>Materials Letters</i> , 2013 , 101, 103-106	3.3	8
18	Fast synthesis of SSZ-13 zeolite by steam-assisted crystallization method. <i>Microporous and Mesoporous Materials</i> , 2020 , 293, 109789	5.3	8
17	Application of response surface methodology for optimization of nano-TiO ₂ preparation using modified sol-gel method. <i>Journal of Sol-Gel Science and Technology</i> , 2013 , 67, 394-405	2.3	7
16	Intramolecular double or triple Suzuki coupling reaction of substituted di- or tribromobenzenes. An easy synthesis of fused tri- or tetracycles with a benzene core. <i>Journal of Organometallic Chemistry</i> , 2005 , 690, 5389-5395	2.3	7
15	Germanosilicate zeolite ITQ-44 with extra-large 18-rings synthesized using a commercial quaternary ammonium as a structure-directing agent. <i>RSC Advances</i> , 2015 , 5, 63209-63214	3.7	6
14	Increasing the surface area and CO ₂ uptake of conjugated microporous polymers via a post-knitting method. <i>Materials Chemistry Frontiers</i> , 2021 , 5, 5319-5327	7.8	5
13	Synthesis, structure and gas adsorption properties of a stable microporous Cu-based metal-organic framework assembled from a T-shaped pyridyl dicarboxylate ligand. <i>RSC Advances</i> , 2017 , 7, 17697-17703	3.7	4
12	A Porous Organic Polymer Nanotrap for Efficient Extraction of Palladium. <i>Angewandte Chemie</i> , 2020 , 132, 19786-19790	3.6	4
11	An inorganic-organic hybrid compound built from polyoxovanadate cluster and Mn (II) complexes. <i>Inorganic Chemistry Communication</i> , 2011 , 14, 1640-1643	3.1	4

10	Single-Crystal to Single-Crystal Transformation of Metal-Organic Framework Nanoparticles for Encapsulation and pH-Stimulated Release of Camptothecin. <i>ACS Applied Nano Materials</i> , 2021 , 4, 7191-7198	5.6	4
9	Post-synthetic modification of conjugated microporous polymer with imidazolium for highly efficient anionic dyes removal from water. <i>Separation and Purification Technology</i> , 2022 , 284, 120245	8.3	3
8	One-pot Suzuki-Heck Reaction to Construct Luminescent Microporous Organic Polymers Based on 4-Vinylphenylboronic Acid. <i>Acta Chimica Sinica</i> , 2015 , 73, 611	3.3	3
7	Tris(2,2Sbi-1H-imidazole- μ ,N)cobalt(II) hydrogen phosphate. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2011 , 67, m1399		2
6	An yttrium-organic framework based on a hexagonal prism second building unit for luminescent sensing of antibiotics and highly effective CO ₂ fixation. <i>Inorganic Chemistry Frontiers</i> ,	6.8	2
5	Molecular Expansion for Constructing Porous Organic Polymers with High Surface Areas and Well-Defined Nanopores. <i>Angewandte Chemie</i> , 2020 , 132, 19655-19661	3.6	1
4	Post-crosslinking of conjugated microporous polymers using vinyl polyhedral oligomeric silsesquioxane for enhancing surface areas and organic micropollutants removal performance from water.. <i>Journal of Colloid and Interface Science</i> , 2022 , 615, 697-706	9.3	1
3	Boosting selective C ₂ H ₂ /CH ₄ , C ₂ H ₄ /CH ₄ and CO ₂ /CH ₄ adsorption performance via 1,2,3-triazole functionalized triazine-based porous organic polymers. <i>Chinese Journal of Chemical Engineering</i> , 2021 , 42, 64-64	3.2	1
2	Molecule-guided synthesis of conjugated microporous polymers with imidazole derivative units for efficient capture of volatile iodine. <i>Microporous and Mesoporous Materials</i> , 2022 , 111871	5.3	0
1	Reaktitelbild: A Porous Organic Polymer Nanotrap for Efficient Extraction of Palladium (Angew. Chem. 44/2020). <i>Angewandte Chemie</i> , 2020 , 132, 19892-19892	3.6	