
## Petra Hanova

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9323532/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Patient-based reliability of the Outcome Measures in Rheumatology (OMERACT) ultrasound scoring system for salivary gland assessment in patients with Sjögren's syndrome. Rheumatology, 2021, 60, 2169-2176.	0.9	26
2	Ultrasound of Subtalar Joint Synovitis in Patients with Rheumatoid Arthritis: Results of an OMERACT Reliability Exercise Using Consensual Definitions. Journal of Rheumatology, 2019, 46, 351-359.	1.0	8
3	Definitions and reliability assessment of elementary ultrasound lesions in giant cell arteritis: a study from the OMERACT Large Vessel Vasculitis Ultrasound Working Group. RMD Open, 2018, 4, e000598.	1.8	155
4	The relationship between synovitis quantified by an ultrasound 7-joint inflammation score and physical disability in rheumatoid arthritis – a cohort study. Arthritis Research and Therapy, 2017, 19, 5.	1.6	15
5	02.30â€High levels of mir-451a differentiate patients with clinically suspect arthralgia from healthy controls. , 2017, , .		Ο
6	Relationship between serum calprotectin (S100A8/9) and clinical, laboratory and ultrasound parameters of disease activity in rheumatoid arthritis: A large cohort study. PLoS ONE, 2017, 12, e0183420.	1.1	32
7	A3.10â€Serum calprotectinis elevated in patients with early rheumatoid arthritis but not in patients at risk of developing rheumatoid arthritis. Annals of the Rheumatic Diseases, 2016, 75, A36.1-A36.	0.5	Ο
8	AB0952â€Serum Visfatin and Resistin, but Not Adiponectin or Leptin, Are Associated with Ultrasound Synovitis in Patients with Rheumatoid Arthritis. Annals of the Rheumatic Diseases, 2016, 75, 1227.1-1227.	0.5	0
9	FRI0518â€Ultrasound Definitions for Vasculitis in Cranial and Large Vessel Giant Cell Arteritis: Results of A Delphi Survey of The Omeract Ultrasound Large Vessel Vasculitis Group. Annals of the Rheumatic Diseases, 2016, 75, 626.2-626.	0.5	3
10	Real or fake synovitis? The time has come to take sides. Modern Rheumatology, 2016, 26, 1-2.	0.9	11
11	SAT0068â€Circulating MIR-126 Is A Marker of Disease Activity in Patients with Early RA but Does Not Differentiate Patients at Risk of Developing RA. Annals of the Rheumatic Diseases, 2016, 75, 689.2-689.	0.5	0
12	FRI0544â€Impact of Education in Musculoskeletal Ultrasonography: Good To Excellent Reliability Results in Modified US7 Scoring System after One Year of Continuing Education since Basic or Intermediate Level of Training. Annals of the Rheumatic Diseases, 2016, 75, 637.1-637.	0.5	0
13	FRI0532â€Association between The 7-Joint Ultrasound Score (US7S) and Physical Function in Rheumatoid Arthritis: Table 1 Annals of the Rheumatic Diseases, 2016, 75, 632.1-632.	0.5	0
14	Serum Calprotectin Discriminates Subclinical Disease Activity from Ultrasound-Defined Remission in Patients with Rheumatoid Arthritis in Clinical Remission. PLoS ONE, 2016, 11, e0165498.	1.1	14
15	Serum calprotectin (S100A8/9): an independent predictor of ultrasound synovitis in patients with rheumatoid arthritis. Arthritis Research and Therapy, 2015, 17, 252.	1.6	60
16	SAT0205â€Potential of US 7 Score in Evaluating of Disease Activity of Patients with Rheumatoid Arthritis in the State of Remission. Annals of the Rheumatic Diseases, 2014, 73, 664.1-664.	0.5	0
17	Ultrasound definition of tendon damage in patients with rheumatoid arthritis. Results of a OMERACT consensus-based ultrasound score focussing on the diagnostic reliability. Annals of the Rheumatic Diseases, 2014, 73, 1929-1934.	0.5	71
18	SAT0188â€Serum Calprotectin (S100A8/9) Correlates with Clinical and Ultrasound Outcomes in Patients with Early Rheumatoid Arthritis. Annals of the Rheumatic Diseases, 2014, 73, 658.1-658.	0.5	0

#	Article	IF	CITATIONS
19	A10.3â€Arthritis in Patients with Idiopathic Inflammatory Myopathies. Annals of the Rheumatic Diseases, 2013, 72, A72.2-A72.	0.5	1
20	Incidence and prevalence of psoriatic arthritis, ankylosing spondylitis, and reactive arthritis in the first descriptive population-based study in the Czech Republic. Scandinavian Journal of Rheumatology, 2010, 39, 310-317.	0.6	57