

Monica Hernandez Alava

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/9323811/monica-hernandez-alava-publications-by-year.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

41
papers

1,107
citations

19
h-index

32
g-index

45
ext. papers

1,361
ext. citations

3
avg, IF

4.63
L-index

#	Paper	IF	Citations
41	The relationship between chronic kidney disease-associated pruritus and health-related quality of life: a systematic review.. <i>CKJ: Clinical Kidney Journal</i> , 2022 , 15, 484-499	4.5	0
40	Mapping the EORTC QLQ-C30 to EQ-5D-3L in patients with breast cancer. <i>BMC Cancer</i> , 2021 , 21, 1237	4.8	0
39	An intervention to support adherence to inhaled medication in adults with cystic fibrosis: the ACTiF research programme including RCT. <i>Programme Grants for Applied Research</i> , 2021 , 9, 1-146	1.5	4
38	An International Comparison of EQ-5D-5L and EQ-5D-3L for Use in Cost-Effectiveness Analysis. <i>Value in Health</i> , 2021 , 24, 568-574	3.3	4
37	Mapping clinical outcomes to generic preference-based outcome measures: development and comparison of methods. <i>Health Technology Assessment</i> , 2020 , 24, 1-68	4.4	8
36	Mapping From Visual Acuity to EQ-5D, EQ-5D With Vision Bolt-On, and VFQ-UI in Patients With Macular Edema in the LEAVO Trial. <i>Value in Health</i> , 2020 , 23, 928-935	3.3	6
35	Mapping EQ-5D-3L from the Knee Injury and Osteoarthritis Outcome Score (KOOS). <i>Quality of Life Research</i> , 2020 , 29, 265-274	3.7	5
34	The Impact of Moving from EQ-5D-3L to -5L in NICE Technology Appraisals. <i>Pharmacoeconomics</i> , 2019 , 37, 75-84	4.4	13
33	Development of Methods for the Mapping of Utilities Using Mixture Models: Mapping the AQLQ-S to the EQ-5D-5L and the HUI3 in Patients with Asthma. <i>Value in Health</i> , 2018 , 21, 748-757	3.3	21
32	EQ-5D-5L versus EQ-5D-3L: The Impact on Cost Effectiveness in the United Kingdom. <i>Value in Health</i> , 2018 , 21, 49-56	3.3	55
31	Family lifestyle dynamics and childhood obesity: evidence from the millennium cohort study. <i>BMC Public Health</i> , 2018 , 18, 500	4.1	20
30	A Command for Fitting Mixture Regression Models for Bounded Dependent Variables Using the Beta Distribution. <i>The Stata Journal</i> , 2018 , 18, 51-75	3.5	21
29	Eq5Dmap: A Command for Mapping between EQ-5D-3L and EQ-5D-5L. <i>The Stata Journal</i> , 2018 , 18, 395-415	3.5	15
28	Mapping the FACT-B Instrument to EQ-5D-3L in Patients with Breast Cancer Using Adjusted Limited Dependent Variable Mixture Models versus Response Mapping. <i>Value in Health</i> , 2018 , 21, 1399-1405	3.3	12
27	The Cost-effectiveness of Sequences of Biological Disease-modifying Antirheumatic Drug Treatment in England for Patients with Rheumatoid Arthritis Who Can Tolerate Methotrexate. <i>Journal of Rheumatology</i> , 2017 , 44, 973-980	4.1	13
26	Mapping to Estimate Health-State Utility from Non-Preference-Based Outcome Measures: An ISPOR Good Practices for Outcomes Research Task Force Report. <i>Value in Health</i> , 2017 , 20, 18-27	3.3	94
25	Health State Preference Weights for the Glasgow Outcome Scale Following Traumatic Brain Injury: A Systematic Review and Mapping Study. <i>Value in Health</i> , 2017 , 20, 141-151	3.3	21

24	Econometric modelling of multiple self-reports of health states: The switch from EQ-5D-3L to EQ-5D-5L in evaluating drug therapies for rheumatoid arthritis. <i>Journal of Health Economics</i> , 2017 , 55, 139-152	3.5	26
23	Children's Development and Parental Input: Evidence From the UK Millennium Cohort Study. <i>Demography</i> , 2017 , 54, 485-511	3.5	21
22	Predicting Productivity Losses from Health-Related Quality of Life Using Patient Data. <i>Applied Health Economics and Health Policy</i> , 2017 , 15, 597-614	3.4	3
21	The effects of breastfeeding on childhood BMI: a propensity score matching approach. <i>Journal of Public Health</i> , 2017 , 39, e152-e160	3.5	10
20	Estimating informal care inputs associated with EQ-5D for use in economic evaluation. <i>European Journal of Health Economics</i> , 2016 , 17, 733-44	3.6	7
19	Adalimumab, etanercept, infliximab, certolizumab pegol, golimumab, tocilizumab and abatacept for the treatment of rheumatoid arthritis not previously treated with disease-modifying antirheumatic drugs and after the failure of conventional disease-modifying antirheumatic drugs only: systematic review and economic evaluation. <i>Health Technology Assessment</i> , 2016 , 20, 1-610	4.4	58
18	Bicop: A Command for Fitting Bivariate Ordinal Regressions with Residual Dependence Characterized by a Copula Function and Normal Mixture Marginals. <i>The Stata Journal</i> , 2016 , 16, 159-184	3.5	7
17	Fitting Adjusted Limited Dependent Variable Mixture Models to EQ-5D. <i>The Stata Journal</i> , 2015 , 15, 737-750	3.5	22
16	Modeling Health State Utility Values in Ankylosing Spondylitis: Comparisons of Direct and Indirect Methods. <i>Value in Health</i> , 2015 , 18, 425-31	3.3	23
15	Modelling the relationship between the WOMAC Osteoarthritis Index and EQ-5D. <i>Health and Quality of Life Outcomes</i> , 2014 , 12, 37	3	28
14	Cost-effectiveness of treatment strategies using combination disease-modifying anti-rheumatic drugs and glucocorticoids in early rheumatoid arthritis. <i>Rheumatology</i> , 2014 , 53, 1773-7	3.9	19
13	A comparison of direct and indirect methods for the estimation of health utilities from clinical outcomes. <i>Medical Decision Making</i> , 2014 , 34, 919-30	2.5	37
12	Use of generic and condition-specific measures of health-related quality of life in NICE decision-making: a systematic review, statistical modelling and survey. <i>Health Technology Assessment</i> , 2014 , 18, 1-224	4.4	207
11	Percutaneous vertebroplasty and percutaneous balloon kyphoplasty for the treatment of osteoporotic vertebral fractures: a systematic review and cost-effectiveness analysis. <i>Health Technology Assessment</i> , 2014 , 18, 1-290	4.4	63
10	Good practice guidelines for the use of statistical regression models in economic evaluations. <i>Pharmacoeconomics</i> , 2013 , 31, 643-52	4.4	15
9	Common scale valuations across different preference-based measures: estimation using rank data. <i>Medical Decision Making</i> , 2013 , 33, 839-52	2.5	9
8	The relationship between EQ-5D, HAQ and pain in patients with rheumatoid arthritis. <i>Rheumatology</i> , 2013 , 52, 944-50	3.9	53
7	Valuing states from multiple measures on the same visual analogue scale: a feasibility study. <i>Health Economics (United Kingdom)</i> , 2012 , 21, 715-29	2.4	17

6	Tails from the peak district: adjusted limited dependent variable mixture models of EQ-5D questionnaire health state utility values. <i>Value in Health</i> , 2012 , 15, 550-61	3.3	108
5	Primary angioplasty versus thrombolysis for acute ST-elevation myocardial infarction: an economic analysis of the National Infarct Angioplasty project. <i>Heart</i> , 2010 , 96, 668-72	5.1	19
4	The welfare cost of means-testing: pensioner participation in income support. <i>Journal of Applied Econometrics</i> , 2007 , 22, 581-598	2.2	17
3	Measurement error in models of welfare participation. <i>Journal of Public Economics</i> , 2007 , 91, 327-341	7	16
2	The Take-Up of Multiple Means-Tested Benefits by British Pensioners: Evidence from the Family Resources Survey. <i>Fiscal Studies</i> , 2004 , 25, 279-303	6	10
1	A Continuous Time Approach to Cross Country Convergence. <i>Contributions To Economics</i> , 2002 , 19-36	0.4	