
Monica HernÃ;ndez Alava

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9323811/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Use of generic and condition-specific measures of health-related quality of life in NICE decision-making: a systematic review, statistical modelling and survey. Health Technology Assessment, 2014, 18, 1-224.	2.8	276
2	Mapping to Estimate Health-State Utility from Non–Preference-Based Outcome Measures: An ISPOR Good Practices for Outcomes Research Task Force Report. Value in Health, 2017, 20, 18-27.	0.3	145
3	Tails from the Peak District: Adjusted Limited Dependent Variable Mixture Models of EQ-5D Questionnaire Health State Utility Values. Value in Health, 2012, 15, 550-561.	0.3	140
4	Adalimumab, etanercept, infliximab, certolizumab pegol, golimumab, tocilizumab and abatacept for the treatment of rheumatoid arthritis not previously treated with disease-modifying antirheumatic drugs and after the failure of conventional disease-modifying antirheumatic drugs only: systematic review and economic evaluation. Health Technology Assessment, 2016, 20, 1-610.	2.8	85
5	Percutaneous vertebroplasty and percutaneous balloon kyphoplasty for the treatment of osteoporotic vertebral fractures: a systematic review and cost-effectiveness analysis. Health Technology Assessment, 2014, 18, 1-290.	2.8	77
6	EQ-5D-5L versus EQ-5D-3L: The Impact on Cost Effectiveness in the United Kingdom. Value in Health, 2018, 21, 49-56.	0.3	71
7	The relationship between EQ-5D, HAQ and pain in patients with rheumatoid arthritis. Rheumatology, 2013, 52, 944-950.	1.9	63
8	A Comparison of Direct and Indirect Methods for the Estimation of Health Utilities from Clinical Outcomes. Medical Decision Making, 2014, 34, 919-930.	2.4	52
9	Family lifestyle dynamics and childhood obesity: evidence from the millennium cohort study. BMC Public Health, 2018, 18, 500.	2.9	44
10	Econometric modelling of multiple self-reports of health states: The switch from EQ-5D-3L to EQ-5D-5L in evaluating drug therapies for rheumatoid arthritis. Journal of Health Economics, 2017, 55, 139-152.	2.7	41
11	Children's Development and Parental Input: Evidence From the UK Millennium Cohort Study. Demography, 2017, 54, 485-511.	2.5	40
12	Development of Methods for the Mapping of Utilities Using Mixture Models: Mapping the AQLQ-S to the EQ-5D-5L and the HUI3 in Patients with Asthma. Value in Health, 2018, 21, 748-757.	0.3	37
13	A Command for Fitting Mixture Regression Models for Bounded Dependent Variables Using the Beta Distribution. The Stata Journal, 2018, 18, 51-75.	2.2	35
14	Modelling the relationship between the WOMAC osteoarthritis index and EQ-5D. Health and Quality of Life Outcomes, 2014, 12, 37.	2.4	34
15	Fitting Adjusted Limited Dependent Variable Mixture Models to EQ-5D. The Stata Journal, 2015, 15, 737-750.	2.2	34
16	Primary angioplasty versus thrombolysis for acute ST-elevation myocardial infarction: an economic analysis of the National Infarct Angioplasty project. Heart, 2010, 96, 668-672.	2.9	30
17	Modeling Health State Utility Values in Ankylosing Spondylitis: Comparisons of Direct and Indirect Methods. Value in Health, 2015, 18, 425-431.	0.3	30
18	Eq5Dmap: A Command for Mapping between EQ-5D-3L and EQ-5D-5L. The Stata Journal, 2018, 18, 395-415.	2.2	28

#	Article	IF	CITATIONS
19	The welfare cost of means-testing: pensioner participation in income support. Journal of Applied Econometrics, 2007, 22, 581-598.	2.3	27
20	Health State Preference Weights for the Glasgow Outcome Scale Following Traumatic Brain Injury: A Systematic Review and Mapping Study. Value in Health, 2017, 20, 141-151.	0.3	27
21	Mapping the FACT-B Instrument to EQ-5D-3L in Patients with Breast Cancer Using Adjusted Limited Dependent Variable Mixture Models versus Response Mapping. Value in Health, 2018, 21, 1399-1405.	0.3	22
22	The Impact of Moving from EQ-5D-3L to -5L in NICE Technology Appraisals. Pharmacoeconomics, 2019, 37, 75-84.	3.3	22
23	Measurement error in models of welfare participation. Journal of Public Economics, 2007, 91, 327-341.	4.3	21
24	Good Practice Guidelines for the use of Statistical Regression Models in Economic Evaluations. Pharmacoeconomics, 2013, 31, 643-652.	3.3	21
25	Cost-effectiveness of treatment strategies using combination disease-modifying anti-rheumatic drugs and glucocorticoids in early rheumatoid arthritis. Rheumatology, 2014, 53, 1773-1777.	1.9	21
26	Valuing states from multiple measures on the same visual analogue sale: a feasibility study. Health Economics (United Kingdom), 2012, 21, 715-729.	1.7	19
27	Mapping clinical outcomes to generic preference-based outcome measures: development and comparison of methods. Health Technology Assessment, 2020, 24, 1-68.	2.8	19
28	The Cost-effectiveness of Sequences of Biological Disease-modifying Antirheumatic Drug Treatment in England for Patients with Rheumatoid Arthritis Who Can Tolerate Methotrexate. Journal of Rheumatology, 2017, 44, 973-980.	2.0	17
29	The Take-Up of Multiple Means-Tested Benefits by British Pensioners: Evidence from the Family Resources Survey. Fiscal Studies, 2004, 25, 279-303.	1.5	16
30	Mapping the EORTC QLQ-C30 to EQ-5D-3L in patients with breast cancer. BMC Cancer, 2021, 21, 1237.	2.6	13
31	Mapping EQ-5D-3L from the Knee Injury and Osteoarthritis Outcome Score (KOOS). Quality of Life Research, 2020, 29, 265-274.	3.1	11
32	An International Comparison of EQ-5D-5L and EQ-5D-3L for Use in Cost-Effectiveness Analysis. Value in Health, 2021, 24, 568-574.	0.3	11
33	The effects of breastfeeding on childhood BMI: a propensity score matching approach. Journal of Public Health, 2017, 39, e152-e160.	1.8	10
34	Estimating informal care inputs associated with EQ-5D for use in economic evaluation. European Journal of Health Economics, 2016, 17, 733-744.	2.8	10
35	Common Scale Valuations across Different Preference-Based Measures. Medical Decision Making, 2013, 33, 839-852.	2.4	9
36	Mapping From Visual Acuity to EQ-5D, EQ-5D With Vision Bolt-On, and VFQ-UI in Patients With Macular Edema in the LEAVO Trial. Value in Health, 2020, 23, 928-935.	0.3	9

#	Article	IF	CITATIONS
37	Bicop: A Command for Fitting Bivariate Ordinal Regressions with Residual Dependence Characterized by a Copula Function and Normal Mixture Marginals. The Stata Journal, 2016, 16, 159-184.	2.2	8
38	The relationship between chronic kidney disease–associated pruritus and health-related quality of life: a systematic review. CKJ: Clinical Kidney Journal, 2022, 15, 484-499.	2.9	7
39	Mapping between EQâ€5Dâ€3L and EQâ€5Dâ€5L: A survey experiment on the validity of multiâ€instrument data. Health Economics (United Kingdom), 2022, 31, 923-939.	1.7	7
40	An intervention to support adherence to inhaled medication in adults with cystic fibrosis: the ACtiF research programme including RCT. Programme Grants for Applied Research, 2021, 9, 1-146.	1.0	6
41	Predicting Productivity Losses from Health-Related Quality of Life Using Patient Data. Applied Health Economics and Health Policy, 2017, 15, 597-614.	2.1	5
42	Measuring quality of life of patients with axial spondyloarthritis for economic evaluation. RMD Open, 2022, 8, e001955.	3.8	2
43	A Continuous Time Approach to Cross Country Convergence. Contributions To Economics, 2002, , 19-36.	0.3	0