

Alexandar L Hansen

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9323861/publications.pdf>

Version: 2024-02-01

41
papers

1,429
citations

393982

19
h-index

329751

37
g-index

42
all docs

42
docs citations

42
times ranked

1494
citing authors

#	ARTICLE	IF	CITATIONS
1	The Role of Ligands on the Equilibria Between Functional States of a G Protein-Coupled Receptor. <i>Journal of the American Chemical Society</i> , 2013, 135, 9465-9474.	6.6	156
2	Characterizing RNA dynamics at atomic resolution using solution-state NMR spectroscopy. <i>Nature Methods</i> , 2011, 8, 919-931.	9.0	131
3	Measurement of histidine pK _a values and tautomer populations in invisible protein states. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014, 111, E1705-12.	3.3	111
4	Extending the Range of Microsecond-to-Millisecond Chemical Exchange Detected in Labeled and Unlabeled Nucleic Acids by Selective Carbon R ₁ ρ NMR Spectroscopy. <i>Journal of the American Chemical Society</i> , 2009, 131, 3818-3819.	6.6	109
5	Dynamics of Large Elongated RNA by NMR Carbon Relaxation. <i>Journal of the American Chemical Society</i> , 2007, 129, 16072-16082.	6.6	85
6	Characterizing Slow Chemical Exchange in Nucleic Acids by Carbon CEST and Low Spin-Lock Field R ₁ ρ NMR Spectroscopy. <i>Journal of the American Chemical Society</i> , 2014, 136, 20-23.	6.6	82
7	Characterizing Complex Dynamics in the Transactivation Response Element Apical Loop and Motional Correlations with the Bulge by NMR, Molecular Dynamics, and Mutagenesis. <i>Biophysical Journal</i> , 2008, 95, 3906-3915.	0.2	65
8	Insight into the CSA tensors of nucleobase carbons in RNA polynucleotides from solution measurements of residual CSA: Towards new long-range orientational constraints. <i>Journal of Magnetic Resonance</i> , 2006, 179, 299-307.	1.2	56
9	Characterizing the relative orientation and dynamics of RNA A-form helices using NMR residual dipolar couplings. <i>Nature Protocols</i> , 2007, 2, 1536-1546.	5.5	56
10	Quantifying Millisecond Exchange Dynamics in Proteins by CPMG Relaxation Dispersion NMR Using Side-Chain ¹ H Probes. <i>Journal of the American Chemical Society</i> , 2012, 134, 3178-3189.	6.6	55
11	DEEP picker is a deep neural network for accurate deconvolution of complex two-dimensional NMR spectra. <i>Nature Communications</i> , 2021, 12, 5229.	5.8	55
12	Nonnative Interactions in the FF Domain Folding Pathway from an Atomic Resolution Structure of a Sparsely Populated Intermediate: An NMR Relaxation Dispersion Study. <i>Journal of the American Chemical Society</i> , 2011, 133, 10974-10982.	6.6	37
13	Functional protein dynamics on uncharted time scales detected by nanoparticle-assisted NMR spin relaxation. <i>Science Advances</i> , 2019, 5, eaax5560.	4.7	32
14	Kinetic Cooperativity in Human Pancreatic Glucokinase Originates from Millisecond Dynamics of the Small Domain. <i>Angewandte Chemie - International Edition</i> , 2015, 54, 8129-8132.	7.2	29
15	Quantifying millisecond time-scale exchange in proteins by CPMG relaxation dispersion NMR spectroscopy of side-chain carbonyl groups. <i>Journal of Biomolecular NMR</i> , 2011, 50, 347-355.	1.6	28
16	Residue-Specific Interactions of an Intrinsically Disordered Protein with Silica Nanoparticles and Their Quantitative Prediction. <i>Journal of Physical Chemistry C</i> , 2016, 120, 24463-24468.	1.5	28
17	2D NMR-Based Metabolomics with HSQC/TOCSY NOAH Supersequences. <i>Analytical Chemistry</i> , 2021, 93, 6112-6119.	3.2	28
18	Real-Time Pure Shift HSQC NMR for Untargeted Metabolomics. <i>Analytical Chemistry</i> , 2019, 91, 2304-2311.	3.2	25

#	ARTICLE	IF	CITATIONS
19	Probing slowly exchanging protein systems via ^{13}C -CEST: monitoring folding of the Im7 protein. <i>Journal of Biomolecular NMR</i> , 2013, 55, 279-289.	1.6	24
20	Quantitative Binding Behavior of Intrinsically Disordered Proteins to Nanoparticle Surfaces at Individual Residue Level. <i>Chemistry - A European Journal</i> , 2018, 24, 16997-17001.	1.7	21
21	Variable helix elongation as a tool to modulate RNA alignment and motional couplings. <i>Journal of Magnetic Resonance</i> , 2010, 202, 117-121.	1.2	19
22	Absolute Minimal Sampling in High-Dimensional NMR Spectroscopy. <i>Angewandte Chemie - International Edition</i> , 2016, 55, 14169-14172.	7.2	19
23	From Selection to Instruction and Back: Competing Conformational Selection and Induced Fit Pathways in Abiotic Hosts. <i>Angewandte Chemie - International Edition</i> , 2021, 60, 19942-19948.	7.2	18
24	Synthesis of 6-phosphofructose aspartic acid and some related Amadori compounds. <i>Carbohydrate Research</i> , 2016, 431, 1-5.	1.1	16
25	Absolute Minimal Sampling of Homonuclear 2D NMR TOCSY Spectra for High-Throughput Applications of Complex Mixtures. <i>Angewandte Chemie - International Edition</i> , 2017, 56, 8149-8152.	7.2	16
26	Rapid Determination of Fast Protein Dynamics from NMR Chemical Exchange Saturation Transfer Data. <i>Angewandte Chemie - International Edition</i> , 2016, 55, 3117-3119.	7.2	15
27	The Michaelis Complex of Arginine Kinase Samples the Transition State at a Frequency That Matches the Catalytic Rate. <i>Journal of the American Chemical Society</i> , 2017, 139, 4846-4853.	6.6	14
28	Non-Uniform and Absolute Minimal Sampling for High-Throughput Multidimensional NMR Applications. <i>Chemistry - A European Journal</i> , 2018, 24, 11535-11544.	1.7	14
29	Pulsed field gradient NMR investigation of solubilization equilibria in amino acid and dipeptide terminated micellar and polymeric surfactant solutions. <i>Magnetic Resonance in Chemistry</i> , 2002, 40, 755-761.	1.1	13
30	Extreme Nonuniform Sampling for Protein NMR Dynamics Studies in Minimal Time. <i>Journal of the American Chemical Society</i> , 2019, 141, 16829-16838.	6.6	12
31	Increasing sensitivity and versatility in NMR supersequences with new HSQC-based modules. <i>Journal of Magnetic Resonance</i> , 2021, 329, 107027.	1.2	12
32	Differential Conformational Dynamics Encoded by the Linker between Quasi RNA Recognition Motifs of Heterogeneous Nuclear Ribonucleoprotein H. <i>Journal of the American Chemical Society</i> , 2018, 140, 11661-11673.	6.6	11
33	Observation of Sub-Microsecond Protein Methyl-Side Chain Dynamics by Nanoparticle-Assisted NMR Spin Relaxation. <i>Journal of the American Chemical Society</i> , 2021, 143, 13593-13604.	6.6	10
34	Absolute Minimal Sampling of Homonuclear 2D NMR TOCSY Spectra for High-Throughput Applications of Complex Mixtures. <i>Angewandte Chemie</i> , 2017, 129, 8261-8264.	1.6	8
35	Kinetic Cooperativity in Human Pancreatic Glucokinase Originates from Millisecond Dynamics of the Small Domain. <i>Angewandte Chemie</i> , 2015, 127, 8247-8250.	1.6	7
36	Absolut minimales Sampling in der hochdimensionalen NMR-Spektroskopie. <i>Angewandte Chemie</i> , 2016, 128, 14376-14379.	1.6	5

#	ARTICLE	IF	CITATIONS
37	Fundamental and practical aspects of machine learning for the peak picking of biomolecular NMR spectra. <i>Journal of Biomolecular NMR</i> , 2022, 76, 49-57.	1.6	5
38	Rapid Determination of Fast Protein Dynamics from NMR Chemical Exchange Saturation Transfer Data. <i>Angewandte Chemie</i> , 2016, 128, 3169-3171.	1.6	1
39	Resonance assignments of wild-type and two cysteine-free variants of the four-helix bundle protein, <i>Rop</i> . <i>Biomolecular NMR Assignments</i> , 2018, 12, 345-350.	0.4	1
40	¹ H, ¹³ C, ¹⁵ N resonance assignment of recombinant <i>Euplotes raikovi</i> protein Er-23. <i>Biomolecular NMR Assignments</i> , 2018, 12, 291-295.	0.4	0
41	4,15-Dimethyl-7,12-diazoniatriacyclo[10.4.0.0 ^{2,7}]hexadeca-1(12),2,4,6,13,15-hexaene dibromide monohydrate. <i>Acta Crystallographica Section E: Crystallographic Communications</i> , 2020, 76, 1467-1471.	0.2	0