

Jakob Michalsson

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/932534/jakob-michaelsson-publications-by-year.pdf>

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

72
papers

6,311
citations

38
h-index

75
g-index

75
ext. papers

7,685
ext. citations

10.4
avg, IF

5.41
L-index

#	Paper	IF	Citations
72	SARS-CoV-2 Nsp13 encodes for an HLA-E-stabilizing peptide that abrogates inhibition of NKG2A-expressing NK cells.. <i>Cell Reports</i> , 2022 , 110503	10.6	2
71	Comparison of Lung-Homing Receptor Expression and Activation Profiles on NK Cell and T Cell Subsets in COVID-19 and Influenza.. <i>Frontiers in Immunology</i> , 2022 , 13, 834862	8.4	1
70	CD5 Surface Expression Marks Intravascular Human Innate Lymphoid Cells That Have a Distinct Ontogeny and Migrate to the Lung. <i>Frontiers in Immunology</i> , 2021 , 12, 752104	8.4	2
69	Expansions of adaptive-like NK cells with a tissue-resident phenotype in human lung and blood. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021 , 118,	11.5	11
68	Divergent clonal differentiation trajectories establish CD8 memory T cell heterogeneity during acute viral infections in humans. <i>Cell Reports</i> , 2021 , 35, 109174	10.6	3
67	A biliary immune landscape map of primary sclerosing cholangitis reveals a dominant network of neutrophils and tissue-resident T cells. <i>Science Translational Medicine</i> , 2021 , 13,	17.5	4
66	In Vitro Study of Human Immune Responses to Hyaluronic Acid Hydrogels, Recombinant Spidroins and Human Neural Progenitor Cells of Relevance to Spinal Cord Injury Repair. <i>Cells</i> , 2021 , 10,	7.9	2
65	Distinct developmental pathways from blood monocytes generate human lung macrophage diversity. <i>Immunity</i> , 2021 , 54, 259-275.e7	32.3	42
64	High-dimensional profiling reveals phenotypic heterogeneity and disease-specific alterations of granulocytes in COVID-19. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021 , 118,	11.5	14
63	Natural killer cell immunotypes related to COVID-19 disease severity. <i>Science Immunology</i> , 2020 , 5,	28	183
62	Cell generation dynamics underlying naive T-cell homeostasis in adult humans. <i>PLoS Biology</i> , 2019 , 17, e3000383	9.7	20
61	Unique transcriptional and protein-expression signature in human lung tissue-resident NK cells. <i>Nature Communications</i> , 2019 , 10, 3841	17.4	43
60	Influenza A Virus Infection Induces Hyperresponsiveness in Human Lung Tissue-Resident and Peripheral Blood NK Cells. <i>Frontiers in Immunology</i> , 2019 , 10, 1116	8.4	34
59	Conbase: a software for unsupervised discovery of clonal somatic mutations in single cells through read phasing. <i>Genome Biology</i> , 2019 , 20, 68	18.3	12
58	Distinct Alterations in the Composition of Mucosal Innate Lymphoid Cells in Newly Diagnosed and Established Crohn's Disease and Ulcerative Colitis. <i>Journal of Crohn's and Colitis</i> , 2019 , 13, 67-78	1.5	51
57	High dimensional classification with combined adaptive sparse PLS and logistic regression. <i>Bioinformatics</i> , 2018 , 34, 485-493	7.2	16
56	Breadth and Dynamics of HLA-A2- and HLA-B7-Restricted CD8 T Cell Responses against Nonstructural Viral Proteins in Acute Human Tick-Borne Encephalitis Virus Infection. <i>ImmunoHorizons</i> , 2018 , 2, 172-184	2.7	4

55	Cell-Mediated Immune Responses and Immunopathogenesis of Human Tick-Borne Encephalitis Virus-Infection. <i>Frontiers in Immunology</i> , 2018 , 9, 2174	8.4	13
54	CD49a Expression Defines Tissue-Resident CD8 T Cells Poised for Cytotoxic Function in Human Skin. <i>Immunity</i> , 2017 , 46, 287-300	32.3	294
53	Composition and functionality of the intrahepatic innate lymphoid cell-compartment in human nonfibrotic and fibrotic livers. <i>European Journal of Immunology</i> , 2017 , 47, 1280-1294	6.1	45
52	Reply. <i>Journal of Allergy and Clinical Immunology</i> , 2017 , 140, 318	11.5	
51	Human lung natural killer cells are predominantly comprised of highly differentiated hypofunctional CD69CD56 cells. <i>Journal of Allergy and Clinical Immunology</i> , 2017 , 139, 1321-1330.e4	11.5	77
50	NK Cell Responses to Human Tick-Borne Encephalitis Virus Infection. <i>Journal of Immunology</i> , 2016 , 197, 2762-71	5.3	27
49	Emerging insights into natural killer cells in human peripheral tissues. <i>Nature Reviews Immunology</i> , 2016 , 16, 310-20	36.5	230
48	Fetal CD103+ IL-17-Producing Group 3 Innate Lymphoid Cells Represent the Dominant Lymphocyte Subset in Human Amniotic Fluid. <i>Journal of Immunology</i> , 2016 , 197, 3069-3075	5.3	23
47	Analysis of allelic expression patterns in clonal somatic cells by single-cell RNA-seq. <i>Nature Genetics</i> , 2016 , 48, 1430-1435	36.3	92
46	Specificity and dynamics of effector and memory CD8 T cell responses in human tick-borne encephalitis virus infection. <i>PLoS Pathogens</i> , 2015 , 11, e1004622	7.6	25
45	Cutting edge: identification and characterization of human intrahepatic CD49a+ NK cells. <i>Journal of Immunology</i> , 2015 , 194, 2467-71	5.3	176
44	The Human NK Cell Response to Yellow Fever Virus 17D Is Primarily Governed by NK Cell Differentiation Independently of NK Cell Education. <i>Journal of Immunology</i> , 2015 , 195, 3262-72	5.3	41
43	Identification of a Human Natural Killer Cell Lineage-Restricted Progenitor in Fetal and Adult Tissues. <i>Immunity</i> , 2015 , 43, 394-407	32.3	106
42	T-bet and Eomes are differentially linked to the exhausted phenotype of CD8+ T cells in HIV infection. <i>PLoS Pathogens</i> , 2014 , 10, e1004251	7.6	182
41	Tracing dynamic expansion of human NK-cell subsets by high-resolution analysis of KIR repertoires and cellular differentiation. <i>European Journal of Immunology</i> , 2014 , 44, 2192-6	6.1	27
40	Activating killer cell Ig-like receptors in health and disease. <i>Frontiers in Immunology</i> , 2014 , 5, 184	8.4	56
39	Temporal dynamics of the primary human T cell response to yellow fever virus 17D as it matures from an effector- to a memory-type response. <i>Journal of Immunology</i> , 2013 , 190, 2150-8	5.3	80
38	NK cell responses to cytomegalovirus infection lead to stable imprints in the human KIR repertoire and involve activating KIRs. <i>Blood</i> , 2013 , 121, 2678-88	2.2	348

37	Differentiation and functional regulation of human fetal NK cells. <i>Journal of Clinical Investigation</i> , 2013 , 123, 3889-901	15.9	76
36	The inflammatory milieu in the rheumatic joint reduces regulatory T-cell function. <i>European Journal of Immunology</i> , 2011 , 41, 2279-90	6.1	57
35	Rapid expansion and long-term persistence of elevated NK cell numbers in humans infected with hantavirus. <i>Journal of Experimental Medicine</i> , 2011 , 208, 13-21	16.6	356
34	Fetal and adult hematopoietic stem cells give rise to distinct T cell lineages in humans. <i>Science</i> , 2010 , 330, 1695-9	33.3	304
33	Expression patterns of NKG2A, KIR, and CD57 define a process of CD56dim NK-cell differentiation uncoupled from NK-cell education. <i>Blood</i> , 2010 , 116, 3853-64	2.2	498
32	Education of human natural killer cells by activating killer cell immunoglobulin-like receptors. <i>Blood</i> , 2010 , 115, 1166-74	2.2	213
31	HIV-1-specific T Cell-dependent natural killer (NK) cell activation: major contribution by NK cells to interferon-gamma production in response to HIV-1 antigens. <i>AIDS Research and Human Retroviruses</i> , 2009 , 25, 603-5	1.6	8
30	The frequency of CD127low expressing CD4+CD25high T regulatory cells is inversely correlated with human T lymphotropic virus type-1 (HTLV-1) proviral load in HTLV-1-infection and HTLV-1-associated myelopathy/tropical spastic paraparesis. <i>BMC Immunology</i> , 2008 , 9, 41	3.7	16
29	Expansion of CD56- NK cells in chronic HCV/HIV-1 co-infection: reversion by antiviral treatment with pegylated IFNalpha and ribavirin. <i>Clinical Immunology</i> , 2008 , 128, 46-56	9	55
28	Application of nine-color flow cytometry for detailed studies of the phenotypic complexity and functional heterogeneity of human lymphocyte subsets. <i>Journal of Immunological Methods</i> , 2008 , 330, 64-74	2.5	27
27	Maternal alloantigens promote the development of tolerogenic fetal regulatory T cells in utero. <i>Science</i> , 2008 , 322, 1562-5	33.3	604
26	Immune reconstitution of CD56(dim) NK cells in individuals with primary HIV-1 infection treated with interleukin-2. <i>Journal of Infectious Diseases</i> , 2008 , 197, 117-25	7	23
25	Estimation of the size of the alloreactive NK cell repertoire: studies in individuals homozygous for the group A KIR haplotype. <i>Journal of Immunology</i> , 2008 , 181, 6010-9	5.3	89
24	Elevated frequency of gamma interferon-producing NK cells in healthy adults vaccinated against influenza virus. <i>Vaccine Journal</i> , 2008 , 15, 120-30		48
23	Activating and inhibitory receptors on synovial fluid natural killer cells of arthritis patients: role of CD94/NKG2A in control of cytokine secretion. <i>Immunology</i> , 2007 , 122, 291-301	7.8	60
22	Cutting Edge: KIR3DS1, a gene implicated in resistance to progression to AIDS, encodes a DAP12-associated receptor expressed on NK cells that triggers NK cell activation. <i>Journal of Immunology</i> , 2007 , 178, 647-51	5.3	118
21	Human immunodeficiency virus type 1 (HIV-1)-specific CD8+ T(EMRA) cells in early infection are linked to control of HIV-1 viremia and predict the subsequent viral load set point. <i>Journal of Virology</i> , 2007 , 81, 5759-65	6.6	65
20	Natural killer cells in perinatally HIV-1-infected children exhibit less degranulation compared to HIV-1-exposed uninfected children and their expression of KIR2DL3, NKG2C, and NKp46 correlates with disease severity. <i>Journal of Immunology</i> , 2007 , 179, 3362-70	5.3	56

19	Regulation of T cell responses in the developing human fetus. <i>Journal of Immunology</i> , 2006 , 176, 5741-8	5.3	191
18	Structural basis of the differential stability and receptor specificity of H-2Db in complex with murine versus human beta2-microglobulin. <i>Journal of Molecular Biology</i> , 2006 , 356, 382-96	6.5	21
17	CD4+CD25+ regulatory T cells in HIV infection. <i>Microbes and Infection</i> , 2005 , 7, 1063-5	9.3	34
16	A structural basis for CD8+ T cell-dependent recognition of non-homologous peptide ligands: implications for molecular mimicry in autoreactivity. <i>Journal of Biological Chemistry</i> , 2005 , 280, 27069-75	5.4	19
15	Determination of structural principles underlying three different modes of lymphocytic choriomeningitis virus escape from CTL recognition. <i>Journal of Immunology</i> , 2004 , 172, 5504-11	5.3	32
14	Human CD4+ CD25+ regulatory T cells control T-cell responses to human immunodeficiency virus and cytomegalovirus antigens. <i>Journal of Virology</i> , 2004 , 78, 2454-9	6.6	374
13	Loss or mismatch of MHC class I is sufficient to trigger NK cell-mediated rejection of resting lymphocytes in vivo - role of KARAP/DAP12-dependent and -independent pathways. <i>European Journal of Immunology</i> , 2004 , 34, 1646-53	6.1	66
12	Regulation of perforin-independent NK cell-mediated cytotoxicity. <i>European Journal of Immunology</i> , 2003 , 33, 2727-35	6.1	71
11	NK cell inhibitory receptor Ly-49C residues involved in MHC class I binding. <i>Journal of Immunology</i> , 2002 , 168, 793-800	5.3	13
10	A signal peptide derived from hsp60 binds HLA-E and interferes with CD94/NKG2A recognition. <i>Journal of Experimental Medicine</i> , 2002 , 196, 1403-14	16.6	204
9	A structural basis for LCMV immune evasion: subversion of H-2D(b) and H-2K(b) presentation of gp33 revealed by comparative crystal structure analyses. <i>Immunity</i> , 2002 , 17, 757-68	32.3	38
8	Apoptosis-dependent subversion of the T-lymphocyte epitope hierarchy in lymphoma cells. <i>Cancer Research</i> , 2002 , 62, 1116-22	10.1	12
7	MHC class I recognition by NK receptors in the Ly49 family is strongly influenced by the beta 2-microglobulin subunit. <i>Journal of Immunology</i> , 2001 , 166, 7327-34	5.3	33
6	Visualization of inhibitory Ly49 receptor specificity with soluble major histocompatibility complex class I tetramers. <i>European Journal of Immunology</i> , 2000 , 30, 300-7	6.1	67
5	T cell tolerance based on avidity thresholds rather than complete deletion allows maintenance of maximal repertoire diversity. <i>Journal of Immunology</i> , 2000 , 165, 25-33	5.3	66
4	Emergence of CD8+ T cells expressing NK cell receptors in influenza A virus-infected mice. <i>Journal of Immunology</i> , 2000 , 165, 4964-9	5.3	94
3	Clonally distinct differentiation trajectories shape CD8+ memory T cell heterogeneity after acute viral infections in humans		1
2	Natural killer cell activation related to clinical outcome of COVID-19		5

1 Long-read whole genome analysis of human single cells

3