

Wolfgang Wadsak

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9326320/publications.pdf>

Version: 2024-02-01

257
papers

6,767
citations

57752

44
h-index

102480

66
g-index

288
all docs

288
docs citations

288
times ranked

7903
citing authors

#	ARTICLE	IF	CITATIONS
1	Reduced Serotonin-1A Receptor Binding in Social Anxiety Disorder. <i>Biological Psychiatry</i> , 2007, 61, 1081-1089.	1.3	276
2	Brain tumour imaging with PET: a comparison between [¹⁸ F]fluorodopa and [¹¹ C]methionine. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2003, 30, 1561-1567.	6.4	259
3	Normative database of the serotonergic system in healthy subjects using multi-tracer PET. <i>NeuroImage</i> , 2012, 63, 447-459.	4.2	126
4	Prediction of SSRI treatment response in major depression based on serotonin transporter interplay between median raphe nucleus and projection areas. <i>NeuroImage</i> , 2012, 63, 874-881.	4.2	124
5	Synthesis of fluorine-18-labeled ciprofloxacin for PET studies in humans. <i>Nuclear Medicine and Biology</i> , 2003, 30, 285-291.	0.6	123
6	PSMA Ligand PET/MRI for Primary Prostate Cancer: Staging Performance and Clinical Impact. <i>Clinical Cancer Research</i> , 2018, 24, 6300-6307.	7.0	112
7	Differential modulation of the default mode network via serotonin-1A receptors. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012, 109, 2619-2624.	7.1	109
8	Pgp-Mediated Interaction Between (R)-[¹¹ C]Verapamil and Tariquidar at the Human Bloodâ€‘Brain Barrier: A Comparison With Rat Data. <i>Clinical Pharmacology and Therapeutics</i> , 2012, 91, 227-233.	4.7	108
9	Tariquidar-Induced P-Glycoprotein Inhibition at the Rat Bloodâ€‘Brain Barrier Studied with (¹¹ C)-Verapamil and PET. <i>Journal of Nuclear Medicine</i> , 2008, 49, 1328-1335.	5.0	104
10	Basics and principles of radiopharmaceuticals for PET/CT. <i>European Journal of Radiology</i> , 2010, 73, 461-469.	2.6	104
11	Response assessment using ⁶⁸ Ga-PSMA ligand PET in patients undergoing ¹⁷⁷ Lu-PSMA radioligand therapy for metastatic castration-resistant prostate cancer. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2019, 46, 1063-1072.	6.4	100
12	Global decrease of serotonin-1A receptor binding after electroconvulsive therapy in major depression measured by PET. <i>Molecular Psychiatry</i> , 2013, 18, 93-100.	7.9	98
13	PET/MRI versus PET/CT in oncology: a prospective single-center study of 330 examinations focusing on implications for patient management and cost considerations. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2020, 47, 51-60.	6.4	98
14	Glioma Survival Prediction with Combined Analysis of In Vivo ¹¹ C-MET PET Features, Ex Vivo Features, and Patient Features by Supervised Machine Learning. <i>Journal of Nuclear Medicine</i> , 2018, 59, 892-899.	5.0	94
15	Positron emission tomography imaging of adrenal masses: ¹⁸ F-fluorodeoxyglucose and the ¹¹ C-hydroxylase tracer ¹¹ C-metomidate. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2004, 31, 1224-30.	6.4	93
16	⁶⁸ Ga-PSMA ¹¹ C ligand PET imaging in patients with biochemical recurrence after radical prostatectomy â€‘ diagnostic performance and impact on therapeutic decision-making. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2018, 45, 235-242.	6.4	89
17	Influence of escitalopram treatment on 5-HT _{1A} receptor binding in limbic regions in patients with anxiety disorders. <i>Molecular Psychiatry</i> , 2009, 14, 1040-1050.	7.9	87
18	Spatial analysis and high resolution mapping of the human whole-brain transcriptome for integrative analysis in neuroimaging. <i>NeuroImage</i> , 2018, 176, 259-267.	4.2	87

#	ARTICLE	IF	CITATIONS
19	Aggression is related to frontal serotonin-1A receptor distribution as revealed by PET in healthy subjects. <i>Human Brain Mapping</i> , 2009, 30, 2558-2570.	3.6	84
20	In vitro and in vivo evaluation of [18F]ciprofloxacin for the imaging of bacterial infections with PET. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2005, 32, 143-150.	6.4	77
21	High-Dose Testosterone Treatment Increases Serotonin Transporter Binding in Transgender People. <i>Biological Psychiatry</i> , 2015, 78, 525-533.	1.3	75
22	Uptake of bone-seekers is solely associated with mineralisation! A study with 99mTc-MDP, 153Sm-EDTMP and 18F-fluoride on osteoblasts. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2006, 33, 491-494.	6.4	74
23	Approaching Complete Inhibition of P-Glycoprotein at the Human Blood-Brain Barrier: An [¹¹ C]Verapamil PET Study. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2015, 35, 743-746.	4.3	74
24	Lateralization of the serotonin-1A receptor distribution in language areas revealed by PET. <i>NeuroImage</i> , 2009, 45, 598-605.	4.2	72
25	Supervised machine learning enables non-invasive lesion characterization in primary prostate cancer with [68Ga]Ga-PSMA-11 PET/MRI. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2021, 48, 1795-1805.	6.4	72
26	Influence of functional haplotypes in the drug transporter gene on central nervous system drug distribution in humans. <i>Clinical Pharmacology and Therapeutics</i> , 2005, 78, 182-190.	4.7	64
27	Quantification of Task-Specific Glucose Metabolism with Constant Infusion of [¹⁸ F]FDG. <i>Journal of Nuclear Medicine</i> , 2016, 57, 1933-1940.	5.0	64
28	Application of image-derived and venous input functions in major depression using [carbonyl-11C]WAY-100635. <i>Nuclear Medicine and Biology</i> , 2013, 40, 371-377.	0.6	62
29	Log P , a yesterday's value?. <i>Nuclear Medicine and Biology</i> , 2017, 50, 1-10.	0.6	62
30	[68Ga]Pentixafor-PET/MRI for the detection of Chemokine receptor 4 expression in atherosclerotic plaques. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2018, 45, 558-566.	6.4	60
31	The serotonin-1A receptor distribution in healthy men and women measured by PET and [carbonyl-11C]WAY-100635. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2008, 35, 2159-2168.	6.4	59
32	Reduced task durations in functional PET imaging with [18F]FDG approaching that of functional MRI. <i>NeuroImage</i> , 2018, 181, 323-330.	4.2	59
33	Light-dependent alteration of serotonin-1A receptor binding in cortical and subcortical limbic regions in the human brain. <i>World Journal of Biological Psychiatry</i> , 2012, 13, 413-422.	2.6	57
34	[18 F]Ciprofloxacin, a New Positron Emission Tomography Tracer for Noninvasive Assessment of the Tissue Distribution and Pharmacokinetics of Ciprofloxacin in Humans. <i>Antimicrobial Agents and Chemotherapy</i> , 2004, 48, 3850-3857.	3.2	54
35	Cortisol plasma levels in social anxiety disorder patients correlate with serotonin-1A receptor binding in limbic brain regions. <i>International Journal of Neuropsychopharmacology</i> , 2010, 13, 1129-1143.	2.1	54
36	Regional differences in SERT occupancy after acute and prolonged SSRI intake investigated by brain PET. <i>NeuroImage</i> , 2014, 88, 252-262.	4.2	54

#	ARTICLE	IF	CITATIONS
37	Escitalopram Enhances the Association of Serotonin-1A Autoreceptors to Heteroreceptors in Anxiety Disorders. <i>Journal of Neuroscience</i> , 2010, 30, 14482-14489.	3.6	52
38	Attenuated serotonin transporter association between dorsal raphe and ventral striatum in major depression. <i>Human Brain Mapping</i> , 2014, 35, 3857-3866.	3.6	50
39	Pilot PET Study to Assess the Functional Interplay Between ABCB1 and ABCG2 at the Human Bloodâ€“Brain Barrier. <i>Clinical Pharmacology and Therapeutics</i> , 2016, 100, 131-141.	4.7	50
40	Effects of Selective Serotonin Reuptake Inhibitors on Interregional Relation of Serotonin Transporter Availability in Major Depression. <i>Frontiers in Human Neuroscience</i> , 2017, 11, 48.	2.0	50
41	Effects of Silexan on the Serotonin-1A Receptor and Microstructure of the Human Brain: A Randomized, Placebo-Controlled, Double-Blind, Cross-Over Study with Molecular and Structural Neuroimaging. <i>International Journal of Neuropsychopharmacology</i> , 2015, 18, pyu063-pyu063.	2.1	49
42	[⁶⁸ Ga]Pentixafor PET/MR imaging of chemokine receptor 4 expression in the human carotid artery. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2019, 46, 1616-1625.	6.4	49
43	Response assessment using [⁶⁸ Ga]Gaâ€“PSMA ligand PET in patients undergoing systemic therapy for metastatic castrationâ€“resistant prostate cancer. <i>Prostate</i> , 2020, 80, 74-82.	2.3	49
44	Reconfiguration of functional brain networks and metabolic cost converge during task performance. <i>ELife</i> , 2020, 9, .	6.0	49
45	Clinical outcome of standardized ¹⁷⁷ Lu-PSMA-617 therapy in metastatic prostate cancer patients receiving 7400 MBq every 4 weeks. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2020, 47, 713-720.	6.4	46
46	Interaction of ¹¹ C-Tariquidar and ¹¹ C-Elacridar with P-Glycoprotein and Breast Cancer Resistance Protein at the Human Bloodâ€“Brain Barrier. <i>Journal of Nuclear Medicine</i> , 2013, 54, 1181-1187.	5.0	45
47	Multiparametric [¹⁸ F]Fluorodeoxyglucose/ [¹⁸ F]Fluoromisonidazole Positron Emission Tomography/ Magnetic Resonance Imaging of Locally Advanced Cervical Cancer for the Non-Invasive Detection of Tumor Heterogeneity: A Pilot Study. <i>PLoS ONE</i> , 2016, 11, e0155333.	2.5	45
48	The Norepinephrine Transporter in Attention-Deficit/Hyperactivity Disorder Investigated With Positron Emission Tomography. <i>JAMA Psychiatry</i> , 2014, 71, 1340.	11.0	44
49	Biological evaluation of ² -[¹⁸ F]fluoroflumazenil ([¹⁸ F]FFMZ), a potential GABA receptor ligand for PET. <i>Nuclear Medicine and Biology</i> , 2004, 31, 291-295.	0.6	43
50	Influence of OATPs on Hepatic Disposition of Erlotinib Measured With Positron Emission Tomography. <i>Clinical Pharmacology and Therapeutics</i> , 2018, 104, 139-147.	4.7	43
51	On the consensus nomenclature rules for radiopharmaceutical chemistry â€“ Reconsideration of radiochemical conversion. <i>Nuclear Medicine and Biology</i> , 2021, 93, 19-21.	0.6	43
52	Prospective non-invasive evaluation of CXCR4 expression for the diagnosis of MALT lymphoma using [⁶⁸ Ga]Ga-Pentixafor-PET/MRI. <i>Theranostics</i> , 2019, 9, 3653-3658.	10.0	42
53	Gadoxetate-enhanced versus diffusion-weighted MRI for fused Ga-68-DOTANOC PET/MRI in patients with neuroendocrine tumours of the upper abdomen. <i>European Radiology</i> , 2013, 23, 1978-1985.	4.5	41
54	Association Between Osteogenesis and Inflammation During the Progression of Calcified Plaque Evaluated by ¹⁸ F-Fluoride and ¹⁸ F-FDG. <i>Journal of Nuclear Medicine</i> , 2017, 58, 968-974.	5.0	40

#	ARTICLE	IF	CITATIONS
55	Machine learning classification of ADHD and HC by multimodal serotonergic data. Translational Psychiatry, 2020, 10, 104.	4.8	39
56	New aspects on the preparation of [11C]Methionineâ€”a simple and fast online approach without preparative HPLC. Applied Radiation and Isotopes, 2005, 62, 441-445.	1.5	38
57	Quantitative assessment of atherosclerotic plaques on 18F-FDG PET/MRI: comparison with a PET/CT hybrid system. European Journal of Nuclear Medicine and Molecular Imaging, 2016, 43, 1503-1512.	6.4	38
58	Impact of P-Glycoprotein Function on the Brain Kinetics of the Weak Substrate ¹¹ C-Metoclopramide Assessed with PET Imaging in Humans. Journal of Nuclear Medicine, 2019, 60, 985-991.	5.0	38
59	<i>STAT</i> 3 <i>â€</i> dependent analysis reveals <i>PDK</i> 4 as independent predictor of recurrence in prostate cancer. Molecular Systems Biology, 2020, 16, e9247.	7.2	38
60	Pre vivo, ex vivo and in vivo evaluations of [68Ga]-EDTMP. Nuclear Medicine and Biology, 2007, 34, 391-397.	0.6	37
61	Central serotonin 1A receptor binding in temporal lobe epilepsy: A [carbonyl-11C]WAY-100635 PET study. Epilepsy and Behavior, 2010, 19, 467-473.	1.7	37
62	In vivo P-glycoprotein function before and after epilepsy surgery. Neurology, 2014, 83, 1326-1331.	1.1	37
63	Effects of norepinephrine transporter gene variants on <i>NET</i> binding in <i>ADHD</i> and healthy controls investigated by <i>PET</i> . Human Brain Mapping, 2016, 37, 884-895.	3.6	37
64	In vivo and in vitro evaluation of [18 F]FETO with respect to the adrenocortical and GABAergic system in rats. European Journal of Nuclear Medicine and Molecular Imaging, 2003, 30, 1398-1401.	6.4	35
65	Monitoring of plexiform neurofibroma in children and adolescents with neurofibromatosis type 1 by [¹⁸ F]FDGâ€”PET imaging. Is it of value in asymptomatic patients?. Pediatric Blood and Cancer, 2018, 65, e26733.	1.5	35
66	Task-relevant brain networks identified with simultaneous PET/MR imaging of metabolism and connectivity. Brain Structure and Function, 2018, 223, 1369-1378.	2.3	34
67	[18F]FETO for adrenocortical PET imaging: a pilot study in healthy volunteers. European Journal of Nuclear Medicine and Molecular Imaging, 2006, 33, 669-672.	6.4	33
68	Multimodal imaging of human early visual cortex by combining functional and molecular measurements with fMRI and PET. NeuroImage, 2008, 41, 204-211.	4.2	32
69	Association of Protein Distribution and Gene Expression Revealed by PET and Post-Mortem Quantification in the Serotonergic System of the Human Brain. Cerebral Cortex, 2017, 27, 117-130.	2.9	30
70	Prospective evaluation of the performance of [68Ga]Ga-PSMA-11 PET/CT(MRI) for lymph node staging in patients undergoing superextended salvage lymph node dissection after radical prostatectomy. European Journal of Nuclear Medicine and Molecular Imaging, 2019, 46, 2169-2177.	6.4	30
71	Simple and fully automated preparation of [carbonyl-11C]WAY-100635. Radiochimica Acta, 2007, 95, .	1.2	28
72	Preparation and first evaluation of [18F]FE@SUPPY: a new PET tracer for the adenosine A3 receptor. Nuclear Medicine and Biology, 2008, 35, 61-66.	0.6	28

#	ARTICLE	IF	CITATIONS
73	[¹⁸ F]FE@SNAP – A new PET tracer for the melanin concentrating hormone receptor 1 (MCHR1): Microfluidic and vessel-based approaches. <i>Bioorganic and Medicinal Chemistry</i> , 2012, 20, 5936-5940.	3.0	28
74	Cerebral serotonin transporter asymmetry in females, males and male-to-female transsexuals measured by PET in vivo. <i>Brain Structure and Function</i> , 2014, 219, 171-183.	2.3	28
75	Evaluation of fatty acid synthase in prostate cancer recurrence: SUV of [¹¹ C]acetate PET as a prognostic marker. <i>Prostate</i> , 2015, 75, 1760-1767.	2.3	28
76	Effect of P-glycoprotein inhibition at the blood-brain barrier on brain distribution of [¹¹ C]verapamil in elderly vs. young subjects. <i>British Journal of Clinical Pharmacology</i> , 2017, 83, 1991-1999.	2.4	28
77	Preparation and pre-vivo evaluation of no-carrier-added, carrier-added and cross-complexed [⁶⁸ Ga]-EDTMP formulations. <i>European Journal of Pharmaceutics and Biopharmaceutics</i> , 2008, 68, 406-412.	4.3	27
78	Simple and rapid preparation of [¹¹ C]DASB with high quality and reliability for routine applications. <i>Applied Radiation and Isotopes</i> , 2009, 67, 1654-1660.	1.5	27
79	Serotonin-1A receptor binding is positively associated with gray matter volume – A multimodal neuroimaging study combining PET and structural MRI. <i>NeuroImage</i> , 2012, 63, 1091-1098.	4.2	27
80	Optimization of the radiosynthesis of the Alzheimer tracer 2-(4-N-[¹¹ C]methylaminophenyl)-6-hydroxybenzothiazole ([¹¹ C]PIB). <i>Applied Radiation and Isotopes</i> , 2011, 69, 1212-1217.	1.5	26
81	An Overview of PET Radiochemistry, Part 1: The Covalent Labels ¹⁸ F, ¹¹ C, and ¹³ N. <i>Journal of Nuclear Medicine</i> , 2018, 59, 1350-1354.	5.0	26
82	Microfluidic preparation of [¹⁸ F]FE@SUPPY and [¹⁸ F]FE@SUPPY:2 – comparison with conventional radiosyntheses. <i>Nuclear Medicine and Biology</i> , 2011, 38, 427-434.	0.6	25
83	Radiolabeling of [¹⁸ F]altanserin – a microfluidic approach. <i>Nuclear Medicine and Biology</i> , 2012, 39, 1087-1092.	0.6	25
84	Impact of hybrid PET/MR technology on multiparametric imaging and treatment response assessment of cervix cancer. <i>Radiotherapy and Oncology</i> , 2017, 125, 420-425.	0.6	25
85	A Proof-of-Concept Study to Inhibit ABCG2- and ABCB1-Mediated Efflux Transport at the Human Blood-Brain Barrier. <i>Journal of Nuclear Medicine</i> , 2019, 60, 486-491.	5.0	25
86	On the relationship of first-episode psychosis to the amphetamine-sensitized state: a dopamine D2/3 receptor agonist radioligand study. <i>Translational Psychiatry</i> , 2020, 10, 2.	4.8	25
87	Insights into Intrinsic Brain Networks based on Graph Theory and PET in right- compared to left-sided Temporal Lobe Epilepsy. <i>Scientific Reports</i> , 2016, 6, 28513.	3.3	24
88	New approaches for the reliable in vitro assessment of binding affinity based on high-resolution real-time data acquisition of radioligand-receptor binding kinetics. <i>EJNMMI Research</i> , 2017, 7, 22.	2.5	24
89	The effect of electroconvulsive therapy on cerebral monoamine oxidase A expression in treatment-resistant depression investigated using positron emission tomography. <i>Brain Stimulation</i> , 2019, 12, 714-723.	1.6	24
90	Effects of hormone replacement therapy on cerebral serotonin-1A receptor binding in postmenopausal women examined with [carbonyl- ¹¹ C]WAY-100635. <i>Psychoneuroendocrinology</i> , 2014, 45, 1-10.	2.7	23

#	ARTICLE	IF	CITATIONS
91	Assessment of P-Glycoprotein Transport Activity at the Human Bloodâ€“Retina Barrier with ¹¹ C-Verapamil PET. <i>Journal of Nuclear Medicine</i> , 2017, 58, 678-681.	5.0	23
92	Association of norepinephrine transporter methylation with in vivo NET expression and hyperactivityâ€“impulsivity symptoms in ADHD measured with PET. <i>Molecular Psychiatry</i> , 2021, 26, 1009-1018.	7.9	23
93	Synthesis of [¹⁸ F]FETO, a novel potential 11- β hydroxylase inhibitor. <i>Journal of Labelled Compounds and Radiopharmaceuticals</i> , 2003, 46, 379-388.	1.0	22
94	The influence of the rs6295 gene polymorphism on serotonin-1A receptor distribution investigated with PET in patients with major depression applying machine learning. <i>Translational Psychiatry</i> , 2017, 7, e1150-e1150.	4.8	22
95	Visual and semiquantitative ¹¹ C-methionine PET: an independent prognostic factor for survival of newly diagnosed and treatment-naïve gliomas. <i>Neuro-Oncology</i> , 2018, 20, 411-419.	1.2	22
96	Brain monoamine oxidase A in seasonal affective disorder and treatment with bright light therapy. <i>Translational Psychiatry</i> , 2018, 8, 198.	4.8	22
97	Altered interregional molecular associations of the serotonin transporter in attention deficit/hyperactivity disorder assessed with PET. <i>Human Brain Mapping</i> , 2017, 38, 792-802.	3.6	21
98	Utility of Absolute Quantification in Non-lesional Extratemporal Lobe Epilepsy Using FDG PET/MR Imaging. <i>Frontiers in Neurology</i> , 2020, 11, 54.	2.4	21
99	Prediction of response and survival after standardized treatment with 7400ÂMBq ¹⁷⁷ Lu-PSMA-617 every 4 weeks in patients with metastatic castration-resistant prostate cancer. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2021, 48, 1650-1657.	6.4	21
100	Binding studies of [¹⁸ F]-fluoride and polyphosphonates radiolabelled with [^{99m} Tc], [¹¹¹ In], [¹⁵³ Sm] and [¹⁸⁸ Re] on bone compartments: Verification of the pre vivo model?. <i>Bone</i> , 2005, 37, 404-412.	2.9	20
101	¹⁸ F fluoroethylations: different strategies for the rapid translation of ¹¹ C-methylated radiotracers. <i>Nuclear Medicine and Biology</i> , 2007, 34, 1019-1028.	0.6	20
102	Preclinical in vitro & in vivo evaluation of [¹¹ C]SNAP-7941 â€“ the first PET tracer for the melanin concentrating hormone receptor 1. <i>Nuclear Medicine and Biology</i> , 2013, 40, 919-925.	0.6	20
103	Reliable set-up for in-loop ¹¹ C-carboxylations using Grignard reactions for the preparation of [carbonyl- ¹¹ C]WAY-100635 and [¹¹ C]-(+)-PHNO. <i>Applied Radiation and Isotopes</i> , 2013, 82, 75-80.	1.5	20
104	The value of [¹¹ C]-acetate PET and [¹⁸ F]-FDG PET in hepatocellular carcinoma before and after treatment with transarterial chemoembolization and bevacizumab. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2017, 44, 1732-1741.	6.4	20
105	A Microdosing Study with ^{99m} Tc-PHC-102 for the SPECT/CT Imaging of Primary and Metastatic Lesions in Renal Cell Carcinoma Patients. <i>Journal of Nuclear Medicine</i> , 2021, 62, 360-365.	5.0	20
106	New aspects on the preparation of [¹¹ C]acetateâ€“a simple and fast approach via distillation. <i>Applied Radiation and Isotopes</i> , 2004, 61, 1147-1150.	1.5	19
107	[¹⁸ F]FETO: metabolic considerations. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2006, 33, 928-931.	6.4	19
108	Combining image-derived and venous input functions enables quantification of serotonin-1A receptors with [carbonyl- ¹¹ C]WAY-100635 independent of arterial sampling. <i>NeuroImage</i> , 2012, 62, 199-206.	4.2	19

#	ARTICLE	IF	CITATIONS
109	Relation of progesterone and DHEAS serum levels to 5-HT1A receptor binding potential in pre- and postmenopausal women. <i>Psychoneuroendocrinology</i> , 2014, 46, 52-63.	2.7	19
110	Quantitative Assessment of Breast Parenchymal Uptake on ¹⁸ F-FDG PET/CT: Correlation with Age, Background Parenchymal Enhancement, and Amount of Fibroglandular Tissue on MRI. <i>Journal of Nuclear Medicine</i> , 2016, 57, 1518-1522.	5.0	19
111	Simple and rapid quantification of serotonin transporter binding using [¹¹ C]DASB bolus plus constant infusion. <i>NeuroImage</i> , 2017, 149, 23-32.	4.2	19
112	Progesterone Level Predicts Serotonin-1A Receptor Binding in the Male Human Brain. <i>Neuroendocrinology</i> , 2011, 94, 84-88.	2.5	18
113	Reliability of task-specific neuronal activation assessed with functional PET, ASL and BOLD imaging. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2021, 41, 2986-2999.	4.3	18
114	Bone lesion detection with carrier-added ^{99m} Tc-EDTMP in comparison with ^{99m} Tc-DPD. <i>Nuclear Medicine Communications</i> , 2004, 25, 361-365.	1.1	17
115	Single-step radiofluorination of peptides using continuous flow microreactor. <i>Organic and Biomolecular Chemistry</i> , 2012, 10, 3871.	2.8	17
116	[¹⁸ F]FMeNER-D2: Reliable fully-automated synthesis for visualization of the norepinephrine transporter. <i>Nuclear Medicine and Biology</i> , 2013, 40, 1049-1054.	0.6	17
117	Hide and seek: a comparative autoradiographic in vitro investigation of the adenosine A3 receptor. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2015, 42, 928-939.	6.4	17
118	Development of a Novel Nonpeptidic ¹⁸ F-Labeled Radiotracer for in Vivo Imaging of Oxytocin Receptors with Positron Emission Tomography. <i>Journal of Medicinal Chemistry</i> , 2016, 59, 1800-1817.	6.4	17
119	Expanding LogP: Present possibilities. <i>Nuclear Medicine and Biology</i> , 2018, 58, 20-32.	0.6	17
120	Effect of Rifampicin on the Distribution of [¹¹ C]Erlotinib to the Liver, a Translational PET Study in Humans and in Mice. <i>Molecular Pharmaceutics</i> , 2018, 15, 4589-4598.	4.6	17
121	Functional dynamics of dopamine synthesis during monetary reward and punishment processing. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2021, 41, 2973-2985.	4.3	17
122	Binding studies of [¹⁸ F]-fluoride and polyphosphonates radiolabelled with [¹¹¹ In], [^{99m} Tc], [¹⁵³ Sm], and [¹⁸⁸ Re] on bone compartments: a new model for the pre vivo evaluation of bone seekers?. <i>Bone</i> , 2004, 34, 835-844.	2.9	16
123	Synthesis and biodistribution of [¹⁸ F]FE@CIT, a new potential tracer for the dopamine transporter. <i>Synapse</i> , 2005, 55, 73-79.	1.2	16
124	Parameter evaluation and fully-automated radiosynthesis of [¹¹ C]harmine for imaging of MAO-A for clinical trials. <i>Applied Radiation and Isotopes</i> , 2015, 97, 182-187.	1.5	16
125	Changes in Tumor Biology During Chemoradiation of Cervix Cancer Assessed by Multiparametric MRI and Hypoxia PET. <i>Molecular Imaging and Biology</i> , 2018, 20, 160-169.	2.6	16
126	Hypothalamic serotonin-1A receptor binding measured by PET predicts the plasma level of dehydroepiandrosterone sulfate in healthy women. <i>Neuroscience Letters</i> , 2010, 476, 161-165.	2.1	15

#	ARTICLE	IF	CITATIONS
127	[¹⁸ F]FE@SUPPY and [¹⁸ F]FE@SUPPY:2 metabolic considerations. Nuclear Medicine and Biology, 2010, 37, 421-426.	0.6	15
128	Radiosynthesis of [¹¹ C]SNAP-7941 the first PET-tracer for the melanin concentrating hormone receptor 1 (MCHR1). Applied Radiation and Isotopes, 2012, 70, 2287-2294.	1.5	15
129	[¹⁸ F]FEPPA: Improved Automated Radiosynthesis, Binding Affinity, and Preliminary in Vitro Evaluation in Colorectal Cancer. ACS Medicinal Chemistry Letters, 2018, 9, 177-181.	2.8	15
130	FDG PET / MRI imaging for the management of alveolar echinococcosis: initial clinical experience at a reference centre in Austria. Tropical Medicine and International Health, 2019, 24, 663-670.	2.3	15
131	Detection of Bone Metastases Using ¹¹ C-Acetate PET in Patients with Prostate Cancer with Biochemical Recurrence. Anticancer Research, 2015, 35, 6787-91.	1.1	15
132	Optimization of [¹¹ C]DASB-synthesis: Vessel-based and flow-through microreactor methods. Applied Radiation and Isotopes, 2012, 70, 2615-2620.	1.5	14
133	Preparation and First Preclinical Evaluation of [¹⁸ F]FE@SNAP: A Potential PET Tracer for the Melanin Concentrating Hormone Receptor 1 (MCHR1). Scientia Pharmaceutica, 2013, 81, 625-639.	2.0	14
134	(R)-[¹⁸ F]NEBIFQUINIDE: A promising new PET tracer for TSPO imaging. European Journal of Medicinal Chemistry, 2019, 176, 410-418.	5.5	14
135	First-in-human brain PET imaging of the GluN2B-containing N-methyl-D-aspartate receptor with (R)- ¹¹ C-Me-NB1. Journal of Nuclear Medicine, 2021, , jnumed.121.262427.	5.0	14
136	Imaging Biomarkers or Biomarker Imaging?. Pharmaceuticals, 2014, 7, 765-778.	3.8	13
137	Impact of COMT genotype on serotonin-1A receptor binding investigated with PET. Brain Structure and Function, 2014, 219, 2017-2028.	2.3	13
138	Binding Affinity of Some Endogenous and Synthetic TSPO Ligands Regarding the rs6971 Polymorphism. International Journal of Molecular Sciences, 2019, 20, 563.	4.1	13
139	Radiosynthesis of 3-(2-[¹⁸ F]fluoro)-flumazenil ([¹⁸ F]FFMZ). Journal of Labelled Compounds and Radiopharmaceuticals, 2003, 46, 1229-1240.	1.0	12
140	Interaction between 5-HTTLPR and 5-HT1B genotype status enhances cerebral 5-HT1A receptor binding. Neurolmage, 2015, 111, 505-512.	4.2	12
141	Parcellation of the Human Cerebral Cortex Based on Molecular Targets in the Serotonin System Quantified by Positron Emission Tomography In vivo. Cerebral Cortex, 2019, 29, 372-382.	2.9	12
142	Speed matters to raise molar radioactivity: Fast HPLC shortens the quality control of C-11 PET-tracers. Nuclear Medicine and Biology, 2018, 57, 28-33.	0.6	12
143	Clinical Value of ¹⁸ F-FDOPA PET/CT With Contrast Enhancement and Without Carbidopa Premedication in Patients with Insulinoma. Anticancer Research, 2018, 38, 353-358.	1.1	12
144	EANM position on the in-house preparation of radiopharmaceuticals. European Journal of Nuclear Medicine and Molecular Imaging, 2022, 49, 1095-1098.	6.4	12

#	ARTICLE	IF	CITATIONS
145	Relevance of calcitonin cut-off in the follow-up of medullary thyroid carcinoma for conventional imaging and 18-fluorine-fluorodihydroxyphenylalanine PET. <i>Anticancer Research</i> , 2014, 34, 6647-54.	1.1	12
146	Labelling of EDTMP (Multibone®) with [111In], [99mTc] and [188Re] using different carriers for cross-complexation. <i>Applied Radiation and Isotopes</i> , 2004, 60, 653-658.	1.5	11
147	Imaging of adrenocortical metastases with [11C]metomidate. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2006, 33, 974-974.	6.4	11
148	Development and automation of a novel NET-PET tracer: [11C]Me@APPI. <i>Nuclear Medicine and Biology</i> , 2013, 40, 295-303.	0.6	11
149	Radiosynthesis and first preclinical evaluation of the novel norepinephrine transporter pet-ligand [11C]ME@HAPTHI. <i>EJNMMI Research</i> , 2015, 5, 113.	2.5	11
150	Whole-Body Distribution and Radiation Dosimetry of ¹¹ C-Elacridar and ¹¹ C-Tarividar in Humans. <i>Journal of Nuclear Medicine</i> , 2016, 57, 1265-1268.	5.0	11
151	In vivo magnetic resonance imaging of pancreatic tumors using iron oxide nanoworms targeted with PTR86 peptide. <i>Colloids and Surfaces B: Biointerfaces</i> , 2017, 158, 423-430.	5.0	11
152	Modeling the acute pharmacological response to selective serotonin reuptake inhibitors in human brain using simultaneous PET/MR imaging. <i>European Neuropsychopharmacology</i> , 2019, 29, 711-719.	0.7	11
153	Association of dopamine D2/3 receptor binding potential measured using PET and [11C]-(+)-PHNO with post-mortem DRD2/3 gene expression in the human brain. <i>NeuroImage</i> , 2020, 223, 117270.	4.2	11
154	Update on PET Tracer Development for Muscarinic Acetylcholine Receptors. <i>Pharmaceuticals</i> , 2021, 14, 530.	3.8	11
155	High-dose testosterone treatment reduces monoamine oxidase A levels in the human brain: A preliminary report. <i>Psychoneuroendocrinology</i> , 2021, 133, 105381.	2.7	11
156	Exploring the Impact of BDNF Val66Met Genotype on Serotonin Transporter and Serotonin-1A Receptor Binding. <i>PLoS ONE</i> , 2014, 9, e106810.	2.5	11
157	A general method for the fluorine-18 labelling of fluoroquinolone antibiotics. <i>Journal of Labelled Compounds and Radiopharmaceuticals</i> , 2003, 46, 715-727.	1.0	10
158	Impact of electroconvulsive therapy on 5-HT1A receptor binding in major depression. <i>Molecular Psychiatry</i> , 2013, 18, 1-1.	7.9	10
159	Comparative autoradiographic in vitro investigation of melanin concentrating hormone receptor 1 ligands in the central nervous system. <i>European Journal of Pharmacology</i> , 2014, 735, 177-183.	3.5	10
160	Comparison of fully-automated radiosyntheses of [11C]erlotinib for preclinical and clinical use starting from in target produced [11C]CO ₂ or [11C]CH ₄ . <i>EJNMMI Radiopharmacy and Chemistry</i> , 2018, 3, 8.	3.9	10
161	Topologically Guided Prioritization of Candidate Gene Transcripts Coexpressed with the 5-HT1A Receptor by Combining In Vivo PET and Allen Human Brain Atlas Data. <i>Cerebral Cortex</i> , 2020, 30, 3771-3780.	2.9	10
162	The labelling of Nanocoll® with [111In] for dual-isotope scanning. <i>Applied Radiation and Isotopes</i> , 2003, 59, 337-342.	1.5	9

#	ARTICLE	IF	CITATIONS
163	In vitro evaluation of no carrier added, carrier added and cross-complexed [90Y]-EDTMP provides evidence for a novel "foreign carrier theory". Nuclear Medicine and Biology, 2006, 33, 95-99.	0.6	9
164	Development of potential selective and reversible pyrazoline based MAO-B inhibitors as MAO-B PET tracer precursors and reference substances for the early detection of Alzheimer's disease. Bioorganic and Medicinal Chemistry Letters, 2014, 24, 4490-4495.	2.2	9
165	Presurgical evaluation of pediatric epilepsy patients prior to hemispherotomy: the prognostic value of 18F-FDG PET. Journal of Neurosurgery: Pediatrics, 2016, 18, 683-688.	1.3	9
166	Microfluidic ⁶⁸ Ga-labeling: a proof of principle study. Dalton Transactions, 2018, 47, 5997-6004.	3.3	9
167	Sequential [¹⁸ F]FDG-[¹⁸ F]FMISO PET and Multiparametric MRI at 3T for Insights into Breast Cancer Heterogeneity and Correlation with Patient Outcomes: First Clinical Experience. Contrast Media and Molecular Imaging, 2019, 2019, 1-9.	0.8	9
168	Learning induces coordinated neuronal plasticity of metabolic demands and functional brain networks. Communications Biology, 2022, 5, 428.	4.4	9
169	Comparison of three different purification methods for the routine preparation of [11C] Metomidate. Applied Radiation and Isotopes, 2003, 59, 125-128.	1.5	8
170	Synthesis of in vivo Metabolites of the New Adenosine A3 Receptor PET-Radiotracer [18F]FE@SUPPY. Heterocycles, 2008, 75, 339.	0.7	8
171	Synthesis, radiosynthesis and first in vitro evaluation of novel PET-tracers for the dopamine transporter: [11C]IPCIT and [18F]FE@IPCIT. Bioorganic and Medicinal Chemistry, 2013, 21, 7562-7569.	3.0	8
172	[18F]FE@SNAP "a specific PET tracer for melanin-concentrating hormone receptor 1 imaging?". EJNMMI Research, 2016, 6, 31.	2.5	8
173	Reproducibility of Quantitative Brain Imaging Using a PET-Only and a Combined PET/MR System. Frontiers in Neuroscience, 2017, 11, 396.	2.8	8
174	Development and evaluation of a rapid analysis for HEPES determination in ⁶⁸ Ga-radiotracers. EJNMMI Research, 2018, 8, 95.	2.5	8
175	PIK3CA Mutational Status Is Associated with High Glycolytic Activity in ER+/HER2 ⁻ Early Invasive Breast Cancer: a Molecular Imaging Study Using [18F]FDG PET/CT. Molecular Imaging and Biology, 2019, 21, 991-1002.	2.6	8
176	Multimodal [18F]FDG PET/CT Is a Direct Readout for Inflammatory Bone Repair: A Longitudinal Study in TNF ⁺ Transgenic Mice. Journal of Bone and Mineral Research, 2019, 34, 1632-1645.	2.8	8
177	Enhanced arecoline derivatives as muscarinic acetylcholine receptor M1 ligands for potential application as PET radiotracers. European Journal of Medicinal Chemistry, 2020, 204, 112623.	5.5	8
178	Automatisation and First Evaluation of [18F]FE@SUPPY:2, an Alternative PET-Tracer for the Adenosine A3 Receptor: A Comparison with [18F]FE@SUPPY. The Open Nuclear Medicine Journal, 2009, 1, 15-23.	0.2	8
179	Radiosynthesis of the adenosine A3 receptor ligand 5-(2-[18F]fluoroethyl) 2,4-diethyl-3-(ethylsulfanylcarbonyl)- 6-phenylpyridine-5-carboxylate ([18F]FE@SUPPY). Radiochimica Acta, 2008, 96, .	1.2	7
180	Epistasis of HTR1A and BDNF risk genes alters cortical 5-HT1A receptor binding: PET results link genotype to molecular phenotype in depression. Translational Psychiatry, 2019, 9, 5.	4.8	7

#	ARTICLE	IF	CITATIONS
181	Training the next generation of radiopharmaceutical scientists. <i>Nuclear Medicine and Biology</i> , 2020, 88-89, 10-13.	0.6	7
182	Pitfalls and solutions of the fully-automated radiosynthesis of [11C]metoclopramide. <i>EJNMMI Radiopharmacy and Chemistry</i> , 2019, 4, 31.	3.9	7
183	Multiparametric [11C]Acetate positron emission tomography-magnetic resonance imaging in the assessment and staging of prostate cancer. <i>PLoS ONE</i> , 2017, 12, e0180790.	2.5	7
184	Development of a radiolabeled caninized anti-EGFR antibody for comparative oncology trials. <i>Oncotarget</i> , 2017, 8, 83128-83141.	1.8	7
185	The presence of MOMA ² macrophages in the outer B cell zone and protection of the splenic microarchitecture from LPS-induced destruction depend on secreted IgM. <i>European Journal of Immunology</i> , 2007, 37, 2825-2833.	2.9	6
186	The stability of methyl-, ethyl- and fluoroethylesters against carboxylesterases in vitro: there is no difference. <i>Nuclear Medicine and Biology</i> , 2011, 38, 13-17.	0.6	6
187	Synthesis and in Silico Evaluation of Novel Compounds for PET-Based Investigations of the Norepinephrine Transporter. <i>Molecules</i> , 2015, 20, 1712-1730.	3.8	6
188	[18F]FMeNER-D2: A systematic in vitro analysis of radio-metabolism. <i>Nuclear Medicine and Biology</i> , 2016, 43, 490-495.	0.6	6
189	In vivo evaluation of radiotracers targeting the melanin-concentrating hormone receptor 1: [11C]SNAP-7941 and [18F]FE@SNAP reveal specific uptake in the ventricular system. <i>Scientific Reports</i> , 2017, 7, 8054.	3.3	6
190	Probing the association between serotonin-1A autoreceptor binding and amygdala reactivity in healthy volunteers. <i>NeuroImage</i> , 2018, 171, 1-5.	4.2	6
191	Serotonin Transporter Binding in the Human Brain After Pharmacological Challenge Measured Using PET and PET/MR. <i>Frontiers in Molecular Neuroscience</i> , 2019, 12, 172.	2.9	6
192	In vitro Radiopharmaceutical Evidence for MCHR1 Binding Sites in Murine Brown Adipocytes. <i>Frontiers in Endocrinology</i> , 2019, 10, 324.	3.5	6
193	Synthesis, Biological, and Computational Evaluation of Antagonistic, Chiral Hydrobenzoin Esters of Arecaidine Targeting mAChR M1. <i>Pharmaceuticals</i> , 2020, 13, 437.	3.8	6
194	Impact of the COVID-19 pandemic on nuclear medicine departments in Europe. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2021, 48, 3361-3364.	6.4	6
195	NCA nucleophilic radiofluorination on substituted benzaldehydes for the preparation of [18F]fluorinated aromatic amino acids. <i>Applied Radiation and Isotopes</i> , 2006, 64, 355-359.	1.5	5
196	Metabolism and autoradiographic evaluation of [18F]FE@CIT: a Comparison with [123I]I ² -CIT and [123I]FP-CIT. <i>Nuclear Medicine and Biology</i> , 2008, 35, 475-479.	0.6	5
197	Syntheses of Precursors and Reference Compounds of the Melanin-Concentrating Hormone Receptor 1 (MCHR1) Tracers [11C]SNAP-7941 and [18F]FE@SNAP for Positron Emission Tomography. <i>Molecules</i> , 2013, 18, 12119-12143.	3.8	5
198	[18F]FE@SUPPY: a suitable PET tracer for the adenosine A3 receptor? An in vivo study in rodents. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2015, 42, 741-749.	6.4	5

#	ARTICLE	IF	CITATIONS
199	A new method measuring the interaction of radiotracers with the human P-glycoprotein (P-gp) transporter. <i>Nuclear Medicine and Biology</i> , 2018, 60, 29-36.	0.6	5
200	Preclinical <i>In Vitro</i> and <i>In Vivo</i> Evaluation of [¹⁸ F]FE@SUPPY for Cancer PET Imaging: Limitations of a Xenograft Model for Colorectal Cancer. <i>Contrast Media and Molecular Imaging</i> , 2018, 2018, 1-9.	0.8	5
201	SNAPshots of the MCHR1: a Comparison Between the PET-Tracers [¹⁸ F]FE@SNAP and [¹¹ C]SNAP-7941. <i>Molecular Imaging and Biology</i> , 2019, 21, 257-268.	2.6	5
202	Attenuation Correction Approaches for Serotonin Transporter Quantification With PET/MRI. <i>Frontiers in Physiology</i> , 2019, 10, 1422.	2.8	5
203	Brain glucose uptake during transcranial direct current stimulation measured with functional [¹⁸ F]FDG-PET. <i>Brain Imaging and Behavior</i> , 2020, 14, 477-484.	2.1	5
204	Disrupted relationship between blood glucose and brain dopamine D2/3 receptor binding in patients with first-episode schizophrenia. <i>NeuroImage: Clinical</i> , 2021, 32, 102813.	2.7	5
205	[¹⁸ F]FDG-PET/CT and MRI for initial pelvic lymph node staging in patients with cervical carcinoma: The potential usefulness of [¹⁸ F]FDG-PET/MRI. <i>Oncology Letters</i> , 2018, 15, 3951-3956.	1.8	4
206	Molar activity “ The keystone in ¹¹ C-radiochemistry: An explorative study using the gas phase method. <i>Nuclear Medicine and Biology</i> , 2018, 67, 21-26.	0.6	4
207	Sex-differences in [⁶⁸ Ga]Ga-DOTANOC biodistribution. <i>Nuclear Medicine and Biology</i> , 2019, 76-77, 15-20.	0.6	4
208	Design, Synthesis, and Biological Evaluation of 4,4- TM -Difluorobenzhydrol Carbamates as Selective M1 Antagonists. <i>Pharmaceuticals</i> , 2022, 15, 248.	3.8	4
209	Synthesis, Biological Evaluation, and Docking Studies of Antagonistic Hydroxylated Arecaidine Esters Targeting mAChRs. <i>Molecules</i> , 2022, 27, 3173.	3.8	4
210	Preparation and radiosynthesis of [¹⁸ F]FE@CFN (2-[¹⁸ F]fluoroethyl) Tj ETQqO O O rgBT /Overlock 10 Tf 50 307 Td (4-[N-(1-oxopropyl)-N- receptor imaging agent. <i>Radiochimica Acta</i> , 2007, 95, .	1.2	3
211	Quantification of the radio-metabolites of the serotonin-1A receptor radioligand [carbonyl- ¹¹ C]WAY-100635 in human plasma: An HPLC-assay which enables measurement of two patients in parallel. <i>Applied Radiation and Isotopes</i> , 2012, 70, 2730-2736.	1.5	3
212	**-Postprandial pancreatic [¹¹ C]methionine uptake after pancreaticoduodenectomy mirrors basal beta cell function and insulin release. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2017, 44, 509-516.	6.4	3
213	[¹¹ C]acetate PET as a tool for diagnosis of liver steatosis. <i>Abdominal Radiology</i> , 2018, 43, 2963-2969.	2.1	3
214	L-[S-methyl- ¹¹ C]methionine “ An example of radiosynthetic optimization. <i>Applied Radiation and Isotopes</i> , 2018, 141, 107-111.	1.5	3
215	Synthesis and in vitro evaluation of new translocator protein ligands designed for positron emission tomography. <i>Future Medicinal Chemistry</i> , 2019, 11, 539-550.	2.3	3
216	Characterization of Bone Lesions in Myeloma Before and During Anticancer Therapy Using ¹⁸ F-FDG-PET/CT and ¹⁸ F-NaF-PET/CT. <i>Anticancer Research</i> , 2019, 39, 1943-1952.	1.1	3

#	ARTICLE	IF	CITATIONS
217	Synthesis of [68Ga]Gallium Dota-(Tyr3)-Octreotide Acetate ([68Ga]-Dotatoc). , 0, , 321-334.		3
218	Cyclotrons Operated for Nuclear Medicine and Radiopharmacy in the German Speaking D-A-CH Countries: An Update on Current Status and Trends. <i>Frontiers in Nuclear Medicine</i> , 2022, 2, .	1.2	3
219	Imaging Inflammation in Atherosclerosis with CXCR4-Directed [68Ga]PentixaFor PET/MRIâ€”Compared with [18F]FDG PET/MRI. <i>Life</i> , 2022, 12, 1039.	2.4	3
220	Technical Aspect of the Automated Synthesis and Real-Time Kinetic Evaluation of [¹¹ C]SNAP-7941. <i>Journal of Visualized Experiments</i> , 2019, , .	0.3	2
221	Discovery of melaninâ€”concentrating hormone receptor 1 in brown adipose tissue. <i>Annals of the New York Academy of Sciences</i> , 2021, 1494, 70-86.	3.8	2
222	Segmentation of [11C]DASB and [carbonyl-11C]WAY-100635 PET brain images using linear discriminant analysis. <i>NeuroImage</i> , 2010, 52, S155-S156.	4.2	1
223	Prediction of steady-state occupancy of the serotonin transporter based on single-dose occupancy: A [¹¹ C]DASB pet study. <i>European Psychiatry</i> , 2011, 26, 929-929.	0.2	1
224	PM478. Imaging the effects of d-amphetamine in the human brain for modelling dopaminergic alterations in schizophrenia. <i>International Journal of Neuropsychopharmacology</i> , 2016, 19, 74-74.	2.1	1
225	Attenuation of habenulaâ€”default mode network connectivity by selective serotonin reuptake inhibitors, a pharmacological hybrid PET/MR study. <i>European Neuropsychopharmacology</i> , 2016, 26, S317.	0.7	1
226	Monoamine oxidase A distribution volume as a correlate for electroconvulsive therapy â€” preliminary results. <i>European Neuropsychopharmacology</i> , 2017, 27, S708-S709.	0.7	1
227	Toward the Optimization of (+)-[11C]PHNO Synthesis: Time Reduction and Process Validation. <i>Contrast Media and Molecular Imaging</i> , 2019, 2019, 1-13.	0.8	1
228	The Radiopharmaceutical Chemistry of Carbon-11: Tracers and Applications. , 2019, , 221-236.		1
229	Optimization of the Automated Synthesis of [11C]mHEDâ€”Administered and Apparent Molar Activities. <i>Pharmaceuticals</i> , 2019, 12, 12.	3.8	1
230	Unexpected scaffold rearrangement product of pirenzepine found in commercial samples. <i>Scientific Reports</i> , 2021, 11, 23397.	3.3	1
231	Cold pressure testing 99 Tc MIBI-SPECT useful detecting abnormal coronary vasoreactivity in asymptomatic population with moderate risk of cardiovascular events. PARADIGMA multicenter study. <i>Journal of Nuclear Cardiology</i> , 2005, 12, S41-S41.	2.1	0
232	Evaluation of novel tropane analogues. <i>Nuclear Medicine and Biology</i> , 2007, 34, 591-592.	0.6	0
233	S.07.04 Progesterone and estradiol plasma levels modulate serotonin-1A binding in the human brain. <i>European Neuropsychopharmacology</i> , 2008, 18, S168.	0.7	0
234	â€”Label and goâ€”â€” A fast and easy radiolabelling method for pellets. <i>Applied Radiation and Isotopes</i> , 2010, 68, 399-403.	1.5	0

#	ARTICLE	IF	CITATIONS
235	FC10-05 - Attenuated serotonin transporter association between midbrain and nucleus accumbens in major depression. <i>European Psychiatry</i> , 2011, 26, 1868-1868.	0.2	0
236	Multimodal imaging of an astrocytoma affecting the amygdalar region. <i>European Psychiatry</i> , 2011, 26, 924-924.	0.2	0
237	Cortisol plasma levels are associated with serotonin - 1A receptor binding in postmenopausal women. <i>European Psychiatry</i> , 2011, 26, 933-933.	0.2	0
238	P.4.002 Serotonin transporter ratio between raphe nuclei and projection areas predicts SSRI treatment response in major depression. <i>European Neuropsychopharmacology</i> , 2012, 22, S85.	0.7	0
239	P.2.b.044 Serotonin transporter association between dorsal raphe and ventral striatum is diminished in major depression. <i>European Neuropsychopharmacology</i> , 2013, 23, S345.	0.7	0
240	A One-Step Microwave-Assisted Synthetic Method for an O/S-Chemoselective Route to Derivatives of the First Adenosine A3 PET Radiotracer. <i>Molecules</i> , 2014, 19, 4076-4082.	3.8	0
241	P.1.i.047 Interregional changes in serotonin transporter availability upon treatment with selective serotonin reuptake inhibitors. <i>European Neuropsychopharmacology</i> , 2015, 25, S327-S328.	0.7	0
242	2-Fluoro-N-methyl-N-((3S,4S)-4-[2-(trifluoromethyl)phenoxy]-3,4-dihydro-1H-isochromen-3-yl)methyl)ethanamine. <i>MolBank</i> , 2015, 2015, M858.	0.5	0
243	1-(3-Amino-1-phenylpropyl)-3-(2-fluorophenyl)-1,3-dihydro-2H-benzimidazol-2-one. <i>MolBank</i> , 2015, 2015, M867.	0.5	0
244	2-Fluoro-N-methyl-N-[(3S*,4S*)-4-(2-methylphenoxy)-3,4-dihydro-1H-isochromen-3-yl)methyl]ethanamine. <i>MolBank</i> , 2015, 2015, M862.	0.5	0
245	P.1.i.037 Effects of norepinephrine transporter gene variants on protein binding in patients with ADHD using PET. <i>European Neuropsychopharmacology</i> , 2015, 25, S321-S322.	0.7	0
246	PS168. Hybrid PET/MR imaging of serotonin transporter occupancy and brain activation to elucidate the mechanism of action of selective serotonin reuptake inhibitors. <i>International Journal of Neuropsychopharmacology</i> , 2016, 19, 60-61.	2.1	0
247	Neurochemical and behavioral sensitization to d-amphetamine in healthy subjects measured with [¹¹ C]-(+)-PHNO-PET. <i>European Psychiatry</i> , 2016, 33, S105-S106.	0.2	0
248	32nd International Austrian Winter Symposium. <i>EJNMMI Research</i> , 2016, 6, 32.	2.5	0
249	Influence of serotonergic gene variants on serotonin transporter binding in ADHD. <i>European Neuropsychopharmacology</i> , 2017, 27, S707.	0.7	0
250	Characterization of pharmacological response to selective serotonin reuptake inhibitors using clustering of resting-state hybrid PET/MR data. <i>European Neuropsychopharmacology</i> , 2019, 29, S603-S604.	0.7	0
251	The relationship between cholecystokinin secretion and pancreatic [11C]methionine uptake in patients after partial pancreaticoduodenectomy. <i>Annals of Nuclear Medicine</i> , 2020, 34, 691-695.	2.2	0
252	Synthesis of 2-(4-N-[11C]Methylaminophenyl)-6-Hydroxybenzothiazole ([11C]6-OH-BTA-1; [11C]PIB)., 0, , 177-189.		0

#	ARTICLE	IF	CITATIONS
253	Synthesis of 3-Amino-4-[2-(N-Methyl-N-[11C]Methyl-Amino-Methyl)Phenylsulfanyl]-Benzonitrile ([11C]DASB). , 0, , 285-296.		0
254	Explorative analysis of retrospective data of patients with esophageal cancer at the Department of Nuclear Medicine at the Medical University of Vienna: Predicting 30-month survival and progress-free survival using Supervised Machine Learning. Nuklearmedizin - NuclearMedicine, 2019, 58, .	0.7	0
255	Adrenal Carcinoma – Radionuclide Imaging. , 2009, , 29-42.		0
256	Simultaneous radiomethylation of [11C]harmine and [11C]DASB and kinetic modeling approach for serotonergic brain imaging in the same individual. Scientific Reports, 2022, 12, 3283.	3.3	0
257	Status-Quo-Erhebung zur Zyklotron-Infrastruktur für die Nuklearmedizin und Radiopharmazie in Deutschland, Österreich und der Schweiz. Nuklearmedizin - NuclearMedicine, 2022, 61, .	0.7	0