

Pascal Le Corre Pharm

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/9327918/pascal-le-corre-pharm-publications-by-year.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

93
papers

1,950
citations

26
h-index

38
g-index

104
ext. papers

2,150
ext. citations

4.3
avg, IF

4.42
L-index

#	Paper	IF	Citations
93	Opioid-sparing strategies and their link to postoperative morphine and antiemetic administration: a retrospective study.. <i>British Journal of Anaesthesia</i> , 2022 ,	5.4	0
92	Difficulty in Repurposing Selective Serotonin Reuptake Inhibitors and Other Antidepressants with Functional Inhibition of Acid Sphingomyelinase in COVID-19 Infection.. <i>Frontiers in Pharmacology</i> , 2022 , 13, 849095	5.6	3
91	Compatibility of FIASMA Pharmacokinetics With Study End Points?. <i>Clinical Pharmacology and Therapeutics</i> , 2021 ,	6.1	
90	Repurposing functional inhibitors of acid sphingomyelinase (fiasmas): an opportunity against SARS-CoV-2 infection?. <i>Journal of Clinical Pharmacy and Therapeutics</i> , 2021 , 46, 1213-1219	2.2	13
89	Leveraging National Claims and Hospital Big Data: Cohort Study on a Statin-Drug Interaction Use Case.. <i>JMIR Medical Informatics</i> , 2021 , 9, e29286	3.6	0
88	Drug-Drug Interactions in Elderly Patients with Potentially Inappropriate Medications in Primary Care, Nursing Home and Hospital Settings: A Systematic Review and a Preliminary Study. <i>Pharmaceutics</i> , 2021 , 13,	6.4	4
87	Association between Functional Inhibitors of Acid Sphingomyelinase (FIASMs) and Reduced Risk of Death in COVID-19 Patients: A Retrospective Cohort Study. <i>Pharmaceutics</i> , 2021 , 14,	5.2	17
86	Update on Functional Inhibitors of Acid Sphingomyelinase (FIASMs) in SARS-CoV-2 Infection. <i>Pharmaceutics</i> , 2021 , 14,	5.2	6
85	Drivers of absolute systemic bioavailability after oral pulmonary inhalation in humans. <i>European Journal of Pharmaceutics and Biopharmaceutics</i> , 2021 , 164, 36-53	5.7	0
84	Comment on Comparison of losartan and amlodipine effects on the outcomes of patient with COVID-19 and primary hypertension: A randomised clinical trial. <i>International Journal of Clinical Practice</i> , 2021 , 75, e14957	2.9	0
83	Differential interactions of the β -lactam cloxacillin with human renal organic anion transporters (OATs). <i>Fundamental and Clinical Pharmacology</i> , 2020 , 34, 476-483	3.1	0
82	Maternal and Fetal Blood Pharmacokinetics and Organ Distribution of Atrazine, Propazine, Simazine, and Their Metabolites in Pregnant Rats After Chronic Oral Administration. <i>Toxicological Sciences</i> , 2020 , 173, 255-266	4.4	1
81	Prescriptome analytics: an opportunity for clinical pharmacy. <i>International Journal of Clinical Pharmacy</i> , 2019 , 41, 1394-1397	2.3	1
80	Potential drug-drug interactions and nephrotoxicity in hematopoietic stem cell transplant adult recipients during bone marrow transplantation unit stay. <i>Cancer Chemotherapy and Pharmacology</i> , 2019 , 83, 827-835	3.5	2
79	Prevalence and nature of statin drug-drug interactions in a university hospital by electronic health record mining. <i>European Journal of Clinical Pharmacology</i> , 2018 , 74, 525-534	2.8	13
78	Pharmacokinetic drug-drug interactions of tyrosine kinase inhibitors: A focus on cytochrome P450, transporters, and acid suppression therapy. <i>Hematological Oncology</i> , 2017 , 35, 259-280	1.3	21
77	Clinical pharmacokinetics of oral drugs in the treatment of multiple myeloma. <i>Hematological Oncology</i> , 2017 , 36, 505	1.3	3

76	PBPK model of methotrexate in cerebrospinal fluid ventricles using a combined microdialysis and MRI acquisition. <i>European Journal of Pharmaceutics and Biopharmaceutics</i> , 2016 , 104, 117-30	5.7	4
75	Preparation and characterization of spironolactone-loaded nano-emulsions for extemporaneous applications. <i>International Journal of Pharmaceutics</i> , 2015 , 478, 193-201	6.5	5
74	A micro-QuEChERS method coupled to GC-MS for the quantification of pesticides in specific maternal and fetal tissues. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2015 , 104, 90-6	3.5	19
73	Population Pharmacokinetics of Amitriptyline After Intrathecal, Epidural, and Intravenous Administration in Sheep. <i>Regional Anesthesia and Pain Medicine</i> , 2015 , 40, 681-6	3.4	
72	Mupirocin/chlorexidine to prevent methicillin-resistant <i>Staphylococcus aureus</i> infections: post hoc analysis of a placebo-controlled, randomized trial using mupirocin/chlorhexidine and polymyxin/tobramycin for the prevention of acquired infections in intubated patients. <i>Infection</i> , 2014 , 42, 493-502	5.8	12
71	Causes and consequences of anti-infective drug stock-outs. <i>Médecine Et Maladies Infectieuses</i> , 2014 , 44, 470-7	4	3
70	Ex vivo and in vivo diffusion of ropivacaine through spinal meninges: influence of absorption enhancers. <i>International Journal of Pharmaceutics</i> , 2011 , 404, 36-41	6.5	8
69	Randomized comparison of 2 protocols to prevent acquisition of methicillin-resistant <i>Staphylococcus aureus</i> : results of a 2-center study involving 500 patients. <i>Infection Control and Hospital Epidemiology</i> , 2011 , 32, 1064-72	2	19
68	Specific and non-specific phagocytosis of ligand-grafted PLGA microspheres by macrophages. <i>European Journal of Pharmaceutical Sciences</i> , 2009 , 36, 474-85	5.1	73
67	Mucosal or systemic administration of rE2 glycoprotein antigen loaded PLGA microspheres. <i>International Journal of Pharmaceutics</i> , 2009 , 373, 16-23	6.5	9
66	Influence of efflux transporters on liver, bile and brain disposition of amitriptyline in mice. <i>International Journal of Pharmaceutics</i> , 2009 , 378, 80-5	6.5	4
65	Epidural, intrathecal and plasma pharmacokinetic study of epidural ropivacaine in PLGA-microspheres in sheep model. <i>European Journal of Pharmaceutics and Biopharmaceutics</i> , 2009 , 72, 54-61	5.7	31
64	Local anaesthetic use for the iliac crest-donor site: pharmacokinetic and pharmacodynamic evaluations. <i>Acta Anaesthesiologica Belgica</i> , 2009 , 60, 39-45		6
63	Preparation, characterization and in vitro evaluation of 50% enantiomeric excess bupivacaine (S75-R25)-loaded microspheres. <i>Revista Brasileira De Anestesiologia</i> , 2008 , 58, 15-22	0.8	3
62	Oral bioavailability and intestinal secretion of amitriptyline: Role of P-glycoprotein?. <i>International Journal of Pharmaceutics</i> , 2007 , 330, 121-8	6.5	11
61	Effect of epinephrine on epidural, intrathecal, and plasma pharmacokinetics of ropivacaine and bupivacaine in sheep. <i>British Journal of Anaesthesia</i> , 2007 , 99, 881-90	5.4	23
60	Epidural, intrathecal pharmacokinetics, and intrathecal bioavailability of ropivacaine. <i>Anesthesia and Analgesia</i> , 2007 , 105, 859-67	3.9	20
59	Immune responses after local administration of IgY loaded-PLGA microspheres in gut-associated lymphoid tissue in pigs. <i>Veterinary Immunology and Immunopathology</i> , 2006 , 109, 209-17	2	23

58	Prevention of acquired infections in intubated patients with the combination of two decontamination regimens. <i>Critical Care Medicine</i> , 2005 , 33, 307-14	1.4	77
57	Alkalinization of intracuff lidocaine: efficacy and safety. <i>Anesthesia and Analgesia</i> , 2005 , 101, 1536-1541	3.9	36
56	Contralateral effect of amitriptyline and bupivacaine for sciatic nerve block in an animal model of inflammation. <i>British Journal of Anaesthesia</i> , 2004 , 93, 705-9	5.4	9
55	Alkalinization of intra-cuff lidocaine and use of gel lubrication protect against tracheal tube-induced emergence phenomena. <i>British Journal of Anaesthesia</i> , 2004 , 92, 361-6	5.4	52
54	Bupivacaine containing dry emulsion can prolong epidural anesthetic effects in rabbits. <i>European Journal of Pharmaceutical Sciences</i> , 2004 , 22, 63-70	5.1	14
53	Spinal disposition and meningeal permeability of local anesthetics. <i>Pharmaceutical Research</i> , 2004 , 21, 706-16	4.5	15
52	Prolongation of epidural bupivacaine effects with hyaluronic acid in rabbits. <i>International Journal of Pharmaceutics</i> , 2004 , 272, 109-19	6.5	22
51	Human sympathetic activation by alpha2-adrenergic blockade with yohimbine: Bimodal, epistatic influence of cytochrome P450-mediated drug metabolism. <i>Clinical Pharmacology and Therapeutics</i> , 2004 , 76, 139-53	6.1	36
50	Spray-dried redispersible oil-in-water emulsion to improve oral bioavailability of poorly soluble drugs. <i>European Journal of Pharmaceutical Sciences</i> , 2003 , 19, 273-80	5.1	105
49	The effect of rifampin on the pharmacokinetics of vinorelbine in the micropig. <i>Anticancer Research</i> , 2003 , 23, 2741-4	2.3	2
48	Sciatic nerve block with bupivacaine-loaded microspheres prevents hyperalgesia in an inflammatory animal model. <i>Canadian Journal of Anaesthesia</i> , 2002 , 49, 690-3	3	21
47	Spray-dried bupivacaine-loaded microspheres: in vitro evaluation and biopharmaceutics of bupivacaine following brachial plexus administration in sheep. <i>International Journal of Pharmaceutics</i> , 2002 , 238, 191-203	6.5	54
46	The Effect of Local Anesthetics and Amitriptyline on Peroxidation In Vivo in an Inflammatory Rat Model: Preliminary Reports. <i>Anesthesia and Analgesia</i> , 2002 , 95, 992-996	3.9	20
45	The effect of local anesthetics and amitriptyline on peroxidation in vivo in an inflammatory rat model: preliminary reports. <i>Anesthesia and Analgesia</i> , 2002 , 95, 992-6, table of contents	3.9	21
44	Intrathecal ropivacaine in rabbits: pharmacodynamic and neurotoxicologic study. <i>Anesthesiology</i> , 2002 , 97, 429-35	4.3	44
43	Alkalinization of intracuff lidocaine improves endotracheal tube-induced emergence phenomena. <i>Anesthesia and Analgesia</i> , 2002 , 94, 227-30, table of contents	3.9	29
42	Alkalinization of Intracuff Lidocaine Improves Endotracheal Tube-Induced Emergence Phenomena. <i>Anesthesia and Analgesia</i> , 2002 , 94, 227-230	3.9	50
41	Pilot study on the effect of tourniquet use on sufentanil pharmacokinetics. <i>Journal of Clinical Anesthesia</i> , 2002 , 14, 578-83	1.9	5

40	Endotracheal tube cuffs filled with lidocaine as a drug delivery system: in vitro and in vivo investigations. <i>European Journal of Pharmaceutical Sciences</i> , 2001 , 13, 319-23	5.1	27
39	The pharmacokinetics and pharmacodynamics of bupivacaine-loaded microspheres on a brachial plexus block model in sheep. <i>Anesthesia and Analgesia</i> , 2001 , 93, 447-55, 4th contents page	3.9	20
38	The Pharmacokinetics and Pharmacodynamics of Bupivacaine-Loaded Microspheres on a Brachial Plexus Block Model in Sheep. <i>Anesthesia and Analgesia</i> , 2001 , 93, 447-455	3.9	19
37	Motor blockade by brachial plexus block in the sheep. <i>Anesthesiology</i> , 2000 , 93, 291-3	4.3	29
36	Ex vivo and in situ PLGA microspheres uptake by pig ileal Peyer's patch segment. <i>International Journal of Pharmaceutics</i> , 2000 , 201, 15-27	6.5	44
35	Spinal biopharmaceutics of bupivacaine and lidocaine by microdialysis after their simultaneous administration in rabbits. <i>International Journal of Pharmaceutics</i> , 2000 , 203, 227-34	6.5	17
34	PLGA microspheres phagocytosis by pig alveolar macrophages: influence of poly(vinyl alcohol) concentration, nature of loaded-protein and copolymer nature. <i>Journal of Drug Targeting</i> , 2000 , 7, 343-54	5.4	43
33	Biopharmaceutics and pharmacokinetics of 5-phenyl-1, 2-dithiole-3-thione complexed with sulfobutyl ether-7-beta-cyclodextrin in rabbits. <i>Journal of Pharmaceutical Sciences</i> , 1999 , 88, 1016-20	3.9	3
32	Improvement in solubility and dissolution rate of 1, 2-dithiole-3-thiones upon complexation with beta-cyclodextrin and its hydroxypropyl and sulfobutyl ether-7 derivatives. <i>Journal of Pharmaceutical Sciences</i> , 1999 , 88, 889-95	3.9	42
31	Trial of dexamethasone treatment for severe bacterial meningitis in adults. Adult Meningitis Steroid Group. <i>Intensive Care Medicine</i> , 1999 , 25, 475-80	14.5	67
30	Flow cytometric and optical microscopic evaluation of poly(D, L-lactide-co-glycolide) microspheres phagocytosis by pig alveolar macrophages. <i>Journal of Controlled Release</i> , 1999 , 58, 289-301	11.7	15
29	A dose-response study of epidural liposomal bupivacaine in rabbits. <i>Journal of Controlled Release</i> , 1999 , 60, 111-9	11.7	29
28	Biopharmaceutics and metabolism of yohimbine in humans. <i>European Journal of Pharmaceutical Sciences</i> , 1999 , 9, 79-84	5.1	39
27	Intrathecal bupivacaine in humans: influence of volume and baricity of solutions. <i>Anesthesiology</i> , 1999 , 91, 1260-6	4.3	54
26	Non steady state and steady state PKs Bayesian forecasting and vancomycin pharmacokinetics in ICU adult patients. <i>Therapeutic Drug Monitoring</i> , 1999 , 21, 395-403	3.2	28
25	High-performance liquid chromatographic determination of ropivacaine, 3-hydroxy-ropivacaine, 4-hydroxy-ropivacaine and 2S6Spipecoloxylidide in plasma. <i>Biomedical Applications</i> , 1998 , 719, 239-44		24
24	Inclusion complexation of amide-typed local anesthetics with β -cyclodextrin and its derivatives. III. Biopharmaceutics of bupivacaine-SBE7- β -CD complex following percutaneous sciatic nerve administration in rabbits. <i>International Journal of Pharmaceutics</i> , 1998 , 164, 11-19	6.5	39
23	Influence of hydroxypropyl- β -cyclodextrin and dimethyl- β -cyclodextrin on diphenhydramine intestinal absorption in a rat in situ model. <i>International Journal of Pharmaceutics</i> , 1998 , 169, 221-228	6.5	12

22	In vitro and in vivo microdialysis calibration using retrodialysis for the study of the cerebrospinal distribution of bupivacaine. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 1998 , 17, 665-70	3.5	24
21	In vitro controlled release kinetics of local anaesthetics from poly(D,L-lactide) and poly(lactide-co-glycolide) microspheres. <i>Journal of Microencapsulation</i> , 1997 , 14, 243-55	3.4	49
20	Cerebrospinal fluid and plasma disposition of yohimbine and 11-hydroxy-yohimbine in young and older healthy subjects, and Alzheimer's disease patients. <i>European Journal of Clinical Pharmacology</i> , 1997 , 52, 135-8	2.8	8
19	Inclusion complexation of amide-typed local anaesthetics with β -cyclodextrin and its derivatives. I. Physicochemical characterization. <i>International Journal of Pharmaceutics</i> , 1996 , 131, 219-228	6.5	28
18	In vitro and in vivo evaluation of polylactide and polylactide-co-glycolide microspheres of morphine for site-specific delivery. <i>International Journal of Pharmaceutics</i> , 1996 , 134, 37-46	6.5	12
17	Inclusion complexation of amide-typed local anaesthetics with β -cyclodextrin and its derivatives. ii. evaluation of affinity constants and in vitro transfer rate constants. <i>International Journal of Pharmaceutics</i> , 1996 , 136, 165-174	6.5	19
16	Controlled systemic absorption and increased anesthetic effect of bupivacaine following epidural administration of bupivacaine-hydroxypropyl-beta-cyclodextrin complex. <i>Pharmaceutical Research</i> , 1996 , 13, 1576-80	4.5	20
15	Motor and blood pressure effects of epidural sustained-release bupivacaine from polymer microspheres: a dose-response study in rabbits. <i>Anesthesia and Analgesia</i> , 1995 , 81, 519-24	3.9	18
14	A new axillary approach for continuous brachial plexus block. A clinical and anatomic study. <i>Anesthesia and Analgesia</i> , 1995 , 81, 686-93	3.9	4
13	A New Axillary Approach for Continuous Brachial Plexus Block. A Clinical and Anatomic Study. <i>Anesthesia and Analgesia</i> , 1995 , 81, 686-693	3.9	16
12	Prolongation of spinal anesthesia with bupivacaine-loaded (DL-lactide) microspheres. <i>Anesthesia and Analgesia</i> , 1995 , 81, 99-103	3.9	21
11	Spinal controlled delivery of bupivacaine from DL-lactic acid oligomer microspheres. <i>Journal of Pharmaceutical Sciences</i> , 1995 , 84, 75-8	3.9	17
10	Preparation and characterization of bupivacaine-loaded polylactide and polylactide-co-glycolide microspheres. <i>International Journal of Pharmaceutics</i> , 1994 , 107, 41-49	6.5	63
9	Alpha 2-adrenoceptor antagonist potencies of two hydroxylated metabolites of yohimbine. <i>British Journal of Pharmacology</i> , 1993 , 108, 927-32	8.6	23
8	Steady-state pharmacokinetics of dopamine in adult patients. <i>Critical Care Medicine</i> , 1993 , 21, 1652-7	1.4	20
7	Non linear disposition of thiopentone following long-term infusion. <i>European Journal of Drug Metabolism and Pharmacokinetics</i> , 1993 , 18, 255-9	2.7	14
6	Determination of yohimbine and its two hydroxylated metabolites in humans by high-performance liquid chromatography and mass spectral analysis. <i>Biomedical Applications</i> , 1992 , 574, 283-92		29
5	Stereoselective biliary elimination of disopyramide and mono-N-desisopropylidisopyramide in humans. <i>Chirality</i> , 1992 , 4, 80-3	2.1	4

4	In vitro assessment of stereoselective hepatic metabolism of disopyramide in humans: comparison with in vivo data. <i>Chirality</i> , 1991 , 3, 405-11	2.1	7
3	Clinical pharmacokinetics of levorotatory and racemic disopyramide, at steady state, following oral administration in patients with ventricular arrhythmias. <i>Journal of Clinical Pharmacology</i> , 1989 , 29, 1089-98	2.9	3
2	Simultaneous assay of disopyramide and monodesisopropylidisopyramide enantiomers in biological samples by liquid chromatography. <i>Biomedical Applications</i> , 1988 , 424, 424-9		11
1	Direct enantiomeric resolution of disopyramide and its metabolite using chiral high-performance liquid chromatography. Application to stereoselective metabolism and pharmacokinetics of racemic disopyramide in man. <i>Journal of Chromatography A</i> , 1988 , 450, 211-6	4.5	10