

John S L Parker

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9329931/publications.pdf>

Version: 2024-02-01

39
papers

2,340
citations

236833

25
h-index

315616

38
g-index

45
all docs

45
docs citations

45
times ranked

2094
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | The Paradoxes of Viral mRNA Translation during Mammalian Orthoreovirus Infection. <i>Viruses</i> , 2021, 13, 275. | 1.5 | 5 |
| 2 | The multi-functional reovirus $\sigma 3$ protein is a virulence factor that suppresses stress granule formation and is associated with myocardial injury. <i>PLoS Pathogens</i> , 2021, 17, e1009494. | 2.1 | 16 |
| 3 | Reovirus Nonstructural Protein $\sigma 3$ NS Recruits Viral RNA to Replication Organelles. <i>MBio</i> , 2021, 12, e0140821. | 1.8 | 11 |
| 4 | Tracking Veterinary Students Who Aspire to Careers in Science. <i>Journal of Veterinary Medical Education</i> , 2020, 47, 100-105. | 0.4 | 3 |
| 5 | Reovirus $\sigma 3$ Protein Limits Interferon Expression and Cell Death Induction. <i>Journal of Virology</i> , 2020, 94, . | 1.5 | 8 |
| 6 | Mammalian orthoreovirus Infection is Enhanced in Cells Pre-Treated with Sodium Arsenite. <i>Viruses</i> , 2019, 11, 563. | 1.5 | 9 |
| 7 | Simultaneous multiplexed amplicon sequencing and transcriptome profiling in single cells. <i>Nature Methods</i> , 2019, 16, 59-62. | 9.0 | 68 |
| 8 | Conserved Surface Residues on the Feline Calicivirus Capsid Are Essential for Interaction with Its Receptor Feline Junctional Adhesion Molecule A (fJAM-A). <i>Journal of Virology</i> , 2018, 92, . | 1.5 | 12 |
| 9 | A pLOT of Viral Persistence. <i>Cell Host and Microbe</i> , 2018, 24, 618-619. | 5.1 | 0 |
| 10 | Sequence analysis of feline immunoglobulin mRNAs and the development of a felinized monoclonal antibody specific to feline panleukopenia virus. <i>Scientific Reports</i> , 2017, 7, 12713. | 1.6 | 2 |
| 11 | Bacterial Filtration Efficiency of Green Soy Protein Based Nanofiber Air Filter. <i>Journal of Nanoscience and Nanotechnology</i> , 2014, 14, 4891-4898. | 0.9 | 48 |
| 12 | Virus-Mediated Compartmentalization of the Host Translational Machinery. <i>MBio</i> , 2014, 5, e01463-14. | 1.8 | 73 |
| 13 | The Cellular Chaperone Hsc70 Is Specifically Recruited to Reovirus Viral Factories Independently of Its Chaperone Function. <i>Journal of Virology</i> , 2012, 86, 1079-1089. | 1.5 | 27 |
| 14 | Micro-total analysis system for virus detection: microfluidic pre-concentration coupled to liposome-based detection. <i>Analytical and Bioanalytical Chemistry</i> , 2012, 402, 315-323. | 1.9 | 59 |
| 15 | A Proapoptotic Peptide Derived from Reovirus Outer Capsid Protein $\sigma 1$ Has Membrane-Destabilizing Activity. <i>Journal of Virology</i> , 2011, 85, 1507-1516. | 1.5 | 9 |
| 16 | Distribution of the Feline Calicivirus Receptor Junctional Adhesion Molecule A in Feline Tissues. <i>Veterinary Pathology</i> , 2011, 48, 361-368. | 0.8 | 17 |
| 17 | Reovirus Infection or Ectopic Expression of Outer Capsid Protein $\sigma 1$ Induces Apoptosis Independently of the Cellular Proapoptotic Proteins Bax and Bak. <i>Journal of Virology</i> , 2011, 85, 296-304. | 1.5 | 27 |
| 18 | Conformational Changes in the Capsid of a Calicivirus upon Interaction with Its Functional Receptor. <i>Journal of Virology</i> , 2010, 84, 5550-5564. | 1.5 | 57 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Characterization of a continuous feline mammary epithelial cell line susceptible to feline epitheliotropic viruses. <i>Journal of Virological Methods</i> , 2009, 157, 105-110. | 1.0 | 7 |
| 20 | Molecular Virology of Feline Calicivirus. <i>Veterinary Clinics of North America - Small Animal Practice</i> , 2008, 38, 775-786. | 0.5 | 51 |
| 21 | Independent Regulation of Reovirus Membrane Penetration and Apoptosis by the $\sigma 1$ Domain. <i>PLoS Pathogens</i> , 2008, 4, e1000248. | 2.1 | 71 |
| 22 | Identification of Regions and Residues in Feline Junctional Adhesion Molecule Required for Feline Calicivirus Binding and Infection. <i>Journal of Virology</i> , 2007, 81, 13608-13621. | 1.5 | 41 |
| 23 | Feline caliciviruses (FCVs) isolated from cats with virulent systemic disease possess in vitro phenotypes distinct from those of other FCV isolates. <i>Journal of General Virology</i> , 2007, 88, 506-517. | 1.3 | 56 |
| 24 | Reovirus Outer Capsid Protein $\sigma 1$ Induces Apoptosis and Associates with Lipid Droplets, Endoplasmic Reticulum, and Mitochondria. <i>Journal of Virology</i> , 2006, 80, 8422-8438. | 1.5 | 90 |
| 25 | Putative Autocleavage of Outer Capsid Protein $\sigma 1$, Allowing Release of Myristoylated Peptide $\sigma 1N$ during Particle Uncoating, Is Critical for Cell Entry by Reovirus. <i>Journal of Virology</i> , 2004, 78, 8732-8745. | 1.5 | 120 |
| 26 | Increased Ubiquitination and Other Covariant Phenotypes Attributed to a Strain- and Temperature-Dependent Defect of Reovirus Core Protein $\sigma 2$. <i>Journal of Virology</i> , 2004, 78, 10291-10302. | 1.5 | 25 |
| 27 | Reovirus Nonstructural Protein σNS Recruits Viral Core Surface Proteins and Entering Core Particles to Factory-Like Inclusions. <i>Journal of Virology</i> , 2004, 78, 1882-1892. | 1.5 | 91 |
| 28 | Nucleoside and RNA Triphosphatase Activities of Orthoreovirus Transcriptase Cofactor $\sigma 2$. <i>Journal of Biological Chemistry</i> , 2004, 279, 4394-4403. | 1.6 | 60 |
| 29 | Comparisons of the M1 genome segments and encoded $\mu 2$ proteins of different reovirus isolates. <i>Virology Journal</i> , 2004, 1, 6. | 1.4 | 42 |
| 30 | The Natural Host Range Shift and Subsequent Evolution of Canine Parvovirus Resulted from Virus-Specific Binding to the Canine Transferrin Receptor. <i>Journal of Virology</i> , 2003, 77, 1718-1726. | 1.5 | 208 |
| 31 | Reovirus σNS Protein Localizes to Inclusions through an Association Requiring the σNS Amino Terminus. <i>Journal of Virology</i> , 2003, 77, 4566-4576. | 1.5 | 73 |
| 32 | The σ Region of Outer-Capsid Protein $\sigma 1$ Undergoes Conformational Change and Release from Reovirus Particles during Cell Entry. <i>Journal of Virology</i> , 2003, 77, 13361-13375. | 1.5 | 88 |
| 33 | Mammalian Reovirus Nonstructural Protein σNS Forms Large Inclusions and Colocalizes with Reovirus Microtubule-Associated Protein $\sigma 2$ in Transfected Cells. <i>Journal of Virology</i> , 2002, 76, 8285-8297. | 1.5 | 123 |
| 34 | Reovirus Core Protein $\sigma 2$ Determines the Filamentous Morphology of Viral Inclusion Bodies by Interacting with and Stabilizing Microtubules. <i>Journal of Virology</i> , 2002, 76, 4483-4496. | 1.5 | 174 |
| 35 | Canine and Feline Parvoviruses Can Use Human or Feline Transferrin Receptors To Bind, Enter, and Infect Cells. <i>Journal of Virology</i> , 2001, 75, 3896-3902. | 1.5 | 209 |
| 36 | Early Stages of Influenza Virus Entry into Mv-1 Lung Cells: Involvement of Dynamin. <i>Virology</i> , 2000, 267, 17-28. | 1.1 | 52 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Cellular Uptake and Infection by Canine Parvovirus Involves Rapid Dynamin-Regulated Clathrin-Mediated Endocytosis, Followed by Slower Intracellular Trafficking. <i>Journal of Virology</i> , 2000, 74, 1919-1930. | 1.5 | 124 |
| 38 | Assaying for Structural Variation in the Parvovirus Capsid and Its Role in Infection. <i>Virology</i> , 1998, 250, 106-117. | 1.1 | 91 |
| 39 | Structural Analysis of a Mutation in Canine Parvovirus Which Controls Antigenicity and Host Range. <i>Virology</i> , 1996, 225, 65-71. | 1.1 | 78 |