

Xiong-Ying Jiang

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9330676/publications.pdf>

Version: 2024-02-01

18
papers

272
citations

1039880

9
h-index

940416

16
g-index

19
all docs

19
docs citations

19
times ranked

424
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | A nomogram to predict survival of patients with intermediate-stage hepatocellular carcinoma after transarterial chemoembolization combined with microwave ablation. <i>European Radiology</i> , 2020, 30, 2377-2390. | 2.3 | 21 |
| 2 | Comparison of albumin-bilirubin grade, platelet-albumin-bilirubin grade and Child-Turcotte-Pugh class for prediction of survival in patients with large hepatocellular carcinoma after transarterial chemoembolization combined with microwave ablation. <i>International Journal of Hyperthermia</i> , 2019, 36, 840-852. | 1.1 | 18 |
| 3 | Predictive value of the albumin-bilirubin grade on long-term outcomes of CT-guided percutaneous microwave ablation in intrahepatic cholangiocarcinoma. <i>International Journal of Hyperthermia</i> , 2019, 36, 327-335. | 1.1 | 18 |
| 4 | Sequential and Simultaneous 4-Antenna Microwave Ablation in an Ex Vivo Bovine Liver Model. <i>CardioVascular and Interventional Radiology</i> , 2019, 42, 1466-1474. | 0.9 | 6 |
| 5 | CT-Guided Percutaneous Gastrostomy without Preliminary Placement of a Nasogastric Tube. <i>Journal of Vascular and Interventional Radiology</i> , 2019, 30, 915-917. | 0.2 | 6 |
| 6 | Transarterial Chemoembolization and Sorafenib Combined with Microwave Ablation for Advanced Primary Hepatocellular Carcinoma: A Preliminary Investigation of Safety and Efficacy. <i>Cancer Management and Research</i> , 2019, Volume 11, 9939-9950. | 0.9 | 8 |
| 7 | Safety and effect on ablation size of hydrochloric acid-perfused radiofrequency ablation in animal livers. <i>International Journal of Hyperthermia</i> , 2018, 34, 925-933. | 1.1 | 4 |
| 8 | Prognostic Factors for Survival After Transarterial Chemoembolization Combined with Sorafenib in the Treatment of BCLC Stage B and C Hepatocellular Carcinomas. <i>Academic Radiology</i> , 2018, 25, 423-429. | 1.3 | 11 |
| 9 | Drug-eluting bead transarterial chemoembolization in the treatment for unresectable soft tissue sarcoma refractory to systemic chemotherapy: a preliminary evaluation of efficacy and safety. <i>Journal of Cancer Research and Clinical Oncology</i> , 2018, 144, 157-163. | 1.2 | 14 |
| 10 | Increasing radiofrequency ablation volumes with the use of internally cooled electrodes and injected hydrochloric acid in <i>ex vivo</i> bovine livers. <i>International Journal of Hyperthermia</i> , 2018, 35, 37-43. | 1.1 | 7 |
| 11 | Radiofrequency Ablation Combined with Transcatheter Arterial Chemoembolization Therapy Versus Surgical Resection for Hepatocellular Carcinoma within the Milan Criteria: A Meta-Analysis. <i>Korean Journal of Radiology</i> , 2018, 19, 613. | 1.5 | 21 |
| 12 | Hydrochloric acid-enhanced radiofrequency ablation for treating a large hepatocellular carcinoma with spontaneous rupture: a case report. <i>Chinese Journal of Cancer</i> , 2017, 36, 1. | 4.9 | 35 |
| 13 | Vicious circle of acute radiation toxicities and weight loss predicts poor prognosis for nasopharyngeal carcinoma patients receiving intensity modulated radiotherapy. <i>Journal of Cancer</i> , 2017, 8, 832-838. | 1.2 | 30 |
| 14 | Ex Vivo Liver Experiment of Hydrochloric Acid-Infused and Saline-Infused Monopolar Radiofrequency Ablation: Better Outcomes in Temperature, Energy, and Coagulation. <i>CardioVascular and Interventional Radiology</i> , 2016, 39, 600-605. | 0.9 | 8 |
| 15 | Prognostic factors for survival after transarterial chemoembolization combined with microwave ablation for hepatocellular carcinoma. <i>World Journal of Gastroenterology</i> , 2014, 20, 17483. | 1.4 | 34 |
| 16 | Interventional digital subtraction angiography for small bowel gastrointestinal stromal tumors with bleeding. <i>World Journal of Gastroenterology</i> , 2014, 20, 17955-17961. | 1.4 | 16 |
| 17 | Experimental study on diluted hydrochloric acid enlarging radiofrequency ablation lesions in excised porcine livers. <i>Diagnostic and Interventional Radiology</i> , 2012, 19, 145-9. | 0.7 | 9 |
| 18 | Experimental study of destruction to porcine spleen in vivo by microwave ablation. <i>World Journal of Gastroenterology</i> , 2011, 17, 5014. | 1.4 | 4 |